

ATAXIA ENZOOTICA DEL OVINO. SU EVOLUCIÓN HISTOPATOLÓGICA

Bernardo Epstein; E. N Alvarez; J. Beloso; N. Gutiérrez

RESUMEN: Se describen las lesiones histo patológicas correspondientes a casos de ovinos con procesos de ataxia, consistentes en cromatolisis de las neuronas y procesos avanzados de desmielinización. Las zonas del SNC más afectadas correspondieron a la zona lumbar, cervical y torácica de la médula espinal y a la corteza cerebelosa. Los análisis efectuados de dosajes de cobre no coinciden con los valores inferiores descritos por otros autores para esta enfermedad. **Analecta Veterinaria 3 (1,2,3): 55-61, 1971**

OVINE ENZOOTIC ATAXIA. ITS HISTOPATHOLOGICAL EVOLUTION

SUMMARY: Histopathologic lesions of ovines with ataxia are described. They const of neurone chromatolysis and advanced processes of desmylinization. The cerebellar cortex, the cervical, thoracic and lumbar medulla were de most affected zones of the Central Nervous System. The cooper dosages of the liver made by polarography differed with the minimum levels reported by other research workers for this disease. **Analecta Veterinaria 3 (1,2,3): 55-61, 1971**