

Supplementary Material

On the Effect of the Carbonaceous Substrate in the Nucleation of Sn Nanoparticles for Li-ion Anodes: Experiments and First Principles Calculations

Sacha Smrekar ^{(a)*1}, Martin E. Zoloff Michoff ^{(c)*1}, Jorge E. Thomas ^(b), Cecilia A. Calderón ^(a), Lucas M. Farigliano ^(c), Arnaldo Visintin ^(b), Ezequiel P. M. Leiva ^(c), Daniel E. Barraco ^(a)

(a) Instituto de Física Enrique Gaviola (IFEG), Universidad Nacional de Córdoba. Ciudad Universitaria, 5000 Córdoba, Argentina.

(b) Instituto de Investigaciones Fisicoquímicas Teóricas y Aplicadas (INIFTA), Facultad de Ciencias Exactas, Universidad Nacional de La Plata, CCT La Plata-CONICET, C.C. 16, Suc. 4, CP 1900, La Plata, Argentina.

(c) INFIQC, CONICET and Departamento de Química Teórica y Computacional, Facultad de Ciencias Químicas, Universidad Nacional de Córdoba. Ciudad Universitaria, 5000 Córdoba, Argentina.

1 Corresponding authors: Sacha Smrekar, E-mail: sachasmrekar@gmail.com, Martin E. Zoloff Michoff, E-mail: martin.zoloff@unc.edu.ar, ORCID 0000-0003-3736-4484, Ph./Fax +54 351 5353853.




Figure S1: BET isotherms for all the samples.




Figure S2: Charge-Discharge profiles at different C rates (a) SN-BH-SP, (b) SN-BH-G and (c) SN-BH-SP,




Figure S3: Coulombic efficiency vs. Cycles.