

Fingers zipped up or baby mittens? Two main tetrapod strategies to return to the sea

Marta S. Fernández¹, Evangelos Vlachos^{2,*}, Mónica R. Buono³, Lucia Alzugaray³,
Lisandro Campos¹, Juliana Sterli², Yanina Herrera¹, Florencia Paolucci¹

*Corresponding Author

¹CONICET — División Paleontología Vertebrados, Museo de La Plata, Facultad de Ciencias Naturales y Museo, Universidad Nacional de La Plata, B1900FWA, La Plata, Argentina

²CONICET — Museo Paleontológico Egidio Feruglio, Av. Fontana 140, 9100, Trelew, Chubut, Argentina

³Instituto Patagónico de Geología y Paleontología, CCT CONICET-CENPAT, Bvd. Brown 2915, U9120ACD, Puerto Madryn, Chubut, Argentina



SUPPLEMENTARY INFORMATION




Table S1: List of the specimens used for the construction of the anatomical networks of the forefins, and their networks.



File S2: Information on how the different network metrics and other analyses used herein are calculated.



Table S3: Information on the various runs to calculate the modularity Q and the Parcellation P.



Table S1: List of the specimens used for the construction of the anatomical networks of the forefin.



	TAXA	Species	Collectionnumber	Reference
REPTILIA	Ichthyosauromorpha	<i>Hupehsuchus nanchangensis</i>	IVPP V3232	Chen X.H. et al. (2014:fig. 4C-D)
				
		<i>Nanchangosaurus</i> sp.	SSTM 5025	Wu et al. (2003:S1)
				
	Ichthyosauria	<i>Mixosaurus cornalianus</i>	PIMUZ 2405	Maxwell (2012)



		<i>Ichthyosaurus somersetensis</i>	ANSP 15766	Lomax & Massare (2017:fig. 3)
		<i>Caypullisaurus bonapartei</i>	MACN-N-32	Fernández (2001)
				
		<i>Mixosaurus</i>	<i>Ichthyosaurus</i>	<i>Caypullisaurus</i>
	Basal Diapsid	<i>Petrolacosaurus kansensis</i>		Reiz (1981:fig. 21)



				
	Plesiosauria	<i>Styxosaurus snowii</i>	SDSM 401	Caldwell (1997)
				
	Mosasauroidea	<i>Portunatasaurus</i>	HPM 10807	Mekarski et al. (2019)



				
	Mosasauridae	<i>Mosasaurus conodon</i>		Russell (1967:fig. 5)
				
	Crocodylomorpha	<i>Cricosaurus suevicus</i>	SMNS 9808	Fraas (1902:taf. VIII, fig. 3)

			
Testudines	<i>Dermochelys coriacea</i>	MLP no number (in exhibit)	
			

MAMMALIA	Pinnipedia	<i>Zalophus californianus</i>	English (1976:fig. 1)
			
		<i>Ommatophoca rossi</i>	King (1969:fig. 33)
			
	Sirenia	<i>Dugong dugon</i>	Kaiser (1974:figs. 60 and 63)

				
Cetacea	<i>Maiacetus innus</i>		Gingerich et al. (2009:fig. 7)	
				
	<i>Dorudon atrox</i>		Uhen (2004:fig. 104)	

		
<i>Lagenorhynchus obscurus</i>	CNP-MAM0932	
		
<i>Megaptera</i> sp.		Finney (2019)

				
AVES	Sphenisciforme	<i>Megadyptes antipodes</i>	OM 1645	Thomas & Fordyce (2012:fig. 2)
				

Institutional abbreviations. ANSP, Academy of Natural Sciences, Philadelphia, Pennsylvania, USA; CNP-MAM, Colección de mamíferos marinos, CCT CENPAT, Puerto Madryn, Argentina; HPM, Hrvatski prirodoslovni muzej, Zagreb, Croatia; IVPP, Institute of Vertebrate Paleontology and Paleoanthropology, Beijing, China; MACN, Museo Argentino de Ciencias Naturales ‘Bernardino Rivadavia’, CABA, Argentina; MLP, Museo de La Plata, La Plata, Argentina; OM, Ontario Museum, Otago, New Zealand; PIMUZ, Paläontologisches Institut und Museum, Universität Zürich, Switzerland; SDSM, South Dakota School of Mines and Technology, Rapid City, SD, USA; SMNS, Staatliches Museum für Naturkunde, Stuttgart, Germany; SSTM, Shanghai Science and Technology Museum, Shanghai, China.

File S2. Information on how the different network metrics and other analyses used herein are calculated.

All metrics have been calculated mostly with the built-in algorithms in Gephi (Bastian et al., 2009), complemented with the manual calculation of some derivative metrics as in Esteve-Altava et al., (2019). In particular:

Density is calculated automatically, by dividing the number of edges of the network with the maximum possible number of edges in the network.

The average clustering coefficient (used as Clustering herein) is calculated based on the algorithm of Latapy (2009), that is built-in in Gephi.

The average path length is calculated based on the algorithm of Brandes (2001), that is built-in in Gephi.

Heterogeneity is calculated manually in Microsoft Excel, based on the equation of Esteve-Altava et al. (2019).

Parcellation is calculated manually in Microsoft Excel, based on the equation of Esteve-Altava et al. (2019), using the modules that are calculated in Gephi based on the built-in algorithm of Blondel et al. (2008). In particular, the Blondel et al. (2008) algorithm was run with the following parameters, following also the rational of Calatayud et al. (2019): a random starting point; a resolution of 1.0, aiming to find large communities; it was run as many times as the nodes. Our aim was to maximize the Q value, which was then used to calculate the Parcellation. In case when the maximum Q value produced different Parcellation value (due to the distribution of nodes on the recovered modules), we opted for the maximum P value. The standard deviation of both Q and P values was calculated. This detailed information is given in the Table S3.

The betweenness centrality for each node is calculated based on the algorithm of Brandes (2001), that is built-in in Gephi.

One-way PERMANOVA for the analyzed groups has been calculated for the variables Density, Clustering, Heterogeneity, and Parcellation, in Past (Hammer et al., 2001), using the Anderson (2001) built-in algorithm.

Table S3. Information on the various runs to calculate the modularity Q and the Parcellation P. Other Abbreviations: N, number of Nodes, NM, number of Modules; M1–10, number of nodes in each module, σ^Q , standard deviation of Q, σ^P , standard deviation of P

<i>Petrolacosaurus</i>							N=38		$\sigma^Q=0.01$		$\sigma^P=0.01$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.593	7	6	9	5	6	5	4	3				0.842
0.553	8	6	6	4	3	6	6	3	4			0.866
0.551	7	6	5	7	8	3	5	4				0.845
0.566	7	6	6	7	4	6	5	4				0.852
0.593	7	3	5	4	6	9	5	6				0.842
0.568	6	4	7	7	3	12	5					0.798
0.593	7	3	5	4	6	9	5	6				0.842
0.593	7	3	4	5	9	6	6	5				0.842
0.553	7	6	8	6	6	5	4	3				0.846
0.578	7	7	4	3	7	6	6	5				0.848
0.593	7	3	5	4	5	9	6	6				0.842
0.593	7	9	6	5	6	5	4	3				0.842
0.578	7	3	7	6	7	6	5	4				0.848
0.593	7	9	6	3	5	4	5	6				0.842
0.593	7	9	6	5	3	4	6	5				0.842
0.593	7	9	5	6	3	6	5	4				0.842
0.566	6	9	5	10	5	4	5					0.812
0.593	7	6	5	3	5	4	9	6				0.842
0.593	7	9	6	3	5	6	5	4				0.842
0.552	7	10	3	4	4	6	6	5				0.835
0.593	7	9	5	5	6	6	4	3				0.842
0.561	8	7	8	6	3	3	4	3	4			0.856
0.593	7	9	6	5	6	5	4	3				0.842
0.566	7	6	6	7	4	6	5	4				0.852
0.552	7	6	8	5	7	5	4	3				0.845
0.561	6	9	7	9	3	5	5					0.813
0.593	7	9	6	5	6	5	4	3				0.842
0.553	8	6	6	4	6	6	3	4	3			0.866
0.562	7	6	5	9	3	6	3	6				0.839
0.573	7	7	7	3	4	8	5	4				0.842
0.593	7	3	9	6	5	6	5	4				0.842
0.568	6	12	4	7	3	7	5					0.798
0.593	7	9	3	4	5	6	6	5				0.842
0.593	7	9	6	6	5	4	5	3				0.842
0.553	7	6	8	6	3	6	5	4				0.846

0.593	7	9	5	5	4	6	6	3				0.842
0.567	7	9	7	3	4	6	5	4				0.839
0.593	7	3	5	4	5	9	6	6				0.842
<i>Mixosaurus</i>							N=78		$\sigma^Q=0.007$		$\sigma^P=0.01$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.616	5	13	19	13	16	17						0.796
0.6	5	15	17	13	22	13						0.780
0.62	6	20	8	10	9	15	16					0.815
0.609	6	21	3	18	9	14	13					0.799
0.61	5	17	15	16	18	12						0.797
0.614	6	14	16	13	13	12	10					0.830
0.614	6	20	3	13	16	11	15					0.806
0.615	5	20	3	17	21	17						0.765
0.612	5	17	16	17	15	13						0.798
0.623	5	20	10	16	17	15						0.791
0.605	6	23	11	12	12	7	13					0.810
0.601	5	15	17	19	12	13						0.805
0.598	5	23	14	12	16	13						0.787
0.601	6	20	3	21	10	7	17					0.788
0.613	6	3	20	5	22	16	12					0.783
0.604	6	20	3	11	9	16	19					0.798
0.617	6	20	3	16	7	16	16					0.798
0.615	6	19	11	10	14	8	16					0.820
0.624	5	20	12	13	17	16						0.793
0.619	5	13	19	12	18	16						0.794
0.612	6	20	3	4	21	17	13					0.782
0.601	6	3	20	21	10	7	17					0.788
0.612	5	20	11	20	13	14						0.789
0.618	6	20	13	3	8	17	17					0.799
0.612	5	22	16	18	16							0.783
0.614	5	21	15	14	13	17						0.783
0.607	6	20	3	13	12	10	20					0.799
0.607	5	20	12	16	12	18						0.792
0.625	5	19	14	12	17	16						0.795
0.606	6	20	12	11	7	14	14					0.818
0.612	5	21	21	9	11	16						0.780
0.618	4	23	18	16	21							0.745
0.615	6	7	20	10	12	17	12					0.815
0.594	6	14	18	7	12	10	17					0.819

0.614	5	21	15	14	17	11						0.791
0.608	6	23	13	8	15	7	12					0.806
0.604	6	15	11	6	13	17	16					0.820
0.618	5	21	17	9	16	15						0.788
0.607	5	14	15	16	22	11						0.789
0.612	6	6	18	11	15	10	18					0.814
0.614	6	24	5	9	11	16	13					0.798
0.612	5	23	16	11	12	16						0.785
0.612	5	20	3	6	13	19	17					0.792
0.607	4	21	17	23	17							0.746
0.601	7	13	16	6	10	7	14	12				0.844
0.62	6	17	6	17	12	10	16					0.817
0.612	5	21	14	9	19	15						0.786
0.619	5	19	13	12	18	16						0.794
0.612	5	21	21	6	17	13						0.774
0.625	5	20	9	17	16	13						0.804
0.621	5	20	21	11	10	16						0.783
0.621	6	20	11	7	16	9	17					0.803
0.618	6	20	17	16	8	8	9					0.810
0.607	6	20	7	9	17	10	15					0.812
0.615	5	21	18	11	12	16						0.789
0.618	4	23	21	18	16							0.745
0.618	5	22	3	19	18	16						0.764
0.605	6	12	18	11	11	12	14					0.827
0.61	5	21	12	15	12	16						0.801
0.612	6	20	7	13	17	18						0.798
0.595	5	21	10	26	9	12						0.763
0.61	6	20	21	12	12	10						0.798
0.609	5	25	9	16	11	17						0.774
0.616	5	9	21	13	18	17						0.786
0.611	5	25	9	16	17	11						0.774
0.612	5	17	12	16	17	16						0.797
0.607	6	11	10	11	18	12	16					0.825
0.615	5	19	13	18	12	16						0.794
0.619	5	20	14	16	15	13						0.795
0.61	6	20	3	14	21	11	9					0.795
0.601	6	3	20	21	7	10	17					0.788
0.61	7	17	3	20	10	7	14	7				0.821
0.618	6	22	3	16	15	12	10					0.800
0.615	6	20	7	17	10	14	10					0.814

0.597	5	20	12	18	11	17						0.790
0.613	5	21	10	10	21	16						0.780
0.617	5	21	13	17	11	16						0.790
0.622	6	20	3	7	17	15	16					0.798
Portunatasaurus							N=37		$\sigma^Q=0.008$		$\sigma^P=0.01$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.589	6	7	9	8	4	5	4					0.817
0.604	7	6	6	4	8	4	5	4				0.847
0.604	7	4	6	8	4	5	6	4				0.847
0.595	6	5	7	9	4	5	7					0.821
0.589	6	7	9	4	5	4	8					0.817
0.604	6	8	5	6	4	4	4					0.874
0.613	7	6	4	4	4	5	6	8				0.847
0.595	6	7	6	4	9	5	6					0.822
0.613	7	6	4	8	4	5	6	4				0.847
0.592	6	9	9	4	5	6	4					0.814
0.604	7	4	6	6	8	4	5	4				0.847
0.595	6	7	5	5	9	4	7					0.821
0.613	7	6	8	4	4	4	5	6				0.847
0.596	7	5	4	4	9	4	5	6				0.843
0.595	6	5	7	9	4	5	7					0.821
0.613	7	4	4	6	8	4	5	6				0.847
0.604	7	6	4	6	8	5	4	4				0.847
0.613	7	4	4	5	6	6	8	4				0.847
0.593	6	7	7	9	4	5	5					0.821
0.593	6	7	9	7	4	5	5					0.821
0.595	6	7	9	4	5	7	5					0.821
0.602	7	6	8	4	6	3	6	4				0.844
0.613	7	4	4	5	6	8	4	6				0.847
0.595	6	5	4	5	9	7	7					0.821
0.613	6	4	4	4	5	8	6					0.874
0.595	6	7	6	4	9	5	6					0.822
0.594	7	7	3	8	4	5	6	4				0.843
0.592	6	9	4	9	4	5	6					0.814
0.613	7	4	4	6	6	8	4	5				0.847
0.596	7	4	5	9	4	5	6	4				0.843
0.604	7	6	4	4	6	8	5	4				0.847
0.613	7	6	4	8	4	5	6	4				0.847
0.585	7	10	5	4	4	4	4	6				0.836

0.589	6	7	4	9	4	5	8					0.817
0.613	7	6	4	4	8	5	6	4				0.847
0.596	7	4	5	9	4	5	6	4				0.843
0.594	7	3	7	8	4	5	6	4				0.843
Mosasaurus							N=62		$\sigma^Q=0.007$		$\sigma^P=0.01$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.701	7	10	9	5	4	13	11	10				0.841
0.694	8	5	10	6	7	11	10	5				0.881
0.716	8	6	7	6	8	5	11	10	9			0.867
0.698	7	9	10	10	12	9	6	6				0.850
0.709	8	9	6	8	7	5	8	11	8			0.869
0.699	8	8	8	4	13	10	10	5	4			0.856
0.716	7	6	7	9	10	11	10	9				0.852
0.713	7	8	9	6	11	9	10	9				0.853
0.713	7	9	9	4	8	13	9	10				0.846
0.713	7	7	8	10	9	10	9	9				0.855
0.701	8	5	10	4	8	5	11	10	9			0.862
0.71	7	13	9	6	5	8	11	10				0.845
0.701	8	9	5	10	10	4	8	5	11			0.862
0.712	7	9	8	7	9	10	9	10				0.855
0.713	9	7	10	9	9	8	10					0.876
0.7	9	4	12	10	10	6	7	4				0.880
0.698	8	9	10	5	6	5	8	11	8			0.866
0.713	7	9	9	8	6	11	9	10				0.853
0.712	8	0	0	5	8	11	8	8	4			0.908
0.7	7	8	9	6	11	10	10	8				0.853
0.697	7	6	9	10	4	13	10	10				0.843
0.701	8	10	9	5	4	6	7	11	10			0.863
0.696	9	10	5	8	7	5	8	6	9	4		0.880
0.71	6	9	13	13	11	10						0.834
0.717	8	9	9	6	8	5	11	10	4			0.864
0.713	7	7	8	9	10	9	10	9				0.855
0.705	9	8	4	4	8	5	10	8	6	9		0.879
0.698	8	8	4	9	5	8	9	10	9			0.867
0.697	8	11	8	8	8	4	8	6	9			0.867
0.711	7	8	7	8	11	9	10	9				0.854
0.716	7	6	9	10	7	9	11	10				0.852
0.7	7	8	10	9	9	7	10	9				0.855
0.699	7	12	6	13	10	10	7	4				0.840

0.713	7	9	9	4	8	13	9	10				0.846
0.717	8	6	9	9	8	5	11	10	4			0.864
0.7	7	8	6	9	10	10	10	9				0.854
0.705	9	9	8	4	6	7	10	8	6	4		0.880
0.691	9	10	6	5	8	6	10	5	8	4		0.879
0.697	8	9	10	4	10	7	6	7	9			0.867
0.694	8	8	10	8	5	11	10	5	5			0.864
0.694	8	8	12	4	6	7	10	10	5			0.861
0.711	7	9	7	8	6	13	11	8				0.848
0.711	7	8	7	9	10	11	10	7				0.853
0.698	7	10	5	13	11	8	6	9				0.845
0.716	9	6	13	11	10	9	4					0.864
0.703	8	8	4	4	13	10	7	7	9			0.858
0.712	7	8	10	6	10	9	10	9				0.854
0.702	9	8	6	4	8	5	11	8	9	3		0.875
0.696	8	8	9	9	10	6	6	6	8			0.870
0.705	9	8	6	4	8	5	10	8	9	4		0.879
0.698	7	9	10	5	6	13	11	8				0.845
0.716	7	6	9	9	7	10	11	10				0.852
0.7	8	6	9	8	10	7	5	8	9			0.870
0.713	8	9	6	11	9	10	9					0.870
0.699	8	10	4	5	5	8	11	10	9			0.862
0.694	8	8	8	10	8	9	9	5	5			0.869
0.716	7	6	7	10	11	10	9	9				0.852
0.701	7	9	10	5	4	13	11	10				0.841
0.698	8	8	4	10	6	7	8	10	9			0.867
0.701	7	9	10	5	4	13	11	10				0.841
0.694	8	8	8	6	10	6	10	5	9			0.868
0.703	8	9	4	12	10	8	6	9	4			0.860
<i>Styxosaurus</i>							N=95		$\sigma^Q=0.002$		$\sigma^P=0.005$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.78	9	13	13	8	8	10	9	9	10	15		0.883
0.779	8	13	13	16	10	9	8	11	15			0.869
0.776	9	15	12	9	7	11	7	15	15			0.876
0.78	9	13	10	13	8	8	9	10	9	15		0.883
0.785	9	14	15	13	8	8	9	9	10	9		0.882
0.78	8	15	13	16	10	7	9	10	15			0.866
0.78	9	13	13	8	8	9	10	8	11	15		0.883
0.78	9	13	13	9	7	8	11	9	10	15		0.883

0.784	9	14	13	9	7	10	8	9	10	15		0.882
0.784	9	14	13	9	7	10	8	11	8	15		0.882
0.781	9	15	13	9	7	9	8	10	9	15		0.881
0.78	9	13	13	8	8	9	10	8	11	15		0.883
0.779	9	13	13	10	6	10	9	8	11	15		0.882
0.784	9	14	13	9	7	9	9	8	11	15		0.882
0.775	9	13	15	13	10	6	9	10	15			0.878
0.78	9	13	13	8	8	8	11	8	11	15		0.882
0.78	9	13	13	8	8	9	10	10	9	15		0.883
0.782	8	14	13	16	9	9	12	7	15			0.867
0.778	9	13	13	10	6	9	10	12	7	15		0.881
0.78	9	13	13	9	7	9	10	9	10	15		0.883
0.78	9	13	13	8	8	9	10	11	8	15		0.883
0.785	9	14	13	9	7	9	9	10	9	15		0.882
0.78	9	13	13	8	8	9	10	8	11	15		0.883
0.781	9	15	13	9	7	9	8	10	9	15		0.881
0.78	9	13	13	8	8	9	10	8	11	15		0.883
0.781	9	15	13	8	8	10	7	9	10	15		0.881
0.781	9	13	13	9	7	10	9	9	10	15		0.883
0.777	9	13	13	10	6	8	11	13	6	15		0.879
0.778	9	5	14	13	9	7	14	14	15	4		0.872
0.78	9	13	13	8	8	9	10	9	10	15		0.883
0.78	9	13	13	9	7	9	10	8	11	15		0.883
0.778	9	15	5	13	9	7	8	9	14	15		0.876
0.785	9	14	13	9	7	8	10	9	10	15		0.882
0.779	9	13	13	8	8	12	7	10	9	15		0.882
0.784	9	14	13	8	8	11	7	9	10	15		0.882
0.784	9	14	13	9	7	10	8	10	9	15		0.882
0.78	9	13	9	13	9	7	9	10	10	15		0.883
0.78	9	13	13	8	8	10	9	8	11	15		0.883
0.781	9	15	13	9	7	8	9	10	9	15		0.881
0.772	9	13	4	13	9	7	5	14	15	15		0.872
0.779	8	13	13	16	9	10	9	10	15			0.869
0.78	9	13	10	13	8	8	10	9	9	15		0.883
0.773	9	13	4	13	8	8	5	14	15	15		0.872
0.78	9	13	13	8	8	9	10	9	10	15		0.883
0.782	9	15	12	8	8	8	10	10	9	15		0.882
0.784	9	14	13	10	6	9	9	10	9	15		0.882
0.778	8	15	15	13	10	6	17	8	11			0.864
0.785	9	14	13	9	7	9	9	9	10	15		0.882

0.78	9	13	13	9	7	10	9	10	9	15		0.883
0.78	9	13	13	9	7	10	9	8	11	15		0.883
0.779	8	13	13	16	9	10	9	10	15			0.869
0.769	10	11	14	9	8	9	9	9	10	10	6	0.896
0.78	9	13	13	9	7	9	10	10	9	15		0.883
0.779	9	15	4	14	13	9	7	7	11	15		0.875
0.78	9	13	10	13	8	8	10	9	9	15		0.883
0.782	9	14	13	10	6	5	13	10	9	15		0.878
0.782	9	15	12	9	7	10	8	9	10	15		0.882
0.776	9	13	4	9	13	9	7	15	10	15		0.876
0.782	9	14	13	10	6	11	7	12	7	15		0.879
0.778	9	15	13	9	7	8	9	5	14	15		0.876
0.78	9	15	13	8	8	8	9	12	7	15		0.880
0.784	8	14	13	16	10	8	9	10	15			0.868
0.779	9	13	15	8	13	10	6	10	9	11		0.882
0.779	9	13	13	10	6	10	9	9	10	15		0.882
0.778	9	13	13	10	6	11	8	11	8	15		0.882
0.784	8	14	13	16	10	8	9	10	15			0.868
0.784	9	14	13	9	7	9	9	8	11	15		0.882
0.784	9	14	13	9	7	10	8	10	9	15		0.882
0.78	9	13	9	13	8	8	8	11	10	15		0.883
0.784	9	14	13	10	6	9	9	8	11	15		0.881
0.782	9	15	9	12	9	7	9	9	10	15		0.882
0.78	9	15	15	13	9	7	9	8	12	7		0.880
0.777	9	13	13	10	6	10	9	13	6	15		0.880
0.779	9	13	8	13	9	7	11	8	11	15		0.882
0.784	9	14	13	10	6	8	10	11	8	15		0.881
0.78	9	13	13	9	7	9	10	10	9	15		0.883
0.78	9	13	13	8	8	8	11	9	10	15		0.883
0.783	9	15	14	13	9	7	8	10	12	7		0.881
0.779	8	13	13	16	8	11	9	10	15			0.869
0.779	9	13	15	13	9	7	8	11	12	7		0.881
0.78	9	13	13	8	8	8	11	9	10	15		0.883
0.785	9	14	13	8	8	9	9	9	10	15		0.882
0.779	9	13	13	10	6	10	9	10	9	15		0.882
0.783	9	14	13	9	7	10	8	12	7	15		0.881
0.784	9	14	13	9	7	10	8	9	10	15		0.882
0.778	8	13	13	16	9	10	12	7	15			0.868
0.781	9	15	13	9	7	9	8	8	11	15		0.880
0.781	9	15	12	8	8	9	9	7	12	15		0.881

0.78	9	13	13	9	7	9	10	11	8	15		0.883
0.779	9	13	13	10	6	9	10	10	9	15		0.882
0.779	9	13	13	10	6	8	11	10	9	15		0.882
0.777	9	15	12	8	8	10	8	15	15			0.877
0.78	8	15	9	13	16	8	9	10	15			0.867
0.78	9	13	13	8	8	9	10	8	11	15		0.883
0.785	9	14	13	8	8	9	9	8	11	15		0.882
<i>Ichthyosaurus</i>							N=91		$\sigma^Q=0.007$		$\sigma^P=0.02$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.627	6	19	15	15	14	20	8					0.822
0.627	6	15	13	16	19	20	8					0.822
0.617	6	19	10	18	18	18	8					0.819
0.635	7	17	11	12	14	15	7	15				0.849
0.632	6	24	3	17	10	17	20					0.799
0.638	7	8	20	9	8	11	15	20				0.836
0.628	6	19	14	6	19	16	17					0.819
0.607	5	9	24	26	19	13						0.775
0.631	6	18	18	7	10	19	19					0.817
0.631	6	18	16	14	20	15	8					0.823
0.616	7	22	7	12	20	5	17	8				0.824
0.638	6	22	16	10	12	11	20					0.818
0.627	6	20	12	12	19	13	15					0.826
0.63	5	15	20	14	23	19						0.793
0.626	7	22	7	10	15	11	18	8				0.835
0.626	6	20	13	9	21	20	8					0.812
0.627	6	20	13	9	21	20	8					0.812
0.639	7	14	13	14	10	14	13	13				0.856
0.624	6	14	15	17	14	11	20					0.828
0.63	6	22	16	8	15	20	10					0.815
0.63	7	16	8	14	11	14	20	8				0.843
0.62	5	17	28	20	18	8						0.775
0.629	6	14	19	16	9	11	22					0.819
0.621	7	21	7	12	14	11	11	15				0.843
0.63	6	22	16	14	14	17	8					0.821
0.623	6	21	7	11	19	11	22					0.810
0.62	7	18	11	12	17	5	20	8				0.835
0.639	7	15	13	12	14	10	13	14				0.855
0.626	6	24	11	17	11	20	8					0.810
0.618	6	9	18	10	17	11	26					0.808

0.619	6	14	15	13	16	7	26					0.810
0.623	6	24	11	20	10	15	11					0.814
0.618	7	19	9	12	18	5	20	8				0.831
0.616	7	19	10	11	12	13	18	8				0.845
0.64	6	27	11	10	12	11	20					0.805
0.612	7	21	13	5	11	20	13	8				0.832
0.622	5	27	17	16	14	17						0.788
0.621	6	17	11	15	17	23	8					0.817
0.623	6	22	13	7	21	20	8					0.806
0.626	7	21	8	12	13	20	9	8				0.835
0.633	6	16	18	13	16	20	8					0.823
0.618	6	22	13	17	11	20	8					0.816
0.63	7	14	9	17	6	14	11	20				0.841
0.626	7	21	8	12	13	20	9	8				0.835
0.62	6	21	16	14	12	20	8					0.819
0.643	6	16	11	14	13	17	20					0.827
0.627	6	27	14	8	14	20	8					0.801
0.632	7	12	14	7	11	20	12	15				0.846
0.617	5	14	20	19	12	26						0.785
0.617	6	19	12	16	13	7	24					0.812
0.618	6	22	12	13	16	20	8					0.817
0.632	5	22	16	11	21	21						0.790
0.621	5	19	23	21	20	8						0.783
0.608	5	29	13	16	26	7						0.760
0.638	6	19	15	11	11	16	19					0.826
0.616	7	13	16	9	11	14	20	8				0.845
0.616	6	13	20	20	15	12	11					0.824
0.622	7	11	18	13	16	20	5	8				0.836
0.619	6	8	21	12	13	11	26					0.805
0.618	7	19	9	12	18	20	8					0.834
0.628	7	22	7	13	16	11	7	15				0.837
0.607	5	28	9	17	15	22						0.775
0.621	6	19	13	12	19	20	8					0.819
0.642	6	16	11	10	14	20	20					0.822
0.629	6	15	16	12	20	20	8					0.820
0.617	6	9	21	16	17	20	8					0.815
0.626	6	18	23	9	13	20	8					0.811
0.615	5	14	16	24	11	26						0.780
0.63	6	14	18	12	19	17	11					0.827
0.621	7	16	13	12	17	20	8					0.840

0.628	6	24	10	15	14	20	8					0.811
0.629	7	8	20	14	8	12	16	13				0.844
0.628	6	19	18	12	14	20	8					0.820
0.617	7	12	14	10	11	16	20	8				0.845
0.613	5	27	13	12	13	26						0.772
0.629	7	16	13	17	6	13	11	15				0.847
0.63	6	19	14	16	14	20	8					0.822
0.62	6	16	13	12	22	20	8					0.817
0.617	5	13	22	14	16	26						0.785
0.618	5	14	19	13	19	26						0.787
0.612	6	28	11	18	19	8						0.800
0.623	6	18	11	17	17	20	8					0.820
0.616	5	20	24	19	20	8						0.783
0.626	7	14	14	8	15	12	20	8				0.844
0.625	6	17	16	19	11	20	8					0.820
0.618	7	13	18	9	12	13	18	8				0.846
0.614	6	14	10	20	20	19	8					0.816
0.628	6	21	13	14	12	11	20					0.822
0.637	6	16	17	17	15	6	20					0.819
0.621	7	19	9	11	15	21	8	8				0.836
0.626	7	22	7	12	8	14	20	8				0.831
<i>Caypullisaurus</i>							N=103		$\sigma^Q=0.006$		$\sigma^P=0.02$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.632	5	21	23	24	25	10	8					0.780
0.649	7	18	10	11	17	12	18	17				0.850
0.649	7	14	12	15	8	21	18	15				0.847
0.645	7	18	10	15	11	12	19	18				0.849
0.647	6	20	21	22	11	11	18					0.822
0.644	6	20	21	15	15	22	10					0.823
0.648	8	17	14	8	11	12	12	16	13			0.870
0.642	7	22	13	15	16	8	19	10				0.844
0.647	6	21	14	18	13	18	19					0.829
0.649	7	17	14	9	11	15	19	18				0.849
0.651	6	21	14	10	19	18	21					0.824
0.64	5	16	21	22	15	29						0.788
0.645	8	13	10	13	12	18	19	8	10			0.865
0.641	5	23	21	24	16	19						0.796
0.648	7	15	13	23	7	16	13	16				0.844
0.647	6	23	18	14	11	25	12					0.817

0.644	6	23	14	21	16	14	15					0.826
0.641	7	15	11	16	18	7	23	13				0.842
0.652	6	24	20	19	11	13	16					0.823
0.647	6	20	15	21	11	24	12					0.820
0.64	7	12	16	16	19	11	9	20				0.847
0.644	7	17	14	15	17	11	19	10				0.851
0.642	7	16	20	11	8	15	12	21				0.844
0.649	6	21	16	26	7	20	13					0.812
0.655	6	20	21	15	15	16	16					0.830
0.628	7	22	15	8	15	11	20					0.857
0.642	7	11	10	21	16	13	22	10				0.842
0.663	6	19	15	13	19	22	15					0.828
0.637	6	19	10	21	12	21	20					0.822
0.639	6	17	14	19	15	8	30					0.808
0.653	7	16	13	12	13	13	20	16				0.853
0.651	6	17	18	17	15	11	25					0.823
0.645	5	21	20	15	22	25						0.795
0.648	6	15	8	21	24	19	16					0.819
0.645	6	22	14	11	18	12	26					0.817
0.651	6	21	23	19	10	19	11					0.820
0.648	6	9	15	23	24	15	17					0.819
0.635	6	21	15	8	24	6	29					0.794
0.652	6	20	15	19	12	24	13					0.823
0.647	6	22	13	23	12	20	13					0.821
0.645	7	13	18	17	16	14	10	15				0.853
0.648	7	16	13	12	6	18	23	15				0.841
0.648	5	21	23	23	14	22						0.795
0.647	6	14	15	21	14	20	19					0.829
0.644	7	17	12	17	13	15	13	16				0.855
0.65	6	18	13	23	12	22	15					0.823
0.636	7	19	14	9	13	11	8	29				0.827
0.648	6	26	11	15	15	14	22					0.818
0.643	6	18	13	17	16	20	19					0.830
0.643	5	21	23	20	18	21						0.799
0.645	6	24	12	18	10	10	29					0.803
0.642	6	8	23	21	17	18	16					0.821
0.645	6	20	16	8	16	18	25					0.819
0.651	6	24	23	16	11	14	15					0.821
0.642	6	12	14	18	18	25	16					0.824
0.642	6	25	13	9	22	19	15					0.817

0.638	6	17	17	22	12	25	10					0.818
0.65	8	17	13	8	13	13	10	13	16			0.869
0.648	6	16	21	8	19	10	29					0.806
0.645	6	22	13	9	19	11	29					0.806
0.646	7	11	18	16	13	16	18	11				0.852
0.647	7	18	9	14	12	13	10	27				0.836
0.655	8	8	14	13	16	11	7	21	13			0.862
0.641	8	19	15	9	7	8	16	19	10			0.859
0.656	7	16	13	15	12	14	17	16				0.855
0.653	7	13	10	12	19	21	16	12				0.848
0.657	6	21	23	19	13	11	16					0.823
0.649	7	18	16	14	18	8	15	14				0.851
0.65	7	20	15	7	12	14	17	18				0.847
0.656	6	15	21	11	20	20	16					0.826
0.652	6	24	11	18	13	21	16					0.822
0.652	7	19	13	14	18	7	18	14				0.847
0.66	7	16	16	8	14	11	22	16				0.846
0.643	7	18	14	8	16	18	19	10				0.847
0.649	6	22	14	21	14	15	17					0.827
0.647	8	13	11	13	16	7	9	18	16			0.866
0.649	7	13	15	12	13	13	22	15				0.851
0.647	6	17	15	11	20	11	29					0.812
0.648	7	15	19	18	8	18	9	16				0.846
0.646	8	12	17	9	15	13	8	16	13			0.868
0.644	6	12	13	18	19	20	21					0.827
0.645	5	26	20	18	21	18						0.796
0.642	7	16	20	14	14	10	19	10				0.848
0.652	7	17	12	15	14	15	15	15				0.856
0.645	6	23	21	19	8	21	11					0.816
0.649	7	17	20	19	8	7	16	16				0.842
0.636	6	15	29	17	9	23	10					0.805
0.654	7	21	16	7	14	16	13	16				0.847
0.648	7	18	21	10	7	15	21	11				0.840
0.651	7	10	15	14	20	8	22	14				0.843
0.65	7	14	14	8	15	15	19	18				0.850
0.657	7	14	14	18	8	20	14	15				0.849
0.649	7	19	15	12	7	15	19	16				0.847
0.666	7	23	13	15	7	13	16	16				0.844
0.653	6	21	15	16	12	23	16					0.826
0.649	6	21	14	8	26	19	15					0.815

0.653	7	17	18	8	15	15	13	17				0.851
0.642	6	15	15	14	20	10	29					0.813
0.641	5	16	23	19	15	30						0.786
0.635	7	19	14	9	7	9	16	29				0.824
0.642	5	22	22	23	21	15						0.796
0.634	6	19	11	14	20	10	29					0.810
0.641	6	16	23	8	21	9	26					0.807
<i>Dermochelys</i>							N=33		$\sigma^Q=0.006$		$\sigma^P=0.007$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.567	6	8	7	4	7	3	4					0.814
0.567	6	8	7	3	4	4	7					0.814
0.567	6	8	7	7	4	3	4					0.814
0.567	6	3	8	4	7	4	7					0.814
0.545	7	8	7	4	4	3	3	4				0.836
0.567	6	7	4	4	3	7	8					0.814
0.567	6	7	7	4	8	3	4					0.814
0.567	6	8	3	7	7	4	4					0.814
0.567	6	7	4	7	4	3	8					0.814
0.567	6	8	3	4	7	4	7					0.814
0.567	6	8	7	4	3	7	4					0.814
0.567	6	7	3	7	8	4	4					0.814
0.567	6	7	7	8	3	4	4					0.814
0.545	7	7	5	7	4	3	3	4				0.841
0.567	6	7	7	8	3	4	4					0.814
0.567	6	7	7	3	8	4	4					0.814
0.567	6	8	7	4	7	4	3					0.814
0.567	6	8	7	7	4	3	4					0.814
0.567	6	8	7	7	4	4	3					0.814
0.567	6	8	7	7	3	4	4					0.814
0.559	6	8	3	4	7	8	3					0.806
0.567	6	7	7	4	8	3	4					0.814
0.567	6	8	7	7	4	3	4					0.814
0.567	6	8	7	7	4	3	4					0.814
0.567	6	8	7	4	7	3	4					0.814
0.567	6	8	7	4	7	4	3					0.814
0.567	6	7	8	3	7	4	4					0.814
0.567	6	7	4	8	3	4	7					0.814
0.567	6	7	8	7	3	4	4					0.814
0.545	7	8	7	4	4	3	3	4				0.836

0.567	6	7	4	3	8	7	4					0.814
0.567	6	7	4	8	3	7	4					0.814
0.567	6	8	7	7	3	4	4					0.814
<i>Cricosaurus</i>							N=26		$\sigma^Q=0.01$		$\sigma^P=0.02$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.467	6	3	6	3	7	4	3					0.811
0.464	6	3	3	7	7	2	4					0.799
0.467	5	7	5	7	4	3						0.781
0.47	5	7	4	5	7	3						0.781
0.47	5	7	5	7	3	4						0.781
0.5	6	5	3	4	5	3	6					0.822
0.487	6	6	7	3	4	3	3					0.811
0.5	6	5	6	4	5	3	3					0.822
0.487	6	6	7	3	4	3	3					0.811
0.473	6	3	7	4	3	3	6					0.811
0.473	6	7	4	3	3	3	6					0.811
0.464	7	3	8	4	3	3	3					0.828
0.467	5	7	4	5	7	3						0.781
0.461	6	3	7	4	4	3	5					0.817
0.496	5	6	7	6	4	3						0.784
0.455	7	3	2	7	5	4	2	3				0.828
0.467	5	7	4	5	7	3						0.781
0.487	6	6	3	7	4	3	3					0.811
0.467	5	7	5	4	7	3						0.781
0.469	6	3	6	3	5	2	7					0.805
0.487	6	4	3	3	3	6	7					0.811
0.467	5	7	7	5	4	3						0.781
0.5	6	4	5	3	5	3	6					0.822
0.5	6	5	5	4	3	3	6					0.822
0.467	5	3	7	4	7	5						0.781
0.496	5	6	8	4	3	5						0.778
<i>Hupehsuchus</i>							N=37		$\sigma^Q=0.005$		$\sigma^P=0.02$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.575	7	6	8	8	4	4	4	3				0.839
0.591	8	6	4	4	6	4	4	4	5			0.871
0.585	7	7	7	7	4	4	4	4				0.846
0.584	7	7	5	7	4	5	5	4				0.850
0.581	7	5	5	4	7	4	8	4				0.846

0.59	8	7	4	6	4	4	4	4	4			0.868
0.578	7	5	3	5	9	5	5	5				0.843
0.579	7	5	6	7	5	4	5	5				0.853
0.585	8	7	4	4	5	4	4	4	5			0.869
0.585	6	6	6	8	4	8	5					0.824
0.581	7	4	8	4	5	4	8	4				0.841
0.587	8	5	5	3	5	4	5	5	5			0.872
0.579	7	5	7	6	5	5	4	5				0.853
0.58	6	5	8	7	8	4	5					0.822
0.583	6	7	7	4	8	7	4					0.822
0.592	8	4	7	5	4	5	5	3	3			0.873
0.587	7	4	6	6	4	8	4	5				0.847
0.591	8	4	6	6	4	5	4	4	4			0.871
0.585	7	7	7	7	4	4	4	4				0.846
0.583	7	5	7	3	9	5	5	3				0.837
0.583	6	6	5	7	7	4	8					0.825
0.587	6	6	4	4	4	8	5					0.874
0.585	8	7	4	4	5	4	4	4	5			0.869
0.569	6	5	6	7	9	5	5					0.824
0.587	7	6	4	6	4	4	8	5				0.847
0.584	7	7	4	5	8	4	4	5				0.846
0.585	7	7	7	4	4	4	7	4				0.846
0.583	6	6	4	7	7	8	5					0.825
0.576	7	4	7	5	5	8	4	4				0.846
0.585	8	7	4	4	5	4	4	4	5			0.869
0.578	6	5	8	9	5	5	5					0.821
0.592	8	7	5	5	4	5	5	3	3			0.866
0.588	7	8	7	4	4	6	4	4				0.844
0.59	8	6	4	7	4	4	4	4	4			0.868
0.58	8	9	4	4	3	4	4	4	5			0.858
0.591	8	6	4	6	4	4	4	4	5			0.871
0.583	7	5	8	4	6	5	5	4				0.849
<i>Nachangosaurus</i>							N=56		$\sigma^Q=0.007$		$\sigma^P=0.007$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.658	9	9	5	5	7	3	9	6	6	6		0.879
0.649	10	9	3	9	4	4	5	6	6	5	5	0.888
0.64	8	12	5	5	7	10	5	6	6			0.860
0.658	9	9	7	3	9	6	6	6	5	5		0.879
0.641	9	9	5	6	6	10	6	5				0.892

0.653	9	9	7	3	4	11	6	6	5	5		0.873
0.658	9	7	9	6	3	9	6	6	5	5		0.879
0.649	10	9	3	9	4	4	5	6	6	5	5	0.888
0.653	9	9	5	5	7	3	4	11	6	6		0.873
0.65	10	3	9	9	3	4	6	6	6	5	5	0.887
0.65	10	9	3	3	9	4	6	6	6	5	5	0.887
0.655	9	9	3	7	10	5	6	6	5	5		0.877
0.649	10	3	9	5	9	4	4	5	6	6	5	0.888
0.644	10	9	5	5	3	10	3	3	6	6	6	0.883
0.653	10	9	3	10	3	4	5	6	6	5	5	0.885
0.66	9	8	5	5	6	9	6	6	6	5		0.884
0.649	10	9	3	9	4	4	5	6	6	5	5	0.888
0.656	9	5	8	6	4	11	6	6	5	5		0.878
0.657	5	8	6	10	5	6	6	5	5			0.889
0.649	10	9	3	4	9	4	5	6	6	5	5	0.888
0.646	9	5	6	10	5	6	6	10	3	5		0.875
0.649	10	9	6	5	9	3	4	4	5	6	5	0.888
0.639	9	7	6	6	4	11	6	6	5	5		0.879
0.652	9	9	3	7	11	4	6	6	5	5		0.873
0.65	9	5	6	9	6	10	4	6	5	5		0.879
0.649	10	9	9	6	5	3	4	4	5	6	5	0.888
0.646	9	9	3	12	4	6	6	6	5	5		0.870
0.649	10	9	9	3	4	4	5	6	6	5	5	0.888
0.66	9	6	8	5	9	6	6	6	5	5		0.884
0.658	9	9	3	7	9	6	6	6	5	5		0.879
0.653	9	9	7	3	4	11	6	6	5	5		0.873
0.643	8	12	7	9	6	6	6	5	5			0.862
0.649	10	9	3	9	4	4	5	6	6	5	5	0.888
0.649	10	9	3	9	4	4	5	6	6	5		0.896
0.658	9	3	9	5	5	7	9	6	6	6		0.879
0.649	10	3	9	9	6	6	4	4	5	5	5	0.888
0.647	9	9	5	3	8	11	3	6	6	5		0.871
0.658	9	9	5	6	7	3	9	6	6	5		0.879
0.65	10	9	3	9	3	4	6	6	6	5	5	0.887
0.647	9	9	8	3	3	11	6	6	5	5		0.871
0.658	9	9	5	7	3	9	6	6	6	5		0.879
0.655	9	9	7	3	10	5	6	6	5	5		0.877
0.649	10	9	6	5	3	9	4	4	6	5	5	0.888
0.649	10	9	5	6	5	3	9	4	4	5	6	0.888
0.658	9	9	5	7	3	9	6	6	6	5		0.879

0.65	10	3	9	5	9	3	4	6	6	6	5	0.887
0.65	10	9	5	3	3	9	4	6	6	6	5	0.887
0.655	9	3	9	5	7	10	5	6	6	5		0.877
0.647	9	9	8	3	3	11	6	6	5	5		0.871
0.644	9	10	5	6	11	4	6	4	5	5		0.872
0.653	10	9	5	6	5	3	10	3	4	6	5	0.885
0.658	9	9	5	7	3	9	6	6	6	5		0.879
0.653	9	9	7	3	4	11	6	6	5	5		0.873
0.633	9	12	9	4	4	5	6	6	5	5		0.871
0.645	9	5	5	6	4	11	6	10	4	5		0.872
0.619	10	6	5	10	3	3	6	6	6	8	3	0.885
0.658	9	3	9	7	9	6	6	6	5	5		0.879
0.65	10	9	3	3	9	4	6	6	6	5	5	0.887
0.65	10	9	3	3	9	4	6	6	6	5	5	0.887
0.649	10	9	5	5	3	9	4	4	5	6	6	0.888
0.655	9	9	10	5	3	7	5	6	6	5		0.877
0.65	9	5	6	9	6	10	4	6	5	5		0.879
0.648	9	9	6	5	5	3	13	4	6	5		0.865
0.658	9	3	9	7	9	6	6	6	5	5		0.879
0.649	10	9	5	3	9	4	4	5	6	6	5	0.888
0.658	9	3	7	9	5	6	9	6	6	5		0.879
Megadyptes							N=12		$\sigma^Q=0.02$		$\sigma^P=0.02$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.398	3	4	4	4								0.667
0.398	3	4	4	4								0.667
0.343	3	6	4	2								0.611
0.398	3	4	4	4								0.667
0.398	3	4	4	4								0.667
0.398	3	4	4	4								0.667
0.359	3	6	3	3								0.625
0.398	3	4	4	4								0.667
0.359	3	3	3	6								0.625
0.398	3	4	4	4								0.667
0.359	3	3	3	6								0.625
0.398	3	4	4	4								0.667
Zalophus							N=30		$\sigma^Q=0.005$		$\sigma^P=0.008$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.579	7	7	5	4	3	4	4	3				0.844

0.579	7	5	7	3	4	4	4	3				0.844
0.579	7	7	5	3	3	4	4	4				0.844
0.579	7	7	3	5	4	4	4	3				0.844
0.579	7	5	7	3	4	4	4	3				0.844
0.579	7	7	5	4	4	4	3	3				0.844
0.579	7	7	5	4	4	3	4	3				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	5	7	3	4	4	4	3				0.844
0.565	7	4	8	4	4	3	4	3				0.838
0.579	7	7	5	4	4	4	3	3				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	4	3	4	4	3				0.844
0.579	7	7	5	3	4	3	4	4				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	4	4	4	3	3				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	3	4	3	4	4				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	3	4	3	4	4				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.553	6	8	8	4	3	4	3					0.802
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	3	3	4	4	4				0.844
0.579	7	7	5	4	3	4	4	3				0.844
0.579	7	7	5	4	4	4	3	3				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	4	4	3	4	3				0.844
0.579	7	7	5	3	4	4	4	3				0.844
0.579	7	7	5	4	3	4	4	3				0.844
Ommatophoca							N=30		$\sigma^Q=0.01$		$\sigma^P=0.01$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.522	7	8	5	4	3	3	4	3				0.836
0.542	7	6	3	7	3	4	3	4				0.840
0.542	7	6	7	3	3	4	3	4				0.840
0.522	7	8	5	3	3	4	4	3				0.836
0.542	7	6	3	7	3	3	4	4				0.840
0.528	6	6	6	6	4	4	4					0.827
0.512	6	9	4	4	4	6	3					0.807
0.528	6	6	6	4	6	4	4					0.827

0.542	7	6	7	3	3	4	3	4				0.840
0.535	7	6	5	5	3	3	4	4				0.849
0.504	6	9	4	3	7	4	3					0.800
0.538	7	6	6	3	4	4	3	4				0.847
0.538	7	6	6	4	4	4	3	3				0.847
0.542	7	7	3	6	3	4	3	4				0.840
0.528	6	6	6	6	4	4	4					0.827
0.542	7	6	7	3	3	4	3	4				0.840
0.542	7	6	3	7	4	3	4	3				0.840
0.522	7	8	5	3	3	4	4	3				0.836
0.535	7	5	6	5	4	3	3	4				0.849
0.522	7	5	8	3	3	4	4	3				0.836
0.542	7	6	7	4	4	3	3	3				0.840
0.504	6	9	3	4	3	7	4					0.800
0.522	7	8	5	4	3	3	4	3				0.836
0.528	6	6	6	6	4	4	4					0.827
0.542	7	6	7	4	3	3	3	4				0.840
0.542	7	6	7	3	3	4	3	4				0.840
0.528	6	6	6	4	4	6	4					0.827
0.542	7	6	7	4	3	3	3	4				0.840
0.542	7	6	3	7	3	4	3	4				0.840
0.522	7	8	5	4	4	3	3	3				0.836
Dugong							N=29		$\sigma^Q=0.006$		$\sigma^P=0.006$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.543	7	6	3	3	3	3	3	8				0.828
0.539	7	7	7	3	3	3	3	3				0.830
0.543	7	6	3	3	3	3	3	8				0.828
0.543	7	8	6	3	3	3	3	3				0.828
0.543	7	6	3	3	3	3	3	8				0.828
0.543	7	8	6	3	3	3	3	3				0.828
0.543	7	6	3	3	3	3	3	8				0.828
0.53	6	6	6	8	3	3	3					0.806
0.543	7	8	6	3	3	3	3	3				0.828
0.543	7	8	6	3	3	3	3	3				0.828
0.543	7	8	3	3	6	3	3	3				0.828
0.52	7	7	3	7	4	2	3	3				0.828
0.543	7	6	3	3	3	3	3	8				0.828
0.543	7	8	3	6	3	3	3	3				0.828
0.543	7	8	6	3	3	3	3	3				0.828

0.543	7	8	6	3	3	3	3	3				0.828
0.539	7	7	3	7	3	3	3	3				0.830
0.543	7	3	3	6	3	3	3	8				0.828
0.543	7	8	3	6	3	3	3	3				0.828
0.539	7	7	7	3	3	3	3	3				0.830
0.52	7	7	3	7	4	2	3	3				0.828
0.536	6	7	5	8	3	3	3					0.804
0.543	7	8	6	3	3	3	3	3				0.828
0.543	7	8	3	6	3	3	3	3				0.828
0.543	3	6	3	3	3	3	3	8				0.828
0.543	7	6	3	3	3	3	3	8				0.828
0.539	7	7	3	7	3	3	3	3				0.830
0.543	7	8	6	3	3	3	3	3				0.828
0.539	7	7	3	7	3	3	3	3				0.830
<i>Maiacetus</i>							N=32		$\sigma^Q=0.008$		$\sigma^P=0.02$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.512	7	3	10	4	3	4	3	5				0.820
0.495	7	6	7	5	5	4	7	4				0.789
0.519	7	8	4	5	3	4	3	5				0.840
0.516	7	5	6	5	4	3	5	4				0.852
0.51	7	8	4	7	3	4	3	3				0.832
0.494	6	6	3	4	3	7	9					0.805
0.49	7	6	3	4	3	3	4	9				0.828
0.519	7	8	3	5	4	4	3	5				0.840
0.495	6	7	5	7	4	5	4					0.824
0.511	7	7	4	5	4	3	4	5				0.848
0.516	6	8	5	9	3	3	4					0.801
0.507	6	9	4	3	7	5	4					0.809
0.498	6	3	10	9	3	4	3					0.781
0.516	6	8	3	9	3	4	5					0.801
0.516	7	5	6	5	4	3	4	5				0.852
0.504	7	6	9	4	4	3	3	3				0.828
0.503	5	9	4	3	9	7						0.770
0.507	6	9	4	5	3	7	4					0.809
0.519	7	8	5	3	4	3	4	5				0.840
0.51	7	8	7	3	4	3	3	4				0.832
0.507	6	9	4	3	4	5	7					0.809
0.513	7	6	6	4	6	4	3	3				0.846
0.51	7	3	8	4	4	7	3	3				0.832

0.512	7	10	5	4	3	3	4	3				0.820
0.519	7	8	5	3	5	4	3	4				0.840
0.51	7	8	3	3	4	7	3	4				0.832
0.516	6	8	9	3	3	4	5					0.801
0.512	7	3	10	3	4	3	4	5				0.820
0.506	6	6	4	3	6	4	9					0.811
0.519	7	8	5	4	4	3	3	5				0.840
0.516	6	6	6	4	5	7	4					0.826
0.519	7	8	3	4	5	3	4	5				0.840
Dorudon							N=24		$\sigma^Q=0.02$		$\sigma^P=0.03$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.46	4	7	7	7	3							0.729
0.453	4	7	7	4	6							0.740
0.45	3	7	10	7								0.656
0.418	6	8	7	2	2	2	3					0.767
0.402	6	6	6	5	2	2	3					0.802
0.436	5	7	6	7	2	2						0.753
0.453	4	8	3	6	7							0.726
0.46	4	7	7	7	3							0.729
0.418	6	8	7	2	2	2	3					0.767
0.436	5	7	6	2	2	7						0.753
0.4	5	6	6	7	2	3						0.767
0.45	3	7	7	10								0.656
0.46	4	7	7	7	3							0.729
0.435	4	8	7	2	7							0.712
0.453	4	8	6	3	7							0.726
0.436	5	7	6	2	2	7						0.753
0.45	3	7	7	10								0.656
0.439	4	8	8	5	3							0.719
0.436	5	7	6	2	2	7						0.753
0.46	4	7	7	3	7							0.729
0.436	5	7	6	2	2	7						0.753
0.46	4	7	3	7	7							0.729
0.435	4	8	7	2	7							0.712
0.46	4	7	7	3	7							0.729
Lagenorhynchus							N=35		$\sigma^Q=0.01$		$\sigma^P=0.02$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P

0.528	6	5	7	2	8	8	5					0.811
0.518	6	9	4	6	3	8	5					0.811
0.526	6	7	8	5	5	3	7					0.820
0.539	7	8	8	3	5	3	3	5				0.833
0.527	6	7	4	8	3	8	5					0.815
0.516	6	8	2	8	5	5	7					0.811
0.537	7	7	5	3	4	5	3	8				0.839
0.539	7	8	8	5	3	3	3	5				0.833
0.533	6	6	6	9	3	4	5	8				0.782
0.514	6	5	8	6	4	7	5					0.824
0.506	7	6	7	4	8	3	5					0.838
0.521	6	6	9	3	6	8	3					0.808
0.514	6	5	6	4	7	8	5					0.824
0.529	6	7	6	2	8	7	5					0.815
0.529	6	7	6	2	5	7	8					0.815
0.526	6	6	9	3	6	6	5					0.818
0.514	6	5	6	4	7	8	5					0.824
0.539	7	8	3	5	8	5	3	3				0.833
0.539	7	8	5	3	3	3	8	5				0.833
0.539	7	8	5	3	3	5	3	8				0.833
0.539	7	8	5	3	5	3	3	8				0.833
0.515	6	5	6	7	6	6	5					0.831
0.527	6	8	7	6	5	3	6					0.821
0.526	6	8	4	8	5	3	7					0.815
0.539	7	8	3	5	3	5	3	8				0.833
0.525	5	10	4	7	8	6						0.784
0.504	5	8	8	8	6	5						0.793
0.529	6	7	2	6	8	5	7					0.815
0.52	5	10	6	7	8	4						0.784
0.525	5	10	4	8	7	6						0.784
0.524	6	4	8	7	9	2	5					0.805
0.516	6	5	2	8	7	8	5					0.811
0.501	7	7	7	5	5	3	2	6				0.839
0.525	5	10	4	7	8	6						0.784
0.539	7	8	3	5	3	3	8	5				0.833
<i>Megaptera</i>							N=35		$\sigma^Q=0.006$		$\sigma^P=0.01$	
Q	NM	M1	M2	M3	M4	M5	M6	M7	M8	M9	M10	P
0.572	6	7	7	2	7	3	9					0.803

0.569	6	4	6	2	7	9	7					0.808
0.569	6	4	7	6	2	9	7					0.808
0.569	6	4	7	6	2	9	7					0.808
0.569	6	6	7	2	4	9	7					0.808
0.572	6	7	7	2	3	9	7					0.803
0.557	5	6	9	4	7	9						0.785
0.569	6	4	6	7	2	9	7					0.808
0.569	6	4	7	2	6	9	7					0.808
0.557	5	8	7	4	9	7						0.789
0.569	6	4	6	7	2	7	9					0.808
0.572	6	7	7	2	3	9	7					0.803
0.561	6	6	8	2	3	9	7					0.802
0.56	5	9	8	2	9	7						0.772
0.557	5	8	7	4	9	7						0.789
0.557	5	8	7	4	9	7						0.789
0.561	6	8	6	9	3	2	7					0.802
0.569	6	4	7	6	2	9	7					0.808
0.561	6	6	2	8	9	7	3					0.802
0.561	6	6	8	2	3	9	7					0.802
0.561	6	6	2	8	9	3	7					0.802
0.569	6	4	6	7	2	9	7					0.808
0.542	5	9	6	6	7	7						0.795
0.562	5	10	9	6	3	7						0.776
0.557	5	8	7	4	9	7						0.789
0.572	6	7	7	3	2	9	7					0.803
0.572	6	7	7	2	7	3	9					0.803
0.558	6	6	6	4	3	9	7					0.815
0.561	6	6	2	8	3	9	7					0.802
0.561	6	6	8	2	3	9	7					0.802
0.557	5	7	8	4	9	7						0.789
0.561	6	6	2	8	3	9	7					0.802
0.557	5	8	4	7	9	7						0.789
0.572	6	7	7	2	9	3	7					0.803
0.562	5	10	6	3	9	7						0.776

References

- Anderson MJ. A new method for non parametric multivariate analysis of variance. *Austral Ecol.* 2001 Feb;26(1):32-46.
- Bastian M, Heymann S, Jacomy M. Gephi: an open source software for exploring and manipulating networks. *International AAAI Conference on Weblogs and Social Media*; 2009 Mar 19; Paris.
- Blondel VD, Guillaume JL, Lambiotte R, Lefebvre E. Fast unfolding of communities in large networks. *J Stat Mech: Theory Exp.* 2008 Oct 9;2008(10):P10008.
- Brandes U. A faster algorithm for between nesscentrality. *J Math Sociol.* 2001 Jun 1;25(2):163-77.
- Calatayud J, Bernardo-Madrid R, Neuman M, Rojas A, Rosvall M. Exploring the solution landscape enables more reliable network community detection. *Physical Review E.* 2019 Nov 21;100(5):052308.
- Caldwell MW. Limb osteology and ossification patterns in *Cryptoclidus* (Reptilia: Plesiosauroidea) with a review of sauropterygian limbs. *J Vertebr Paleontol.* 1997 Jun 19;17(2):295-307.
- Chen, XH, Motani R, Cheng L, Jiang DY, Rieppel O. A carapace-like bony 'body tube' in an Early Triassic marine reptile and the onset of marine tetrapod predation. *PLoS One.* 2014;9:e94396.
- English AW. Functional anatomy of the hands of furseals and sea lions. *Am J Anat.* 1976 Sep;147(1):1-7.
- Esteve-Altava B, Pierce SE, Molnar JL, Johnston P, Diogo R, Hutchinson JR. Evolutionary parallelisms of pectoral and pelvic network-anatomy from fins to limbs. *Sci Adv.* 2019 May 1;5(5):eaau7459.
- Fraas E. Die Meer-Crocodilier (Thalattosuchia) des oberen Jura unter specieller Berücksichtigung von *Dacosaurus* und *Geosaurus*. *Palaeontographica* (1846-1933). 1902 Jan 1:1-72.
- Fernández MS. Dorsal or ventral? Homologies of the forefin of *Caypullisaurus* (Ichthyosauria: Ophthalmosauria). *J Vertebr Paleontol.* 2001 Aug 22;21(3):515-20.
- Finney V. *Capturing Nature: Early Scientific Photography at the Australian Museum 1857–1893.* Sydney: NewSouth Publishing; 2019.
- Gingerich PD, von Koenigswald W, Sanders WJ, Smith BH, Zalmout IS. New protocetid whale from the middle Eocene of Pakistan: birth on land, precocial development, and sexual dimorphism. *PLoS One.* 2009 Feb 4;4(2):e4366.
- Hammer Ø, Harper DA, Ryan PD. PAST-palaeontological statistics, ver. 1.89. *Palaeontol Electronica.* 2001 Aug 21;4(1):1-9.
- Kaiser HE. Bones of Forelimb. In: Perez P, Gomez G, editors. *Morphology of the Sirenia.* Ciudad Editorial: Karger Publishers; 1974. p. 67-75.
- King JE. Some aspects of the anatomy of the Ross seal, *Ommatophocarossi* (Pinnipedia: Phocidae). *British Antarctic Survey*; 1970.
- Latapy M. Main-memory triangle computations for very large (sparse (power-law)) graphs. *Theor Comput Sci.* 2008 Nov 6;407(1-3):458-73.
- Lomax DR, Massare JA. Two new species of *Ichthyosaurus* from the lowermost Jurassic (Hettangian) of Somerset, England. *Pap Palaeontol.* 2017; 3(1): 1-20.
- Maxwell EE. Unraveling the influences of soft tissue flipper development on skeletal variation using an extinct taxon. *J Exp Zool A Comp Exp Biol.* 2012 Nov;318(7):545-54.
- McGowan C, Motani R. *Handbook of Paleoherpertology, Part 8 Ichthyopterygia.* Munich: Verlag Dr. Friedrich Pfeil; 2003.
- Mekarski MC, Japundžić D, Krizmanić K, Caldwell MW. Description of a new basal mosasauroid from the Late Cretaceous of Croatia, with comments on the evolution of the mosasauroid forelimb. *J Vertebr Paleontol.* 2019 Jan 2;39(1):e1577872.
- Reisz RR. A diapsid reptile from the Pennsylvanian of Kansas. *University of Kansas Museum of Natural History Special Publication.* 1981;7:1-74.
- Thomas DB, Fordyce RE. Biological plasticity in penguin heat retention structures. *Ant Rec.* 2012 Feb;295(2):249-56.
- Uhen MD. Form, function, and anatomy of *Dorudon atrox* (Mammalia, Cetacea): an archaeocete from the middle to late Eocene of Egypt. *Papers on Paleontology.* 2004 Jan 34:1-222.
- Wu XC, Li Z, Zhou BC, Dong ZM. A polydactylous amniote from the Triassic period. *Nature.* 2003 Dec;426(6966):516