

Capítulo 8

Referencias

- Agnusdei J., Iosco O. (2000).** Envejecimiento de asfaltos modificados con polímero a corto y largo plazo. Proc. de la XXXI Reunión del asfalto. Tomo I: 297-312.
- Agnusdei J., Iosco O., Jair M., Morea F. (2006).** Correlación entre medidas de Ahuellamiento “in situ” y ensayos de laboratorio. Proc. XXXIV Reunión del Asfalto. 13 p.
- Agnusdei J., Iosco O., Jair M., Morea F. (2007a).** Correlación entre medidas de Ahuellamiento “in situ” y ensayos de laboratorio (2^{da} Parte). Proc. XIV Congreso Iberoamericano del Asfalto. 13 p.
- Agnusdei J., Iosco O., Jair M., Morea F. (2007b).** Correlación entre ensayos que miden deformaciones bajo tránsito en mezclas asfálticas. Proc. XIV Congreso Argentino de Vialidad y tránsito. 17 p.
- Agnusdei J., Iosco O., Jair M., Morea F. (2008).** Efecto sobre el ahuellamiento de las temperaturas de reparación y compactación de mezclas reparadas con asfaltos modificados. Proc. XXXV Reunión del Asfalto. 16 p.
- Airey G., Rahimzadeh B., Collop A. (2002).** Linear Viscoelastic Limits of Bituminous Binders. Asphalt Paving technology N° 69: 89-115.
- Anderson D. A., Christensen D. W., Bahia H. U., Dongré R., Sharma M. G., Button J. (1994).** Binder Characterization and Evaluation, Volume 3: Physical Characterization. Report N° SHRP-A-369, the Strategic Highway Research Program, National Research Council. ISBN 0-309-05767-1. 475 p.
- Anderson, D., Le Hir, Y.M., Planche, J.P., Martín, D. (2002).** Zero Shear Viscosity of Asphalt Binders. Transportation Research Boards Annual Meeting, paper 02-4113. 22 p.
- ASTM C 1252 (1993).** Standard test method for uncompact void content of fine aggregate (as influenced by particle shape, surface texture and grading). Annual Book of ASTM standards. 4 p.

ASTM D 7405 (2010). Standard test method for multi stress creep recovery (MSCR) of asphalt binder using a dynamic shear rheometer. 3 p.

ASTM D 2419 (2002). Sand equivalent value of soils and fine aggregates. Annual Book of ASTM standards. Vol. 04.03: 219-227.

ASTM D 4402 (2006). Viscosity determination of unfilled asphalts using the Brookfield thermosel apparatus. 3 p.

ASTM D 5821 (2006). Standard test method for determining the percentage of fractured particles in coarse aggregate. Vol. 04.03: 645-649.

ASTM D 6373 (1999). Standard specification for performance grade asphalt binder. Vol. 04.03: 713-715.

Bahia H. U., Delgadillo R, Motamed A., Christensen D. (2009). Performance of modified asphalt binder and mixture under increased truck loading limits. Proc. Efficient transportation and pavement systems, 421-439. ISBN 978-0-415-48979-9.

Bahia H. U., Zhai, H., Zeng, M., Hu, Y., Turner, P. (2001). Development of binder specification parameters based on characterization of damage behavior. Asphalt paving technology N° 70: 442-470.

Bahia H., Daranga C. (2007). Advancements in Characterization of polymer Modified Asphalt. Proc del 5° Congreso Mexicano del Asfalto. 19 p.

Bahia H., Hanson D., Zeng M., Zhai H., Khatri M., Anderson (2001). Characterization of Modified Asphalt Binders in Superpave Mix Design. NCHRP 9-10 report 459. ISSN 0077-5614. 93 p.

Bahia, H. U. (1995). Critical Evaluation of Asphalt Modification Using the SHRP Concepts. Transportation Research Record N° 1488: 82–88.

Biro S., Gandhi T., Amir Khanian S. (2009). Determination of zero shear viscosity of warm asphalt binders. Construction and Building Materials N° 23-5: 2080-2086. Doi: 10.1016/j.conbuildmat.2008.08.015.

Brown, E. R., and Basset, C. E. (1990). Effects of Maximum Aggregate Size on Rutting Potential and Other Properties of Asphalt-Aggregate Mixtures. Transportation Research Record 1259: 107-119.

CEN prEN 15324 (2006). Bitumen and Bituminous Binders – Determination of Equiviscous Temperature Based on Low Shear Viscosity using a Dynamic Shear Rheometer in Low Frequency Oscillation Mode. 28 p.

CEN prEN 15325 Standard (2006). Bitumen and Bituminous Binders – Determination of Zero Shear Viscosity (ZSV) using a Shear Stress Rheometer in Creep Mode. 20 p.

D'Angelo J., Kluttz R., Dongré R., Stephens K., Zanzotto L. (2007). Revision of the Superpave high temperature binder specification: the multiple stress creep recovery test. Asphalt Paving technology N° 76: 123-157.

De Visscher J., Vanelstraete A. (2004). Practical Test Methods for Measuring the Zero Shear Viscosity of Bituminous Binders. Materials and Structures N° 37: 360-364. Doi: 10.1007/BF02481684.

De Visscher J., Vanelstraete A. (2009). Equiviscous temperature based on low shear viscosity: evaluation as binder indicator for rutting and critical discussion of the test procedure. Proc Advance testing and characterization of bituminous materials. Vol II: 1009-1018. ISBN 978-0-415-55854-9.

Dezmanes C., Lecomte M., Leseur D. and Phillips M. (2002). A protocol for reliable measurement of Zero Shear Viscosity in order to evaluate the anti rutting performance of binders. Proc 2nd Euroasphalt and Eurobitumen congress. Vol I: 203:211.

Dreessen S., Planche J.P., Gardel V. (2009). A new performance related test method for rutting prediction: MSCRT. Proc Advance testing and characterization of bituminous materials. Vol. II : 971-980. ISBN 978-0-415-55854-9.

Especificación Española (2004). Pliego de prescripciones técnicas generales para obras de carreteras y Puentes PG 3.719 p.

Fabb, T. (2000). Performance-related bitumen specifications for Europe: simple and soon. Proc 2nd Euroasphalt and Euro bitumen congress. Tomo I: 248-254.

Ferry J. (1980). Viscoelastic Properties of Polymers. 3rd edition, John Wiley and Sons, New York. 672 p.

Groupement Professionnel des Bitumes, Laboratoires Central des Punts et Chaussées (2002). Bitumen and Bituminous Binders: Determination of the Steady-State Viscosity by the Creep Method. 8 p.

Highway Research Board (1962). The AASHO road test. Special report 61 E Pavement research. Washington DC.

Iosco O., Agnusdei J. (1997). Mapa de temperaturas viales de la República Argentina para el diseño de mezclas asfálticas por el sistema Superpave. Procedente de 1^o Congreso Ibero Latinoamericano del Asfalto. 15 p.

IRAM 1682 (1992). Agregado Fino: Método de determinación del equivalente arena. 12 p.

IRAM 1851 (1998). Agregados. Determinación en una mezcla de la proporción de agregado grueso con dos o más caras de fractura por trituración. 10 p.

IRAM 6576 (2004). Asfaltos. Determinación de la penetración utilizando un penetrómetro de aguja. 12 p.

IRAM 6841 (2002). Asfaltos para uso vial. Determinación del punto de ablandamiento. Método del anillo y la esfera. 13 p.

Jia J., Zhang X., Yuan Y. (2005). Rolling thin film oven test investigation for polymer modified asphalt. Harbin Institute of Technology N° 12-6: 635-638.

Khedaywi T. S., Tons E. (1998). Aggregate Rugosity and Size Effect on Bituminous Mixes. Transportation Research Record N° 1619: 26-36.

Kim Y. R. (2009). Modelling of Asphalt Concrete. Editorial McGraw-Hill. ISBN: 0-07-146462-X. DOI: 10.1036/007146462X. 460 p.

Le Hir Y., Anderson D., Planche J. P., Martin D. (2003). Rheological characterization of bituminous binder to predict pavement rutting. Proc 6th RILEM Symp: Performance Testing and Evaluation of Bituminous Materials, p. 117-123.

Lesueur D. (2009). The colloidal structure of bitumen: Consequences on the rheology and on the mechanisms of bitumen modification. Advances in Colloid and Interface Science N° 145: 42-82.

Ley 24449 (1995). Ley de tránsito Argentina. 72 p.

Little D. N., Jones IV D. R. (2003). Chemical and Mechanical processes of moisture damage in hot mix asphalt pavement. In Moisture Sensitive of asphalt pavement: a national seminary p. 37-70. ISBN 0-309-09450-X. 341.

Manual of Asphalt Institute - SUPERPAVE (1994). Performance Graded Asphalt Binder Specification and Testing. Superpave Series N° 1(SP-1).69 p.

Manual of Asphalt Institute - SUPERPAVE (1995). Superpave level 1 mix design. Superpave Series N° 2 (SP-2). 119 p.

Manual of Asphalt Institute (1993). Mix design method for asphalt concrete and other hot mix types (MS-2). 141 p.

Massachusetts Highway department (1995). How vehicles load affects pavement performance. Tech note N° 6 Federal Highway Administration. 4 p.

McGennis R.B., Anderson R.M., Kennedy T.W., Solaimanian M. (1995). Background of Superpave asphalt mixture design and analysis. Report FHWA-SA-95-003. 160 p.

Morea F., Agnusdei J., Zerbino R. (2010). Comparison of Method for Measuring Zero Shear Viscosity (ZSV) in Asphalts. Materials and Structures N° 43: 499-507 Doi: 10.1617/s11527-009-9506-y.

Morton B.S., Luttig E., Horak E., Visser A.T. (2004). The effect of axle load spectra and tyre inflation pressures on standard pavement design methods. Proc 8th Conference on Asphalt Pavements for Southern Africa. ISBN 1-920-01718-6. 15 p.

NLT 173/84 (1992). Resistencia a la deformación plástica de las mezclas bituminosas mediante la pista de ensayo de laboratorio. 9 p.

Oliver, J. W., Tredrea, P. F. (1998). Relationship between Asphalt Rut Resistance and Binder Rheological Properties. Asphalt Paving technology N° 67: 623-643.

Perraton D., Di Benedetto H., De la Roche C. (2010). Rutting of bituminous mixtures: wheel tracking tests campaign analysis. Materials and Structures. On-line DOI 10.1617/s11527-010-9680-y.

Phillips M., Robertus C. (1996). Binder Rheology and Asphaltic Pavement Permanent Deformation, the Zero Shear Viscosity Concept. Proc del 1st Euroasphalt and Euro bitumen congress – paper 5134.

Pliego de especificaciones técnicas de mezclas asfálticas en caliente de bajo espesor para carpetas de rodamiento (2005). Comisión Permanente de Asfalto (CPA). Versión 3. 22 p.

- Prowell B. (1999).** Development of Rutting Criteria for the Asphalt Pavement Analyzer. International Conference on Accelerated Pavement Testing. Paper CS6-4:1-17.
- Prowell B. D., Zhang J., Brown E. R. (2005).** Aggregate Properties and the Performance of Superpave - Designed Hot Mix Asphalt. NCHRP report 539. ISBN 0-309-08825-9. 101 p.
- Romero, P. and Mogawer, W., (1998).** Evaluation of the Superpave Shear Tester's Ability to Discern Two Mixtures with Different Size Aggregates using the Federal Highway Administration's Accelerated Loading Facility. Proc 77th Annual Meeting of the Transportation Research Board.
- Rowe, G.M., D'angelo, J.A. and Sharrock, M.J. (2002).** Use of the Zero Shear Viscosity as a Parameter for the High Temperature Binder Specification Parameter. Applied Asphalt Binder Technology N° 2.23 p.
- Salem H. (2008).** Effect of excess axle weights on pavement life. Emirates Journal for engineering research. N° 13: 21-28.
- Shenoy A. (2001).** Refinement of the SUPERPAVE Specification Parameter for Performance Grading of Asphalt. Transportation Engineer N° 127: 357-362.
- Shenoy, A. (2000).** Validating the Generality and Predictive Ability of Unified Rheological Curves for Unmodified Paving Asphalts. Construction and Building Materials N° 4: 325-339.
- Stastna J., Zonzotto L., Vacin O.J. (2003).** Viscosity function in polymer-modified asphalts. Colloid and Interface Science N° 259: 200-207.
- Stuart, K., Mogawer, W. and Romero, P. (2000).** Evaluation of the Superpave Asphalt Binders Specification for High-Temperature Pavement Performance. Asphalt Paving technology N° 69: 148-176.
- Stuart, K., Mogawer, W. and Romero, P. (2000).** Validation of Asphalt Binder and Mixture Test that Measure Rutting Susceptibility. Report FWHA-RD-99-204.
- Superpave mixture design guide. (2001).** WesTrack Forensic Team Consensus Report FHWA-RD-01-052.
- Sybilski, D. (1994).** Relationship between Absolute Viscosity of Polymer-modified Bitumen and Rutting Resistance of Pavement. Materials and Structures N° 27: 110-120.
- Sybilski, D. (1996).** Zero Shear Viscosity of Bituminous Binders and Its Relation to Bituminous Mixture's resistance. Transportation Research Record N° 1535: 15-21. Doi: 103141/1535-03.
- Topal A., Sengoz B. (2005).** Determination of fine aggregate angularity in relation with the resistance to rutting of hot-mix asphalt. Construction and Building Materials N° 19: 155-163.
- Tschoegl N. (1989).** The Phenomenological Theory of Linear Viscoelastic Behavior. Springer Verlag, Berlin. 769 p.

UNE 12697-22 (2006). Bituminous mixtures. Test method for hot mix asphalts. Part 22: Wheel tracking test. 24 p.

UNE 12697-33 (2006). Bituminous mixtures. Test method for hot mix asphalts. Part 33: specimen prepared by roller compactor. 22 p.

Wang F., Machemehl R. (2006). Predicting Truck Tire Pressure Effects Upon Pavement Performance. Research Report S WUTC/06/167864-1, Southwest Region University Transportation Center. 153 p.

White T., Haddock J., Hand A., Fang H. (2002). Contributions of Pavement Structural Layers to Rutting of Hot Mix Asphalt Pavements. NCHRP report 468. 65 p.

White T., Haddock J., Rismantojo E. (2006). Aggregate Tests for Hot-Mix Asphalt Mixtures Used in Pavements. NCHRP report 557. 48 p.