

Classification Rules to identify Context and Preference Information from Tourist's Reviews

Silvana Vanesa Aciar ¹

¹ Instituto de Informática

Universidad Nacional de San Juan, Argentina

Av. Central y Meglioli

Rivadavia, San Juan, Argentina - 5400

saciar@info.unsj.edu.ar

Abstract. In many tourist sites have been incorporate box to allow people interchange experience, written comments and valuation about products or services. Many of the tourists planning decision are based on third-party opinions. Text mining is the discipline that extracts information from written text by users/consumers in natural language to be understood by a computer system. In this paper is presented a text mining process to obtain classification rules in order to identify context information and consumer's preferences from a review. User's preferences are different according with a situation or context in which the review was expressed. This approach was exemplified by a case study using reviews from www.tripadvisor.com.

Keywords: Contextual Information, Mining opinion, Text Mining, Classification tools, Tourism reviews.

1 Introduction

Reviews comments are one of the most powerful and expressive source of user preferences. Product review forums and discussion groups are popular ways for consumers to exchange their experiences with a product [1] [2] [3]. There is growing evidence that such forums inform and influence consumers' purchase decisions [1] [2] [4]. These reviews provide valuable information about consumer's behaviour that can be used to infer preferences and interests about future products. However, usage of this information is not an easy task due to the difficulties of incorporating unstructured data [5]. The consumer reviews are in free form text and they prefer to use natural language to express their opinion. It is difficult for a program to "understand" the text information and use these data. Several approaches using artificial intelligence techniques and text mining address the problem of identifying consumer's ratings for a product [4] [6]. However, there is a problem that has been less addressed in research until now but it is not less important, this problem is the identification of context information embedded in consumer's reviews.

This paper presents a process to extract context information from consumer's reviews. This process uses text mining techniques to classify each sentence of review into two categories "Contextual" and "Preferences". The classification process is critical process to star using relevant information from a review. The quality of the

applications results that use reviews highly relies on the accuracy of the classification results.

The rest of the paper is organized as follows: Related works are presented in Section 2. Section 3 provides a brief introduction of the text mining and consumer's reviews. Section 4 presents the detail of the classification process. Case study is given in Section 5. Finally, Section 6 concludes the paper and provides directions for future research.

2. Related works

Several approaches using artificial intelligence techniques and text mining address the problem of identifying consumer's ratings or opinion (positive or negative) for a product [4] [6] from consumer's reviews. Sentiment analysis is focused on the extraction of the relevance of product's feature based on sentiments of consumer reviews expressed in review sentences. While, in sentiment classification the reviews are analysed the polarity (positive or negative) of reviews.

Pang and Lee [6] focused on sentiment analysis of product reviews. Natural Language Processing (NLP) and supervised and unsupervised learning techniques are used on sentiment analysis. In [7] a NLP linguistic processor is used to parse review opinions and extract frequent products features. And association rules are created to extract the explicit product features in review comments. Recently, Yang [8] proposed the use of class association rules and naïve Bayes classifier to classify product features without using natural language processing. The performance of NLP is poor in reviews with grammatical errors and unknown terms; it is usually in all the reviews write on free text form.

The sentiment classification relies with the classification of the reviews based on their polarity (positive or negative). In [9] and [10] nouns, adjectives and other words which are indicative of positive or negative opinions are identify and based on these words are classify the reviews into positive and negative. Also, mutual information between term phrases and positive and negative words are used in [11]. In [12] text mining tools are used to obtain rules to classify sentences in bad or good categories.

All of the previous approaches analyse reviews to extract product's features, opinions and classify opinions but they did not capture the context in which the reviews was expressed. The existing approaches do not provide context analysis. In this work, we propose the use of text mining tools to obtain classification rules to identify contextual and preferences sentences into a review.

3. Text Mining and consumer's review

The purpose of text mining is to extract relevant information from unstructured sources (text). Techniques from data mining, machine learning, natural language processing (NLP), information retrieval (IR), and knowledge management are used in text mining process [13]. Figure 1 shows the operational process of text mining which is implemented by the following steps: 1) preprocessing of document

collections (text categorization, information extraction, term extraction), 2) the storage of the intermediate representations, the techniques to analyze these intermediate representations (such as distribution analysis, 3) clustering, trend analysis, and association rules), and 4) visualization of the results. This paper is focused on steps 1, 2 and 3 for mining contextual and preferences information from reviews.




Fig. 1. Text mining process [13].

The problem of determining where a sentence written by consumers express their preferences is no simple. It is also about context information. Without such information, any preference is of little practical use. So one should not only talk about preferences extraction from consumer's reviews, but also about the context information that preferences have been expressed upon. Here context information can be a date when the review was written, weather condition, trip objective, etc. For example a consumer might prefer chip hotels when he travels with his family for holydays but he prefers expensive hotels when he makes business trips. We should realize that context information is also important in terms of mining opinion or reviews. There are a number of approaches for mining consumer's opinion including many automated approaches based on information retrieval, machine learning and natural languages approaches. Each approach also has many specific techniques, for example, in machine learning approach can be used any machine learning algorithm [4]. However, the problem is still the accuracy of information classification and solving the associated problems. The reason is that we are dealing with natural language processing. Thus, we need to be able to analyze the natural language text accurately to identify and extract user's preferences and the context on which

preferences have been expressed. In this paper we present a text mining process to Classify reviews sentences into two categories “Contextual” and “Preferences”.

4 Review’s classification process

The classification process follows the implementation of text mining process described in [12] to classify review’s sentences in digital camera domain into good, bad and quality categories. Once the sentences have been classify into one category, they can defines a set of metrics to obtain the value that reviewer gives to some feature of a digital camera. In this paper we apply this process in order to identify context and preference information in tourism domain and not only the value that reviewer gives about feature of the product. In this paper each sentence in the review is selected and classified into two categories: “Contextual” and “Preferences”.

As is defined in [12] shallow parser and classification algorithms based on term frequencies do not provide good results due the size of the sentences involved in the classification process. So, rule based classification techniques are employed. As described before, two categories have been defined to classify the sentences: “Contextual”, and “Preferences”. “Contextual” category groups those sentences that contain information about the context in which the review have been expressed. “Preferences” category groups those sentences that contain information about some features that consumer have evaluated.

The Text-Miner Software Kit (TMSK) and the Rule Induction Kit for Text (RIKTEXT) have been used to obtain the classification rule sets [14]. TMSK generates a dictionary from a set of documents (sentences in our case) and converts a set of sentences into sparse vectors based on the dictionary. A previous preprocessing step has to be made to put the consumer reviews into an XML file. This format is required by TMSK. The TMSK routine vectorize creates sparse vectors from XML text documents. The documents are converted into a spreadsheet format where each row corresponds to a document, and each column corresponds to a word from a dictionary. The dictionary and the vectors representing each category are used by RIKTEXT for learning a classifier. Figure 2 shows the inputs and outputs of both miner tools.

RIKTEXT is a complete software package for learning decision rules from document collections. The rules are induced automatically from vector data and dictionary files.

The best rule set is selected based on a combination of complexity and error-rate considerations. RIKTEXT finds the rule set with the minimum error-rate and then finds a less complex rule set whose error-rate is reasonably close to this minimum error-rate. The concept of “reasonably close” is governed by the property set which specifies the number of standard errors. By default, this is set to 1, so that “reasonably close” means “within one standard error”.




Fig. 2. TMSK and RIKTEXT miner tools: input and outputs

5. Case Study: Classifying tourist's reviews

Many tourism sites such as www.tripadvisor.com, www.virtualltourist.com, www.viajeros.com and www.travelpod.com enable consumers to exchange information, opinions and recommendations about destinations, tourism products and services, with sometimes diaries of travel experiences and ratings of a particular product or hotel. In a study made by TripAdvisor .com 83% of the user write travel reviews [15]. Online travel review writers are mostly motivated by a concern for other consumers, helping a travel service provider and needs for extraversion/positive self-enhancement. In [16] the role and impact of online reviews as useful tourist information providers are investigated. They found that 20% of consumers rely on other user's reviews when planning a trip and looking at other tourists' comments and travel blogs is the most popular online activity [15].

Decision making tools utilized in tourism sites need the automatic discovery, analysis and generalization of tourism consumer opinions, especially via the automatic recognition of tourist preferences and satisfactions when they consum tourism products.

A case study was conducted in tourism domain where users write opinions about hotels, restaurants, trips, etc. The objective was getting a set of classification rules of "Contextual" and "Preferences" categories. The data we used are 100 reviews from www.tripadvisor.com arbitrarily selected from 30 millions of available reviews. Since the reviews were not in XML format, a special processing program was necessary to transform the data. Each sentence of each review is treated as a document. 316 sentences have been obtained for the "Preferences" category and 185 sentences for "Contextual" category. Once the data is in XML format, it is ready to be processed by TMSK to generate the dictionary and a set of labeled vectors. A dictionary of 1250 words was generated. These were then used to generate vectors. The vectors have been splitted into training and tests portions. Test cases are selected randomly in RIKTEXT and we specified how many cases should be used for testing. We choose two-thirds of the available cases for training and the rest for testing.

The results are presented in Table 1. As you can see, it displays a number of rule sets to classify review sentences in “Preference” category.

Table 1. Rule Set to Classify Sentences into Preference Category

RSet	Rules	Vars	Train Err	Test Err	Test SD	MeanVar	Err/Var
1	33	160	0.1656	0.3181	0.0430	0.0	0.00
2**	25	30	0.1746	0.3181	0.0430	0.0	0.67
3	24	24	0.1785	0.3433	0.0435	0.0	2.00
4	22	22	0.2191	0.3679	0.0434	0.0	3.00
5	18	18	0.2439	0.3896	0.0430	0.0	4.00
6	1	1	0.2318	0.4565	0.0450	0.0	0.14

(* = minimum error; ** = within 0-SE of minimum error)

Random test cases, 412(33.3%) test cases

Selected rule set

1. like >=1 --> Preferences
2. prefer --> Preferences
3. interest >=1 --> Preferences
4. don't & like --> Preferences
5. disappointed --> Preferences
6. enjoy --> Preferences
7. favourite >=1 --> Preferences
8. want >=2 --> Preferences
9. sunny --> Preferences
10. not & wanted --> Preferences
11. look & for >=1 --> Preferences
12. find >=1 --> Preferences
13. use --> Preferences
14. feeling --> Preferences
15. interested & in --> Preferences
16. read & about >=1 --> Preferences
17. offer --> Preferences
18. wish --> Preferences
19. was >=1 --> Preferences
20. had --> Preferences
21. expect--> Preferences
22. loved --> Preferences
23. decision --> Preferences
24. ordered--> Preferences
25. passion >=1 --> Preferences
26. [TRUE] --> ~Preferences

Additional Statistics (Training Cases):
precision: 74.9533 recall: 89.1542 f-measure: 79.9880

Additional Statistics (Test Cases):
precision: 68.1159 recall: 75.6032 f-measure: 72.2121

Each rule set is numbered under the column “RSet”. A “*” delineates the rule set with the minimum error rate. A “**” indicates the best rule set according to the error rate and simplicity. “Rules” is the number of rules in the rule set. “Vars” indicates the total number of conjuncts in the left-hand-side of the rules. The column “Train Err” gives the error-rate of the rule sets on the training data. “Test Err” is an error-rate estimate and Test SD is the standard deviation of the estimate. “Mean Var” is the average number of variables of the resampled rule set that approximates in size the rule set for the full data. “Err/Var” gives an indication of the quality of the solution.

The chosen rules are those that have minimum error rate or are very close to the minimum but may be simpler than the minimum (**). Precision, recall and f-measure obtained from training and test cases are shown at the end of the table.

Table 2 shows the rule set obtained to classify review sentences in “Contextual” category.

Table 2. Rule Set to Classify Sentences into Contextual Category

RSet	Rules	Vars	Train	Err	Test Err	Test SD	MeanVar	Err/Var
1		73	160	0.0000	0.0193	0.0024	0.0	0.00
2		72	151	0.0007	0.0193	0.0024	0.0	1.00
3		42	87	0.0080	0.0158	0.0022	0.0	1.44
4		30	58	0.0118	0.0174	0.0023	0.0	1.97
5		29	54	0.0123	0.0168	0.0023	0.0	1.75
6		9	15	0.0201	0.0133	0.0020	0.0	2.54
7		8	13	0.0206	0.0143	0.0021	0.0	4.00
8		7	11	0.0211	0.0139	0.0021	0.0	6.00
9**		11	8	0.0218	0.0120	0.0019	0.0	6.33
10		5	6	0.0227	0.0149	0.0022	0.0	7.50
11		4	4	0.0236	0.0149	0.0022	0.0	11.00
12		3	3	0.0251	0.0139	0.0021	0.0	18.00
13		2	2	0.0301	0.0152	0.0022	0.0	60.00
14		1	1	0.0504	0.0200	0.0025	0.0	243.00

Table of pruned rule sets
(* = minimum error; ** = within 0-SE of minimum error)

Random test cases, 412(33.3%) test cases

Selected rule set
1. wedding>=2 --> Contextual
2. anniversary>=2 --> Contextual
3. business>=4 --> Contextual
4. holiday>=1 & increase>=1 --> Contextual
5. children>=1 & dietary>=1 --> Contextual
6. situated & for --> Contextual
7. birthday --> Contextual
8. take & for --> Contextual
9. planning --> Contextual
10. christmas --> Contextual
11. weekend --> Contextual
12. [TRUE] --> ~Diet

Additional Statistics (Training Cases):
precision: 74.9533 recall: 89.1542 f-measure: 79.9880

Additional Statistics (Test Cases):
precision: 68.1159 recall: 75.6032 f-measure: 72.2121

For each review sentence is performed a set of rules and if any rule can be applied the sentence is classify in this category. A dictionary with related words and synonymous have been created to identify into reviews the words involved on rules due that the word involved in a rule can be write by the user in different ways. For example the word “loved” found in rule 22 to classify “Preferences” category can be written by the user in a review as “love”.

5.1 Evaluation

Once we have obtained the rule set to classify review sentences we have performed a controlled experimentation to evaluate the classification rule set.

50 new reviews from www.tripadvisor.com have been used to obtain the sentences that contain contextual information and the sentences with preferences' information. The amount of sentences involved in reviews varies between 1 and 14 sentences with an average of 6.5 sentences. The set of rules obtained in the previous section is applied to each sentence of the new reviews to classify it into one category. For example we applied the set rule in the review shown in Figure 3.




Fig. 3. One of the consumer's reviews from www.tripadvisor.com used in the case study.

The first sentence has been classified into the "Contextual" category. The second sentence has been classified into the "Preference" category and the last sentence is irrelevant because none of the rules has been applied as it is illustrated in the following:

Sentence 1: I stayed there for a **business** trip and the **weekend** in mid February 2010.

Contextual rules: rule 3, rule 11

Preferences rules: none

Classification: CONTEXTUAL

Sentence 2: While **I've** been to Paris frequently I still struggled to **find** a hotel that is privately run and that **offers** good value with friendly staff.

Contextual rules: none

Preferences rules: rule 12, rule 17, rule 20

Classification: PREFERENCES

Sentence 3: The Apollon **offered** just this with a small but spotless bath room and a comfy bed and nice interior design.

Contextual rules: none

Preferences rules: rule 17

Classification: PREFERENCES

Sentence 4: It's located in the Montparnasse residential area so instead of views of the Champs Elysees you **find** a flower shop over the street and other essentials for Paris neighborhoods **like** brasseries with oysters up the street opposite the metro station

Contextual rules: none

Preferences rules: rule 1, rule 12

Classification: PREFERENCES

Sentence 5: Hope this helps you.

Contextual rules: none

Preferences rules: none

Classification: IRRELEVANT SENTENCE

326 sentences have been classified of which 63 have been classified into the Contextual category, 71 into the Preferences category and 194 are irrelevant because nothing of the rules has been applied. Figure 4 and Figure 5 show a resume of the experiment performed to classify reviews into Contextual and Preference categories respectively. In both cases we collect reviews about hotel and restaurants. The vertical axis presents the amount of sentences that have been classified in "Contextual" and "Preferences" respectively. This classification has been made using the automatic process described in previous sections and in order to evaluate the accuracy of the automatic classification we manually performed a classification process. For the 50 new reviews, we manually have evaluated each one of the sentences in order to identify if the sentences contain contextual information and preferences information. In both figures blue colour identifies the manual classification, while red colour identifies automatic classification. As we can see in both figures, a big amount of sentences have been well classified (red bar and blue bar coincides).




Fig. 4. Experimental results obtained in the classification of sentences in Contextual category.

Table 3. Resume of the result obtained in the experiment.




Fig. 5. Experimental results obtained in the classification of sentences in Preference category.

Comparing the result obtained using text mining process with the result obtained manually we can see that sentences of 8 reviews have been bad classified into

Contextual category and sentences of 12 reviews have been bad classify into Preferences category. Analyzing these cases we have observed that the rules have been applied, however some rules are not specific enough to determine if the sentence refers to preferences' information. It is the case of the application of rule 1 in Table 1 on the sentence 4 of review show in Figure 3. The word "like" does not refer to a desire or wish, it refers to equal or equivalent. Another reason of the differences of results is that there are some "Contextual" and "Preferences" sentences that are not consider by the rules. The results presented in the

6. Conclusions

This paper presents an automatic identification process of reviews containing information about user's preferences and information about the context in which this review was written. The identification of such information is not an easy task. The main problem is dealt with natural language used by reviewers to write their opinion. The process presented in this paper uses classification rules obtained from text mining tools. A case study on tourism domain was carry out to evaluate the accuracy of the rules to classify sentences into two categories; "Contextual" and "Preferences". 100 reviews from www.tripadvisor.com have been used for training and test in the rule generation process. 50 new reviews from the same site have been used on an experiment to evaluate the accuracy of the rule to classify reviews sentences in these categories. The results obtained are considered good due that there were only 12 reviews with classification sentences errors using automatic classification in relation to the use of manually classification. Based on this result we can say that the automatic identification of contextual and preferences information can be made accurately using the text mining techniques presented in this papers. In further work we will try to refine the rules using stem dictionary in order to improve the classification process in sentences with words with different meaning such as like, have, etc.

References

1. Curien, N. E. Fauchart, G. Laffond and F. Moreau: Online consumer communities: escaping the tragedy of the digital commons, In Brousseau E. and N. Curien (eds), *Internet and Digital Economics*, Cambridge University Press, 2006.
2. Dellarocas, C.: The digitization of Word-of-Mouth: Promise and challenges of online feedback mechanisms, *Management Science*, 49 (10): pp. 1407-1424. 2003.
3. Dellarocas, C.: Strategic manipulation of Internet opinion forums: Implications for consumers and firms, Working Paper, Sloan School of Management, MIT, Cambridge. 2004.
4. Liu, Bing. *Web Data Mining. Exploring Hyperlinks, Contents, and Usage Data*. 532 p. 177 illus ISBN: 978-3-540-37881-5. 2007
5. Adomavicius, G. "Toward the Next Generation of Recommender Systems: A Survey of the State-of-the-Art and Possible Extensions", *IEEE Transactions on Knowledge and Data Engineering*, vol 17, no. 6, 2005.

6. Pang, B. and Lee, L. Opinion Mining and Sentiment Analysis. *Foundations and Trends in Information Retrieval*. Vol. 2, Nos. 1–2 (2008) 1–135. 2008.
7. Liu, B., Hu, M., Cheng, J., 2005. Opinion Observer: Analyzing and Comparing Opinions on the Web. In *Proceedings of the 14th International Conference on World Wide Web (WWW'05)*, Chiba, Japan, pp.342-351
8. Yang, C. C., Wong, Y. C., and Wei, C. 2009. Classifying web review opinions for consumer product analysis. In *Proceedings of the 11th international Conference on Electronic Commerce (Taipei, Taiwan, August 12 - 15, 2009)*. ICEC '09. ACM, New York, NY, 57-63
9. Wiebe, J. Bruce, R. and O'Hara, T. .Development and Use of a Gold Standard Data Set for Subjectivity Classifications, *Proceedings of the 37th Conference on Association for Computational Linguistics (ACL)*, College Park, MD, 1999, pp.246-253
10. Wei, C. Yang, C. S. and Huang, C .Turning Online Product Reviews to Customer Knowledge: A Semantic-based Sentiment Classification Approach, *Proceedings of the 10th Pacific Asia Conference on Information Systems*, Kuala Lumpur, Malaysia, 2006.
11. Turney, P. Thumbs Up or Thumbs Down? Semantic Orientation Applied to Unsupervised Classification of Reviews, *Proceedings of the 40th Conference on Association for Computational Linguistics (ACL)*, Philadelphia, PA, 2002, pp.417-424.
12. Aciar, S., Zhang, D., Simoff, S., and Debenham, J. 2006. Recommender System Based on Consumer Product Reviews. In *Proceedings of the 2006 IEEE/WIC/ACM international Conference on Web intelligence (December 18 - 22, 2006)*. Web Intelligence. IEEE Computer Society, Washington, DC, 719-723.
13. Feldman, R. 2006 *Text Mining Handbook: Advanced Approaches in Analyzing Unstructured Data*. Cambridge University Press.
14. Sholom M. Weiss, Nitin Indurkha, Tong Zhang, and Fred Damerau. *Text Mining: Predictive Methods for Analyzing Unstructured Information*, Springer-Verlag, New York, 2004.
15. Gretzel, U. Online Travel Review Study. Role & Impact of Online Travel Reviews. Research Report. Laboratory for Intelligent Systems in Tourism. Texas A&M University. 2007.
16. Zhang, L. Pan, B., Smith, W.W., & Li, X. (2009). An exploratory study of travelers' use of online reviews and recommendations: A qualitative approach. *Journal of Information Technology and Tourism*, 11(2): 157-167.