

New record of an alien snake *Pantherophis guttatus* (Squamata: Colubridae) in the state of Pernambuco, Brazil

Ednilza Maranhão dos Santos¹, Iza Vilella Nunes Machado Tavares¹, Maria Laura Silva Santos¹, Jozélia Maria de Sousa Correia¹, Tatiane Clericuzi², Yuri Marinho Valença²

¹ Universidade Federal Rural de Pernambuco, Laboratório Interdisciplinar de Anfíbios e Répteis, Rua Dom Manuel de Medeiros, s/n, Dois Irmãos – CEP: 52171900 – Recife/Pernambuco, Brazil.

² Centro de Triagem e Reabilitação de Animais Silvestres - CETRAS, PE-16 KM 8,5 - Guabiraba, Recife - Pernambuco, Brazil, 52490-000.

Locality. - Municipality of São Lourenço da Mata (7°57'55.4"S 35°03'52.2"W) (29°47'38.5"S, 67°59'05.8"W), in the Area de Proteção Ambiental Aldeia Beberibe. Data: May 3, 2020. Sighted and photographed by the Interdisciplinary Amphibian and Reptile Laboratory Team. Images deposited in the Herpetological Collection of the Interdisciplinary Laboratory of Amphibians and Reptiles (LIAR 123).

Comment. - The Convention on Biological Biodiversity (CBD) defines exotic species as “those which occur outside past or present natural ranges”. Invasive alien species, therefore, are defined as “species whose introduction and/or dispersion threaten biological diversity”. These can be introduced intentionally and unintentionally, through introduction and dispersion pathways and vectors (Sampaio and Schmidt, 2013; Davis, 2009).

Biological invasions are considered one of the main threats to biodiversity, resulting in native population declines, environmental, economic and human health risks, as well as ecosystemic risks (GISP, 2007; Leão *et al.*, 2011; Vasconcellos, 2001). Among invasive vertebrates, reptiles are not very representative in Brazilian lists, in terms of the number of taxa recorded in natural environments, with lizard and testudines representatives both reported in protected areas (Instituto Hórus, 2021). Concerning snakes, few records are available of those introductions (Fonseca *et al.*, 2014; Assis *et al.*, 2018), however a well-established list of exotic pets is available on social networks (Magalhães and São-Pedro, 2012; Evangelista, 2015; Alves *et al.*, 2019) is noted for this group, comprising an imminent risk of introduction (Eterovic and Duarte, 2002; Fonseca *et al.*, 2017).

The snake *Pantherophis guttatus* (Linnaeus, 1766), popularly known as the corn snake, it is a semi-arboreal snake belonging to the Colubridae family, small in size (about 1800 mm in total length), distributed throughout North America, inhabiting forested, open and urban environments preying on small mammals, birds, amphibians and reptiles (Fisher and Csurhes, 2009; Hammerson 2007). It is sold as a pet in many countries and, according to Magalhães and São-Pedro (2012), pet escapes and abandonments are the main cause of this species introduction in natural environments. In Brazil, it has been registered so far by Fonseca *et al.* (2014) in a Conservation Unit and in an urban area located in a residential complex, both in the Atlantic Rainforest domain in the state of Bahia. The aim of this study was, therefore, to document another *P. guttatus* record, the first in a natural environment in the state of Pernambuco.

On May 3rd 2021 one corn snake individuals was rescued by the Environmental Military Police - CIPOMA team, in an open natural area within a Sustainable Use Conservation Unit located in the Atlantic Rainforest domain, the Area de Proteção Ambiental Aldeia Beberibe, an environmental protection area in the municipality of São Lourenço da Mata (7°57'55.4"S 35°03'52.2"W) (Fig. 1). The specimen was measured with a measuring tape, weighed using a digital scale, sexed and later sent to a containment box awaiting disposal, to be carried out by the Centro de Triagem e Reabilitação de Animais Silvestres - CETRAS Tangará. The specimen was a male, its total length was 65 cm, 54 cm snout vent length and 11 cm tail length, weighing 36 g (Fig. 1).

Pantherophis guttatus as an exotic traded species constitutes a crime according to Brazilian law (Fonseca *et al.*, 2017). The records of corn snakes



Figure 1. A and B – Map indicating the *Pantherophis guttatus* record at the Aldeia Beberibe Conservation Unit; C – Specimen screening (biometry); D and E – Full body image of the animal.

reported here may have originated from the illegal trade practices of intentionally released pets or them escaping captivity, corroborating Alves *et al.* (2019). According to Assis *et al.* (2018) this species holds generalists ecological habits, this way the lack of control in its creation and comerce of these exotic species may result in an invasive exotic species in the atlantic rain forest in a short extent of time.

In general, *P. guttatus* records in natural environment are scarce, although the unnatural presence of the species in the Brazilian territory through the

pet market has been previously reported and constitutes a threat (Alves *et al.*, 2019). As it feeds on prey similar to native species, this species can pose a threat to the local avifauna (Kraus and Carvalho 2001; Hayes *et al.*, 2004), and other snake species with regard to *Cryptosporidium* parasitism (Xiao *et al.*, 2004). According to Fonseca *et al.* (2017), as species *Pantherophis guttatus*, *Python regius* and *Python bivittatus* were identified as species exhibiting greater probability of establishment and dispersion, considering species distribution model results and

specific attribute evaluations. The ecological niche modeling has been widely used in the attempt to foresee potential invasion sites and is an important tool to conservational biology.

In Brazil, the issue of biological invasions still requires further research and is not widely known by most Conservation Units (CUs) managers. CUs are protected territorial spaces which aim to maintain biodiversity, natural and cultural resources through legal and institutional mechanisms (Brito, 2008) and the introduction of exotic species should be the target of attention and management to “monitor”, “prevent”, “control” or eradicate exotic species that threaten ecosystems and their biota (CBD, Article 80).

Risk analysis protocols are some of the available strategies for screening potential invaders, which can also be applied to assess the risk of introduced species and limit or prohibit their importation or trade (Instituto Horus, 2021). Detecting potential invaders before they are introduced is necessary to prevent the spread and impact that invasive alien species can have on natural ecosystems (Rosa *et al.*, 2018).

Acknowledgments

We thank the Management of the Area de Preservação Ambiental (APA) Aldeia Beberibe for the authorization and support for research in this territory, the Dean of Research at the Federal University of Pernambuco and Sisbio for the animal collection license (no. 11218-1).

Literature cited

- Alves, R. R. N.; Carvalho de Araújo, B. M.; Policarpo, I. S.; Pereira H. M.; Borges, A. K. M.; Silva, W.V. & Keeping, A. V. 2019. Reptiles as pets in Brazil: ethnozoological and conservation aspects. *Journal for Nature Conservation* 49: 9-21.
- Assis, C. L.; Guedes J. J. M.; Luz, S. & Feio, V. M. 2018. Herpetofauna da Zona da mata de Minas Gerais e Viçosa, MGMZUFU, 51 anja, 51p.
- Brito, D. M. C. 2008. Conflitos em unidades de conservação. *PRACS: Revista Eletrônica de Humanidades do Curso de Ciências Sociais da UNIFAP*, 1: 1.
- Instituto Hórus de Desenvolvimento e Conservação Ambiental. 2021. Base de dados nacional de espécies exóticas invasoras. Florianópolis – SC. Disponível em: <<http://bd.institutohorus.org.br>>. Acesso em: 12 de outubro de 2021.
- Davis, M. A. 2009. *Invasion biology*. Oxford University Press on Demand.
- Eterovic, A. & Duarte M. R. 2002. Exotic snakes in São Paulo City, southeaster Brazil: why xenophobia? *Biodiversity and Conservation* 11: 327-339.
- Evangelista, E. F. 2015. Potencial invasor de serpentes

exóticas no Brasil – Ilhéus, Bahia. 70 p.

- Fisher, P. L. & Csurhes, S. 2009. Pest animal risk assessment American corn snake *Elaphe guttata*. – Queensland: Primary Industries and Fisheries.
- Fonseca, E.; Marques, R.; Tinôco, M. S. 2014. New records of *Pantherophis guttatus* (Squamata: Colubridae) in the state of Bahia, an alien species to Brazil. *Salamandra* 50: 241-244 30.
- Fonseca, E., Sole, M. & Marco Junior. 2017. Pet snakes illegally marketed in Brazil: Climatic viability and establishment risk. *PLOS ONE* <https://doi.org/10.1371/journal.pone.0183143>
- GISP - Global Invasive Species Programme. 2007. Economic Impact and Appropriate Management of Selected Invasive Alien Species on the African Continent. Report prepared by CSIR, South Africa.
- Hayes, W. K.; Barry, R. X.; McKenzie, Z. & Barry, P. 2004. Grand Bahama's brown-headed nuthatch: a distinct and endangered species. *Bahamas Journal of Science* 12: 21-28.
- Hammerson G. A. 2007 *Pantherophis guttatus*. The IUCN Red List of Threatened Species. Version 2014. 2. Accessed 16 October 2021.
- Kraus, F. & Cravalho D. 2001. The risk to Hawai'i from snakes. *Pacific Science* 55: 409-417.
- Leão, T. C. C.; Almeida W. R.; Dechoum M. S. & Ziller S. R. 2011. Espécies exóticas invasoras no nordeste do Brasil: Contextualização, Manejo e Políticas Públicas. – Recife: Cepan.
- Magalhães, A. L. B. & São-Pedro V. A. 2012. Illegal trade on non-native amphibians and reptiles in southeast Brazil: the status of e-commerce. *Phyllomedusa* 11: 155-160.
- Rosa, C. A.; Zenni, R.; Ziller, S. R.; Curi, N. A. & Passamani, M. 2018. Assessing the risk of invasion of species in the pet trade in Brazil. *Perspectives Ecology Conservation* 16: 38-42.
- Sampaio, A. B. & Schmidt, I. B. 2013. Espécies exóticas invasoras em unidades de conservação federais do Brasil. *Biodiversidade Brasileira* 2: 32-49.
- Vasconcellos, S. A. 2001. Zoonoses e Saúde Pública: Riscos causados por animais exóticos. *O Biológico* 63: 63-65. taxonomy (Serpentes, Elapomorphini). *Neotropical Biology and Conservation* 12: 100-108.
- Xiao L.; Ryan, U. M.; Graczyk, T. K.; Limor, J.; Kombert, L.L.M.; Junge, R.; Sulaiman, I. M.; Zhou, L.; Arrowood, M. J.; Koudela, B.; Modry D. & Lal, A. A. 2004. Genetic diversity of *Cryptosporidium* spp. in captive reptiles. *Applied and Environmental Microbiology* 70: 891.

Recibida: 14 Agosto 2022
Revisada: 31 Agosto 2022
Aceptada: 20 Noviembre 2022
Editor Asociado: J. Goldberg

doi: 10.31017/CdH.2023.(2022-022)

© 2023 por los autores, licencia otorgada a la Asociación Herpetológica Argentina. Este artículo es de acceso abierto y distribuido bajo los términos y condiciones de una licencia Atribución-No Comercial 4.0 Internacional de Creative Commons. Para ver una copia de esta licencia, visite <http://creativecommons.org/licenses/by-nc/4.0/>

