

Bibliografía

Adams, R. A., 1976, Sobolev spaces: Academic Press.

Alumbaugh, D. L., Prevost, G. A., y Shadid, J.N., 1996, Three-dimensional wide band electromagnetic modeling on massively parallel computers: Radio Science, **31**, 1–23.

Apra, C., Booker, J. R., y Smith, J. T., 1997, The forward problem of electromagnetic induction: accurate finite-difference approximations for two-dimensional discrete boundaries with arbitrary geometry: Geophys. J. Int., **129**.

Arnold, D.N., y Brezzi, F., 1985, Mixed and nonconforming finite element methods: implementation, postprocessing and error estimates: R.A.I.R.O. Modélisation, Mathématique et Analyse Numérique, **9**, 7–32.

Becker, E. B., Carey, G. F., y Oden, J. T., 1981, Finite elements: an introduction:, volume 1 of **The Texas finite element series** Prentice-Hall.

Beckie, R., Wood, E., y Aldama, A., 1993, Mixed finite element simulation of saturated groundwater flow using a multigrid accelerated domain decomposition technique: Water Resources Research, **29**, no. 9, 3145–3157.

Berdichevsky, M.N., Dmitriev, V. I., y Pozdnjakova, E. E., 1998, On two-dimensional interpretation of magnetotelluric soundings: Geophys.

J. Int., **133**, 585–606.

Berenger, J. P., 1994, A perfectly matched layer for the absorption of electromagnetic waves: J. Comput. Phys., **114**, 185–200.

Brenner, S. C., y Scott, L. R., 1994, The mathematical theory of finite element methods:, volume 15 of **Texts in Applied Mathematics** Springer.

Brewitt-Taylor, C. R., y Weaver, J. T., 1976, On the finite difference solution of two dimensional induction problems: J. R. astr. Soc., **47**, 375–396.

Brewitt-Taylor, C. R., y Weaver, J. T., 1978, Improved boundary conditions for the numerical solution of E-polarization problems in geomagnetic induction: J. R. astr. Soc., **54**, 309–317.

Brezzi, F., y Fortin, M., 1991, Mixed and hybrid finite element methods:, volume 15 of **Series on Computational Mathematics** Springer.

Cagniard, L., 1953, Basic theory of the magnetotelluric method of geophysical prospecting: Geophysics, **18**, 605–635.

Carey, G. F., y Oden, J. T., 1983, Finite elements: a second course:, volume 2 of **The Texas finite element series** Prentice-Hall.

Chen, Y., Chew, W. C., y Oristaglio, M. L., 1997, Application of perfectly matched layers to the transient modeling of subsurface EM problems: Geophysics, **62**, no. 6, 1730–1736.

Ciarlet, P. H., 1978, The finite element method for elliptic problems: North Holland.

Coggon, J. H., 1971, Electromagnetic and electrical modelling by the finite element method: Geophysics, **36**, 132–155.

d'Erceville, I., y Kunetz, G., 1962, The effect of a fault on the Earth's natural electromagnetic field: *Geophysics*, **27**, 666–676.

Després, B., Joly, P., y Roberts, J. E., 1992, A domain decomposition method for the harmonic maxwell equations, *in* Beauwens, R., y de Groen, P., Eds., *Iterative Methods in Linear Algebra*: Elsevier Science Publishers B. V. (North-Holland), 475–484.

Douglas Jr., J., Leme, P. J. P., Pereira, F., y Yeh, L., 1993a, A massively parallel iterative numerical algorithm for immiscible flow in naturally fractured reservoirs: *Int. Series of Numer. Math.*, **114**, 75–93.

——— 1993b, A parallel iterative procedure applicable to the approximate solution of second order partial differential equations by mixed finite element methods: *Numer. Math.*, **65**, 95–108.

Douglas, J., Pereira, F., y Yeh, L., 1995, A parallelizable characteristic scheme for two phase flow in single porosity models: *Comp. Appl. Math.*, **14**, no. 1, 73–96.

Douglas Jr., J., Hurtado, F., y Pereira, F., 1997, On the numerical simulation of waterflooding of heterogeneous petroleum reservoirs: *Computational Geosciences*, **1**, 155–190.

Douglas Jr., J., Santos, J. E., Sheen, D., y Ye, X., 1999, Nonconforming Galerkin methods based on quadrilateral elements for second order elliptic problems: *Math. Modelling and Numer. Anal.*, **33**, 747–770.

Douglas Jr., J., Santos, J. E., y Sheen, D., 2000, A nonconforming mixed finite element method for Maxwell's equations: *Math. Mod. and Meth. in App. Sci.*, en prensa.

Everett, M. E., y Schultz, A., 1996, Geomagnetic induction in a heterogeneous sphere: Azimuthally symmetric test computations and the response of an undulating 660-km discontinuity: *J. Geophys. Res.*, **101**, 2675–2783.

- Foster, I., 1995, Designing and building parallel programs: Addison-Wesley, también disponible en <http://www-unix.mcs.anl.gov:80/dbpp>.
- Gauzellino, P., 1999, Simulación numérica de propagación de ondas en medios dispersivos: Ph.D. thesis, Fac. de Cs. Astronómicas y Geofísicas, UNLP.
- Girault, V., y Raviart, P., 1981, Finite element approximation of the Navier-Stokes equations:, Lecture notes in Mathematics Springer.
- Häkkinen, L., y Pirjola, R., 1986, Calculation of electric and magnetic fields due to an electrojet current system above a layered earth: *Geophysica*, **22**, 31–44.
- Hohmann, G. W., 1971, Electromagnetic scattering by conductors in the earth near a line source of current: *Geophysics*, **36**, 101–131.
- Hohmann, G. W., 1983, Three dimensional EM modelling: *Geophys. Surveys*, **6**, 27–54.
- Jin, J., 1993, The finite element method in electromagnetics: Wiley.
- Jones, F. W., y Price, A. J., 1971, Geomagnetic effects of sloping and shelving discontinuities of earth conductivity: *Geophysics*, **36**, 58–66.
- Katz, A. J., y Thompson, A. H., 1987, Prediction of rock electrical conductivity from mercury injection measurements: *J. Geophys. Res.*, **92B**, 599–607.
- Kaufman, A. A., y Keller, G. V., 1981, The magnetotelluric sounding method:, volume 15 of **Methods in geochemistry and geophysics** Elsevier.
- Keller, G. V., 1987, Rock and mineral properties, *in* Nabighian, M., Ed., *Electromagnetic methods in applied geophysics*: SEG, Investigation in Geophysics, Vol. 1, 3, 13–51.

Keyes, D. E., y Xu, J., Eds., 1994, Domain decomposition methods in science and engineering computing, volume 180 of **Contemporary mathematics** American Mathematical Society.

Keyes, D. E., Chan, T. F., Meurant, G., Scroggs, J. S., y Voigt, R. G., Eds., 1992, Fifth international symposium on domain decomposition methods for partial differential equations American Mathematical Society.

Kim, S., 1995, Domain decomposition methods for contaminant transport in fractured porous media: Ph.D. thesis, Purdue University.

Lee, R. L., y Masden, N. K., 1990, A mixed finite element formulation for Maxwell's equations in the time domain: *J. Comput. Phys.*, **88**, 284–304.

Liu, E., y Lamontagne, Y., 1998, Geophysical application of a new surface integral equation method for EM modeling: *Geophysics*, **63**, no. 2, 411–423.

Mackie, R. L., Madden, T. H., y Wannamaker, P. E., 1993, Three-dimensional magnetotelluric modeling using difference equations- theory and comparison to integral equation solutions: *Geophysics*, **58**, no. 2, 215–226.

Madden, T. R., y Nelson, P., 1986, A defense of Cagniard method, *in* Vozoff, K., Ed., *Magnetotelluric methods*: SEG, Geophysics reprint series, 5, 89–102.

Martinec, Z., 1997, Spectral-finite-element approach to two-dimensional electromagnetic induction in a spherical earth: *Geophys. J. Int.*, **130**, 583–594.

McNeill, J., y Labson, V., 1991, Geological mapping using VLF radio fields, *in* Nabighian, M., Ed., *Electromagnetic methods in applied geophysics*: SEG, *Investigation in Geophysics*, Vol. 2, 3, 521–640.

- Mogi, T., 1996, Three-dimensional modeling of magnetotelluric data using finite element method: *Journal of Applied Geophysics*, **35**, 185–189.
- Monk, P., 1992, A comparison of three mixed methods for the time dependent Maxwell's equations: *SIAM J. Sci. Stat. Comput.*, **13**, no. 5, 1097–1122.
- Monk, P., 1993, An analysis of Nédélec's method for the spatial discretization of Maxwell's equations: *J. Comput. App. Math.*, **47**, 101–121.
- Mosé, R., Siegel, P., Ackerer, P., y Chavent, G., 1994, Application of the mixed hybrid finite element approximation in a groundwater flow model: Luxury or necessity?: *Water Resources Research*, **30**, no. 11, 3001–3012.
- Müller, C., 1969, *Foundations of the mathematical theory of electromagnetic waves*: Springer.
- Nédélec, J., 1980, Mixed finite elements in \mathbb{R}^3 : *Numer. Math.*, pages 315–341.
- Newman, G., y Alumbaugh, D., 1997, Three-dimensional massively parallel electromagnetic inversion-I. theory: *Geophys. J. Int.*, **128**, 345–354.
- Oden, J. T., y Carey, G. F., 1986, *Finite elements: mathematical aspects*:, volume 4 of **The Texas finite element series** Prentice-Hall.
- Orr, D., 1984, Magnetospheric hydromagnetic waves: their eigenperiods, amplitudes and phase variations; a tutorial introduction: *J. Geophys.*, **55**, 76–84.
- P. G. PetropoulosL. Zhao, A. C. C., 1998, A reflectionless sponge layer absorbing boundary condition for the solution of Maxwell's equa-

tions with high-order staggered finite difference schemes: *J. of Comput. Phys.*, **139**, 184–208.

Pacheco, P. S., 1997, *Parallel programming with MPI*: Morgan Kaufmann.

Parry, J. R., y Ward, S. H., 1971, Electromagnetic scattering from cylinders of arbitrary cross section in a conductive half space: *Geophysics*, **36**, 67–100.

Pu, X. H., Agarwal, A. K., y Weaver, J. T., 1993, Magnetic field solutions of E-polarization induction problems: *J. Geomag. Geoelectr.*, **45**, 859–872.

Rankin, D., 1962, The magnetotelluric effect of a dike: *Geophysics*, **27**, 651–665.

Rätz, S., 1999, A 3D finite element code for modeling of electromagnetic responses: The 2nd International Symposium on 3D EM, University of Utah, 3DEM-2, 33–37.

Reddy, I. K., Rankin, D., y Phillips, R. J., 1977, Three dimensional modeling in magnetotelluric and magnetic variational sounding: *Geophys. J. R. ast. Soc.*, **51**, 313–325.

Rodi, W. L., 1976, A technique for improving the accuracy of finite element solutions for magnetotelluric data: *Geophys. J. R. ast. Soc.*, **44**, 483–506.

Santos, J. E., y Sheen, D., 2000, On the existence and uniqueness of Maxwell's equations in bounded domains with application to magnetotellurics: *Math. Mod. and Meth. in App. Sci.*, en prensa.

Santos, J. E., 1998, Global and domain decomposed mixed methods for the solution of maxwell's equations with application to magnetotel-

- lurics: Numerical Methods for Partial Differential Equations, **14**, 407–437.
- Sheen, D., 1992, A generalized Green's theorem: Appl. Math. Lett., **5**, 95–98.
- Sheen, D., 1997, Approximation of electromagnetic fields: Part I. continuous problems: SIAM J. Appl. Math., **57**, 1716–1736.
- Smith, J. T., y Booker, J. R., 1991, Rapid inversion of two and three dimensional magnetotelluric data: J. Geophys. Research, **96**, no. B3, 3905–3922.
- Smith, J. T., 1996a, Conservative modeling of 3-D electromagnetic fields, Part I: properties and error analysis: Geophysics, **61**, no. 5, 1308–1318.
- 1996b, Conservative modeling of 3-D electromagnetic fields, Part II: biconjugate gradient solution and an accelerator: Geophysics, **61**, no. 5, 1319–1324.
- Spies, B. R., 1989, Depth of investigation in electromagnetic sounding methods: Geophysics, **54**, no. 7, 872–888.
- Stoer, J., y Bulirsch, R., 1993, Introduction to numerical analysis, 2nd edition:, volume 12 of **Texts in applied mathematics** Springer.
- Stratton, J. A., 1941, Electromagnetic theory: MacGraw-Hill.
- Sugeng, F., Raiche, A., y Xiong, Z., 1999, An edge-element approach to model the 3D EM response of complex structures with high contrasts: The 2nd International Symposium on 3D EM, University of Utah, 3DEM-2, 25–28.
- Tikhonov, A.N., 1950, On determining electrical characteristics of the deep layers of the Earth's crust, *in* Vozoff, K., Ed., Magnetotelluric

methods: Society of Exploration Geophysicists, Geophysics reprint series, 5, 2–3.

Ting, S. C., y Hohmann, G. H., 1981, Integral equation modeling of three dimensional magnetotelluric response: Geophysics, **46**, 182–197.

Travis, B. J., y Chave, A. D., 1989, A moving finite element method for magnetotelluric modelling: Physics of the Earth and Planetary Interiors, **53**, 432–443.

Vozoff, K., 1991, The magnetotelluric method, *in* Nabighian, M., Ed., Electromagnetic methods in applied geophysics: SEG, Investigation in Geophysics, Vol. 2, 3, 641–711.

Wang, T., y Tripp, A. C., 1996, FDTD simulation of EM propagation in 3-D media: Geophysics, **61**, 110–120.

Wannamaker, P. E., Hohmann, G. W., y SanFilippo, W. A., 1984a, Electromagnetic modeling of three dimensional bodies in layered earths using integral equations: Geophysics, **49**, 60–74.

——— 1984b, MT responses of 3D bodies in layered earth: Geophysics, **49**, 1515–1533.

Wannamaker, P. E., Stodt, J. A., y Rijo, L., 1987, A stable finite element solution for two-dimensional magnetotelluric modelling: Geophys. J. R. Astr. Soc., **88**, 277–296.

Wannamaker, P. E., 1991, Advances in 3D magnetotelluric modelling using integral equations: Geophysics, **56**, 1716–1728.

Ward, S., y Hohmann, G. W., 1987, Electromagnetic theory for geophysical applications, *in* Nabighian, M., Ed., Electromagnetic methods in applied geophysics: SEG, Investigation in Geophysics, Vol. 1, 3, 131–311.

Weaver, J. T., Quang, B. V. L., y Fischer, G., 1985, A comparison of analytic and numerical results for a two dimensional control model in electromagnetic induction - I. B-polarization calculations: *Geophys. J. R. Astr. Soc.*, **82**, 263–277.

Weaver, J. T., Quang, B. V. L., y Fischer, G., 1986, A comparison of analytic and numerical results for a two dimensional control model in electromagnetic induction - II. E-polarization calculations: *Geophys. J. R. Astr. Soc.*, **87**, 917–948.

Weaver, J. T., Pu, X. H., y Agarwal, A. K., 1996, Improved methods for solving the magnetic field in E-polarization induction problems with fixed and staggered grids: *Geophys. J. Int.*, **126**, 437–446.

Weaver, J. T., Agarwal, A. K., y Pu, X. H., 1999, 3-D finite difference modeling of the magnetic field in geoelectromagnetic induction, *in* Oristaglio, M., y Spies, B., Eds., *Three Dimensional Electromagnetics: SEG, Geophysical Developments*, 7, 427–443.

Weidelt, P., 1975, Electromagnetic induction in three-dimensional structures: *J. Geophys.*, **41**, 85–109.

Wilson, A. J. S., MacDonald, K., Yu, L., Day, B., y Mills, H., 1999, Electromagnetic modeling on parallel computers, *in* Oristaglio, M., y Spies, B., Eds., *Three Dimensional Electromagnetics: SEG, Geophysical Developments*, 7, 322–345.

Xiong, Z., y Tripp, A. C., 1997, 3-D electromagnetic modeling for near surface targets using integral equations: *Geophysics*, **62**, no. 4, 1907–1106.

Xiong, Z., 1992a, Electromagnetic modeling of 3-D structures by the method of system iteration using integral equations: *Geophysics*, **57**, no. 12, 1556–1561.

——— 1992b, Symmetric properties of the scattering matrix in three-dimensional electromagnetic modeling using the integral equation method: *Geophysics*, **57**, 1199–1202.

Zhdanov, M., y Fang, S., 1996a, Quasi-linear approximation in 3-D electromagnetic modeling: *Geophysics*, **61**, no. 3, 646–665.

——— 1996b, Quasi-linear approximation in 3-D electromagnetic modeling: *Geophysics*, **61**, no. 3, 646–665.

Zhdanov, M., Golubev, N. G., Spichak, V. V., y Varentsov, I. M., 1982, The construction of effective methods for electromagnetic modeling: *Geophys. J. R. ast. Soc.*, **68**, 589–607.

Zhdanov, M. S., Varentsov, I. M., Weaver, J. T., Golubev, N. G., y Krylov, V. A., 1997, Methods for modelling electromagnetic fields: Results from COMMEMI—the international project on the comparison of modelling methods for electromagnetic induction: *Journal of Applied Geophysics*, **37**, 133–271.

Zienkiewicz, O. C., 1977, *The finite element method*: MacGraw-Hill.

Zyserman, F. I., y Santos, J. E., 1998, A parallel algorithm for solving the 3D forward problem in magnetotellurics, *in* Idelsohn, S., Ed., *Computational mechanics, new trends and applications*: International Association on Computational Mechanics, 18, Section 5, paper 2, 1–10.

Zyserman, F. I., y Santos, J. E., 1999, 3D forward magnetotelluric modelling: A new parallel finite element method: *The 2nd international symposium on 3D EM*, University of Utah, 3DEM-2, 107–110.

Zyserman, F. I., y Santos, J. E., 2000, Parallel finite element algorithm with domain decomposition for three dimensional magnetotelluric modelling: *Journal of Applied Geophysics*, **44**, no. 4, 337–351.

Zyserman, F. I., Guarracino, L., y Santos, J. E., 1997, A numerical method for solving the 2D direct problem in magnetotellurics, *in* Padra, E., Ed., *Mecánica Computacional: Asociación Argentina de Mecánica Computacional*, 18, 405–414.

Zyserman, F. I., Guarracino, L., y Santos, J. E., 1999, A hybridized mixed finite element domain decomposed method for two dimensional magnetotelluric modelling: *Earth, Planets and Space*, **51**, no. 4, 297–306.