

6-BIBLIOGRAFÍA

Abbey, D. E., Burchette, R. J., Knutsen, S. F., McDonnell, W. F., Lebowitz, M., Enright, P.L., 1999. Long-term particulate and other air pollutants and lung function in nonsmokers. American Journal of Respiratory and Critical Care Medicine, 158, p289-298.

Adedokun, J. A., Emofurieta, W. O., Adedeji, O. A., 1989. Physical, chemical and mineralogical properties of harmattan dust at Ile-Ife, Nigeria. Theoretical and Applied Climatology, 40, p161-169.

Alfaro, S. C., Gaudichet, A., Gomes, L., Maillé, M., 1998. Mineral aerosol production by wind erosion: Aerosol particle sizes and binding energies. Geophysical Research Letters 25, 991-994.

Allen, G., Sioutas, C., Koutrakis, P., Reiss, R., Lurmann, F.W., Roberts, P.T., Burton, R.M., 1997. Evaluation of the TEOM method for measurement of ambient particulate mass in urban areas. Journal of the Air & Waste Management Association, 47, p682-689.

Allinger, N. L., Burkert, U., 1982. Molecular Mechanics. An American Chemical Society Publication.

Alves, C., Pio, C., Duarte, A., 2001. Composition of extractable organic matter of air particles from rural and urban Portuguese areas Atmospheric Environment, 35, p5485-5496

Amat, L., Carbó-Dorca, R., 1997. Quantum Similarity Measures under Atomic Shell Approximation: First Order Density Fitting using Elementary Jacobi Rotations. J. of Compt. Chem., 18, 2023.

Amat, L., Robert, D., Besalú, E., Carbó-Dorca, R., 1998. Molecular Quantum Similarity Measures Tuned 3D QSAR: An Antitumoral Family Validation Study. J. Chem. Inf. Compt. Sci., 38, 624.

APHA, AWWA, WEF, 1998. Standard methods for examination of water and wastewater, American Public Health Association, Washington DC.

Avila, A., Queralt, I., Alarcón, M., 1997. Mineralogical composition of African dust delivered by red rains over North-Eastern Spain. Journal of Geophysical Research, 102, p21977-21996.

Baek, S. O., Field, R. A., Goldstone, M. E., Kirk, P. W., Lester, J. N., Perry, R., 1991a. A review of atmospheric polycyclic aromatic hydrocarbons: Sources, fate and behavior. Water, Air, & Soil Pollution, 60, Numbers 3-4

Baek, S. O., Goldstone, M. E., Kirk, P. W. W., Lester, J. N., Perry, R, 1991b. Phase distribution and particle size dependency of polycyclic aromatic hydrocarbons in the urban atmosphere. *Chemosphere*, 22, p. 503-520.

Baird, C., Seymour, R. B., Carraher, C. E., 2001. *Química Ambiental*. Editorial Reverte.

Baker, M. E., 2001a. Adrenal and sex steroid receptor evolution: environmental implications. *Journal of Molecular Endocrinology*, 26, p119–125.

Baker, M. E., 2001b. Evolution of 17 β -hydroxysteroid dehydrogenases and their role in androgen, estrogen and retinoid action. *Molecular and Cellular Endocrinology*, 171, p211–215.

Baker, M. E., Fanestil, D. D., 1991. Licorice, computer-based analyses of dehydrogenase sequences and the regulation of steroid and prostaglandin action. *Molecular and Cellular Endocrinology*, 78, C99–C102.

Balaban, A. T. J., 1988. Mol. Structure (THEOCHEM), 165, p243.

Baran, J. E., 1995. *Química bioinorgánica*. McGraw-Hill/Interamericana de España, S.A.

Barceló, D., 1993. Environmental Analysis: Techniques, Applications, and Quality Assurance. Ed.; Elsevier: Amsterdam.

Barceló, D., 1993. Environmental Analysis: Techniques, Applications, and Quality Assurance. Publicado por Elsevier.

Baron, P. A., Willeke, K., 1993. Aerosol Fundamentals. In: Willeke, K., Baron, P. (Eds.), *Aerosol Measurement: Principles Techniques and Applications*, Chapter 2. Van Nostrand Reinhold, New York, 8-22.

Barone, V., Cimino, P., Crescenzi, O., Pavone, M., 2007. Ab initio computation of spectroscopic parameters as a tool for the structural elucidation of organic systems. *Journal of Molecular Structure: THEOCHEM* 811, 323–335.

Barysz, M., Jashari, G., Lall, R. S., Srivastava, V. K., Trinajstic, N., 1983. In *Chemical Applications of Topology and Graph Theory*; King, R. B., Ed.; Elsevier: Amsterdam.

Barysz, M., Jashari, G., Lall, R. S., Srivastava, V. K., Trinajstic, N., 1983. In *Chemical Applications of Topology and Graph Theory*; King, R. B., Ed.; Elsevier: Amsterdam.

Bascom, R., Bromberg, P. A., Costa, D. A., Devlin, R., Dockery, D.W., Frampton M. W., Lambert, W., Samet, J. M., Speizer, F. E., Utell, M., 1996. Health effects of outdoor air pollution. *American Journal of Respiratory and Critical Care Medicine*, 153, p3-50.

- Baynes, J. W., Dominiczak, M. K., 2007. Bioquímica médica. 2^{da} Ed. Elsevier, España.
- Bello Gutiérrez, J. B., López de Cerain Salsamendi, A., 2001. Fundamentos de Ciencia Toxicológica Ediciones Díaz de Santos.
- Benigni, R., Passerini, L., 2002. Carcinogenicity of the aromatics amines: from structure-activity relationships to mechanisms of action and risk assessment. *Mutat Res*, 511, p191-206.
- Benton H.P., Wong D.M., Siuzdak G., 2008. XCMS2: Processing tandem mass spectrometry data for metabolite identification and structural characterization *Analytical Chemistry, in press.*
- Berridge, M. J., 1985. The molecular basis of communication within the cell. *Scientific American*, 253, 142-152.
- B'Hymer, C. and Cheever, K. L., 2008. Biomarker and Metabolite Analysis by HPLC/MS. *Encyclopedia of Chromatography*, second editions.
- Bidleman, T. F., 1988. Atmospheric processes: wet and dry deposition of organic compounds are controlled by their vapor-particle partitioning. *Environmental Science and Technology*, 22, p361-367.
- Bird, R, Bird, B., Lightfoot, E. N., Stewart, W. E, 1982. Fenomenos de transporte. Reverte, Editorial S.A.
- Bjorseth, A., Ramdahl, T, 1985. Handbook of Polycyclic Aromatic Hydrocarbons: Emission Sources and Recent Progress in Analytical Chemistry-Volume 2. CRC Press,
- Blanco Chafeiro, M. C., 1995. La Trucha: Cría Industrial. 2^a edición, Mundi- Prensa.
- Blasco, M., Somoza, G., Vizziano, D., 2007. In 8th International Symposium on Reproductive Physiology of Fish, St Malo, France, 2007.
- Bonchev, D., Rouvray, D. H., 1990. Chemical Graph Theory: Introduction and Fundamentals. Gordon and Breach Science Publishers.
- Borg, B., 1994. Androgens in teleost fishes. *Comparative Biochemistry and Physiology*, 109, p219.
- Bort, J. M. A., 2001. Química teórica y computacional. Universidad Jaume I, Juan María Beltrán Ferrer Universitat Jaume I, 2001.
- Broeckling C. D.; Reddy, I.R.; Duran,A. L.; Zhao, X. and Sumner, L. W., 2006, MET-IDEA: Data Extraction Tool for Mass Spectrometry-Based Metabolomics. *Anal. Chem.* 78, 4334-434.

Bruce, S., Jonsson, P., Antti, H., Cloarec, O., Trygg, J., Marklund , S. L., Moritz, T ., 2008. Evaluation of a protocol for metabolic profiling studies on human blood plasma by combined ultra-performance liquid chromatography/mass spectrometry: From extraction to data analysis. *Analytical Biochemistry* 372, 237–249.

Brunekreef, B., Janssen, N. A. H., Harssema, H., Knape, M., Vliet, P. V., 1997. Air Pollution from truck traffic and lung function in children living near motorways. *Epidemiology*, 8, 8.

Bryan F. J. Manly, B. F. J., 1994. Multivariate Statistical Methods: A Primer. 2nd Ed. Publicado por CRC Press.

Budzinski, H., Garrigues, P., Bernard, G., Bellocq, J., Hinrichs, K., Rullkötter, J., Simoneit, B. R. T., 1977. Diterpenoid compounds and other lipids in deep-sea sediments and their geochemical significance. *Geochim. Cosmochim. Acta*, 43, p463–476.

Bullock, J., Boyle, J., Wang, M. B., 2001 *Physiology*. 4^{ta} Ed. Lippincott Williams & Wilkins.

Busso, A. S y Santa Cruz, J., 2005. *Ecol. Austral*, 15, n.1 Córdoba.

Butcher, S.S, 1992. Global biogeochemical cycles. London: Academic Press.

Cai, B., Xie, L., Yang, D., Arcangeli, J. P., 2008. Application of QSARs Model in Toxicity Evaluation of Wastewater to Bio-treatment System in WWTP Bioinformatics and Biomedical Engineering, ICBBE 2008. The 2nd International Conference on Volume, 16, p3027–3030.

Cajaraville, M. P., Bebianno, M. J., Blasco, J., Porte, C., Sarasquete, C., Viarengo, A., 2000. The use of biomarkers to assess the impact of pollution in coastal environments of the Iberian Peninsula: a practical approach. *Science of the Total Environment*. Special issue on Towards an integrative approach in Environmental Contamination and Toxicology. Elsevier Science, Oxford, 247, 295-311.

Campbell, M. K., 2004. *Bioquímica*. 4^{ta} Ed. Cengage Learning Editores.

Capó Martí, M. A., 2007. *Principios de Ecotoxicología*. Editorial Tebar.

Caquineau, S., Gaudichet, A., Gomes, L., Magonthier, M. C., Chatenet, B., 1998. Saharan dust: Clay ratio as a relevant tracer to assess the origin of soil delivered aerosols. *Geophysical Research Letters*, 25, p983-986.

Carbó-Dorca, R., Besalú, E., 1988. A general survey of molecular quantum similarity. *J. of Mol. Struct.*, 451, p11.

Carbó-Dorca, R., Besalú, E., 1998. A General Survey of Molecular Quantum. Similarity. *Theo Chem.*, 45, 11.

Cardwell, J. R., Liley, N. R., 1991, Gen Comp Endocrinol, 81, 7.

Caricchia A. M., Chiavarini S., Pezza M., 1999. Polycyclic aromatic hydrocarbons in the urban atmospheric particulate matter in the City of Naples (Italy), Atmospheric Environment, 33, p3731-3738.

Carriquiriborde, P., Streitenberger, J. P., Arnal, M., Ronco, A., 2006. Efecto de plaguicidas asociados al cultivo de soja sobre peces: estrategia para su evaluación integrando información de diferentes niveles de análisis. Libro SETAC-LA, 3, p.2003

Carriquiriborde, P., Díaz, J., Mugni. H., Bonetto. C., Ronco, A.E., 2007. Impact of cypermethrin on stream fish populations under field use in biotec-soybean production. Chemosphere, 68, p613-621.

Carriquiriborde, P., Ronco, A., 2002. Sensitivity of the Neotropical Teleost Odontesthes bonariensis (Pisces, Atherinidae) to Chromium(VI), Copper(II), and Cadmium(II). Bull Environ Contam Toxicol, 69, p294-301.

CAS database, <http://www.cas.org/expertise/cascontent/registry/index.html>.

Castañón del Valle, M., 2006. Programa de las Naciones Unidas para el Medio Ambiente.

Castro, E. A., Gutman, I., Marino, D., Peruzzo, P., 2002. Upgradting the Wiener Index. J. Serv. Chem. Soc. 67, p 647-651.

Castro-Perez J., Plumb, R., Granger, J. H., Beattie, I., Joncour, K., Wright, A., 2005. Rapid Commun. Mass Spectrom. 19, p843–848.

Catoggio, J. A., Succar, S. D., Roca, A. E., 1989. Polynuclear aromatic hydrocarbon content of particulate matter suspended in the atmosphere of La Plata, Argentina. Science of the Total Environment , 79, p 43-58.

Chan, K. F., Fang, G. C., Chen, J. C., Wu, Y. S. 2006. Atmospheric polycyclic aromatic hydrocarbons (PAHs) in Asia: A review from 1999 to 2004. Environmental Pollution, 142, p388-396.

Chang, R., 1997. Quimica. McGraw-Hill/Interamericana de España, S.A.

Chelani, A. B., Chalapati Rao, C. V., Phadke, K. M., Hasan, M. Z., 2002. Prediction of sulphur dioxide concentrations using artificial neural networks. Environmental Modelling y Software, 17, 161-168.

Chen, J., Peijnenburg, W. J. G. M., Quan, X., Chen, S., Martens, D, Schramm, K. W., Kettrup, A., 2001. Is it possible to develop a QSPR model for direct photolysis half-lives of PAHs under irradiation of sunlight?. Environmental Pollution, 114, 137-143.

Chiang, P. C., Chiang, Y. C., Chang, E. E. and Chang, S. C., 2007. Characteristics of Polynuclear Aromatic Hydrocarbons in Ambient Air through a Long-Term Sampling Program at a Metropolitan City in Taiwan. Aerosol Science and Technology, 37, 133–144.

Choi, Y. H., SerticC, S., Kim, H. K., Wilson, E. G., Michopoulos, F., Lefeber, A. W. M., Erkelens, C., Kricun, S. D. P. and Verpoorte, R., 2005. Classification of Ilex Species Based on Metabolomic Fingerprinting Using Nuclear Magnetic Resonance and Multivariate Data Analysis. J. Agric. Food Chem. 53, 1237–1245.

Claycamp, H. G., Sussman, N.B., Macina, O., Rosenkranz, H.S., 1999. Artificial Neural Networks as Statistical Tools in SAR/QSAR Modeling. AAAI Technical Report SS-99-01.

Colls, J., 2002. Air pollution. Publicado por Taylor & Francis.

Connell, D.W., 2005. Basic concepts of environmental chemistry. CRC Press

Covey, T. R., 1985. Anal. Chem., 57, p. 474–81.

Cramer, C. J., 2002. Essentials of Computational Chemistry: Theories and Models. John Wiley and Sons.

Crapo, L. M., 1985. Hormones: The Messengers of Life. W.H. Freeman & Co.

Csuros, M., 1994. Environmental sampling and analysis for technicians. CRC Press, 1994.

Cuisset, B., Pradelles, P., Kime, D. E., Kühn, E. R., Babin, P., Le Menn, F., 1994. Enzyme immunoassay for 11-ketotestosterone using acetylcholinesterase as label: application to the measurement of 11-ketotestosterone in plasma of Siberian sturgeon Comparative Biochemistry and Physiology C, 108, p229.

Cuisset, B., Pradelles, P., Kime, D. E., Kühn, E. R., Babin, P., Le Menn, F., 1994. Enzyme immunoassay for 11-ketotestosterone using acetylcholinesterase as label: application to the measurement of 11-ketotestosterone in plasma of Siberian sturgeon Comparative Biochemistry and Physiology C, 108, p229.

Cvetkovic, D. M., Doob, M., Sachs, H., 1995. Spectra of Graphs. Theory and Applications.

Dallarosa, J. B., Garcia Mônego, J., Teixeira, E. C., Stefens, J. L. and Wiegand, F., 2005. Polycyclic aromatic hydrocarbons in atmospheric particles in the metropolitan area of Porto Alegre, Brazil. Atmospheric Environment, 39, p1609-1625.

Davies, P. E., Cook, L.S.J., Goenarso, D., 1994. Environmental Toxicology and Chemistry, 13, p. 1341-354.

De Brabander, H. F., Noppe, H., Verheyden, K., Vanden Bussche, J. , Wille, K., Okerman, L., Vanhaecke, L., Reybroeck, W., Ooghe, S., Croubels, S., 2009. Residue analysis: future trends from a historical perspective Journal of Chromatography A, *in press*.

Delabie, J., Bos, C., Fonta, C. y Masson, C., 1985. Toxic and repellent effects of cypermethrin on the honeybee: Laboratory, glasshouse and field experiments. Pesticide Sci, 16, p409-415.

Depledge, M. H., Galloway, T. S., 2005. Healthy animals, healthy ecosystems Ecol Environ, 3, p251–258.

Di Santo, R., Costi, A. R., Artico, A. M., Massa, S., Ragno, B. R., Marshall, D., La Colla, P., 2002. Design, Synthesis and QSAR Studies on N-Aryl Heteroarylisopropanolamines, a New Class of Non-Peptidic HIV-1 Protease Inhibitors. Bioorganic & Medicinal Chemistry, 10, p2511–2526.

Dillon, W. R., Goldstein, M., 1984. Multivariate Analysis: Methods and Applications. Wiley, New York.

Dimashki, M., Lim, L. H., Harrison, R.H., Harrad, S., 2001. Temporal Trends, Temperature Dependence, and Relative Reactivityof Atmospheric Polycyclic Aromatic Hydrocarbons. Environ. Sci. Technol., 35, p2264 2267.

Dirac, P. A.M., 1962. The Principles of Quantum Mechanics. Oxford: Clarendon Press, 4ta. Edición.

Dockery, D. W., Pope, C. A., Xu, X., Spengler, J. D., Ware, J. H., Fay, M., Ferris, B. G., Speizer, F. E., 1993. An association between air pollution and morality in six U.S. cities. New England Journal of Medicine, 329, p753-1759.

Dockery, D., Pope A., 1996. Epidemiology of acute health effects: Summary of time-series studied. En Particles in our air: concentration and health effects (ed.Spengler J.D. Wilson R.), pp. 123-147. Harvard University Press.

Domènech, X., Peral, J., 2006. Química ambiental de sistemas terrestres. Editorial Reverté.

Du, M., Wu, W., Ercal, N. and Ma Y., 2004. Simultaneous determination of 3-nitro tyrosine, o-, m-, and p-tyrosine in urine samples by liquid chromatography–ultraviolet absorbance detection with pre-column cloud point extraction Journal of Chromatography B 803, Pages 321-329

Duart, M.J., Garcia-Domenech, R., Anton-Fos, G.M. and Galvez, J., 2001. Optimization of a mathematical pattern for the prediction of antihistaminic activity. *J.Comput Aid Mol Desig* 15, 561-572.

Duce, R. A., 1995. Sources, distributions and fluxes of mineral aerosols and their relationship to climate. In *Aerosol forcing of climate* (ed. R J Charlson & J Heinzenberg(eds.)), p43-72. Wiley.

Durham, S. K., Pearl, G. M., 2001. Computational methods to predict drug safety liabilities. *Curr Opin Drug Discov*, 4, p110-114.

Eastern, R. C., Peter, L. K., 1994. Binary homogeneous nucleation: temperature and relative humidity fluctuations, nonlinearity, and aspects of new particles production in the atmosphere. *Journal of Applied Meteorology*, 33, 775-784.

Ecetoc.2003. QSARs: Evaluation of the commercially available software for human health and environmental endpoints with to chemical managment applications. Technical report N 89. European centre for ecotoxicology and toxicology of chemicals, Brussels, Belgium.

Echarri Prim, L., 1998. Ciencias de la Tierra y del Medio Ambiente. Ed. Teide.

Edwards, C. R., Benediktsson, R., Lindsay, R. S., Seckl, J. R., 1996. 11Beta-hydroxysteroid dehydrogenases: key enzymes in determining tissue-specific glucocorticoid effects. *Steroids*, 61, p263–269.

Edwards, R., Millburn, P., Huston, D. H., 1987. The Toxicity and metabolism of the pyrethroids cis-trans-cypermethrin in rainbow trout, *Salmo gairneri*. *Xenobiotica*, 17, p1175-1193.

Eiceman, G. A., 2000. Gas Chromatography. In R. A. Meyers (Ed.), *Encyclopedia of Analytical Chemistry: Applications, Theory, and Instrumentation*, Chichester: Wiley.

Einstein, A., 2002. *The Collected Papers of Albert Einstein, Volume 7: The Berlin Years: Writings, 1918-1921* (English translation supplement; translated by Alfred Engel, with Engelbert Schucking, consultant ed.). Princeton, NJ: Princeton University Press.

Ekins, S., 2007. *Computational Toxicology: Risk Assessment for Pharmaceutical and Environmental Chemicals*. Wiley-Interscience.

Elizondo, W. C., Rodríguez Rojas, O., 1998. Análisis discriminante descriptivo: teoría, algoritmo y software. *Revista de Matemática: Teoría y Aplicaciones*, 6, p35–50. Costa Rica.

Engelsma, M. Y., Huisng, M. O., van Muiswinkel, W. B., Flik, G., Kwang, J., Savelkoul, H. F. J. and Verburg-van Kemenade, B. M., 2002. Neuroendocrine-immune interactions in fish: a role for interleukin-1. *Vet. Immunol. Immunopathol.*, 87, p467-479.

Eriksson, L., Johansson, E., Lindgren, F., Sjöström, M., Wold, S., 2002. Megavariate analysis of hierarchical QSAR data. *Journal of Computer-Aided Molecular Design*, 16, p711–726.

Esplugues, J., 1978. Hormonas. Fundación García Muñoz.

Eyring, H., Walter, J., Kimball, G., Quantum Chemistry.

Fang, G. C., Chang, C. N., Wu, Y. S., Fu, P. C., Yang, I. L., Chen, M. H., 2004. Characterization, identification of ambient air and road dust polycyclic aromatic hydrocarbons in central Taiwan, Taichung. *Science of the Total Environment* 327, 135–146.

Fang, G. C., Wu, Y. S., Chang, C., Ho, T., 2006. A study of polycyclic aromatic hydrocarbons concentrations and source identifications by methods of diagnostic ratio and principal component analysis at Taichung chemical Harbor near Taiwan Strait. *Chemosphere* 64, 1233-1242.

Fernandes, M. B., Scotti, M. T., Ferreira, M. J., Emerenciano, V. P., 2008. Use of self-organizing maps and molecular descriptors to predict the cytotoxic activity of sesquiterpene lactones. *Eur J Med Chem.*, 43, p2197-205.

Fernández, P., Vilanova, R. M., Grimalt, J. O., 1999. Sediment fluxes of polycyclic aromatic hydrocarbons in European high altitude mountain lakes. *Environ. Sci. Technol.*, 33, p3716-3722.

Figueruelo, J. E., 2004. Química física del ambiente y de los procesos medioambientales. Publicado por Reverté.

Findlay, A., Peña, M. D., Muntaner, A. R., Levitt, B. P., 1979. Química-física práctica de Findlay.

Flik, G., Klaren, P. H. M., Van den Burg, E. H., Metz, J. R., Huisng, M. O., 2006. CRF and stress in fish. *General and Comparative Endocrinology*, 146, p36-44.

Fontaine, F., Pastor, M., Zamora, I., Sanz, F., 2005. Research Unit on Biomedical Informatics (GRIB), IMIM/Universitat Pompeu Fabra, C/Dr. Aiguader, 80, E-08003 Barcelona, Spain *J. Med. Chem.*, 2005, 48, p2687–2694.

Foy, P., 1998. Agenda 21: desarrollo sostenible: un programa para la acción. Fondo Editorial PUCP.

Fredenslund, A., Jone, R., Prausnitz, J., 1975. Group-Contribution Estimation of Activity Coefficients in Nonideal Liquid Mixtures. *AICHE J.*, 21, p1086.

Frick, C. M., Farrell, R. E., Germida, J. J., 1999. Assessment of Phytoremediation as an In-Situ Technique for Cleaning Oil-Contaminated Sites. Department of Soil Science. University of Saskatchewan, Saskatoon, SK Canada.

Frisch, A. J., Walker, S. P. W., McCormick, M. I., Solomon-Lane, T. K., 2007. Hormones and Behavior, 52, p540.

Gaffney, J. S., Marley, N. A., Cunningham, M. M., Martello, D. V., Anderson, N. J., 2002. Using natural ^{210}Pb and its daughters (^{210}Bi and ^{210}Po) to estimate aerosol residence times. Proceedings de la NETL Conference "PM2,5 and electric power generation: recent findings and implications", Abril 9-10, 2002, Pittsburg, PA.

Galarneau, E., 2008. Rev. Source specificity and atmospheric processing of airborne PAHs: Implications for source apportionment. Atmospheric Environment, 42, p8139–8149.

Galloway, T. S., Brown, R. J., Browne, M. A., Dissanayake, A., Lowe, D., Jones, M.B., Depledge, M. H., 2004. A multibiomarker approach to environmental assessment. Environ Sci Technol., 38, p723–1731.

Garcia-Sainz, J. A., 1996. Hormonas: Mensajeros Químicos Y Comunicación Celular, Editoria Fondo De Cultura Económica S. A. DE C. V. México. DF.

García-Segura, J. M., 2002. Técnicas instrumentales de análisis en bioquímica. Síntesis Madrid.

Gardner, M. W., Dorling, S. R., 1998. Artificial neural networks (the multi -layer perceptron)-a review of applications in the atmospheric sciences. Atmospheric Environment , 32, p2627-2636.

Gazola, R., Borella, M.L., 1997. Plasma testosterone and 11-ketotestosterone levels of male pacu *Piaractus mesopotamicus* (Cypriniformes, Characidae) Plasma steroid levels in male pacu Brazilian Journal of Medical and Biological Research, 30, p1485-1487-Short Communication.

Gert-Jan de Maagd,P., Hulscher, T., Van den Heuvel, H., Opperhuizen, A., Sijm, D. T.H., 1998. Physicochemical properties of Polycyclic Aromatic Hydrocarbons: Aqueous Solubilities, n-octanol/water Partition Coefficients, and Henry's Law Constants. Environmental Toxicology and Chemistry., 17, p251.

Gibson, R., Smith, M.D., Spary, C.J., Tyler, C.R., Hill, E.M., 2005a. Mixtures of estrogenic contaminants in bile of fish exposed to wastewater treatment works effluents. Environmental Science and Technology 39, 2461-2471.

Gibson, R., Tyler, C.R., Hill, E.M., 2005b. Analytical methodology for the identification of estrogenic contaminants in fish bile. J.Chromatogr.A 1066, 33-40.

Glaccum R.A. and Prospero J.M. (1980) Saharan aerosols over the tropical Nort-Atlantic mineralogy. Mar. Geol., 37, p295-321.

Glasstone, S., 1948. Theoretical chemistry: an introduction to quantum mechanics, statistical mechanics, and molecular spectra for chemists. Quinta Edición. D. Van Nostrand Company Inc.

Glicman A. H., Weitman S. D., Lech J. J., 1982. Toxicol Appl Pharmacol, 66, 162-171.

Gourdeau, J., 2004. La MP Clermont-Ferrand, France.
<http://www.atmosphere.mpg.de/enid/29a.html>.

Guo, H., Lee, S. C., Ho, K. F., Wang, X. M., Zou, S. C., 2003. Particle-associated polycyclic aromatic hydrocarbons in urban air of Hong Kong. Atmospheric Environment ,37,5307–5317.

Gurney, K., 1997. An Introduction to Neural Networks, UCL Press.

Hair, J., Anderson, R., Tatham, R., Black, W., 1999. *Análisis Multivariante*. 5^a Edición. Prentice Hall.

Hammett, L. P., 1933. Review. The Quantitative Study of Very Weak Bases. Chem. Rev., 13, p 61–71.

Hansch, C., Fujita, T., 1964. p-σ-π Analysis. A Method for the Correlation of Biological Activity and Chemical Structure. J. Am. Chem. Soc., 86, p1616.

Hansch, C., Leo, A., 1995. Exploring QSAR: Fundamentals and Applications in Chemistry and Biology; Am. Chem. Soc. Washington, D.C.

Harary, F., 1971. Graph Theory; Addison-Wesley: MA.

Harris, D. C., 2007. Análisis químico cuantitativo. 3^{er} Ed. Publicado por Reverté.

Hauser, B., Deschner, T., Boesch, C., 2008. Development of a liquid chromatography–tandem mass spectrometry method for the determination of 23 endogenous steroids in small quantities of primate urine Journal of Chromatography B, 862, p100–112.

Haykin S., 1999. Neural Networks. 2nd Edition, Prentice Hall.

Hays, M. D., Fine, P. M., Geron, C. D., Kleeman, M. J., Gullett, B.K., 2005. Open burning of agricultural biomass: physical and chemical properties of particle-phase emissions. Atmospheric Environment 39, p6747–6764.

- Hays, M. D., Smitha, N. D., Kinsey, J., Dong, J., Kariher, P., 2003. Polycyclic aromatic hydrocarbon size distributions in aerosols from appliances of residential wood combustion as determined by direct thermal desorption—GC/MS. *Aerosol Science*, 34, p1061–1084.
- Hecker, M., Tyler, C. R., Hoffmann, M., Maddix, S., Karbe, L., 2002. Plasma biomarkers in fish provide evidence for endocrine modulation in the Elbe River, Germany. *Environmental Science and Technology*, 36, 2311-2321.
- Heinrich, D., 1990. *Atlas de ecología*. Madrid: Alianza Editorial.
- Hesketh, H. E., 1996. *Air Pollution Control: Traditional and Hazardous Pollutants*. CRC Press.
- Hess, K, 1996. *Environmental sampling for unknowns*. CRC Press.
- Hinds, W.C., 1982. *Aerosol Technology: Properties, Behaviour and Measurement of airborne particles*. New York, Wiley Interscience.
- Ho, K. F., Lee, S. C., Chin, G. M. Y., 2002. Characterization of selected volatile organic compounds, polycyclic aromatic hydrocarbons and carbonyl compounds at a roadsidemonitoring station. *Atmospheric Environment*, 36, p57-65.
- Hornik, K., 1993. Some new results on neural network approximation. *Neural Networks*, 6, 1069-1072.
- Hosoya, H., 1971. *Bull. Chem. Soc. Jpn.* , 44, 2332.
- Hotelling, H, 1933. Analysis of a complex of statistical variables into principal components. *Journal of Educational Psychology* 24, 417-441 and 498-520.
- Howells, W. W., 1969. The use of multivariate techniques in the study of skeletal populations. *American Journal of Physical Anthropology*, 31, 311-314.
- Hsieh, Y., 2006. *Current Drug Metabolism*, 7, p.479–489.
- HUBERTY, C. J., 1989. Problems with stepwise methods: Better alternatives. In B. Thompson (Ed.). *Advances in social science methodology*, 1,p 43-70. Greenwich, CT: JAI Press.
- Huberty, C. J., 1994. *Applied discriminant analysis*. New York: Wiley.
- Huberty, C. J., Olejnik, S., 2006. *Applied MANOVA and Discriminant Analysis*. New York: Wiley. Publicado por Wiley-Interscience.

IARC, 1987. International Agency for Research on Cancer. Monogr. Eval. Carcinog. Risk Chem. Hum. Suppl. 7, 42.

IARC, 1989. International Agency for Research on Cancer. Diesel and gasoline exhausts and some nitroarenes. IARC Monogr. Ev Carcinog. Risk Chem. Hum. 46, 375.

IARC, 1996. International Agency for Research on Cancer. Printing processes and printing inks, carbon black and some nitrocompounds. IARC Monogr. Eval. Carcinog. Risk Chem. Hum. 65, p297–307.

ICH, 2001. Expert Working Group, Validation of Analytical Procedures: Text and Methodology Q2(R1). ICH, London.

Idler, D. R., Schmidt, P. J. and Ronald, A. P., 1960. Isolation and identification of 11-ketotestosterone in salmon plasma. Canadian Journal of Biochemistry and Physiology, 38, 517-521

Impens, S., De Wasch, K., Cornelis, M., De Brabander, H. F, 2002. Analysis on residues of estrogens, gestagens and androgens in kidney fat and meat with gas chromatography-tandem mass spectrometry. Journal of Chromatography A, 970, p235-247.

IPCC, 1996. Climate change. The science of climate change. Meira Filho LG Houghton JT, Callander BA, Harris N, Kattenberg A, Maskell K (Eds.). Cambridge University Press.

Jackson, J. E., 1991. A User Guide to Principal Components. Wiley, New York.

Jacob, D. J., 2000. Heterogeneous chemistry and tropospheric ozone. Atmospheric Environment, 34, p2131-2159.

Jacobson, M., C., Hansson, H.C., Noone, K., J., Charlson, R. J., 2000. Organic Atmospheric Aerosols: Review and State of the Science. Rev. Geophys., 38, 267-294. .

Janoschek, R., 1997. Book Review: Semi-empirical Methods of Quantum Chemistry. Wiley-VCH Verlag GmbH, Weinheim

Janzen, N., Sander, S., Terhardt, M., Peter, M., Sander, J., 2008. Fast and direct quantification of adrenal steroids by tandem mass spectrometry in serum and dried blood spots. Journal of Chromatography B, 861, p117.

Jin, H., Webster, G. R. B., 1998. Persistence, penetration, and surface availability of cypermethrin and its major degradation products in elm bark. J. Agric. Food Chem., 46, p2851-2857.

Joback, K., Reid, R., 1987. Estimation of Pure Component Properties from Group Contributions. Chem. Eng. Common, 233.

Jobling, M., 1995. Environmental biology of fishes. Fish and fisheries series 16. Chapman & Hall.

John, W., 1993. The characteristics of Environmental and Laboratory Generated Aerosols. In:

Johnson, D. E., 1998. Métodos multivariados aplicados al análisis de datos. Thomson.

Jolliffe, I. T., 1972. Discarding variables in a principal component analysis I: artificial data. *Appl. Statist.*, 21, 160–173.

Jonsson, P.; Gullberg, J.; Nordstrom, A., Kusano, M., Kowalczyk, M., Sjostrom, M. and Moritz, T., 2004. A Strategy for Identifying Differences in LargeSeries of Metabolomic Samples Analyzed by GC/MS. *Anal. Chem.* 76, 1738-1745.

Kaiser, H. F., 1958. The Varimax criterion for analytic rotation in factor analysis. *Psychometrika*.

Kamens, R. M., Guo, Z., Fulcher, J. N, Bell, D. A., 1988. Influence of humidity, sunlight and temperature on the daytime decay of polycyclic aromatic hydrocarbons on atmospheric soot particles. *Environmental Science and technology*, 22, p103-108.

Kamlet, M. J., Abboud, M., Abraham, M. H., Taft, R. W., 1983. Linear Solvation Energy Relationships, 23. A Comprehensive Collection of the Solvatochromic Parameters, π^* , α , β , and Some Methods for Simplifying the Generalized Solvatochromic Equation, *J. Org. Chem.*, 48, 2877.

Karelson M. Lobanov S., Katritzky A., 1996. Quantum-Chemical Descriptors in QSAR/QSPR Studies. *Chem. Rev.*, 96, p1027.

Katharios, P., Pavlidis, M., Iliopoulou-Georgudaki, J., 2004. Accumulation of ivermectin in the brain of sea bream, *Sparus aurata* after intraperitoneal administration. *Environmental Toxicology and Pharmacology*, 17, p9-12.

Katritzky, A. R., Gordeeva, 1993. *E. V. J. Chem. Inf. Comput. Sci.* 1993, 33.

Katz, M., 1969. Measurement of Air Pollutants - Guide to the Selection of Methods. Geneva: World Health Organization.

Kaupp, H., McLachlan, M. S., 1999. Atmospheric particle size distributions of polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) and polycyclic aromatic hydrocarbons (PAHs) and their implications for wet and dry deposition, *Atmospheric Environment*, 33, p85-95.

Kavouras, I. G., Koutrakis, P., Lagoudaki, E., Tsapakis, E., Stephanou, E. G., Oyola, P., von Baer, D., 2001. Source apportionment of urban particulate aliphatic and polynuclear aromatic hydrocarbons (PAHs) using multivariate methods. Environ. Sci. & Technol., 35, 2288-2294.

Keith, L., 1996. Principles of environmental sampling. Segunda edición. American Chemical Society.

Khalili, N. R., Scheff, P. A., Holsen, T. M., 1995. PAH sourcefingerprints for coke ovens, diesel and gasoline engines, highway tunnels, and wood combustion emissions. Atmospheric Environment, 29, 533-542.

Khopkar, S. M., 2004. Environmental Pollution Monitoring And Control: Monitoring and Control. New Age International.

Kier, L. B., 1971. Molecular Orbital Theory in Drug Research; Academic Press: New York.

Kier, L. B., Hall, L. H., 1976. Molecular connectivity in chemistry and drug research. Academic Press, London.

Kime, D. E., 1993. General and Comparative Endocrinology, 3, p160.

Kindler, P. M., Philipp, D. P., Gross, M. R., Bahr, J. M., 1989. Gen Comp Endocrinol, 75, p446.

King, J. R. and Jackson, D. A., 1999. Variable selection in large environmental data sets using principal components analysis. Environmetrics 10, 67-77.

Kittelson, D. B., Watts, W. F., and Arnold, M., 1998. Review of Diesel Particulate Matter Sampling Methods, Supplemental Report #1, Diesel Exhaust Particulate Measurement Instruments. Prepared by the University of Minnesota for the U.S. Environmental Protection Agency.

Klaassen, C. D., Amdur, M.O., Doull, J., 1990. Casarett and Doull's. TOXICOLOGY. Tercera edición. Macmillan Publishing Company. New York

Kobayashi, M., Aida, K., Hanyu, I., 1986. Bulletin of the Japanese Society of Scientific Fisheries, 52, p1153.

Kobayashi, M., Nakanishi, T., 1999. Gen Comp Endocrinol, 115, p178.

Kolehmainen, M., Martikainen, H., Ruuskanen, J., 2001. Neural networks and periodic components used in air quality forecasting. Atmospheric Environment 35, 815-825.

Koss, G., Tesseraux, I., 1999. En "Toxicology" (Marquardt H et al, eds), Academis Press, San Diego.

Kovats, E., 1958. Characterization of organic compounds by gas chromatography. Part 1. Retention. indices of aliphatic halides, alcohols, aldehydes and ketones. *Helv. Chim. Acta*, 41, p1915-32.

Kozinski, J. A., Saade, R., 1988. Effect of biomass burning on the formation of soot particles and heavy hydrocarbons. An experimental study. *Fuel*, 77, p 225-237

Kubinyi, H., Folkers, G., Martin, Y. C., 1998. 3D Qsar in Drug Design: Ligand-Protein Interactions and Molecular Similarity. Springer, 1998

Kubli-Garfias, C., 1998. Ab initio comparative study of the electronic structure of testosterone, epitestosterone and androstanedione. *Journal of Molecular Structure (Theochem)* 422, p167- 177.

Kubli-Garfias, C., Mendieta, J., Vazquez, R., 1996b. Semiempirical assessment of changes on the electronic structure of androstene with the addition of carbonyl and hydroxyl groups. *Journal of Molecular Structure (Theochem)* 388 (1996) 35-41

Kubli-Gatias, C., Vazquez, R., Mendieta, J., 1996a. Austin Model 1 study of the effect of carbonyl and hydroxyl functional groups on the electronic structure of androstan. *Journal of Molecular Structure (Theochem)* 428 (1998) I89- 194

Kulkarni, P., Venkataraman, C., 2000. Atmospheric polycyclic aromatic hydrocarbons in 25 Mumbai, India. *Atmospheric Environment* 34, p2785-2790.

Kulmala, M., Maso, M. D., Makela, J. M., Pirjola, L., Vakeva, M., Aalto, P., Miikkulainen, P., Hameri, K., O'DowdC., 2001. On the formation, growth and composition of nucleation mode particles. *Tellus*, 53 B, 479-490.

Künzli, N., Kaier, R., Medina, S., Studnicka, M., Chanel, O., Filliger, P., Herry, M., Puybonnieux-Texier V., Quénel, P., Schneider, J., Seethaler, R., Vergnaud, J.C., Sommer H., 2000. Public health impact of outdoor and traffic related air pollution: a European assessment. *The Lancet* 356, 795-801.

Kusakabe, M., Nakamura, I., Evans, J., Swanson, P., Young, G., 2006. *Journal of Endocrinology*, 189, p541.

Laflamme, R. E, and Hites, R. A., 1979. Tetra- and pentacyclic, naturally occurring aromatic hydrocarbons in recent sediments. *Geochim. Cosmochim. Acta*, 43, p1687-1691.

Laflamme, R. E, and Hites, R. A., 1979. Tetra- and pentacyclic, naturally occurring aromatic hydrocarbons in recent sediments. *Geochim. Cosmo chim. Acta*, 43, p1687-1691.

Landsberger, S., Creatchman, M., 1999. Elemental Analysis of Airborne Particles: Edited by Sheldon Landsberger and Marsha Creatchman. Publicado por CRC Press,

Langner, J., Rodhe, H., 1992. A global three-dimensional model of the tropospheric sulphate. *Journal of Atmospheric Chemistry*, 13, p225-263..

Lanki, T., Hartog, J. J., Heinrich, J., Hoek, G., Janssen, N. A. H., Peters, A. et al. (2006). Can we identify sources of fine particles responsible for exercise-induced ischemia on days with elevated air pollution? The ULTRA study. *Environmental Health Perspectives*, 114, p655–660.

Leach, S., 1989. Physical and Chemical Properties of PAHs. *Interstellar Dust: Proceedings of the 135th Symposium of the International Astronomical Union, held in Santa Clara, California, 26-30 July 1988*. Edited by Louis J. Allamandola and A. G. G. M. Tielens.

Lee, J. Y. and Kim, Y. P., 2007. Source apportionment of the particulate PAHs at Seul, Korea: impact of long range transport to a megacity. *Atmospheric Chemistry and Physics Discussions* 7, p1479-1506.

Lee, M., Novotny, M. V. and Bartle K.D., 1981. *Analytical Chemistry of Polycyclic Aromatic Compounds*, Academic Press INC, New York.

Leo, A., Hansch, C., Jow, P., 1976. *J. Med. Chem.*

Leonard, J.D., Hellou, J., 2001. Separation and characterization of gall bladder bile metabolites from speckled trout, *Salvelinus fontinalis*, exposed to individual polycyclic aromatic compounds. *Environ. Toxicol. Chem.* 20, 618-623.

Lequin, R., 2005. Enzyme immunoassay (EIA)/enzyme-linked immunosorbent assay (ELISA). *Clin. Chem.*, 51, p2415–8.

Levine, I., 1991. *Quantum Chemistry*, Prentice Hall, 4th edition.

Li , J., Zhang, G., Li , X. D., Qi , S.H. , Liu, G.Q., Peng, X. Z., 2006. Source seasonality of polycyclic aromatic hydrocarbons (PAHs) in a subtropical city, Guangzhou, South China. *Science of the Total Environment* 355, 145– 155.

Li, C. S., Ro, Y. S., 2000. Indoor characteristics of polycyclic aromatic hydrocarbons in the urban atmosphere of Taipei. *Atmospheric Environment*, 34, p611-620.

Li, C-T. L., Mi, H. H, Lee, W. J., You, W.C., Wang, Y. F., 1999. PAH emission from the industrial boilers. *Journal of Hazardous Materials A*, 69, p1-11.

Lide, D. R., 2000. *Handbook of Chemistry and Physics* Copyright CRC Press LLC.

Lindskog, A., 1983. Transformation of polycyclic aromatic hydrocarbons during sampling. *Environ. Health Perspect.*, 47, p81.

Lipiatou, E., Saliot, A., 1991. Fluxes and transport of anthropogenic and natural polycyclic aromatic hydrocarbons in the western Mediterranean Sea. Mar. Chem., 32, p51–71.

Liu, S., Govoroun, M., D'Cotta, H., Ricordel, M. J., Lareyre, J. J., McMeel, O. M., Smith, T., Nagahama, Y., Guiguen, Y., 2000. Journal of Steroid Biochemistry and Molecular Biology, 75, p291.

Liu, Y., Tao, S., Yang, Y., Dou, H., Yang, Y., Coveney, R. M., 2007. Inhalation exposure of traffic police officers to polycyclic aromatic hydrocarbons (PAHs) during the winter in Beijing, China. Science of The Total Environment, 383, p98-105.

Liu, Y., Zhu, L., Shen, X., 2001. Polycyclic Aromatic Hydrocarbons (PAHs) in Indoor and Outdoor Air of Hangzhou, China. Environ. Sci. Technol., 35, p840 844.

Lodge Jr., J. P., 1977. Chemical carcinogens: ACS monograph 173: Ed. Charles E. Searle, American Chemical Society, Washington, D.C

Lohmann, R., Lammel, G., 2004. Adsorptive and Absorptive Contributions to the Gas-Particle Partitioning of Polycyclic Aromatic Hydrocarbons: State of Knowledge and Recommended Parametrization for Modeling. Environ. Sci. Technol., 38.

Lokman, P. M., Harris, B., Kusakabe, M., Kime, D. E., Schulz, R. W., Adachi, S., Young, G., 2002. General and Comparative Endocrinology, 129, p1.

Long, S., Svendsen, C., Shore, R., Osborn, D., Pottinger, T., Allen, Y., Thomas, K., Chipman, K., 2004. Evaluation of potential use of biomarkers as long-term monitoring tools in assessing ecological quality in terrestrial and aquatic environments of the UK. Peterborough (UK): English Nature, 26p.

Lord, P.G., 2004. Progress in applying genomics in drug development. Toxicol Lett 149,371-375.

Lu, H., Zhu, L., Chen, S., 2008. Pollution level, phase distribution and health risk of polycyclic aromatic hydrocarbons in indoor air at public places of Hangzhou, China. Environmental Pollution, 152, p569-575.

Lu, X., Zhao, X., Bai, C., Zhao, C., Lu, G., Xu, G., 2008. LC-MS-based metabonomics analysis. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences 866, 64-76.

Lucas, L., Jauzein, M., 2008. Use of principal component analysis to profile temporal and spatial variations of chlorinated solvent concentration in groundwater Environmental Polution, 151, p205-212.

Macias-Zamora, J.V., 1996. Distribution of polycyclic aromatic hydrocarbons in recent marine sediments off de the coast of Baja California. *Environ Pollut*, 2, p45-53.

Mader, B. T., Pankow, J. F., 2001. Gas/solid partitioning of semivolatile organic compounds (SOCs) to air "lters. 2. Partitioning of polychlorinated dibenzodioxins, polychlorinated dibenzofurans, and polycyclic aromatic hydrocarbons to quartz fiber filters. *Atmospheric Environment*, 35, p1217-1223.

Maier, H. R., Dandy, G. C., 2000. Neural networks for the prediction and forecasting of water resources variables: a review of modelling issues and applications. *Environmental Modelling and Software*, 15, p101-124.

Mainly, F. J. 1994. Multivariate statistical methods. A primer. Second edition. Chapman & Hall, London.

Malinowski, E. R., 1991. Factor Analysis in Chemistry; Wiley: New York.

Manahan, S. E., 2007. Introducción a la química ambiental. Publicado por CRC Press.

Mao, I. F., Chen,C. N., Lin, Y. C., Chen, M. L., 2007. Airborne particle PM_{2.5}/PM₁₀ mass distribution and particle-bound PAH concentrations near a medical waste incinerator. *Atmospheric Environment*, 41, p2467-2475.

Mardia, K. V., Kent, J. T., Bibby, J.M., 1994. Multivariate Analysis. Academic Press.

Marino, D. J. G., Peruzzo, P. J., Krenkel, G., Castro, E. A., 2003. QSPR modeling of heat of formation and heat of vaporization of aliphatic ketones by means of electropological indices. *Chemical Physics Letters*, 369, p325-334.

Marino, D., Cremonte, C., Berkovic, A., Ronco, A., 2004. Análisis de Cipermetrina y Clorpirifos en Aguas, Sedimentos y Suelos de Zonas Agrícolas. *Anales Congreso Argentino de Química*, 8-046, p1385-88.

Marinov, N. M., Pitz, M. J., Westbrook, C. K., Castaldi, M. J., Senkan, M. J., 1996. Modeling of Aromatic and Polycyclic Aromatic Hydrocarbon Formation in Premixed Methane and Ethane Flames. *Cornburst. Sci. and Tech.*, 116-117, p211-287.

Marr, L. C., Kirchstetter, T. W. and Harley, R. A., 1999. Characterization of Polycyclic Aromatic Hydrocarbons in Motor Vehicle Fuels and Exhaust Emissions. *Environmental Science and Technologies*, 33, p3091 -3099.

Martin, A. J. P. y Synge, R. L. M., 1941. *Biochem . J .*, 35, p1358

Martin, M. L., Ronco, A. E., 2006. Effects of Mixtures of Pesticides Used in the Direct Seeding Technique on Non-Target Plant Seeds.. Bulletin of Environmental Contamination and Toxicology, 77, p228-236.

Martin, M. L., Sobrero, C., Rivas, C., Rimoldi, F., Ronco, A., 2003. Impacto del uso de pesticidas asociado a la siembra directa sobre especies no-blanco. Flora riparia y acuática. Memorias Conferencia Internacional Usos del Agua, Agua 2003, Cartagena de Indias, p27-31.

Massolo, L., 2004- Exposición a contaminantes atmosféricos y factores de riesgo asociados a la calidad de aire de La Plata y alrededores. Trabajo de Tesis Doctoral. Facultad de Ciencias Exactas.UNLP.

Massolo, L., Rehwagen, M., Tueros, M., Franck, U., Herbarth, O., Ronco, A., Müller, A., 2002. Assessment of cytotoxicity and mutagenicity of air particulate matter from urban and industrial reas. Presentación oral. SETAC Europe 12th Annual Meeting. Viena.

Matsubara, M., Lokman, P. M., Senaha, A., Kazeto, Y., Ijiri, S., Kambegawa, A., Hirai, T., Young, G., Todo, T., Adachi, S., Yamauchi, K., 2003. Synthesis and possible function of 11-ketotestosterone during oogenesis in eel (Anguilla spp.) Fish Physiology and Biochemistry, 28, p353–354.

Matsuzawa, S., Nasser-ali, L., Garrigues, P, 2001. Photolytic Behavior of Polycyclic Aromatic Hydrocarbons in DieselParticulate Matter Deposited on the Ground. Environ. Sci. Technol., 35, p3139-3143.

Mazurek, M. A., 2002. Molecular identification of organic compounds in atmospheric complex mixtures and relationship to atmospheric chemistry and sources. Environmental Health Perspectives, 110, 995.

McCarthy, J. F. y Shugart, L. R. (eds.), 1990. Biomarkers of environmental contamination, Lewis Publ., Boca Raton.

McDow, S. R., Sun, Q., Vartiainen, M., Hong, Y., Yao, Y., Fister, T., Yao, R., Kamens, R. M., 1994. Effect of composition and state of organic components on polycyclic aromatic hydrocarbon decay in atmospheric aerosols. Environmental Science and Technology, 28, p2147-2153.

McIntyre, D., 1998. The Agilent 1100 Series LC/MSD: The Performance of a Mass Detector Used in HPLC. Application Note. <http://www.chem.agilent.com/Library/applications/5968-0729.PDF>.

McLafferty, F.W.(ed), 1993. Interpretation of mass spectra. Hardcover

McMurry, J., 2000. Ed. 5ta. Organic Chemistry. Brooks Cole, USA.

McNaughton, S.J., Wolf, L., 1984. Ecología General. Ediciones Omega, S.A.-Platón, 26-Barcelona-6.

Menzie, C.A., Potocki, B. B., Santodonato, J., 1992. Exposure to carcinogenic PAHs in the environment. Environmental science and technology, 26, 1278–1284.

Merchan-Merchan W., Saveliev A. V., Kennedy L. A., Comb. Sci. Tech., 175, 2217-2236, 2003.

Mészáros, E., 1999. Fundamentals of Atmospheric Aerosol Chemistry. Akadémiai Kiado.

Mirko, S., 2006. Principal Components Analysis of Employment in Eastern Europe. PANOECONOMICUS 4, 427-437.

Monarca, S., Crebelli, R., Feretti, D., Zanardini, A., Fuselli, S., Filini, L., Resola, S., Bonardelli, P., Nardi, G., 1997. Mutagens and carcinogens in size-classified air particulates of a Northern Italian town. Science of the total environment , 205, p137-144.

Monder, C., 1991 Corticosteroids, receptors, and the organ-specific functions of 11 β-hydroxysteroid dehydrogenase. FASEB Journal, 5, p3047–3054.

Mor, M., Bordi, F., Silva, C., Rivara, S., Zuliani, V., Vacondio, F., Rivara, M., Barocelli, E., Bertoni, S., Ballabeni, V., Magnanini, F., Impicciatore, M., Plazzi, P.V., 2004. Synthesis, biological activity, QSAR and QSPR study of 2-aminobenzimidazole derivatives as potent H₃-antagonists. Bioorganic and Medicinal Chemistry, 12, p.663-674.

Morawska, L, Zhang, J. F., 2002. Combustion sources of particles 1. Health relevance and source signatures. Chemosphere, 49, 1045.

Morawska, L., Bofinger, N., Kocis, L., Nwankwoala, A., Env. Sci. Tech., 32, 2033-2042, 1998.

Morgan, B. L. G, Morgan, R., 1997. Hormonas. 2^{da}. Diana, S.A.

Morrison, T. R., Boyd, R. N., 1998. Química Orgánica. Publicado por Pearson Educación. .

Motelay-Massei, A., Ollivon, D., Garban, B., Tiphagne-Larcher, K., Zimmerlin, I., Chevreuil, M., 2007. PAHs in the bulk atmospheric deposition of the Seine river basin: Source identification and apportionment by ratios, multivariate statistical techniques and scanning electron microscopy. Chemosphere, 67, p312–32.

Müller, A., Alzuet, P., Herbarth, O., Ronco, A., 2001. Assessment of toxicity and mutagenicity in air particulate matter from an urban industrial area in the coast of the Rio de la Plata. Environmental Toxicology, 16, p151-157.

Mumtaz, M., George, J., 1995. Toxicological Profile for Polycyclic Aromatic Hydrocarbons. Agency for Toxic Substances and Disease Registry. Atlanta, Georgia.

Namboori, K., Ramachandran, K. S.; Gopakumar, D., 2008). Computational Chemistry and Molecular Modeling: Principles and Applications.

Naspinski, C., Lingenfelter, R., Cizmas, L., Naufal, Z., He, L. Y., Islamzadeh, A., Li, Z., Li, Z., McDonald, T., Donnell, K. C., 2008. A comparison of concentrations of polycyclic aromatic compounds detected in dust samples from various regions of the world. Environment International, 34 , p988-993.

Natale, G., Ronco, A., 2003. Impacto del uso de pesticidas asociado a la siembra directa sobre especies no-blanco: Anuros autóctonos. Memorias Conferencia Internacional Usos del Agua, Agua 2003, Cartagena de Indias, p36-39.

Nebert, D. W., Gonzalez, F. J., 1987. Annual Review of Biochemistry, 56, p945.

Newman, M. C., Unger, M. A., 2003. Fundamentals of Ecotoxicology. CRC Press.

Ng, B. H., Yuen, K.H., 2003. Determination of plasma testosterone using a simple liquid chromatographic method. Journal of Chromatography B, 793, p421–426.

Nicolaos B. Karayiannis, N. B., Venetsanopoulos, A. N, 1993. Artificial Neural Networks: Learning Algorithms, Performance Evaluation, and Applications. Publicado por Springer.

Niessen, W. M. A., 1999. Liquid Chromatography-Mass Spectrometry, 2nd ed., Chromatographic Science Series, 79, Marcel Dekker, New York.

Niessen, W. M. A., 2006. Liquid chromatography--mass spectrometry. Tercera Edición. CRC Press.

Nisbet, I. C. T., LaGoy, P. K., 1992. Toxic equivalency factors (TEFs) for polycyclic aromatic hydrocarbons (PAHs). Regul. Toxicol. Pharmacol, 16, p290–300.

Niu, J, Chen, J., Martens, D., Henkelmann, B., Quan, X., Yang, F., Seidlitz, H. K., Schramm, K. W., 2004. The role of UV-B on the degradation of PCDD/Fs and PAHs sorbed on surfaces of spruce (*Picea abies* (L.) Karst.) needles. Science of The Total Environment, 322, p231-241.

Niwa, M., Watanabe, N., Ochiai, H., Yamashita, K., 2005. Determination of testosterone concentrations in rat plasma using liquid chromatography-atmospheric pressure chemical ionization mass spectrometry combined with ethyl oxime and acetyl ester derivatization Journal of Chromatography B, 824, 258–266.

Noppe, H., Le Bizec, B., Verheyden, K., De Brabander, H.F., 2008. Novel analytical methods for the determination of steroid hormones in edible matrices. *Analytica Chimica Acta*, 611, p1-16.

Nordstrom, A., O'Maille, G., Qin, C. and Siuzdak, G., 2006. Nonlinear Data Alignment for UPLC MS and HPLC MS Based Metabolomics: Quantitative Analysis of Endogenous and Exogenous Metabolites in Human Serum Anal. Chem. 78, 3289-3295.

Nussbaumar T., 1995. Wood Combustion. Advances in thermochemical Biomass Conversion, Edited by A.V. Bridgwater, Blackie Academic & Profesional, Glasgow.

Oberdörster, G., Oberdörster, E., Oberdörster, J., 2005. Nanotoxicology: An Emerging Discipline Evolving from Studies of Ultrafine Particles. *Environ Health Perspect.*, 113, 823–839.

Odabaşı, M., Sofuoğlu, A., Vardar, N., Tasdemir, Y., Holsen, T. M., 1999. Measurement of dry deposition and air-water exchange of polycyclic aromatic hydrocarbons with the water surface sampler. *Environmental Science and Technology*, 33, p426-434.

Odum, E.P., 1992. Ecología. Bases científicas para un nuevo paradigma Barcelona. Ediciones Vedra.

Oliver, W. A., 1998. HPLC of Macromolecules: A Practical Approach. Oxford University Press

Omar, N. Y. M. J., Abas, M. R. B., Ketuly, K. A., Tahir, N.M., 2002. Concentrations of PAHs in atmospheric particles (PM-10) and roadside soil particles collected in Kuala Lumpur,Malaysia. *Atmospheric Environment*, 36, p247-254.

Oprea, T. I., 2002. On the Information Content of 2D and 3D Descriptors for QSAR, *J. Braz. Chem. Soc.*, 13.

Page, D. S., Boehm, P. D., Douglas, G. S., Bence, A. E., Burns, W. A., Mankiewicz, P. J., 1999. Pyrogenic polycyclic aromatic hydrocarbons in sediments record past human activity: A case study in Prince William Sound, Alaska. *Mar Pollut Bull.*, 38, p247-260.

Pandis, S. N., Harley, R. A., Cass, G. R., Seinfeld J. H., 1992. Secondary organic aerosol formation and transport. *Atmos. Environ.*, Part A, 26, 2269–2282.

Pankow, J. F., 1987. Review and comparative analysis of the theories on partitioning between the gas and aerosol particulate phases in the atmosphere. *Atmospheric Environment*, 21, p2275–2283.

Pankow, J. F., 1994. An absorption model of gas/particle partitioning of organic compounds in the atmosphere. *Atmospheric Environment* 28, 185-188

Parinet, B., Lhote, A., Legube, B., 2004. Principal component analysis: an appropriate tool for water quality evaluation and management—application to a tropical lake system. Ecological Modelling, 178, p295-311.

Park, S. S., Kim, Y. J., Kang, C. H., 2002. Atmospheric polycyclic aromatic hydrocarbons in Seoul, Korea. Atmospheric Environment, 36, p2917-2924.

Peakall, D. B., Kennedy, S., 1999. Special Issue on Biomarkers. Volume 8.

Pekkanen, J., Timonen, K., Ruuskanen, J., Reponen, A., Mirme, A., 1997. Effects of ultrafine and fine particles in urban air on peak expiratory flow among children with asthmatic symptoms. Environmental Research, 74, 24-33.

Peña, C.E., Ayala-Fierro, C. F., 2001. TOXICOLOGIA AMBIENTAL Evaluación de Riesgos y Restauración Ambiental. Southwest Hazardous Waste Program. A Superfund Basic Research and Training Program At the College of Pharmacy The University of Arizona

Pengue, W., 2000. Cultivos transgénicos ¿Hacia donde vamos? Editorial, Buenos Aires.

Peruzzo, P., Marino, D., Cremonte, C., Da Silva, M., Porta, A., Ronco, A., 2003. Impacto del uso de pesticidas asociado a la siembra directa. Parte 2: Niveles de pesticidas en aguas y sedimentos. Memorias Conferencia Internacional Usos del Agua, Agua 2003, Cartagena de Indias, p135-142.

Pianca, E. R., 1982. Ecología Evolutiva. Ediciones Omega, S. A. Barcelona-36.

Pineda-Torres, I. H, Gokcen, I.H. and Buckles, B. P., 2002. Image Feature Set For Correspondence Mappings. International Journal of High Performance Computing Applications 16, 273 – 283.

Pio, C. A., Alves, C. A., Duarte, A. C., 2001. Identification, abundance and origin of atmospheric organicparticulate matter in a Portuguese rural area Atmospheric Environment, 35, p1365-1375.

Pistikopoulos, P., Wortham, H. M., Gomes, L., Masclat-Beyne, S., Bon Nguyen, E., Masclat, P. and Mouvier G., 1990. Mechanisms of formation of particulate polycyclic aromatic hydrocarbons in relation to the particle size distribution< effects on meso-scale transport. Atmospheric Environment 24, 2573-2584.

Pope, C. A., Dockery, D. W., 2006. Health effects of fine particulate air pollution: Lines that connect. Journal of the Air and Waste Management Association, 56, 709–742.

Pöschl, U., Rudich, Y., Ammann, M., 2005. Kinetic model framework for aerosol and cloud surface chemistry and gas-particle interactions: part 1 – general equations, parameters, and terminology, Atmospheric Chemistry and Physics Discussions, 5, 2111-2191.

Pósfai, M., Molnár A., 2000. Aerosol particles in the troposphere: a mineralogical introduction. Environmental Mineralogy. David J. Vaughan & Roy A. Wogelius. pp. 434.

Pott P, 1775. Chemical carcinogens. Publicado en “Tratado completo de cirugía”, Editado por Chelius publicado por Librería de los Señores Viuda de Calleja é Hijos, 1843.

Puigcerver, M., Carrascal M. D., 2008. Medio atmosférico, El. Meteorología y contaminación. Edicions Universitat Barcelona.

Putaud, J. P., Baltensperger, U., Brüggemann, E., Facchini, M., Fuzzi, S., Gehrig, R., Hansson, H. C., Harrison, R. M., Jones, A., Laj, P., Maenhaut, W., Mihalopoulos, N., Müller, K., Palmgren, F., Querol, X., Rodriguez, S., Spindler, G., Brink, H., Tunved, P., Dingenen, R., Wehner, B., Weingartner, E., Wiedensohler, A., Wåhlin, P., Raes F., 2002. A European aerosol phenomenology: physical and chemical characteristics of particulate matter at kerbside, urban, rural and background sites in Europe. Eurotrac European project.

Putaud, J.P., Van Dingenen, R., Dell'Acqua, A., Raes, F., Matta, E., Decesari, S., Facchini, M.C., Fuzzi, S., 2004. Size-segregated aerosol mass closure and chemical composition in Monte Cimone (I) during MINATROC. *Atmos. Chem. Phys.*, 4, p889-902.

Querol, X., Alastuey, A., Alastuey, T., Moreno, M. M. Viana, S., Castillo, J., Pey, S., Rodríguez, B., Artiñano, P., Salvador, M., Sánchez, S., Garcia DosSantos, M. D. Herce Garraleta, R., Fernandez Patier, S., Moreno-Grau, L., Negral, M. C., Mingüillón, E. Monfort, M. J., Sanz, R., Palomo-Marín, E., Pinilla-Gil, 2008. Spatial and temporal variations in airborne particulate matter (PM10 and PM2.5) across Spain 1999–2005. *Atmos Environ.*, 42, p3964-79.

Querol, X., Alastuey, A., Rodríguez ,S., Plana, F., Ruiz, C. R., Cots, N., Massagué, G., Puig, O., 2001, PM10 and PM2.5 source apportionment in the Barcelona Metropolitan Area, Catalonia, Spain. *Atmospheric Environment*, 35, p6407-6419. .

Ralston-Hooper, K., Hopf, A., Oh, C., Zhang, X., Adamec, J., Sepúlveda, M.S., 2008. Development of GCxGC/TOF-MS metabolomics for use in ecotoxicological studies with invertebrates. *Aquat. Toxicol.* 88, 48-52.

Ramirez Gonzalez, A., 1999. Ecología aplicada: Diseño y análisis estadístico. Publicado por U. Jorge Tadeo Lozano.

Randic, M., 1986. Compact molecular codes. *Journal of Chemical Information and Computer Sciences*, 26, p136-148.

Randic, M., 1991. Resolution of ambiguities in structure-property studies by use of orthogonal descriptors. *Journal of Chemical Information and Computer Sciences*, 31, p311-320.

Randić, M., 1992. Chemical Structure - What is “She”? *J. Chem. Educ.*, 69, 713–718.

Randic, M., 1992. Representation of molecular graphs by basic graphs. *Journal of Chemical Information and Computer Sciences*, 32, p57-69.

Randic, M., 1997. On Characterization of Chemical Structure. *Journal of Chemical Information and Computer Sciences*, 37, p672-687.

Randic, M., Hansen, P. J., Jurs, P. C., 1988. Search for useful graph theoretical invariants of molecular structure. *Journal of Chemical Information and Computer Sciences*, 28, p60-68.

Randic, M., Vracko, M., Nandy, A., Basak, S. C., 2000. On 3-D Graphical Representation of DNA Primary Sequences and Their Numerical Characterization. *Journal of Chemical Information and Computer Sciences*, 40, p1235-1244.

Randic, M., Wilkins, C. L, 1979. Graph Theoretical Approach to Recognition of Structural Similarity in Molecules. *Journal of Chemical Information and Computer Sciences*, 19, p31-37.

Ravindra, K., Bencs, L., Wauters, E., de Hoog, J., Deutsch, F., Roekens, E., Bleux, N., Bergmans, P., Van Grieken, R., 2006. Seasonal and site specific variation in vapor andaerosol phase PAHs over Flanders (Belgium) and their relation with anthropogenic activities. *Atmospheric Environment*, 40, 771–785.

Ravindra, K., Sokhi, R., Van Grieken, R., 2008. Atmospheric polycyclic aromatic hydrocarbons: Source attribution, emission factors and regulation. Review. *Atmospheric Environment*, 42, p2895–2921.

Ravindra, K., Sokhi, R., Van Grieken, R., 2008. Atmospheric polycyclic aromatic hydrocarbons: Source attribution, emission factors and regulation. *Atmospheric Environment* 42, p2895–2921.

Rehwagen, M., Müller, A., Massolo, L., Herbarth, O, Ronco, A., 2005. Polycyclic aromatic hydrocarbons associated with particles in ambient air from urban and industrial areas. *Science of the Total Environment*, 348, p199-210.

Reich, S. L., Gómez, D. R., Dawidowski, L. E., 1999. Artificial neural network for the identification of unknown air pollution sources. *Atmospheric Environment*, 33, p3045-3052.

Reisen, F., Arey, J., 2005. Atmospheric Reactions Influence Seasonal PAH and Nitro-PAH Concentrations in the Los Angeles Basin. *Environ. Sci. Technol.*, 39, 64-73.

Rekker, R. F., Ter Laak, A. M., Mannhold, R., 2006. On the Reliability of Calculated Log P-values: Rekker, Hansch/Leo and Suzuki Approach. *Quantitative Structure-Activity Relationships*, 12, p152-157.

Rekker, R., 1977. Hydrophobic Fragmental Constant (Pharmacochemistry library). Elsevier: New York.

Rekker, R., DeKort, H., 1979. The hydrophobic fragmental constant; an extension to a 1000 data point set. Eur J. Med. Chem, 14, p74.

Richter, H, Howard, J. B., 2000. Formation of polycyclic aromatic hydrocarbons and their growth to soot—a review of chemical reaction pathways. Progress in Energy and Combustion Science, 26, p565-608.

Richter, H., 2006. Progress in Energy and Combustion Science, 26, p565.

Rimoldi, F., Schneider, M., Martinez, A. M., Ronco, A. E., 2006. Estudios ecotoxicológicos de insecticidas utilizados para el control de plagas de la soja, sobre huevos del predador generalista Chrysoperla externa (Hagen, 1861) en laboratorio. Resumen expandido Libro de resúmenes expandidos del X Congreso Internacional de Manejo Integrado de Plagas y Agroecología. Tapachula, Chiapas, México.

Rivera Nava, F., 2006. Introducción al Diseño y Operación de Redes de Monitoreo Atmosférico. XXV Congreso Interamericano de Ingeniería Sanitaria y Ambiental. DDF (Departamento del Distrito Federal), AIDIS (Asociación Interamericana de Ingeniería Sanitaria y Ambiental) y SMISAAC (Sociedad Mexicana de Ingeniería Sanitaria y Ambiental). México, D. F.

Roesler, J. F., Martinot, S., McEnally, C. S., Pfefferle, L. D., Delfau, J.L., Vovelle, C., 2003 Comb. Flame, 134, 249-260, 2003.

Rogge, W. F., Hildemann, L. M., Mazurek, M. A., Cass, G. R., Simoneit, B. R. T., 1991. Sources of fine organic aerosol, 1, Charbroilers and meat cooking operations. Environ. Sci. Technol., 25, 1112–1125.

Rogge, W. F., Hildemann, L. M., Mazurek, M. A., Cass, G. R., Simoneit, B. R. T., 1998. Sources of fine organic aerosol. 9. Pine, oak and synthetic log combustion in residential fireplaces. Environ. Sci. Technol., 32, 13-22.

Rogge, W. F., Hildemann, L. M., Mazurek, M. A., Cass, G. R., Simoneit, B. R. T., 1997. Sources of fine organic aerosol .8. Boilers burning No. 2 distillate fuel oil. Environ. Sci. Technol., 31, 2731-2737.

Rogge, W. F., Mazurek, M. A., Hildemann, L. M., Cass, G. R., Simoneit, B. R. T., 1993. Quantification of organic aerosols at molecular level; identification, abundance and seasonal variations. Atmos. Environ., 27A, 1309.

Roncaglioni, A., Novic, M., Vrac, M. and Benfenati, E., 2004. Classification of Potential Endocrine Disrupters on the Basis of Molecular Structure Using a Nonlinear Modeling Method. J. Chem. Inf. Comput. Sci. 44, 300-309.

Roscoe, B. A., Hopke, P. K., Dattner, S. L., and Jenks, J. M., 1982. The Use of Principal Component Factor Analysis to Interpret Particulate Compositional Data Sets. *J. Air Pollut. Control Assoc.* 32, p637–642.

Rosenblum, P., Yamada, L., Callard, I. P., Callard, G. V., 1985. Validation Of Radioimmunoassay Systems For The Measurement Of Ll-Keto- And L Lfl-Hydroxytestosterone In Teleost Blood. *Comp. Biochem. Physiol.*, 82, p 659-665.

Sabatini, L., Barbieri, A., Indiveri, P., Mattioli, S., Violante, F. S., 2008. Validation of an HPLC-MS/MS method for the simultaneous determination of phenylmercapturic acid, benzylmercapturic acid and o-methylbenzyl mercapturic acid in urine as biomarkers of exposure to benzene, toluene and xylenes. *Journal of Chromatography B* 863 Pages 115-122.

Sanderson, E. G., Farant, J.P., 2005. Atmospheric Size Distribution of PAHs: Evidence of a High-Volume Sampling Artifact. *Environ. Sci. Technol.*, 39, p7631-7637.

Schiedek, T., Gocht, T., Grathwohl, P., 2006. Cold-condensation of PAH in soil of the European Alps (Martell valley). *Geophysical Research Abstracts*, 8.

Schultz, R. W., Miura, T., 2002. Spermatogenesis and its endocrine regulation. *Fish Physiology and Biochemistry*, 26, 43-56.

Schütz, L., Sebert, M., 1987. Mineral aerosols and source identification. *Journal of Aerosol Science*, 18, p1-10.

Schwartz, J., 1994. What are people dying of on high air pollution days?. *Environmental Research*, 64, 26-35.

Seinfeld J. H., Pandis S. N., 1998. *Atmospheric Chemistry and Physics: From air pollution to climate change*. John Wiley & Sons, Inc., 1323.

Serita, A., Hattori, K., Yoshino, C., Hayakawa, M. and Isezaki, N., 2005. Principal component analysis and singular spectrum analysis of ULF geomagnetic data associated with earthquakes. *NAT HAZARD EARTH SYS.* 5,685–689.

Sharma, H., Jain, V.K. and Khan, Z.H., 2007. Characterization and source identification of polycyclic aromatic hydrocarbons (PAHs) in the urban environment of Delhi. *Chemosphere* 66, 302-310.

Sharma, S., 1998. *Applied Multivariate Techniques*. John Wiley and Sons.

Shell, 1975. Sittinbourne analytical method Series. Cypermethine valoration from Fendona, 6SC.USA:

Shepherd, G. M, 1988. *Neurobiology*. New York: Oxford University Press.

Siegfried, B. D., 1993. Comparative toxicity of pyrethroid insecticides to terrestrial and aquatic insects. Environmental Toxicology and Chemistry, 12, p1683-1689.

Siegmund, K., Sattler, K., 2000. Formation mechanism for polycyclic aromatic hydrocarbons in methane flames. Journal of Chemical Physics, 112, p698-709.

Simoneit, B.R.T., 1977. Diterpenoid compounds and other lipids in deep-sea sediments and their geochemical significance. Geochim. Cosmochim. Acta, 43:463–476.

Simons, J., 2003. An introduction to theoretical chemistry. Cambridge University Press.

Simpson, E. R., Clyne, C., Rubin, G., Boon, W. C., Robertson, K., Britt, K., Speed, C., Jones, M., 2002, Aromatase—a brief overview. Annu Rev Physiol, 64, p.93.

Simpson, E. R., Mahendroo, M. S., Means, G. D., Kilgore, M. W., Hinshelwood, M. M., Graham-Lorence, S., Amarnath, B., Ito, Y., Fisher, C. R., Michael, M. D., Mendelson, C. R., Bulun, S. E., 1994. Endocrine reviews, 15, p342.

Siri, W., 1947. Mass spectroscope for analysis in the low-mass range. Review of Scientific Instruments, 18, p540–545.

Smith, C. A., Want, E. J., O'Maille, G., Abagyan, R., Siuzdak, G., 2006. XCMS: Processing mass spectrometry data for metabolite profiling using nonlinear peak alignment, matching and identification. Analytical Chemistry 78, 779-787.

Smith, S. J., Sutcliffe B. T., 1997. The development of Computational Chemistry in the United Kingdom. Reviews in Computational Chemistry, 70, p271 - 316.

Snyder, L. R, Kirkland , J. J., 1991. Introduction to Modern Liquid Chromatography. Wiley: New York This often quoted ratio has been a major justification for development of LC/MS over the past 20 years.

Socorro, S., Martins, R. S., Deloffre, L., Mylonas, C. C., Canario, A. V., 2007. Gen Comp Endocrinol, 150, 164.

Spiro, T. G., Stigliani, W. M., 2004. Química Medioambiental. Pearson, Prentice Hall. Madrid

Suter, G. W., 2000. Ecological risk assessment for contaminated sites-Apéndice I CRC Press.

Szabo, A., Ostlund, N. S., 1996. Modern Quantum Chemistry: Introduction to Advanced Electronic Structure Theory, Dover Publications; New Ed edition.

Szabo, N. S., Ostlund, 1989. Modern Quantum Chemistry. Mc graw hill.

Tamamuraa, S., Satob, T., Otaa, Y., Wanga, X., Tangaa, N., Hayakawa, K., 2007. Long-range transport of polycyclic aromatic hydrocarbons (PAHs) from the eastern Asian continent to Kanazawa, Japan with Asian dust. *Atmospheric Environment*, 41, p2580–2593.

Tanaka, M., Telecky, T. M., Fukada, S., Adachi, S., Chen, S., Nagahama, Y., 1992. *Journal of Molecular Endocrinology*, 8, 53.

Testa, B., Kier, L. B., 1991. The concept of molecular structure in structure-activity. Relationships studies and drug desing. *Medical Research Reviews*, 11, p35-48.

Thiel, W., 2000. Semiempirical Methods. published in *Modern Methods and Algorithms of Quantum Chemistry, Proceedings*, Second Edition, J. Grotendorst (Ed.), John von Neumann Institute for Computing, J' ulich, NIC Series, 3, p261-283.

Todeschini, R., Consonni, V., 2000. *Handbook of Molecular Descriptors*, Wiley-VCH.

Topalián, M. L., Rovedatti, M. G., Castañé, P. M., Salibián, A., 1999. Pollution in a Lowland River System. A Case Study: the Reconquista River (Buenos Aires, Argentina) Water, Air, and Soil Pollution, 114, p.287-302.

Trinajstic, N., 1992. *Chemical Graph Theory*; 2nd Edition ed. CRC Press: Boca Raton, FL.

Tsapakis, M., Stephanou, E. G., 2005. Occurrence of gaseous and particulate polycyclic aromatic hydrocarbons in the urban atmosphere: study of sources and ambient temperature effect on the gas/particle concentration and distribution. *Environmental Pollution* 133, 147–156.

Tswett, M.S., Protok., Tr . Varshav . Obshch . 1905. *Estestvoispyt Otd , Biol .* 14(1905).

Tyler Miller, G, 1998. *Living in the environment principles, connections, and solutions*. Belmont : Itp-Intern.Thomson Publishing.

Tyler Miller, G., 2007. *Ciencia Ambiental/ Environmental Science: Desarrollo sostenible, un enfoque integral*. Octava Edición. Cengage Learning Editores

U.S.D.A., 1995. Agricultural Research Service. ARS Pesticide Properties: May 1995. Internet address: wizard.arsusda.gov/rsml/textfiles/cypermethrin.

UNEP/WHO. GEMS/AIR, 1994. Methodology Review Handbooks. Nairobi: United Nations Environment Programme.

Unger, S. H., Hansch, C, 1976. *Progress in Physical Organic Chemistry*, 12, John Wiley & Sons, Inc.

URIEL, E., 1995. *Análisis de Datos: Series temporales y Análisis Multivariante*. Colección Plan Nuevo. Editorial AC.

USEPA (2001). 2001 Update of Ambient Water Quality Criteria for Cadmium. Environmental Protection Agency, Washington DC, EPA-822-R-01-001.

USEPA (2003). 2003 Draft Update of Ambient Water Quality Criteria for Cadmium. Environmental Protection Agency, Washington DC, EPA 822-R-03-026.

USEPA, 1988. Method TO-13-The detection of benzo(a)pyrene and other polynuclear aromatic hydrocarbons (PAH) in ambient air using gas chromatographic (GC) and high performance liquid chromatographic (HPLC) analysis. Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, EPA/600/4e89/017.

USEPA, 1996. Air Quality Criteria for Particulate Matter. EPA. Vol. 1.

USEPA, 2002. Third external review draft of air quality criteria for particulate matter.

USEPA, 2004. Air Quality Criteria for Particulate Matter. Vol 3. 600/P-95-001cF. Washington DC:U.S. Environmental Protection Agency, Office of Research and Development.

Valavanidis, A., Fiotakis, K., Vlahogianni, T., Bakeas, E.N., Triantafillaki, S., Paraskevopoulou, V., Dassenakis, M., 2006. Characterization of atmospheric particulates, particle-bound transition metals and polycyclic aromatic hydrocarbons of urban air in the centre of Athens (Greece). Chemosphere, 65, p760–768.

Van Oss, C. J., Van Regenmortel, M. H. V., 1994. Immunochemistry. CRC Press.

Van Venrooij, M.A.M, Van Venrooij, W. J., Maini, R. N., 1993. Manual of biological markers of disease. Ed. Springer.

Varmuzaa, K., Penchevb, P., Stancla, F., Werthera, W., 1997. Systematic structure elucidation of organic spectra classification compounds by mass. Journal of Molecular Structure 408/409, 91-96.

Venkataraman, C., Friedlander, S. K., 1994. Size distributions of polycyclic aromatic-hydrocarbons and elemental carbon. 2. Ambient measurements and effects of atmospheric processes. Environmental Science and Technology 28 (4), 563–572.

Venkataraman, C., Lyons, J. M., Friedlander, S. K., 1994. Size distributions of polycyclic aromatic hydrocarbons and elemental carbon: I Sampling, measurement methods and source characterization. Environmental Science and Technology 28, 555–562.

Venkataraman, C., Thomas, S., Kulkarni, P., 1999. Size Distributions of Polycyclic Aromatic Hydrocarbons – Gas/Particle Partitioning to Urban Aerosols, *Journal of Aerosol Science*, 30, p759-770.

Verbeck, G. F., Ruotolo, B. T., Sawyer, H. A., Gillig, K. J., Russell, D. H., 2002. *J Biomol Tech*, 13, 56–61.

Viana, M., Kuhlbusch, T. A. J., Querol, X., Alastueya, A., Harrison, R.M., Hopked, P. K., Winiwarter, W., Valliusg, M., Szidat, S., Prévôt, A. S. H., Hueglinj, C., Bloemenk, H., Wåhlén, P., Vecchi, R., Mirandan, A. I., Kasper-Giebl, A., Maenhaut, W., Hitzenberger, R., 2008. Rev. Source apportionment of particulate matter in Europe: A review of methods and results. *Aerosol Science*, 39, p827–849.

Viana, M., Querol, X., Götschi, T., Alastuey, A., Sunyer, J., Forsberg, B. et al. (2007). Source apportionment of ambient PM_{2.5} at five Spanish centres of the European Community Respiratory Health Survey (ECRHS II). *Atmospheric Environment*, 41, 1395–1406.

Vogel, A., 1991. *Practical Organics Chemistry*. Longman, Great Britain, 5 ta Edic.

Vouitsis, E., Ntziachristos, L., Samaras, Z., 2003. Particulate mass measurements for low emitting diesel powered vehicles: what is next? *Progress in Energy and Combustion Science*, 29, 635.

Vouitsis, E., Ntziachristos, L., Samaras, Z., 2008. Theoretical Investigation of the Nucleation Mode Formation Downstream of Diesel After-treatment Devices. *Aerosol and Air Quality Research*, 8, p37-53.

Wade, M. B., G., Kraak, V. D., 1991. *General Comparative Endocrinology*, 83, p337.

Wakeham, S. G., Schaffner, C., Giger, W., 1980. Polycyclic aromatic hydrocarbons in recent lake sediments. I—Compounds having anthropogenic origin. *Geochim. Cosmochim. Acta*, 44:403–413.

Walker, M. H. y Keith, L. H., 1992. *EPA's Pesticide Fact Sheet Database*. Lewis Publishers, Chelsea, MI.

Wang, C., Kong, H., Guan, Y., Yang, J., Gu, J., Yang, S., Xu, G., 2005. Plasma phospholipid metabolic profiling and biomarkers of type 2 diabetes mellitus based on high-performance liquid chromatography/electrospray mass spectrometry and multivariate statistical analysis. *Anal. Chem.* 77, 4108-4116.

Wang, X. G., Orban, L., 2007. *Developmental Dynamics*, 236, p1329.

Wang, Z., Chen, J., Qiao, X., Yang, P., Tian, F., Huang, L., 2007. Distribution and sources of polycyclic aromatic hydrocarbons from urban to rural soils: A case study in Dalian, China. Chemosphere, 68, p965–971.

Want E.J., Nordstrom A., Morita H., Siuzdak G., 2007. From Exogenous to Endogenous: The Inevitable Imprint of Mass Spectrometry in Metabolomics. Journal of Proteome Research 6, 459-468.

Watson, J. G., 1984. Overview of receptor model principles. Journal of the Air Pollution Control Association, 34, 619–623.

Westbrook, C. K., Pitz, W. J., Mueller, C. J., Pickett, L. M., Martin, G. C., 2003. Proc. 3rd Joint Meet. US Sections of Comb. Inst., Chicago. USA.

White, W. H., Macias ,E.S., 1989. Carbonaceous particles and regional haze in the western United States. Aerosol Science and Technology, 10, p111-117.

WHO World Health Organization, 2000. Guidelines for air quality chapter 3, health-based guidelines. Geneva, 7, p32– 71.

WHO, 1998. Environmental Health Criteria, N°202, Ginebra.

WHO, 2002. Guidelines for concentration and exposure-response measurement of fine and ultra fine particulate matter for use in epidemiological studies. WHO Dietrich Schwela, Lidia Morawska, QUT, Dimitrios Kotzias, EC JRC. Published on behalf of the European Commission.

WHO, 2003. Health aspects of air pollution with particulate matter, ozone and nitrogen dioxide. World Health Organization.

WHO/PMS, 1969. Selected Methods of Measuring Air Pollutants, Geneva: WHO/OMS; Publ. No. 24.

Wiener, H. J. 1947. Structural determination of parabene boiling points Am. Chem. Soc., 69.

Wiklund, S., Johansson, E., Sjostrom, L., Mellerowicz, E.J., Edlund, U., Shockcor, J. P., Gottfries, J., Moritz and Johan Trygg, J., 2008. Visualization of GC/TOF-MS-Based Metabolomics Data for Identification of Biochemically Interesting Compounds Using OPLS Class Models. Anal. Chem. 80, 115-122.

Willstatter, R. y Stoll, A., 1913. Utersuchungenuber Chlorophy , Springer, Berlin.

Wilson, J. D., Leihy, M. W., Shaw, G., Renfree, M. B., 2002. Mol Cell Endocrinol, 198, p1.

Wold, S., Sjostrom, M., 1977. ACS Symposium. Ser. No. 52, Washington, DC.

Wold, S., Sjostrom, M., Eriksson, L., 1998. Encyclopedia of Computational Chemistry, Chichester, England, p 2006.

Wold, S.; Ruhe, A.; Wold, H.; Dunn, W. J., III. SIAM J. Sci. Stat. Comput. 1984, 5 (3), 735-743.

Wold, S.; Trygg, J.; Berglund, A.; Antti, H., 2001. Chemom. Intell. Lab. Syst. 58 (2), 131-150.

Wolff, G. T., Ruthkosky, M. S., Stroup, D. P., Korsog, P. E., 1991. A characterization of the principal PM-10 species in Claremont (summer) and Long Beach (fall) during SCAQS. Atmospheric Environment, 25 Part A, p2173-2186.

Xin, H., Yi-Fei, G., Ke, Y., Yi-Yu, C., 2007. Gas Chromatography-Mass Spectrometry Based on Metabonomics Study of Carbon Tetrachloride-Induced Acute Liver Injury in Mice. Chinese Journal of Analytical Chemistry 35, 1736-1740.

Yallow, R.S., Berson, S.A., 1960. Immunoassay of endogenous plasma insulin in man. J Clin Invest, 39, p157-75.

Yang, H.H., Lai, S. O., Hsieh, L.T., Hsueh, H. J., Chi, T. W., 2002. Profiles of PAH emission from steel and iron industries. Chemosphere 48, 1061-1074.

Yang, H.H., Lee, W. J., Chen, S.J. and Lai, S.O., 1998. PAH emission from various industrial stacks. Journal of Hazardous Materials 60, 159-174.

Yang, X., Okada, Y., Tang, N., Matsunaga, S., Tamura, S., Lin, J. M., Kameda, T., Toriba, A., Hayakawa, K., 2007. Long-range transport of polycyclic aromatic hydrocarbons from China to Japan. Atmospheric Environment , 41, p2710-2718.

Young, D., 2001. Computational Chemistry: A Practical Guide for Applying Techniques to Real World Problems, John Wiley & Sons.

Zhang, C., 2007. Fundamentals of environmental sampling and analysis. Wiley-Interscience.

Zhang, Y., Yan, W., Pei-gong, X., 2007. Levels and statistical analysis of aerosol phase PAHs over Qingdao alongshore. J Zhejiang Univ Sci A, 8, p1164-1169.

Zhu, B. T., Han, G. Z., Shim, J. Y., Wen, Y., Jiang, X. R., 2006. Quantitative Structure-activity Relationship (QSAR) of Various Endogenous Estrogen Metabolites for Human Estrogen Receptor α and β Subtypes: Insights into the Structural Determinants Favoring a Differential Subtype Binding. Endocrinology, 147, p4132 – 4150.

Ziegler, I., Fournet, R., Marquaire, P. M., 2005. Detailed kinetic modeling of Polycyclic aromatic Hydrocarbons formation in propane pyrolysis at high temperature/low pressure. Proceedings of the European Combustion Meeting.

Zupan, J., 1998. Encyclopedia of Computational Chemistry, Chichester, England, p2006.