

A search for high-mass resonances decaying to $\tau^+\tau^-$ in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector \star

ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 24 October 2012

Received in revised form 18 December 2012

Accepted 19 January 2013

Available online 26 January 2013

Editor: H. Weerts

Keywords:

Exotics

 Z'

Ditau

Resonance

Search

ABSTRACT

This Letter presents a search for high-mass resonances decaying into $\tau^+\tau^-$ final states using proton-proton collisions at $\sqrt{s} = 7$ TeV produced by the Large Hadron Collider. The data were recorded with the ATLAS detector and correspond to an integrated luminosity of 4.6 fb^{-1} . No statistically significant excess above the Standard Model expectation is observed; 95% credibility upper limits are set on the cross section times branching fraction of Z' resonances decaying into $\tau^+\tau^-$ pairs as a function of the resonance mass. As a result, Z' bosons of the Sequential Standard Model with masses less than 1.40 TeV are excluded at 95% credibility.

© 2013 CERN. Published by Elsevier B.V. Open access under CC BY-NC-ND license.

1. Introduction

Many extensions of the Standard Model (SM), motivated by grand unification, predict additional heavy gauge bosons [1–6]. As lepton universality is not necessarily a requirement for these new gauge bosons, it is essential to search in all decay modes. In particular, some models with extended weak or hypercharge gauge groups that offer an explanation for the high mass of the top quark predict that such bosons preferentially couple to third-generation fermions [7].

This Letter presents the first search for high-mass resonances decaying into $\tau^+\tau^-$ pairs using the ATLAS detector [8]. The Sequential Standard Model (SSM) is a benchmark model that contains a heavy neutral gauge boson, Z'_{SSM} , with the same couplings to fermions as the Z boson of the SM. This model is used to optimise the event selection of the search; limits on the cross section times $\tau^+\tau^-$ branching fraction of a generic neutral resonance are reported.

Direct searches for high-mass ditau resonances have been performed previously by the CDF [9] and CMS [10] collaborations. The latter search sets the most stringent 95% confidence level limits and excludes Z'_{SSM} masses below 1.4 TeV, with an expected limit of 1.1 TeV, using 4.9 fb^{-1} of integrated luminosity at $\sqrt{s} = 7$ TeV. Indirect limits on Z' bosons with non-universal flavour couplings have been set using measurements from LEP and LEP II [11] and

translate to a lower bound on the Z' mass of 1.09 TeV. For comparison, the most stringent limits on Z'_{SSM} in the dielectron and dimuon decay channels combined are 2.2 TeV from ATLAS [12] and 2.3 TeV from CMS [13].

Tau leptons can decay into a charged lepton and two neutrinos ($\tau_{\text{lep}} = \tau_e$ or τ_μ), or hadronically (τ_{had}), predominantly into one or three charged pions, a neutrino and often additional neutral pions. The $\tau_{\text{had}}\tau_{\text{had}}$ (branching ratio, BR = 42%), $\tau_\mu\tau_{\text{had}}$ (BR = 23%), $\tau_e\tau_{\text{had}}$ (BR = 23%) and $\tau_e\tau_\mu$ (BR = 6%) channels are analysed. Due to the different dominant background contributions and signal sensitivities, each channel is analysed separately and a statistical combination is used to maximise the sensitivity.

While the expected natural width of the Z'_{SSM} is small, approximately 3% of the Z' mass, the mass resolution is 30–50% in $\tau^+\tau^-$ decay modes due to the undetected neutrinos from the tau decays. Therefore, a counting experiment is performed in all analysis channels from events that pass a high-mass requirement.

2. Event samples

The data used in this search were recorded with the ATLAS detector in proton-proton (pp) collisions at a centre-of-mass energy of $\sqrt{s} = 7$ TeV during the 2011 run of the Large Hadron Collider (LHC) [14]. The ATLAS detector consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic (EM) and hadronic calorimeters, and a muon spectrometer incorporating large superconducting toroid magnets. Each subdetector is divided into barrel and end-cap components.

* E-mail address: atlas.publications@cern.ch.

Only data taken with pp collisions in stable beam conditions and with all ATLAS subsystems operational are used, resulting in an integrated luminosity of 4.6 fb^{-1} . The data were collected using a combination of single-tau and ditau triggers, designed to select hadronic tau decays, and single-lepton triggers. The $\tau_{\text{had}}\tau_{\text{had}}$ channel uses events passing either a ditau trigger with transverse energy (E_T) thresholds of 20 and 29 GeV, or a single-tau trigger with an E_T threshold of 125 GeV. The $\tau_\mu\tau_{\text{had}}$ and $\tau_e\tau_\mu$ channels use events passing a single-muon trigger with a transverse momentum (p_T) threshold of 18 GeV, which is supplemented by accepting events that pass a single-muon trigger with a p_T threshold of 40 GeV that operates only in the barrel region but does not require a matching inner detector track. The $\tau_e\tau_{\text{had}}$ channel uses events passing a single-electron trigger with p_T thresholds in the range 20–22 GeV, depending on the data-taking period. Events that pass the trigger are selected if the vertex with the largest sum of the squared track momenta has at least four associated tracks, each with $p_T > 0.5 \text{ GeV}$.

Monte Carlo (MC) simulation is used to estimate signal efficiencies and some background contributions. MC samples of background processes from $W + \text{jets}$ and $Z/\gamma^* + \text{jets}$ (enriched in high-mass $Z/\gamma^* \rightarrow \tau\tau$) events are generated with ALPGEN 2.13 [15], including up to five additional partons. Samples of $t\bar{t}$, Wt and diboson (WW , WZ , and ZZ) events are generated with MC@NLO 4.01 [16,17]. For these MC samples, the parton showering and hadronisation is performed by HERWIG 6.520 [18] interfaced to JIMMY 4.31 [19] for multiple parton interactions. Samples of s -channel and t -channel single top-quark production are generated with AcerMC 3.8 [20], with the parton showering and hadronisation performed by PYTHIA 6.425 [21]. Samples of Z'_{SSM} signal events are generated with PYTHIA 6.425, for eleven mass hypotheses ranging from 500 to 1750 GeV in steps of 125 GeV. In all samples photon radiation is performed by PHOTOS [22], and tau lepton decays are generated with TAUOLA [23]. The choice of parton distribution functions (PDFs) depends on the generator: CTEQ6L1 [24] is used with ALPGEN, CT10 [25] with MC@NLO and MRST2007 LO* [26] with PYTHIA and AcerMC.

The Z/γ^* cross section calculated at next-to-next-to-leading order (NNLO) using PHOZPR [27] with MSTW2008 PDFs [28] is used to derive mass-dependent K -factors that are applied to the leading order $Z/\gamma^* + \text{jets}$ and $Z' \rightarrow \tau\tau$ cross sections. The $W + \text{jets}$ cross section is calculated at NNLO using FEWZ 2.0 [29,30]. The $t\bar{t}$ cross section is calculated at approximate NNLO [31–33]. The cross sections for single-top production are calculated at next-to-next-to-leading logarithm for the s -channel [34] and approximate NNLO for t -channel and Wt production modes [35].

The detector response for each MC sample is simulated using a detailed GEANT4 [36] model of the ATLAS detector and subdetector-specific digitisation algorithms [37]. As the data are affected by the detector response to multiple pp interactions occurring in the same or in neighbouring bunch crossings (referred to as pile-up), minimum-bias interactions generated with PYTHIA 6.425 (with a specific LHC tune [38]) are overlaid on the generated signal and background events. The resulting events are re-weighted so that the distribution of the number of minimum-bias interactions per bunch crossing agrees with data. All samples are simulated with more than twice the effective luminosity of the data, except $W + \text{jets}$, where an equivalent of approximately 1.5 fb^{-1} is simulated.

3. Physics object reconstruction

Muon candidates are reconstructed by combining an inner detector track with a track from the muon spectrometer. They are

required to have $p_T > 10 \text{ GeV}$ and $|\eta| < 2.5$.¹ Muon quality criteria are applied in order to achieve a precise measurement of the muon momentum and reduce the misidentification rate [39]. These quality requirements correspond to a muon reconstruction and identification efficiency of approximately 95%.

Electrons are reconstructed by matching clustered energy deposits in the EM calorimeter to tracks reconstructed in the inner detector [40]. The electron candidates are required to have $p_T > 15 \text{ GeV}$ and to be within the fiducial volume of the inner detector, $|\eta| < 2.47$. The transition region between the barrel and end-cap EM calorimeters, with $1.37 < |\eta| < 1.52$, is excluded. The candidates are required to pass quality criteria based on the expected calorimeter shower shape and amount of radiation in the transition radiation tracker. These quality requirements correspond to an electron identification (ID) efficiency of approximately 90%. Electrons and muons are considered isolated if they are away from large deposits of energy in the calorimeter, or tracks with large p_T consistent with originating from the same vertex.² In the $\tau_e\tau_{\text{had}}$ channel, isolated electrons are also required to pass a tighter identification requirement corresponding to an efficiency of approximately 80%.

Jets are reconstructed using the anti- k_t algorithm [41,42] with a radius parameter value of 0.4. The algorithm uses reconstructed, noise-suppressed clusters of calorimeter cells [43]. Jets are calibrated to the hadronic energy scale with correction factors based on simulation and validated using test-beam and collision data [44]. All jets are required to have $p_T > 25 \text{ GeV}$ and $|\eta| < 4.5$. For jets within the inner detector acceptance ($|\eta| < 2.4$), the jet vertex fraction is required to be at least 0.75; the jet vertex fraction is defined as the sum of the p_T of tracks associated with the jet and consistent with originating from the selected primary vertex, divided by the sum of the p_T of all tracks associated with the jet. This requirement reduces the number of jets that originate from pile-up or are heavily contaminated by it. Events are discarded if a jet is associated with out-of-time activity or calorimeter noise [45].

Candidates for hadronic tau decays are defined as jets with either one or three associated tracks reconstructed in the inner detector. The kinematic properties of the tau candidate are reconstructed from the visible tau lepton decay products (all products excluding neutrinos). The tau charge is reconstructed from the sum of the charges of the associated tracks and is required to be ± 1 . The charge misidentification probability is found to be negligible. Hadronic tau decays are identified with a multivariate algorithm that employs boosted decision trees (BDTs) to discriminate against quark- and gluon-initiated jets using shower shape and tracking information [46]. Working points with a tau identification efficiency of about 50% (medium) for the $\tau_\mu\tau_{\text{had}}$ and $\tau_e\tau_{\text{had}}$ channels and 60% (loose) for the $\tau_{\text{had}}\tau_{\text{had}}$ channel are chosen, leading to a rate of false identification for quark- and gluon-initiated jets of a few percent [47]. Tau candidates are also required to have $p_T > 35 \text{ GeV}$ and to be in the fiducial volume of the inner detector, $|\eta| < 2.47$.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Separation in the η - ϕ plane is defined as $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

² Lepton isolation is defined using the sum of the E_T deposited in calorimeter cells within $\Delta R < 0.2$ of the lepton, $E_T^{0.2}$, and the scalar sum of the p_T of tracks with $p_T > 0.5 \text{ GeV}$ consistent with the same vertex as the lepton and within $\Delta R < 0.4$, $p_T^{0.4}$. Muons are considered isolated if they have $E_T^{0.2}/p_T < 4\%$ (and $p_T^{0.4}/p_T < 6\%$ in the $\tau_e\tau_\mu$ channel). Isolated electrons must have $p_T^{0.4}/p_T < 5\%$ and $E_T^{0.2}/p_T < 5\%$ if $p_T < 100 \text{ GeV}$ or $E_T^{0.2} < 5 \text{ GeV}$ otherwise ($E_T^{0.2}/p_T < 6\%$ and $p_T^{0.4}/p_T < 8\%$ in the $\tau_e\tau_\mu$ channel).

(the EM calorimeter transition region is excluded). In the $\tau_{\text{lep}}\tau_{\text{had}}$ channels, tau candidates are required to have only one track, which must not be in the range $|\eta| < 0.05$, and to pass a muon veto. The removed pseudorapidity region corresponds to a gap in the transition radiation tracker that reduces the power of electron/pion discrimination. In the $\tau_e\tau_{\text{had}}$ channel, tau candidates are also required to pass an electron veto using BDTs.

Geometric overlap of objects with $\Delta R < 0.2$ is resolved by selecting only one of the overlapping objects in the following order of priority: muons, electrons, tau candidates and jets. The missing transverse momentum (with magnitude $E_{\text{T}}^{\text{miss}}$) is calculated from the vector sum of the transverse momenta of all high- p_{T} objects reconstructed in the event, as well as a term for the remaining activity in the calorimeter [48]. Clusters associated with electrons, hadronic tau decays and jets are calibrated separately, with the remaining clusters calibrated at the EM energy scale.

4. Event selection

Selected events in the $\tau_{\text{had}}\tau_{\text{had}}$ channel must contain at least two oppositely-charged tau candidates with $p_{\text{T}} > 50$ GeV and no electrons with $p_{\text{T}} > 15$ GeV or muons with $p_{\text{T}} > 10$ GeV. If the event was selected by the ditau trigger, both tau candidates are required to be geometrically matched to the objects that passed the trigger. For events that pass only the single-tau trigger there is no ambiguity, so trigger matching is not required. If multiple tau candidates are selected, the two highest- p_{T} candidates are chosen. The angle between the tau candidates in the transverse plane must be greater than 2.7 radians.

Selected events in the $\tau_{\text{lep}}\tau_{\text{had}}$ channels must contain exactly one isolated muon with $p_{\text{T}} > 25$ GeV or an isolated electron with $p_{\text{T}} > 30$ GeV; no additional electrons with $p_{\text{T}} > 15$ GeV or muons with $p_{\text{T}} > 4$ GeV; and exactly one tau candidate with $p_{\text{T}} > 35$ GeV. The angle between the lepton and tau candidate in the transverse plane must be greater than 2.7 radians, and the pair must have opposite electric charge.

For the $\tau_e\tau_{\text{had}}$ channel, the $Z \rightarrow ee$ and multijet contributions are reduced to a negligible level by requiring $E_{\text{T}}^{\text{miss}} > 30$ GeV. The $W + \text{jets}$ background is suppressed by requiring the transverse mass, m_{T} , of the electron- $E_{\text{T}}^{\text{miss}}$ system, defined as

$$m_{\text{T}} = \sqrt{2 p_{\text{T}e} E_{\text{T}}^{\text{miss}} (1 - \cos \Delta\phi)}, \quad (1)$$

where $\Delta\phi$ is the angle between the lepton and $E_{\text{T}}^{\text{miss}}$ in the transverse plane, to be less than 50 GeV.

Selected events in the $\tau_e\tau_{\mu}$ channel must contain exactly one isolated muon with $p_{\text{T}} > 25$ GeV and one isolated electron with $p_{\text{T}} > 35$ GeV and opposite electric charge, no additional electrons with $p_{\text{T}} > 15$ GeV or muons with $p_{\text{T}} > 10$ GeV and not more than one jet. The jet requirement suppresses $t\bar{t}$ events, which typically have higher jet multiplicity than the signal. The two leptons are required to be back-to-back in the transverse plane using the criterion $p_{\zeta}^{\text{vis}} < 10$ GeV, with

$$p_{\zeta}^{\text{vis}} = \vec{p}_{\text{T}e} \cdot \hat{\zeta} + \vec{p}_{\text{T}\mu} \cdot \hat{\zeta}, \quad (2)$$

where ζ is a unit vector along the bisector of the e and μ momenta. This selection provides good suppression of the diboson and $t\bar{t}$ backgrounds. For Z' events, the $E_{\text{T}}^{\text{miss}}$ tends to point away from the highest- p_{T} lepton, so the angle between the highest- p_{T} lepton and $E_{\text{T}}^{\text{miss}}$ in the transverse plane is required to be greater than 2.6 radians.

The search in all channels is performed by counting events in signal regions with *total transverse mass* above thresholds optimised separately for each signal mass hypothesis in each channel

Table 1

Thresholds on $m_{\text{T}}^{\text{tot}}$ used for each signal mass point in each channel. All values are given in GeV.

$m_{Z'}$	500	625	750	875	1000	1125	≥ 1250
$\tau_{\text{had}}\tau_{\text{had}}$	350	400	500	500	650	650	700
$\tau_{\mu}\tau_{\text{had}}$	400	400	500	500	600	600	600
$\tau_e\tau_{\text{had}}$	400	400	400	500	500	500	500
$\tau_e\tau_{\mu}$	300	350	350	350	500	500	500

to give the best expected exclusion limits (see Table 1). The total transverse mass, $m_{\text{T}}^{\text{tot}}$, is defined as the mass of the visible decay products of both tau leptons and $E_{\text{T}}^{\text{miss}}$, neglecting longitudinal momentum components and the tau lepton mass,

$$m_{\text{T}}^{\text{tot}} = \sqrt{2 p_{\text{T}1} p_{\text{T}2} C + 2 E_{\text{T}}^{\text{miss}} p_{\text{T}1} C_1 + 2 E_{\text{T}}^{\text{miss}} p_{\text{T}2} C_2}, \quad (3)$$

where $p_{\text{T}1}$ and $p_{\text{T}2}$ are the transverse momenta of the visible products of the two tau decays; C is defined as $1 - \cos \Delta\phi$, where $\Delta\phi$ is the angle in the transverse plane between the visible products of the two tau decays; and C_1 and C_2 are defined analogously for the angles in the transverse plane between $E_{\text{T}}^{\text{miss}}$ and the visible products of the first and second tau decay, respectively. Figs. 1(a)–1(d) show the $m_{\text{T}}^{\text{tot}}$ distribution after event selection in each channel.

5. Background estimation

The dominant background processes in the $\tau_{\text{had}}\tau_{\text{had}}$ channel are multijet production and $Z/\gamma^* \rightarrow \tau\tau$. Minor contributions come from $W(\rightarrow \tau\nu) + \text{jets}$, $Z(\rightarrow \ell\ell) + \text{jets}$ ($\ell = e$ or μ), $W(\rightarrow \ell\nu) + \text{jets}$, $t\bar{t}$, single top-quark and diboson production. The shape of the multijet mass distribution is estimated from data that pass the full event selection but have two tau candidates of the same electric charge. The contribution is normalised to events that pass the full event selection but have low $m_{\text{T}}^{\text{tot}}$. All other background contributions are estimated from simulation.

The main background contributions in the $\tau_{\text{lep}}\tau_{\text{had}}$ channels come from $Z/\gamma^* \rightarrow \tau\tau$, $W + \text{jets}$, $t\bar{t}$ and diboson production, with minor contributions from $Z(\rightarrow \ell\ell) + \text{jets}$, multijet and single top-quark events. The contributions involving fake hadronic tau decays from multijet and $W + \text{jets}$ events are modelled with data-driven techniques involving *fake factors*, which parameterise the rate for lepton candidates in jets to pass lepton isolation or jets to pass tau identification, respectively. The remaining background is estimated using simulation.

The dominant background processes in the $\tau_e\tau_{\mu}$ channel are $t\bar{t}$, $Z/\gamma^* \rightarrow \tau\tau$ and diboson production. Contributions from processes such as $Z(\rightarrow \mu\mu) + \text{jets}$, $W + \text{jets}$ and $W\gamma + \text{jets}$, where a jet or photon is misidentified as an electron, are very small in the signal region. Multijet events are suppressed by tight lepton isolation criteria. Since background processes involving fake leptons make only minor contributions, all background contributions in the $\tau_e\tau_{\mu}$ channel are estimated using simulation. The MC estimates of the dominant background contributions are checked using high-purity control regions in data.

The following subsections describe the data-driven background estimates in more detail.

5.1. Multijet background in the $\tau_{\text{had}}\tau_{\text{had}}$ channel

The shape of the $m_{\text{T}}^{\text{tot}}$ distribution for the multijet background is estimated using events that pass the standard event selection, but have two selected τ_{had} candidates with the same electric charge and with $m_{\text{T}}^{\text{tot}} > 200$ GeV to avoid the low $m_{\text{T}}^{\text{tot}}$ region which is affected by the tau p_{T} threshold. For a low-mass signal with $m_{Z'} \leq 625$ GeV, a lower bound of 160 GeV is used, as




Fig. 1. The m_T^{tot} distribution after event selection without the m_T^{tot} requirement for each channel: (a) $\tau_{\text{had}}\tau_{\text{had}}$, (b) $\tau_\mu\tau_{\text{had}}$, (c) $\tau_e\tau_{\text{had}}$ and (d) $\tau_e\tau_\mu$. The estimated contributions from SM processes are stacked and appear in the same order as in the legend. The contribution from $Z \rightarrow ee$ events in which an electron is misidentified as a tau candidate is shown separately in the $\tau_e\tau_{\text{had}}$ channel. A Z'_{SSM} signal and the events observed in data are overlaid. The signal mass point closest to the Z'_{SSM} exclusion limit in each channel is chosen and is indicated in parentheses in the legend in units of GeV. The uncertainty on the total estimated background (hatched) includes only the statistical uncertainty from the simulated samples. The visible decay products of hadronically decaying taus are denoted by $\tau_{\text{had-vis}}$.

discussed below. This control region has only 2% contamination from other background processes and negligible signal contamination. The m_T^{tot} distribution is modelled by performing an unbinned maximum likelihood fit to the data in the control region using the following function:

$$f(m_T^{\text{tot}} | p_0, p_1, p_2) = p_0 \cdot (m_T^{\text{tot}})^{p_1 + p_2 \log(m_T^{\text{tot}})}, \quad (4)$$

where p_0 , p_1 and p_2 are free parameters. The integral of the fitted function in the high-mass tail matches the number of observed events well for any choice of the m_T^{tot} threshold, and the function models the high-mass tail well in a simulated dijet sample enriched in high-mass events. The statistical uncertainty is estimated using pseudo-experiments and increases monotonically from 12% to 83% with increasing m_T^{tot} threshold. The systematic uncertainty due to the choice of the fitting function is evaluated using alternative fitting functions and ranges from 1% to 7%. The multijet model is normalised to data that pass all analysis requirements but have m_T^{tot} in the range 200–250 GeV. For the low-mass points with $m_Z' \leq 625$ GeV, the low- m_T^{tot} side-band is lowered to 160–200 GeV to keep signal contamination negligible. Both side-bands have a maximum contamination of 5% from other background processes, which is subtracted, and negligible contamination from signal. The statistical uncertainty from the normalisation ranges from 2% to 5%. Systematic uncertainties affecting the normalisation of the background processes are propagated when performing the subtraction but have a negligible effect.

5.2. Multijet background in the $\tau_{\text{lep}}\tau_{\text{had}}$ channels

The background from multijet events is negligible at high m_T^{tot} , but it is important to estimate its contribution to model the inclusive mass distribution. Multijet events are exceptional among the background processes because the muons and electrons produced in heavy-flavour decays or the light-flavour hadrons falsely identified as electrons, are typically not isolated in the calorimeter but produced in jets. To estimate the multijet background, events in the data that fail lepton isolation are weighted event-by-event, with fake factors for lepton isolation measured from data in a multijet-rich control region (multijet-CR). The multijet-CR is defined by requiring exactly one selected lepton, as in Section 4, but without the isolation requirement; at least one tau candidate that fails the BDT ID; no tau candidates that pass the BDT ID; $E_T^{\text{miss}} < 15$ GeV for the $\tau_\mu\tau_{\text{had}}$ channel, $E_T^{\text{miss}} < 30$ GeV for the $\tau_e\tau_{\text{had}}$ channel; and the transverse mass formed by the lepton and E_T^{miss} , $m_T(\ell, E_T^{\text{miss}})$, to be less than 30 GeV. For the $\tau_\mu\tau_{\text{had}}$ channel, where the multijet contribution is dominated by b -quark-initiated jets, the muon is additionally required to have a transverse impact parameter of $|d_0(\mu)| > 0.08$ mm with respect to the primary vertex, which increases the purity of the multijet control region. The leptons in the multijet control region are divided into those that pass (isolated) and a subset that fail (anti-isolated) the isolation requirements. In the $\tau_\mu\tau_{\text{had}}$ channel the anti-isolated sample includes all muons that fail isolation, while in the $\tau_e\tau_{\text{had}}$ channel, the anti-isolation requirement is tightened to reduce contamination from real isolated electrons. Isolation fake factors, f_{iso} , are

defined as the number of isolated leptons in the data, N^{iso} , divided by the number of anti-isolated leptons, $N^{\text{anti-iso}}$, binned in p_{T} and η :

$$f_{\text{iso}}(p_{\text{T}}, \eta) \equiv \left. \frac{N^{\text{iso}}(p_{\text{T}}, \eta)}{N^{\text{anti-iso}}(p_{\text{T}}, \eta)} \right|_{\text{multijet-CR}} \quad (5)$$

Contamination from real isolated leptons is estimated using simulation and subtracted from N^{iso} ($\sim 3\%$ for $\tau_{\mu} \tau_{\text{had}}$ and $\sim 25\%$ for $\tau_e \tau_{\text{had}}$). The number of multijet events passing lepton isolation, N_{multijet} , is predicted by weighting the events with anti-isolated leptons by their fake factor:

$$N_{\text{multijet}}(p_{\text{T}}, \eta, x) = f_{\text{iso}}(p_{\text{T}}, \eta) (N_{\text{data}}^{\text{anti-iso}}(p_{\text{T}}, \eta, x) - N_{\text{MC}}^{\text{anti-iso}}(p_{\text{T}}, \eta, x)). \quad (6)$$

The shape of the multijet background in a given kinematic variable, x , is modelled from the events in the data with anti-isolated leptons, $N_{\text{data}}^{\text{anti-iso}}$, corrected by subtracting the expected contamination from other background processes predicted with MC simulation, $N_{\text{MC}}^{\text{anti-iso}}$.

This method assumes that the ratio of the number of isolated leptons to the number of anti-isolated leptons in multijet events is not strongly correlated with the requirements used to enrich the multijet control sample. This assumption has been verified by varying the $E_{\text{T}}^{\text{miss}}$ and d_0 selection criteria used to define the multijet control region. A conservative 100% systematic uncertainty on the isolation fake factor is assumed, but this has negligible effect on the sensitivity because the expected multijet background is less than a percent of the total background in both the $\tau_{\mu} \tau_{\text{had}}$ and $\tau_e \tau_{\text{had}}$ channels.

5.3. $W + \text{jets}$ background in the $\tau_{\text{lep}} \tau_{\text{had}}$ channels

The $W + \text{jets}$ background is estimated using a technique similar to the multijet estimate, where tau candidates that fail the BDT ID are weighted event-by-event with fake factors for jets to pass the BDT ID in $W + \text{jets}$ events. A high purity $W + \text{jets}$ control region (W-CR) is defined by selecting events that have exactly one isolated lepton, as in Section 4; at least one tau candidate that is not required to pass the BDT ID; and $m_{\text{T}}(\ell, E_{\text{T}}^{\text{miss}})$ between 70 and 200 GeV. For the $\tau_e \tau_{\text{had}}$ channel, the tau candidate is additionally required to pass the electron veto. Tau ID fake factors, f_{τ} , are defined as the number of tau candidates that pass the BDT ID, $N^{\text{pass } \tau\text{-ID}}$, divided by the number that fail, $N^{\text{fail } \tau\text{-ID}}$, binned in p_{T} and η :

$$f_{\tau}(p_{\text{T}}, \eta) \equiv \left. \frac{N^{\text{pass } \tau\text{-ID}}(p_{\text{T}}, \eta)}{N^{\text{fail } \tau\text{-ID}}(p_{\text{T}}, \eta)} \right|_{\text{W-CR}} \quad (7)$$

The number of $W + \text{jets}$ events passing the BDT ID, $N_{W+\text{jets}}$, is predicted by weighting the events that fail the BDT ID by their fake factor:

$$N_{W+\text{jets}}(p_{\text{T}}, \eta, x) = f_{\tau}(p_{\text{T}}, \eta) (N_{\text{data}}^{\text{fail } \tau\text{-ID}}(p_{\text{T}}, \eta, x) - N_{\text{multijet}}^{\text{fail } \tau\text{-ID}}(p_{\text{T}}, \eta, x) - N_{\text{MC}}^{\text{fail } \tau\text{-ID}}(p_{\text{T}}, \eta, x)). \quad (8)$$

The shape of the $W + \text{jets}$ background is modelled using events in the data that failed the BDT ID, $N_{\text{data}}^{\text{fail } \tau\text{-ID}}$, with the multijet contamination, $N_{\text{multijet}}^{\text{fail } \tau\text{-ID}}$ (estimated from data), and other contamination, $N_{\text{MC}}^{\text{fail } \tau\text{-ID}}$ (estimated from simulation), subtracted.

A 30% systematic uncertainty on the fake factors is assigned by comparing the fake factors to those measured in a data sample enriched in $Z + \text{jets}$ instead of $W + \text{jets}$, which provides a sample of jets with a similar quark/gluon fraction [49]. This background estimation method relies on the assumption that the tau identification

fake factors for $W + \text{jets}$ events are not strongly correlated with the selection used to define the $W + \text{jets}$ control region. This assumption has been verified by varying the m_{T} selection criterion used to define the $W + \text{jets}$ control region, resulting in a few percent variation, which is well within the systematic uncertainty.

6. Systematic uncertainties

Systematic effects on the contributions of signal and background processes estimated from simulation are discussed in this section. These include theoretical uncertainties on the cross sections of simulated processes and experimental uncertainties on the trigger, reconstruction and identification efficiencies; on the energy and momentum scales and resolutions; and on the measurement of the integrated luminosity. For each source of uncertainty, the correlations across analysis channels, as well as the correlations between signal and background, are taken into account. Uncertainties on the background contributions estimated from data have been discussed in their respective sections.

The overall uncertainty on the Z' signal and the $Z/\gamma^* \rightarrow \tau\tau$ background due to PDFs, α_S and scale variations is estimated to be 12% at 1.5 TeV, dominated by the PDF uncertainty [12]. The uncertainty is evaluated using PDF error sets, and the spread of the variations covers the difference between the central values obtained with the CTEQ and MSTW PDF sets. Additionally, for $Z/\gamma^* \rightarrow \tau\tau$, a systematic uncertainty of 10% is attributed to electroweak corrections [50]. This uncertainty is not considered for the signal as it is strongly model-dependent. An uncertainty of 4–5% is assumed for the inclusive cross section of the single gauge boson and diboson production mechanisms and a relative uncertainty of 24% is added in quadrature per additional jet, due to the irreducible Berends-scaling uncertainty [51,52]. For $t\bar{t}$ and single top-quark production, the QCD scale uncertainties are in the range of 3–6% [35,53,54]. The uncertainties related to the proton PDFs, including those arising from the choice of PDF set, amount to 8% for the predominantly gluon-initiated processes such as $t\bar{t}$ and 4% for the predominantly quark-initiated processes at low mass, such as on-shell single gauge boson and diboson production [25,28,55–57].

The uncertainty on the integrated luminosity is 3.9% [58,59]. The efficiencies of the electron, muon and hadronic tau triggers are measured in data and are used to correct the simulation. The associated systematic uncertainties are typically 1–2% for electrons and muons, 2.5% for the ditau trigger and 5% for the high- p_{T} single-tau trigger. Differences between data and simulation in the reconstruction and identification efficiencies of electrons, muons, and hadronic tau decays are taken into account, as well as the differences in the energy and momentum scales and resolutions. The associated uncertainties for muons and electrons are typically $< 1\%$.

The systematic uncertainties on the identification efficiency of hadronic tau decays are estimated at low p_{T} from data samples enriched in $W \rightarrow \tau\nu$ and $Z \rightarrow \tau\tau$ events. At high p_{T} , there are no abundant sources of real hadronic tau decays to make an efficiency measurement. Rather, the fraction of jets that pass the tau identification is studied in high- p_{T} dijet events as a function of the jet p_{T} , which indicates that there is no degradation in the modelling of the detector response as a function of the p_{T} of tau candidates. From these studies, an efficiency uncertainty of up to 8% is assigned to high- p_{T} tau candidates. The uncertainty on the jet-to-tau misidentification rate is 50%, determined from data-MC comparisons in $W + \text{jet}$ events. The uncertainty on the electron-to-tau misidentification rate is 50–100%, depending on the pseudorapidity of the tau candidate, based on measurements made using a $Z \rightarrow ee$ sample selected from data [47]. The energy scale uncertainty on taus and jets is evaluated based on the single-hadron response in

Table 2

Uncertainties on the estimated signal and total background contributions in percent for each channel. The following signal masses, chosen to be close to the region where the limits are set, are used: 1250 GeV for $\tau_{\text{had}}\tau_{\text{had}}$ (hh); 1000 GeV for $\tau_{\mu}\tau_{\text{had}}$ (μh) and $\tau_e\tau_{\text{had}}$ (eh); and 750 GeV for $\tau_e\tau_{\mu}$ ($e\mu$). A dash denotes that the uncertainty is not applicable. The statistical uncertainty corresponds to the uncertainty due to limited sample size in the MC and control regions.

Uncertainty [%]	Signal				Background			
	hh	μh	eh	$e\mu$	hh	μh	eh	$e\mu$
Stat. uncertainty	1	2	2	3	5	20	23	7
Eff. and fake rate	16	10	8	1	12	16	4	3
Energy scale and res.	5	7	6	2	⁺²² ₋₁₁	3	8	5
Theory cross section	8	6	6	5	9	4	4	5
Luminosity	4	4	4	4	2	2	2	4
Data-driven methods	—	—	—	—	⁺²¹ ₋₁₁	6	16	—

the calorimeters [44,60]. In addition, the tau energy scale is validated in data samples enriched in $Z \rightarrow \tau\tau$ events. The systematic uncertainties related to the jet and tau energy scale and resolution are functions of η and p_T , and are generally near 3%. These uncertainties are treated as fully correlated. Energy scale and resolution uncertainties on all objects are propagated to the E_T^{miss} calculation. The uncertainty on the E_T^{miss} due to clusters that do not belong to any reconstructed object is measured to be negligible in all channels.

Table 2 summarises the uncertainties on the estimated signal and total background contributions in each channel. For the background, the contribution from each uncertainty depends on the fraction of the background estimated with simulation. The dominant uncertainties on the background come from the multijet shape estimation and the tau energy scale uncertainty for $Z/\gamma^* \rightarrow \tau\tau$ events in the $\tau_{\text{had}}\tau_{\text{had}}$ channel, from the limited sample size and the fake factor estimate of the $W + \text{jets}$ background in the $\tau_{\text{lep}}\tau_{\text{had}}$ channels and from the statistical uncertainty of the MC samples in the $\tau_e\tau_{\mu}$ channel. The dominant uncertainty on the signal for the $\tau_{\text{had}}\tau_{\text{had}}$ and $\tau_{\text{lep}}\tau_{\text{had}}$ channels comes from the tau identification efficiency and for the $\tau_e\tau_{\mu}$ channel, from the statistical uncertainty on the MC samples.

7. Results and discussion

The numbers of observed and expected events including their total uncertainties, after the full selection in all channels, are summarised in Table 3. In all cases, the number of observed events is consistent with the expected Standard Model background. There-

fore, upper limits are set on the production of a high-mass resonance decaying to $\tau^+\tau^-$ pairs.

The statistical combination of the channels employs a likelihood function constructed as the product of Poisson probability terms describing the total number of events observed in each channel. The Poisson probability in each channel is evaluated for the observed number of data events given the signal plus background expectation. Systematic uncertainties on the expected number of events are incorporated into the likelihood via Gaussian-distributed nuisance parameters. Correlations across channels are taken into account. A signal strength parameter multiplies the expected signal in each channel, for which a positive uniform prior probability distribution is assumed. Theoretical uncertainties on the signal cross section are not included in the calculation of the experimental limit as they are model-dependent.

Bayesian 95% credibility upper limits are set on the cross section times branching fraction for a high-mass resonance decaying into a $\tau^+\tau^-$ pair as a function of the resonance mass, using the Bayesian Analysis Toolkit [61]. Figs. 2(a) and 2(b) show the limits for the individual channels and for the combination, respectively. The resulting 95% credibility lower limit on the mass of a Z'_{SSM} decaying to $\tau^+\tau^-$ pairs is 1.40 TeV, with an expected limit of 1.42 TeV. The observed and expected limits in the individual channels are, respectively: 1.26 and 1.35 TeV ($\tau_{\text{had}}\tau_{\text{had}}$); 1.07 and 1.06 TeV ($\tau_{\mu}\tau_{\text{had}}$); 1.10 and 1.03 TeV ($\tau_e\tau_{\text{had}}$); and 0.72 and 0.82 TeV ($\tau_e\tau_{\mu}$).

The impact of the choice of the prior on the signal strength parameter has been evaluated by also considering the reference prior [62]. Use of the reference prior improves the mass limits by approximately 50 GeV. The impact of the vector and axial coupling strengths of the Z' has been investigated, as these can alter the fraction of the tau momentum carried by the visible decay products. For purely $V - A$ couplings, the limit on the cross section times $\tau^+\tau^-$ branching fraction is improved by $\sim 10\%$ over the mass range. For purely $V + A$ couplings, there is a mass-dependent degradation, from $\sim 15\%$ at high mass to $\sim 40\%$ at low mass. All variations lie within the 1σ band of the expected exclusion limit.

8. Conclusion

A search for high-mass ditau resonances has been performed using 4.6 fb^{-1} of data collected with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at the LHC. The $\tau_{\text{had}}\tau_{\text{had}}$, $\tau_{\mu}\tau_{\text{had}}$, $\tau_e\tau_{\text{had}}$ and $\tau_e\tau_{\mu}$ channels are analysed. The observed number of events in the high-transverse-mass region is consistent with the SM expec-

Table 3

Number of expected and observed events after event selection for each analysis channel. The expected contribution from the signal and background in each channel is calculated for the signal mass point closest to the Z'_{SSM} exclusion limit. The total uncertainties on each estimated contribution are shown. The signal efficiency denotes the expected number of signal events divided by the product of the production cross section, the ditau branching fraction and the integrated luminosity, $\sigma(pp \rightarrow Z'_{\text{SSM}}) \times \text{BR}(Z'_{\text{SSM}} \rightarrow \tau\tau) \times \int L dt$.

$m_{Z'}$ [GeV]	$\tau_{\text{had}}\tau_{\text{had}}$	$\tau_{\mu}\tau_{\text{had}}$	$\tau_e\tau_{\text{had}}$	$\tau_e\tau_{\mu}$
$m_{\text{f}}^{\text{tot}}$ threshold [GeV]	1250	1000	1000	750
$Z/\gamma^* \rightarrow \tau\tau$	0.73 ± 0.23	0.36 ± 0.06	0.57 ± 0.11	0.55 ± 0.07
$W + \text{jets}$	< 0.03	0.28 ± 0.22	0.8 ± 0.4	0.33 ± 0.10
$Z(\rightarrow \ell\ell) + \text{jets}$	< 0.01	< 0.1	< 0.01	0.06 ± 0.02
$t\bar{t}$	< 0.02	0.33 ± 0.15	0.13 ± 0.09	0.97 ± 0.22
Diboson	< 0.01	0.23 ± 0.07	0.06 ± 0.03	1.69 ± 0.24
Single top	< 0.01	0.19 ± 0.18	< 0.1	< 0.1
Multijet	0.24 ± 0.15	< 0.01	< 0.1	< 0.01
Total expected background	0.97 ± 0.27	1.4 ± 0.4	1.6 ± 0.5	3.6 ± 0.4
Events observed	2	1	0	5
Expected signal events	6.3 ± 1.1	5.5 ± 0.7	5.0 ± 0.5	6.72 ± 0.26
Signal efficiency (%)	4.3	1.1	1.0	0.4




Fig. 2. (a) The expected (dashed) and observed (solid) 95% credibility upper limits on the cross section times $\tau^+\tau^-$ branching fraction, in the $\tau_{\text{had}}\tau_{\text{had}}$, $\tau_\mu\tau_{\text{had}}$, $\tau_e\tau_{\text{had}}$ and $\tau_e\tau_\mu$ channels and for the combination. The expected Z'_{SSM} production cross section and its corresponding theoretical uncertainty (dotted) are also included. (b) The expected and observed limits for the combination including 1σ and 2σ uncertainty bands. Z'_{SSM} masses up to 1.40 TeV are excluded, in agreement with the expected limit of 1.42 TeV in the absence of a signal.

tation. Limits are set on the cross section times branching fraction for such resonances. The resulting lower limit on the mass of a Z' decaying to $\tau^+\tau^-$ in the Sequential Standard Model is 1.40 TeV at 95% credibility, in agreement with the expected limit of 1.42 TeV in the absence of a signal.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Open access

This article is published Open Access at sciedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

References

- [1] P. Langacker, Rev. Mod. Phys. 81 (2009) 1199, arXiv:0801.1345 [hep-ph].
- [2] J.L. Hewett, et al., Phys. Rep. 183 (1989) 193.
- [3] M. Cvetic, et al., Discovery and identification of extra gauge bosons, arXiv: hep-ph/9504216, 1995.
- [4] A. Leike, Phys. Rep. 317 (1999) 143, arXiv:hep-ph/9805494.
- [5] T.G. Rizzo, Z' phenomenology and the LHC, arXiv:hep-ph/0610104, 2006.
- [6] R. Diener, et al., Phys. Rev. D 83 (2011) 115008, arXiv:1006.2845 [hep-ph].
- [7] K.R. Lynch, et al., Phys. Rev. D 63 (2001) 035006, arXiv:hep-ph/0007286.
- [8] ATLAS Collaboration, JINST 3 (2008) S08003.
- [9] CDF Collaboration, D. Acosta, et al., Phys. Rev. Lett. 95 (2005) 131801, arXiv: hep-ex/0506034.
- [10] CMS Collaboration, Phys. Lett. B 716 (2012) 82, arXiv:1206.1725 [hep-ex].
- [11] R.S. Chivukula, et al., Phys. Rev. D 66 (2002) 015006, arXiv:hep-ph/0205064.
- [12] ATLAS Collaboration, JHEP 1211 (2012) 138, arXiv:1209.2535 [hep-ex].
- [13] CMS Collaboration, Phys. Lett. B 714 (2012) 158, arXiv:1206.1849 [hep-ex].
- [14] L.R. Evans, et al., JINST 3 (2008) S08001.
- [15] M.L. Mangano, et al., JHEP 0307 (2003) 001, arXiv:hep-ph/0206293.
- [16] S. Frixione, et al., JHEP 0206 (2002) 029, arXiv:hep-ph/0204244.
- [17] S. Frixione, et al., JHEP 0807 (2008) 029, arXiv:0805.3067 [hep-ph].
- [18] G. Corcella, et al., JHEP 0101 (2001) 010, arXiv:hep-ph/0011363.
- [19] J.M. Butterworth, et al., Z. Phys. C 72 (1996) 637, arXiv:hep-ph/9601371.
- [20] B.P. Kersevan, et al., The Monte Carlo event generator AcerMC version 2.0 with interfaces to PYTHIA 6.2 and HERWIG 6.5, arXiv:hep-ph/0405247, 2004.
- [21] T. Sjöstrand, et al., JHEP 0605 (2006) 026, arXiv:hep-ph/0603175.
- [22] P. Golonka, et al., Eur. Phys. J. C 45 (2006) 97, arXiv:hep-ph/0506026.
- [23] N. Davidson, et al., Comput. Phys. Commun. 183 (2012) 821, arXiv:1002.0543 [hep-ph].
- [24] J. Pumplin, et al., JHEP 0207 (2002) 012, arXiv:hep-ph/0201195.
- [25] H.-L. Lai, et al., Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [26] A. Sherstnev, et al., Eur. Phys. J. C 55 (2008) 553, arXiv:0711.2473 [hep-ph].
- [27] R. Hamberg, et al., Nucl. Phys. B 359 (1991) 343.
- [28] A.D. Martin, et al., Eur. Phys. J. C 63 (2009) 189, arXiv:0901.0002 [hep-ph].
- [29] K. Melnikov, et al., Phys. Rev. D 74 (2006) 114017.
- [30] R. Gavin, et al., Comput. Phys. Commun. 182 (2011) 2388, arXiv:1011.3540 [hep-ph].
- [31] S. Moch, et al., Phys. Rev. D 78 (2008) 034003.
- [32] U. Langenfeld, et al., New results for $t\bar{t}$ production at hadron colliders, arXiv: 0907.2527 [hep-ph], 2009.
- [33] M. Aliev, et al., Comput. Phys. Commun. 182 (2011) 1034, arXiv:1007.1327 [hep-ph].
- [34] N. Kidonakis, Phys. Rev. D 81 (2010) 054028, arXiv:1001.5034 [hep-ph].
- [35] N. Kidonakis, Phys. Rev. D 83 (2011) 091503, arXiv:1103.2792 [hep-ph].
- [36] S. Agostinelli, et al., Nucl. Instrum. Meth. A 506 (2003) 250.
- [37] ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [38] ATLAS Collaboration, ATLAS tunes of PYTHIA 6 and PYTHIA 8 for MC11, ATL-PHYS-PUB-2011-009, 2011, <http://cdsweb.cern.ch/record/1363300>.
- [39] ATLAS Collaboration, Muon reconstruction efficiency in reprocessed 2010 LHC proton-proton collision data recorded with the ATLAS detector, ATLAS-CONF-2011-063, 2011, <http://cdsweb.cern.ch/record/1345743>.
- [40] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1909, arXiv:1110.3174 [hep-ex].
- [41] M. Cacciari, et al., JHEP 0804 (2008) 063, arXiv:0802.1189 [hep-ph].

- [42] M. Cacciari, et al., Phys. Lett. B 641 (2006) 57, arXiv:hep-ph/0512210.
- [43] W. Lampl, et al., Calorimeter clustering algorithms: Description and performance, ATL-LARG-PUB-2008-002, 2008, <http://cdsweb.cern.ch/record/1099735>.
- [44] ATLAS Collaboration, Eur. Phys. J. C, in press, arXiv:1112.6426 [hep-ex].
- [45] ATLAS Collaboration, Data-quality requirements and event cleaning for jets and missing transverse energy reconstruction with the ATLAS detector in proton-proton collisions at a center-of-mass energy of $\sqrt{s} = 7$ TeV, ATLAS-CONF-2010-038, 2010, <http://cdsweb.cern.ch/record/1277678>.
- [46] ATLAS Collaboration, Reconstruction, energy calibration, and identification of hadronically decaying tau leptons, ATLAS-CONF-2011-077, 2011, <http://cdsweb.cern.ch/record/1353226>.
- [47] ATLAS Collaboration, Performance of the reconstruction and identification of hadronic tau decays with ATLAS, ATLAS-CONF-2011-152, 2011, <http://cdsweb.cern.ch/record/1398195>.
- [48] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1844, arXiv:1108.5602 [hep-ex].
- [49] J. Gallicchio, et al., JHEP 1110 (2011) 103, arXiv:1104.1175 [hep-ph].
- [50] ATLAS Collaboration, Phys. Rev. Lett. 107 (2011) 272002, arXiv:1108.1582 [hep-ex].
- [51] F.A. Berends, et al., Phys. Lett. B 224 (1989) 237.
- [52] F.A. Berends, et al., Nucl. Phys. B 357 (1991) 32.
- [53] S. Moch, et al., Phys. Rev. D 78 (2008) 034003, arXiv:0804.1476 [hep-ph].
- [54] M. Beneke, et al., Phys. Lett. B 690 (2010) 483, arXiv:0911.5166 [hep-ph].
- [55] M. Botje, et al., The PDF4LHC Working Group interim recommendations, arXiv: 1101.0538 [hep-ph], 2011.
- [56] S. Alekhin, et al., The PDF4LHC Working Group interim report, arXiv:1101.0536 [hep-ph], 2011.
- [57] R.D. Ball, et al., Nucl. Phys. B 849 (2011) 296, arXiv:1101.1300 [hep-ph].
- [58] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector in 2011, ATLAS-CONF-2011-116, 2011, <http://cdsweb.cern.ch/record/1376384>.
- [59] ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1630, arXiv:1101.2185 [hep-ex].
- [60] ATLAS Collaboration, Determination of the tau energy scale and the associated systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC in 2011, ATLAS-CONF-2012-054, 2012, <http://cdsweb.cern.ch/record/1453781>.
- [61] A. Caldwell, et al., Comput. Phys. Commun. 180 (2009) 2197, arXiv:0808.2552 [physics.data-an].
- [62] D. Casadei, JINST 7 (2012) 1012, arXiv:1108.4270 [physics.data-an].

ATLAS Collaboration

G. Aad⁴⁸, T. Abajyan²¹, B. Abbott¹¹¹, J. Abdallah¹², S. Abdel Khalek¹¹⁵, A.A. Abdelalim⁴⁹, O. Abdinov¹¹, R. Aben¹⁰⁵, B. Abi¹¹², M. Abolins⁸⁸, O.S. AbouZeid¹⁵⁸, H. Abramowicz¹⁵³, H. Abreu¹³⁶, B.S. Acharya^{164a,164b}, L. Adamczyk³⁸, D.L. Adams²⁵, T.N. Addy⁵⁶, J. Adelman¹⁷⁶, S. Adomeit⁹⁸, P. Adragna⁷⁵, T. Adye¹²⁹, S. Aefsky²³, J.A. Aguilar-Saavedra^{124b,a}, M. Agustoni¹⁷, M. Aharrouche⁸¹, S.P. Ahlen²², F. Ahles⁴⁸, A. Ahmad¹⁴⁸, M. Ahsan⁴¹, G. Aielli^{133a,133b}, T.P.A. Åkesson⁷⁹, G. Akimoto¹⁵⁵, A.V. Akimov⁹⁴, M.S. Alam², M.A. Alam⁷⁶, J. Albert¹⁶⁹, S. Albrand⁵⁵, M. Aleksa³⁰, I.N. Aleksandrov⁶⁴, F. Alessandria^{89a}, C. Alexa^{26a}, G. Alexander¹⁵³, G. Alexandre⁴⁹, T. Alexopoulos¹⁰, M. Alhroob^{164a,164c}, M. Aliev¹⁶, G. Alimonti^{89a}, J. Alison¹²⁰, B.M.M. Allbrooke¹⁸, P.P. Allport⁷³, S.E. Allwood-Spiers⁵³, J. Almond⁸², A. Aloisio^{102a,102b}, R. Alon¹⁷², A. Alonso⁷⁹, F. Alonso⁷⁰, A. Altheimer³⁵, B. Alvarez Gonzalez⁸⁸, M.G. Alviggi^{102a,102b}, K. Amako⁶⁵, C. Amelung²³, V.V. Ammosov^{128,*}, S.P. Amor Dos Santos^{124a}, A. Amorim^{124a,b}, N. Amram¹⁵³, C. Anastopoulos³⁰, L.S. Ancu¹⁷, N. Andari¹¹⁵, T. Andeen³⁵, C.F. Anders^{58b}, G. Anders^{58a}, K.J. Anderson³¹, A. Andreatta^{89a,89b}, V. Andrei^{58a}, M.-L. Andrieux⁵⁵, X.S. Anduaga⁷⁰, S. Angelidakis⁹, P. Anger⁴⁴, A. Angerami³⁵, F. Anghinolfi³⁰, A. Anisenkov¹⁰⁷, N. Anjos^{124a}, A. Annovi⁴⁷, A. Antonaki⁹, M. Antonelli⁴⁷, A. Antonov⁹⁶, J. Antos^{144b}, F. Anulli^{132a}, M. Aoki¹⁰¹, S. Aoun⁸³, L. Aperio Bella⁵, R. Apolle^{118,c}, G. Arabidze⁸⁸, I. Aracena¹⁴³, Y. Arai⁶⁵, A.T.H. Arce⁴⁵, S. Arfaoui¹⁴⁸, J.-F. Arguin⁹³, S. Argyropoulos⁴², E. Arik^{19a,*}, M. Arik^{19a}, A.J. Armbruster⁸⁷, O. Arnaez⁸¹, V. Arnal⁸⁰, C. Arnault¹¹⁵, A. Artamonov⁹⁵, G. Artoni^{132a,132b}, D. Arutinov²¹, S. Asai¹⁵⁵, S. Ask²⁸, B. Åsman^{146a,146b}, L. Asquith⁶, K. Assamagan^{25,d}, A. Astbury¹⁶⁹, M. Atkinson¹⁶⁵, B. Aubert⁵, E. Auge¹¹⁵, K. Augsten¹²⁷, M. Aurousseau^{145a}, G. Avolio³⁰, R. Avramidou¹⁰, D. Axen¹⁶⁸, G. Azuelos^{93,e}, Y. Azuma¹⁵⁵, M.A. Baak³⁰, G. Baccaglioni^{89a}, C. Bacci^{134a,134b}, A.M. Bach¹⁵, H. Bachacou¹³⁶, K. Bachas³⁰, M. Backes⁴⁹, M. Backhaus²¹, J. Backus Mayes¹⁴³, E. Badescu^{26a}, P. Bagnaia^{132a,132b}, S. Bahinipati³, Y. Bai^{33a}, D.C. Bailey¹⁵⁸, T. Bain¹⁵⁸, J.T. Baines¹²⁹, O.K. Baker¹⁷⁶, M.D. Baker²⁵, S. Baker⁷⁷, P. Balek¹²⁶, E. Banas³⁹, P. Banerjee⁹³, Sw. Banerjee¹⁷³, D. Banfi³⁰, A. Bangert¹⁵⁰, V. Bansal¹⁶⁹, H.S. Bansil¹⁸, L. Barak¹⁷², S.P. Baranov⁹⁴, A. Barbaro Galtieri¹⁵, T. Barber⁴⁸, E.L. Barberio⁸⁶, D. Barberis^{50a,50b}, M. Barbero²¹, D.Y. Bardin⁶⁴, T. Barillari⁹⁹, M. Barisonzi¹⁷⁵, T. Barklow¹⁴³, N. Barlow²⁸, B.M. Barnett¹²⁹, R.M. Barnett¹⁵, A. Baroncelli^{134a}, G. Barone⁴⁹, A.J. Barr¹¹⁸, F. Barreiro⁸⁰, J. Barreiro Guimaraes da Costa⁵⁷, P. Barrillon¹¹⁵, R. Bartoldus¹⁴³, A.E. Barton⁷¹, V. Bartsch¹⁴⁹, A. Basye¹⁶⁵, R.L. Bates⁵³, L. Batkova^{144a}, J.R. Batley²⁸, A. Battaglia¹⁷, M. Battistin³⁰, F. Bauer¹³⁶, H.S. Bawa^{143,f}, S. Beale⁹⁸, T. Beau⁷⁸, P.H. Beauchemin¹⁶¹, R. Becccherle^{50a}, P. Bechtle²¹, H.P. Beck¹⁷, A.K. Becker¹⁷⁵, S. Becker⁹⁸, M. Beckingham¹³⁸, K.H. Becks¹⁷⁵, A.J. Beddall^{19c}, A. Beddall^{19c}, S. Bedikian¹⁷⁶, V.A. Bednyakov⁶⁴, C.P. Bee⁸³, L.J. Beemster¹⁰⁵, M. Begel²⁵, S. Behar Harpaz¹⁵², P.K. Behera⁶², M. Beimforde⁹⁹, C. Belanger-Champagne⁸⁵, P.J. Bell⁴⁹, W.H. Bell⁴⁹, G. Bella¹⁵³, L. Bellagamba^{20a}, M. Bellomo³⁰, A. Belloni⁵⁷, O. Beloborodova^{107,g}, K. Belotskiy⁹⁶, O. Beltramello³⁰, O. Benary¹⁵³, D. Benchekroun^{135a}, K. Bendtz^{146a,146b}, N. Benekos¹⁶⁵, Y. Benhammou¹⁵³, E. Benhar Noccioli⁴⁹, J.A. Benitez Garcia^{159b}, D.P. Benjamin⁴⁵, M. Benoit¹¹⁵, J.R. Bensinger²³, K. Benslama¹³⁰, S. Bentvelsen¹⁰⁵, D. Berge³⁰, E. Bergeaas Kuutmann⁴², N. Berger⁵, F. Berghaus¹⁶⁹,

- E. Berglund ¹⁰⁵, J. Beringer ¹⁵, P. Bernat ⁷⁷, R. Bernhard ⁴⁸, C. Bernius ²⁵, T. Berry ⁷⁶, C. Bertella ⁸³,
 A. Bertin ^{20a,20b}, F. Bertolucci ^{122a,122b}, M.I. Besana ^{89a,89b}, G.J. Besjes ¹⁰⁴, N. Besson ¹³⁶, S. Bethke ⁹⁹,
 W. Bhimji ⁴⁶, R.M. Bianchi ³⁰, L. Bianchini ²³, M. Bianco ^{72a,72b}, O. Biebel ⁹⁸, S.P. Bieniek ⁷⁷,
 K. Bierwagen ⁵⁴, J. Biesiada ¹⁵, M. Biglietti ^{134a}, H. Bilokon ⁴⁷, M. Bindi ^{20a,20b}, S. Binet ¹¹⁵, A. Bingul ^{19c},
 C. Bini ^{132a,132b}, C. Biscarat ¹⁷⁸, B. Bittner ⁹⁹, C.W. Black ¹⁵⁰, K.M. Black ²², R.E. Blair ⁶, J.-B. Blanchard ¹³⁶,
 G. Blanchot ³⁰, T. Blazek ^{144a}, I. Bloch ⁴², C. Blocker ²³, J. Blocki ³⁹, A. Blondel ⁴⁹, W. Blum ⁸¹,
 U. Blumenschein ⁵⁴, G.J. Bobbink ¹⁰⁵, V.S. Bobrovnikov ¹⁰⁷, S.S. Bocchetta ⁷⁹, A. Bocci ⁴⁵, C.R. Boddy ¹¹⁸,
 M. Boehler ⁴⁸, J. Boek ¹⁷⁵, N. Boelaert ³⁶, J.A. Bogaerts ³⁰, A. Bogdanchikov ¹⁰⁷, A. Bogouch ^{90,*},
 C. Bohm ^{146a}, J. Bohm ¹²⁵, V. Boisvert ⁷⁶, T. Bold ³⁸, V. Boldea ^{26a}, N.M. Bolnet ¹³⁶, M. Bomben ⁷⁸,
 M. Bona ⁷⁵, M. Boonekamp ¹³⁶, S. Bordoni ⁷⁸, C. Borer ¹⁷, A. Borisov ¹²⁸, G. Borissov ⁷¹, I. Borjanovic ^{13a},
 M. Borri ⁸², S. Borroni ⁸⁷, J. Bortfeldt ⁹⁸, V. Bortolotto ^{134a,134b}, K. Bos ¹⁰⁵, D. Boscherini ^{20a}, M. Bosman ¹²,
 H. Boterenbrood ¹⁰⁵, J. Bouchami ⁹³, J. Boudreau ¹²³, E.V. Bouhova-Thacker ⁷¹, D. Boumediene ³⁴,
 C. Bourdarios ¹¹⁵, N. Bousson ⁸³, A. Boveia ³¹, J. Boyd ³⁰, I.R. Boyko ⁶⁴, I. Bozovic-Jelisavcic ^{13b},
 J. Bracinik ¹⁸, P. Branchini ^{134a}, A. Brandt ⁸, G. Brandt ¹¹⁸, O. Brandt ⁵⁴, U. Bratzler ¹⁵⁶, B. Brau ⁸⁴,
 J.E. Brau ¹¹⁴, H.M. Braun ^{175,*}, S.F. Brazzale ^{164a,164c}, B. Brelier ¹⁵⁸, J. Bremer ³⁰, K. Brendlinger ¹²⁰,
 R. Brenner ¹⁶⁶, S. Bressler ¹⁷², D. Britton ⁵³, F.M. Brochu ²⁸, I. Brock ²¹, R. Brock ⁸⁸, F. Broggi ^{89a},
 C. Bromberg ⁸⁸, J. Bronner ⁹⁹, G. Brooijmans ³⁵, T. Brooks ⁷⁶, W.K. Brooks ^{32b}, G. Brown ⁸², H. Brown ⁸,
 P.A. Bruckman de Renstrom ³⁹, D. Bruncko ^{144b}, R. Bruneliere ⁴⁸, S. Brunet ⁶⁰, A. Bruni ^{20a}, G. Bruni ^{20a},
 M. Bruschi ^{20a}, T. Buanes ¹⁴, Q. Buat ⁵⁵, F. Bucci ⁴⁹, J. Buchanan ¹¹⁸, P. Buchholz ¹⁴¹, R.M. Buckingham ¹¹⁸,
 A.G. Buckley ⁴⁶, S.I. Buda ^{26a}, I.A. Budagov ⁶⁴, B. Budick ¹⁰⁸, V. Büscher ⁸¹, L. Bugge ¹¹⁷, O. Bulekov ⁹⁶,
 A.C. Bundock ⁷³, M. Bunse ⁴³, T. Buran ¹¹⁷, H. Burckhart ³⁰, S. Burdin ⁷³, T. Burgess ¹⁴, S. Burke ¹²⁹,
 E. Busato ³⁴, P. Bussey ⁵³, C.P. Buszello ¹⁶⁶, B. Butler ¹⁴³, J.M. Butler ²², C.M. Buttar ⁵³, J.M. Butterworth ⁷⁷,
 W. Buttinger ²⁸, M. Bylszewski ³⁰, S. Cabrera Urbán ¹⁶⁷, D. Caforio ^{20a,20b}, O. Cakir ^{4a}, P. Calafiura ¹⁵,
 G. Calderini ⁷⁸, P. Calfayan ⁹⁸, R. Calkins ¹⁰⁶, L.P. Caloba ^{24a}, R. Caloi ^{132a,132b}, D. Calvet ³⁴, S. Calvet ³⁴,
 R. Camacho Toro ³⁴, P. Camarri ^{133a,133b}, D. Cameron ¹¹⁷, L.M. Caminada ¹⁵, R. Caminal Armadans ¹²,
 S. Campana ³⁰, M. Campanelli ⁷⁷, V. Canale ^{102a,102b}, F. Canelli ³¹, A. Canepa ^{159a}, J. Cantero ⁸⁰,
 R. Cantrill ⁷⁶, L. Capasso ^{102a,102b}, M.D.M. Capeans Garrido ³⁰, I. Caprini ^{26a}, M. Caprini ^{26a}, D. Capriotti ⁹⁹,
 M. Capua ^{37a,37b}, R. Caputo ⁸¹, R. Cardarelli ^{133a}, T. Carli ³⁰, G. Carlino ^{102a}, L. Carminati ^{89a,89b}, B. Caron ⁸⁵,
 S. Caron ¹⁰⁴, E. Carquin ^{32b}, G.D. Carrillo-Montoya ^{145b}, A.A. Carter ⁷⁵, J.R. Carter ²⁸, J. Carvalho ^{124a,h},
 D. Casadei ¹⁰⁸, M.P. Casado ¹², M. Cascella ^{122a,122b}, C. Caso ^{50a,50b,*}, A.M. Castaneda Hernandez ^{173,i},
 E. Castaneda-Miranda ¹⁷³, V. Castillo Gimenez ¹⁶⁷, N.F. Castro ^{124a}, G. Cataldi ^{72a}, P. Catastini ⁵⁷,
 A. Catinaccio ³⁰, J.R. Catmore ³⁰, A. Cattai ³⁰, G. Cattani ^{133a,133b}, S. Caughron ⁸⁸, V. Cavalieri ¹⁶⁵,
 P. Cavalleri ⁷⁸, D. Cavalli ^{89a}, M. Cavalli-Sforza ¹², V. Cavasinni ^{122a,122b}, F. Ceradini ^{134a,134b},
 A.S. Cerqueira ^{24b}, A. Cerri ³⁰, L. Cerrito ⁷⁵, F. Cerutti ⁴⁷, S.A. Cetin ^{19b}, A. Chafaq ^{135a}, D. Chakraborty ¹⁰⁶,
 I. Chalupkova ¹²⁶, K. Chan ³, P. Chang ¹⁶⁵, B. Chapleau ⁸⁵, J.D. Chapman ²⁸, J.W. Chapman ⁸⁷, E. Chareyre ⁷⁸,
 D.G. Charlton ¹⁸, V. Chavda ⁸², C.A. Chavez Barajas ³⁰, S. Cheatham ⁸⁵, S. Chekanov ⁶, S.V. Chekulaev ^{159a},
 G.A. Chelkov ⁶⁴, M.A. Chelstowska ¹⁰⁴, C. Chen ⁶³, H. Chen ²⁵, S. Chen ^{33c}, X. Chen ¹⁷³, Y. Chen ³⁵,
 Y. Cheng ³¹, A. Cheplakov ⁶⁴, R. Cherkaoui El Moursli ^{135e}, V. Chernyatin ²⁵, E. Cheu ⁷, S.L. Cheung ¹⁵⁸,
 L. Chevalier ¹³⁶, G. Chiefari ^{102a,102b}, L. Chikovani ^{51a,*}, J.T. Childers ³⁰, A. Chilingarov ⁷¹, G. Chiodini ^{72a},
 A.S. Chisholm ¹⁸, R.T. Chislett ⁷⁷, A. Chitan ^{26a}, M.V. Chizhov ⁶⁴, G. Choudalakis ³¹, S. Chouridou ¹³⁷,
 I.A. Christidi ⁷⁷, A. Christov ⁴⁸, D. Chromek-Burckhart ³⁰, M.L. Chu ¹⁵¹, J. Chudoba ¹²⁵, G. Ciapetti ^{132a,132b},
 A.K. Ciftci ^{4a}, R. Ciftci ^{4a}, D. Cinca ³⁴, V. Cindro ⁷⁴, C. Ciocca ^{20a,20b}, A. Ciocio ¹⁵, M. Cirilli ⁸⁷, P. Cirkovic ^{13b},
 Z.H. Citron ¹⁷², M. Citterio ^{89a}, M. Ciubancan ^{26a}, A. Clark ⁴⁹, P.J. Clark ⁴⁶, R.N. Clarke ¹⁵, W. Cleland ¹²³,
 J.C. Clemens ⁸³, B. Clement ⁵⁵, C. Clement ^{146a,146b}, Y. Coadou ⁸³, M. Cobal ^{164a,164c}, A. Coccaro ¹³⁸,
 J. Cochran ⁶³, L. Coffey ²³, J.G. Cogan ¹⁴³, J. Coggeshall ¹⁶⁵, E. Cogneras ¹⁷⁸, J. Colas ⁵, S. Cole ¹⁰⁶,
 A.P. Colijn ¹⁰⁵, N.J. Collins ¹⁸, C. Collins-Tooth ⁵³, J. Collot ⁵⁵, T. Colombo ^{119a,119b}, G. Colon ⁸⁴,
 G. Compostella ⁹⁹, P. Conde Muiño ^{124a}, E. Coniavitis ¹⁶⁶, M.C. Conidi ¹², S.M. Consonni ^{89a,89b},
 V. Consorti ⁴⁸, S. Constantinescu ^{26a}, C. Conta ^{119a,119b}, G. Conti ⁵⁷, F. Conventi ^{102a,j}, M. Cooke ¹⁵,
 B.D. Cooper ⁷⁷, A.M. Cooper-Sarkar ¹¹⁸, K. Copic ¹⁵, T. Cornelissen ¹⁷⁵, M. Corradi ^{20a}, F. Corriveau ^{85,k},
 A. Cortes-Gonzalez ¹⁶⁵, G. Cortiana ⁹⁹, G. Costa ^{89a}, M.J. Costa ¹⁶⁷, D. Costanzo ¹³⁹, D. Côté ³⁰,
 L. Courtneyea ¹⁶⁹, G. Cowan ⁷⁶, C. Cowden ²⁸, B.E. Cox ⁸², K. Cranmer ¹⁰⁸, F. Crescioli ^{122a,122b},
 M. Cristinziani ²¹, G. Crosetti ^{37a,37b}, S. Crépé-Renaudin ⁵⁵, C.-M. Cuciuc ^{26a}, C. Cuenca Almenar ¹⁷⁶,

- T. Cuhadar Donszelmann ¹³⁹, J. Cummings ¹⁷⁶, M. Curatolo ⁴⁷, C.J. Curtis ¹⁸, C. Cuthbert ¹⁵⁰,
 P. Cwetanski ⁶⁰, H. Czirr ¹⁴¹, P. Czodrowski ⁴⁴, Z. Czyczula ¹⁷⁶, S. D'Auria ⁵³, M. D'Onofrio ⁷³,
 A. D'Orazio ^{132a,132b}, M.J. Da Cunha Sargedas De Sousa ^{124a}, C. Da Via ⁸², W. Dabrowski ³⁸, A. Dafinca ¹¹⁸,
 T. Dai ⁸⁷, C. Dallapiccola ⁸⁴, M. Dam ³⁶, M. Dameri ^{50a,50b}, D.S. Damiani ¹³⁷, H.O. Danielsson ³⁰, V. Dao ⁴⁹,
 G. Darbo ^{50a}, G.L. Darlea ^{26b}, J.A. Dassoulas ⁴², W. Davey ²¹, T. Davidek ¹²⁶, N. Davidson ⁸⁶, R. Davidson ⁷¹,
 E. Davies ^{118,c}, M. Davies ⁹³, O. Davignon ⁷⁸, A.R. Davison ⁷⁷, Y. Davygora ^{58a}, E. Dawe ¹⁴², I. Dawson ¹³⁹,
 R.K. Daya-Ishmukhametova ²³, K. De ⁸, R. de Asmundis ^{102a}, S. De Castro ^{20a,20b}, S. De Cecco ⁷⁸,
 J. de Graat ⁹⁸, N. De Groot ¹⁰⁴, P. de Jong ¹⁰⁵, C. De La Taille ¹¹⁵, H. De la Torre ⁸⁰, F. De Lorenzi ⁶³,
 L. de Mora ⁷¹, L. De Nooij ¹⁰⁵, D. De Pedis ^{132a}, A. De Salvo ^{132a}, U. De Sanctis ^{164a,164c}, A. De Santo ¹⁴⁹,
 J.B. De Vivie De Regie ¹¹⁵, G. De Zorzi ^{132a,132b}, W.J. Dearnaley ⁷¹, R. Debbe ²⁵, C. Debenedetti ⁴⁶,
 B. Dechenaux ⁵⁵, D.V. Dedovich ⁶⁴, J. Degenhardt ¹²⁰, J. Del Peso ⁸⁰, T. Del Prete ^{122a,122b}, T. Delemontex ⁵⁵,
 M. Deliyergiyev ⁷⁴, A. Dell'Acqua ³⁰, L. Dell'Asta ²², M. Della Pietra ^{102a,j}, D. della Volpe ^{102a,102b},
 M. Delmastro ⁵, P.A. Delsart ⁵⁵, C. Deluca ¹⁰⁵, S. Demers ¹⁷⁶, M. Demichev ⁶⁴, B. Demirkoz ^{12,l},
 S.P. Denisov ¹²⁸, D. Derendarz ³⁹, J.E. Derkaoui ^{135d}, F. Derue ⁷⁸, P. Dervan ⁷³, K. Desch ²¹, E. Devetak ¹⁴⁸,
 P.O. Deviveiros ¹⁰⁵, A. Dewhurst ¹²⁹, B. DeWilde ¹⁴⁸, S. Dhaliwal ¹⁵⁸, R. Dhullipudi ^{25,m},
 A. Di Ciaccio ^{133a,133b}, L. Di Ciaccio ⁵, C. Di Donato ^{102a,102b}, A. Di Girolamo ³⁰, B. Di Girolamo ³⁰,
 S. Di Luise ^{134a,134b}, A. Di Mattia ¹⁷³, B. Di Micco ³⁰, R. Di Nardo ⁴⁷, A. Di Simone ^{133a,133b},
 R. Di Sipio ^{20a,20b}, M.A. Diaz ^{32a}, E.B. Diehl ⁸⁷, J. Dietrich ⁴², T.A. Dietzs ^{58a}, S. Diglio ⁸⁶,
 K. Dindar Yagci ⁴⁰, J. Dingfelder ²¹, F. Dinut ^{26a}, C. Dionisi ^{132a,132b}, P. Dita ^{26a}, S. Dita ^{26a}, F. Dittus ³⁰,
 F. Djama ⁸³, T. Djobava ^{51b}, M.A.B. do Vale ^{24c}, A. Do Valle Wemans ^{124a,n}, T.K.O. Doan ⁵, M. Dobbs ⁸⁵,
 D. Dobos ³⁰, E. Dobson ^{30,o}, J. Dodd ³⁵, C. Doglioni ⁴⁹, T. Doherty ⁵³, Y. Doi ^{65,*}, J. Dolejsi ¹²⁶, I. Dolenc ⁷⁴,
 Z. Dolezal ¹²⁶, B.A. Dolgoshein ^{96,*}, T. Dohmae ¹⁵⁵, M. Donadelli ^{24d}, J. Donini ³⁴, J. Dopke ³⁰, A. Doria ^{102a},
 A. Dos Anjos ¹⁷³, A. Dotti ^{122a,122b}, M.T. Dova ⁷⁰, A.D. Doxiadis ¹⁰⁵, A.T. Doyle ⁵³, N. Dressnandt ¹²⁰,
 M. Dris ¹⁰, J. Dubbert ⁹⁹, S. Dube ¹⁵, E. Duchovni ¹⁷², G. Duckeck ⁹⁸, D. Duda ¹⁷⁵, A. Dudarev ³⁰,
 F. Dudziak ⁶³, M. Dührssen ³⁰, I.P. Duerdorff ⁸², L. Duflot ¹¹⁵, M.-A. Dufour ⁸⁵, L. Duguid ⁷⁶, M. Dunford ^{58a},
 H. Duran Yildiz ^{4a}, R. Duxfield ¹³⁹, M. Dwuznik ³⁸, M. Düren ⁵², W.L. Ebenstein ⁴⁵, J. Ebke ⁹⁸,
 S. Eckweiler ⁸¹, K. Edmonds ⁸¹, W. Edson ², C.A. Edwards ⁷⁶, N.C. Edwards ⁵³, W. Ehrenfeld ⁴², T. Eifert ¹⁴³,
 G. Eigen ¹⁴, K. Einsweiler ¹⁵, E. Eisenhandler ⁷⁵, T. Ekelof ¹⁶⁶, M. El Kacimi ^{135c}, M. Ellert ¹⁶⁶, S. Elles ⁵,
 F. Ellinghaus ⁸¹, K. Ellis ⁷⁵, N. Ellis ³⁰, J. Elmsheuser ⁹⁸, M. Elsing ³⁰, D. Emeliyanov ¹²⁹, R. Engelmann ¹⁴⁸,
 A. Engl ⁹⁸, B. Epp ⁶¹, J. Erdmann ⁵⁴, A. Ereditato ¹⁷, D. Eriksson ^{146a}, J. Ernst ², M. Ernst ²⁵, J. Ernwein ¹³⁶,
 D. Errede ¹⁶⁵, S. Errede ¹⁶⁵, E. Ertel ⁸¹, M. Escalier ¹¹⁵, H. Esch ⁴³, C. Escobar ¹²³, X. Espinal Curull ¹²,
 B. Esposito ⁴⁷, F. Etienne ⁸³, A.I. Etiennevre ¹³⁶, E. Etzion ¹⁵³, D. Evangelakou ⁵⁴, H. Evans ⁶⁰, L. Fabbri ^{20a,20b},
 C. Fabre ³⁰, R.M. Fakhrutdinov ¹²⁸, S. Falciano ^{132a}, Y. Fang ^{33a}, M. Fanti ^{89a,89b}, A. Farbin ⁸, A. Farilla ^{134a},
 J. Farley ¹⁴⁸, T. Farooque ¹⁵⁸, S. Farrell ¹⁶³, S.M. Farrington ¹⁷⁰, P. Farthouat ³⁰, F. Fassi ¹⁶⁷, P. Fassnacht ³⁰,
 D. Fassouliotis ⁹, B. Fatholahzadeh ¹⁵⁸, A. Favareto ^{89a,89b}, L. Fayard ¹¹⁵, S. Fazio ^{37a,37b}, R. Febbraro ³⁴,
 P. Federic ^{144a}, O.L. Fedin ¹²¹, W. Fedorko ⁸⁸, M. Fehling-Kaschek ⁴⁸, L. Feligioni ⁸³, C. Feng ^{33d}, E.J. Feng ⁶,
 A.B. Fenyuk ¹²⁸, J. Ferencei ^{144b}, W. Fernando ⁶, S. Ferrag ⁵³, J. Ferrando ⁵³, V. Ferrara ⁴², A. Ferrari ¹⁶⁶,
 P. Ferrari ¹⁰⁵, R. Ferrari ^{119a}, D.E. Ferreira de Lima ⁵³, A. Ferrer ¹⁶⁷, D. Ferrere ⁴⁹, C. Ferretti ⁸⁷,
 A. Ferretto Parodi ^{50a,50b}, M. Fiascaris ³¹, F. Fiedler ⁸¹, A. Filipčič ⁷⁴, F. Filthaut ¹⁰⁴, M. Fincke-Keeler ¹⁶⁹,
 M.C.N. Fiolhais ^{124a,h}, L. Fiorini ¹⁶⁷, A. Firan ⁴⁰, G. Fischer ⁴², M.J. Fisher ¹⁰⁹, M. Flechl ⁴⁸, I. Fleck ¹⁴¹,
 J. Fleckner ⁸¹, P. Fleischmann ¹⁷⁴, S. Fleischmann ¹⁷⁵, T. Flick ¹⁷⁵, A. Floderus ⁷⁹, L.R. Flores Castillo ¹⁷³,
 A.C. Florez Bustos ^{159b}, M.J. Flowerdew ⁹⁹, T. Fonseca Martin ¹⁷, A. Formica ¹³⁶, A. Forti ⁸², D. Fortin ^{159a},
 D. Fournier ¹¹⁵, A.J. Fowler ⁴⁵, H. Fox ⁷¹, P. Francavilla ¹², M. Franchini ^{20a,20b}, S. Franchino ^{119a,119b},
 D. Francis ³⁰, T. Frank ¹⁷², M. Franklin ⁵⁷, S. Franz ³⁰, M. Fraternali ^{119a,119b}, S. Fratina ¹²⁰, S.T. French ²⁸,
 C. Friedrich ⁴², F. Friedrich ⁴⁴, R. Froeschl ³⁰, D. Froidevaux ³⁰, J.A. Frost ²⁸, C. Fukunaga ¹⁵⁶,
 E. Fullana Torregrosa ³⁰, B.G. Fulsom ¹⁴³, J. Fuster ¹⁶⁷, C. Gabaldon ³⁰, O. Gabizon ¹⁷², T. Gadfort ²⁵,
 S. Gadomski ⁴⁹, G. Gagliardi ^{50a,50b}, P. Gagnon ⁶⁰, C. Galea ⁹⁸, B. Galhardo ^{124a}, E.J. Gallas ¹¹⁸, V. Gallo ¹⁷,
 B.J. Gallop ¹²⁹, P. Gallus ¹²⁵, K.K. Gan ¹⁰⁹, Y.S. Gao ^{143,f}, A. Gaponenko ¹⁵, F. Garberson ¹⁷⁶,
 M. Garcia-Sciveres ¹⁵, C. García ¹⁶⁷, J.E. García Navarro ¹⁶⁷, R.W. Gardner ³¹, N. Garelli ³⁰,
 H. Garitaonandia ¹⁰⁵, V. Garonne ³⁰, C. Gatti ⁴⁷, G. Gaudio ^{119a}, B. Gaur ¹⁴¹, L. Gauthier ¹³⁶,
 P. Gauzzi ^{132a,132b}, I.L. Gavrilenco ⁹⁴, C. Gay ¹⁶⁸, G. Gaycken ²¹, E.N. Gazis ¹⁰, P. Ge ^{33d}, Z. Gecse ¹⁶⁸,
 C.N.P. Gee ¹²⁹, D.A.A. Geerts ¹⁰⁵, Ch. Geich-Gimbel ²¹, K. Gellerstedt ^{146a,146b}, C. Gemme ^{50a},

- A. Gemmell ⁵³, M.H. Genest ⁵⁵, S. Gentile ^{132a,132b}, M. George ⁵⁴, S. George ⁷⁶, P. Gerlach ¹⁷⁵,
 A. Gershon ¹⁵³, C. Geweniger ^{58a}, H. Ghazlane ^{135b}, N. Ghodbane ³⁴, B. Giacobbe ^{20a}, S. Giagu ^{132a,132b},
 V. Giakoumopoulou ⁹, V. Giangiobbe ¹², F. Gianotti ³⁰, B. Gibbard ²⁵, A. Gibson ¹⁵⁸, S.M. Gibson ³⁰,
 M. Gilchriese ¹⁵, D. Gillberg ²⁹, A.R. Gillman ¹²⁹, D.M. Gingrich ^{3,e}, J. Ginzburg ¹⁵³, N. Giokaris ⁹,
 M.P. Giordani ^{164c}, R. Giordano ^{102a,102b}, F.M. Giorgi ¹⁶, P. Giovannini ⁹⁹, P.F. Giraud ¹³⁶, D. Giugni ^{89a},
 M. Giunta ⁹³, B.K. Gjelsten ¹¹⁷, L.K. Gladilin ⁹⁷, C. Glasman ⁸⁰, J. Glatzer ²¹, A. Glazov ⁴², K.W. Glitza ¹⁷⁵,
 G.L. Glonti ⁶⁴, J.R. Goddard ⁷⁵, J. Godfrey ¹⁴², J. Godlewski ³⁰, M. Goebel ⁴², T. Göpfert ⁴⁴, C. Goeringer ⁸¹,
 C. Gössling ⁴³, S. Goldfarb ⁸⁷, T. Golling ¹⁷⁶, A. Gomes ^{124a,b}, L.S. Gomez Fajardo ⁴², R. Gonçalo ⁷⁶,
 J. Goncalves Pinto Firmino Da Costa ⁴², L. Gonella ²¹, S. González de la Hoz ¹⁶⁷, G. Gonzalez Parra ¹²,
 M.L. Gonzalez Silva ²⁷, S. Gonzalez-Sevilla ⁴⁹, J.J. Goodson ¹⁴⁸, L. Goossens ³⁰, P.A. Gorbounov ⁹⁵,
 H.A. Gordon ²⁵, I. Gorelov ¹⁰³, G. Gorfine ¹⁷⁵, B. Gorini ³⁰, E. Gorini ^{72a,72b}, A. Gorišek ⁷⁴, E. Gornicki ³⁹,
 A.T. Goshaw ⁶, M. Gosselink ¹⁰⁵, M.I. Gostkin ⁶⁴, I. Gough Eschrich ¹⁶³, M. Gouighri ^{135a}, D. Goujdami ^{135c},
 M.P. Goulette ⁴⁹, A.G. Goussiou ¹³⁸, C. Goy ⁵, S. Gozpinar ²³, I. Grabowska-Bold ³⁸, P. Grafström ^{20a,20b},
 K.-J. Grahn ⁴², E. Gramstad ¹¹⁷, F. Grancagnolo ^{72a}, S. Grancagnolo ¹⁶, V. Grassi ¹⁴⁸, V. Gratchev ¹²¹,
 N. Grau ³⁵, H.M. Gray ³⁰, J.A. Gray ¹⁴⁸, E. Graziani ^{134a}, O.G. Grebenyuk ¹²¹, T. Greenshaw ⁷³,
 Z.D. Greenwood ^{25,m}, K. Gregersen ³⁶, I.M. Gregor ⁴², P. Grenier ¹⁴³, J. Griffiths ⁸, N. Grigalashvili ⁶⁴,
 A.A. Grillo ¹³⁷, S. Grinstein ¹², Ph. Gris ³⁴, Y.V. Grishkevich ⁹⁷, J.-F. Grivaz ¹¹⁵, E. Gross ¹⁷²,
 J. Grosse-Knetter ⁵⁴, J. Groth-Jensen ¹⁷², K. Grybel ¹⁴¹, D. Guest ¹⁷⁶, C. Guicheney ³⁴, E. Guido ^{50a,50b},
 S. Guindon ⁵⁴, U. Gul ⁵³, J. Gunther ¹²⁵, B. Guo ¹⁵⁸, J. Guo ³⁵, P. Gutierrez ¹¹¹, N. Guttman ¹⁵³,
 O. Gutzwiller ¹⁷³, C. Guyot ¹³⁶, C. Gwenlan ¹¹⁸, C.B. Gwilliam ⁷³, A. Haas ¹⁰⁸, S. Haas ³⁰, C. Haber ¹⁵,
 H.K. Hadavand ⁸, D.R. Hadley ¹⁸, P. Haefner ²¹, F. Hahn ³⁰, Z. Hajduk ³⁹, H. Hakobyan ¹⁷⁷, D. Hall ¹¹⁸,
 K. Hamacher ¹⁷⁵, P. Hamal ¹¹³, K. Hamano ⁸⁶, M. Hamer ⁵⁴, A. Hamilton ^{145b,p}, S. Hamilton ¹⁶¹, L. Han ^{33b},
 K. Hanagaki ¹¹⁶, K. Hanawa ¹⁶⁰, M. Hance ¹⁵, C. Handel ⁸¹, P. Hanke ^{58a}, J.R. Hansen ³⁶, J.B. Hansen ³⁶,
 J.D. Hansen ³⁶, P.H. Hansen ³⁶, P. Hansson ¹⁴³, K. Hara ¹⁶⁰, T. Harenberg ¹⁷⁵, S. Harkusha ⁹⁰, D. Harper ⁸⁷,
 R.D. Harrington ⁴⁶, O.M. Harris ¹³⁸, J. Hartert ⁴⁸, F. Hartjes ¹⁰⁵, T. Haruyama ⁶⁵, A. Harvey ⁵⁶,
 S. Hasegawa ¹⁰¹, Y. Hasegawa ¹⁴⁰, S. Hassani ¹³⁶, S. Haug ¹⁷, M. Hauschild ³⁰, R. Hauser ⁸⁸, M. Havranek ²¹,
 C.M. Hawkes ¹⁸, R.J. Hawkings ³⁰, A.D. Hawkins ⁷⁹, T. Hayakawa ⁶⁶, T. Hayashi ¹⁶⁰, D. Hayden ⁷⁶,
 C.P. Hays ¹¹⁸, H.S. Hayward ⁷³, S.J. Haywood ¹²⁹, S.J. Head ¹⁸, V. Hedberg ⁷⁹, L. Heelan ⁸, S. Heim ¹²⁰,
 B. Heinemann ¹⁵, S. Heisterkamp ³⁶, L. Helary ²², C. Heller ⁹⁸, M. Heller ³⁰, S. Hellman ^{146a,146b},
 D. Hellmich ²¹, C. Helsens ¹², R.C.W. Henderson ⁷¹, M. Henke ^{58a}, A. Henrichs ¹⁷⁶,
 A.M. Henriques Correia ³⁰, S. Henrot-Versille ¹¹⁵, C. Hensel ⁵⁴, C.M. Hernandez ⁸,
 Y. Hernández Jiménez ¹⁶⁷, R. Herrberg ¹⁶, G. Herten ⁴⁸, R. Hertenberger ⁹⁸, L. Hervas ³⁰, G.G. Hesketh ⁷⁷,
 N.P. Hessey ¹⁰⁵, E. Higón-Rodriguez ¹⁶⁷, J.C. Hill ²⁸, K.H. Hiller ⁴², S. Hillert ²¹, S.J. Hillier ¹⁸, I. Hinchliffe ¹⁵,
 E. Hines ¹²⁰, M. Hirose ¹¹⁶, F. Hirsch ⁴³, D. Hirschbuehl ¹⁷⁵, J. Hobbs ¹⁴⁸, N. Hod ¹⁵³, M.C. Hodgkinson ¹³⁹,
 P. Hodgson ¹³⁹, A. Hoecker ³⁰, M.R. Hoeferkamp ¹⁰³, J. Hoffman ⁴⁰, D. Hoffmann ⁸³,
 M. Hohlfeld ⁸¹, M. Holder ¹⁴¹, S.O. Holmgren ^{146a}, T. Holy ¹²⁷, J.L. Holzbauer ⁸⁸, T.M. Hong ¹²⁰,
 L. Hooft van Huysduynen ¹⁰⁸, S. Horner ⁴⁸, J.-Y. Hostachy ⁵⁵, S. Hou ¹⁵¹, A. Hoummada ^{135a}, J. Howard ¹¹⁸,
 J. Howarth ⁸², I. Hristova ¹⁶, J. Hrivnac ¹¹⁵, T. Hrypn'ova ⁵, P.J. Hsu ⁸¹, S.-C. Hsu ¹⁵, D. Hu ³⁵, Z. Hubacek ¹²⁷,
 F. Hubaut ⁸³, F. Huegging ²¹, A. Huettmann ⁴², T.B. Huffman ¹¹⁸, E.W. Hughes ³⁵, G. Hughes ⁷¹,
 M. Huhtinen ³⁰, M. Hurwitz ¹⁵, N. Huseynov ^{64,q}, J. Huston ⁸⁸, J. Huth ⁵⁷, G. Iacobucci ⁴⁹, G. Iakovidis ¹⁰,
 M. Ibbotson ⁸², I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ¹¹⁵, J. Idarraga ¹¹⁵, P. Iengo ^{102a}, O. Igonkina ¹⁰⁵,
 Y. Ikegami ⁶⁵, M. Ikeno ⁶⁵, D. Iliadis ¹⁵⁴, N. Ilic ¹⁵⁸, T. Ince ⁹⁹, P. Ioannou ⁹, M. Iodice ^{134a}, K. Iordanidou ⁹,
 V. Ippolito ^{132a,132b}, A. Irles Quiles ¹⁶⁷, C. Isaksson ¹⁶⁶, M. Ishino ⁶⁷, M. Ishitsuka ¹⁵⁷,
 R. Ishmukhametov ¹⁰⁹, C. Issever ¹¹⁸, S. Istin ^{19a}, A.V. Ivashin ¹²⁸, W. Iwanski ³⁹, H. Iwasaki ⁶⁵, J.M. Izen ⁴¹,
 V. Izzo ^{102a}, B. Jackson ¹²⁰, J.N. Jackson ⁷³, P. Jackson ¹, M.R. Jaekel ³⁰, V. Jain ⁶⁰, K. Jakobs ⁴⁸,
 S. Jakobsen ³⁶, T. Jakoubek ¹²⁵, J. Jakubek ¹²⁷, D.O. Jamin ¹⁵¹, D.K. Jana ¹¹¹, E. Jansen ⁷⁷, H. Jansen ³⁰,
 J. Janssen ²¹, A. Jantsch ⁹⁹, M. Janus ⁴⁸, R.C. Jared ¹⁷³, G. Jarlskog ⁷⁹, L. Jeanty ⁵⁷, I. Jen-La Plante ³¹,
 D. Jennens ⁸⁶, P. Jenni ³⁰, A.E. Loevschall-Jensen ³⁶, P. Jež ³⁶, S. Jézéquel ⁵, M.K. Jha ^{20a}, H. Ji ¹⁷³, W. Ji ⁸¹,
 J. Jia ¹⁴⁸, Y. Jiang ^{33b}, M. Jimenez Belenguer ⁴², S. Jin ^{33a}, O. Jinnouchi ¹⁵⁷, M.D. Joergensen ³⁶, D. Joffe ⁴⁰,
 M. Johansen ^{146a,146b}, K.E. Johansson ^{146a}, P. Johansson ¹³⁹, S. Johnert ⁴², K.A. Johns ⁷, K. Jon-And ^{146a,146b},
 G. Jones ¹⁷⁰, R.W.L. Jones ⁷¹, T.J. Jones ⁷³, C. Joram ³⁰, P.M. Jorge ^{124a}, K.D. Joshi ⁸², J. Jovicevic ¹⁴⁷,
 T. Jovin ^{13b}, X. Ju ¹⁷³, C.A. Jung ⁴³, R.M. Jungst ³⁰, V. Juranek ¹²⁵, P. Jussel ⁶¹, A. Juste Rozas ¹², S. Kabana ¹⁷,

- M. Kaci ¹⁶⁷, A. Kaczmarska ³⁹, P. Kadlecik ³⁶, M. Kado ¹¹⁵, H. Kagan ¹⁰⁹, M. Kagan ⁵⁷, E. Kajomovitz ¹⁵², S. Kalinin ¹⁷⁵, L.V. Kalinovskaya ⁶⁴, S. Kama ⁴⁰, N. Kanaya ¹⁵⁵, M. Kaneda ³⁰, S. Kaneti ²⁸, T. Kanno ¹⁵⁷, V.A. Kantserov ⁹⁶, J. Kanzaki ⁶⁵, B. Kaplan ¹⁰⁸, A. Kapliy ³¹, J. Kaplon ³⁰, D. Kar ⁵³, M. Karagounis ²¹, K. Karakostas ¹⁰, M. Karnevskiy ⁴², V. Kartvelishvili ⁷¹, A.N. Karyukhin ¹²⁸, L. Kashif ¹⁷³, G. Kasieczka ^{58b}, R.D. Kass ¹⁰⁹, A. Kastanas ¹⁴, M. Kataoka ⁵, Y. Kataoka ¹⁵⁵, E. Katsoufis ¹⁰, J. Katzy ⁴², V. Kaushik ⁷, K. Kawagoe ⁶⁹, T. Kawamoto ¹⁵⁵, G. Kawamura ⁸¹, M.S. Kayl ¹⁰⁵, S. Kazama ¹⁵⁵, V.A. Kazanin ¹⁰⁷, M.Y. Kazarinov ⁶⁴, R. Keeler ¹⁶⁹, P.T. Keener ¹²⁰, R. Kehoe ⁴⁰, M. Keil ⁵⁴, G.D. Kekelidze ⁶⁴, J.S. Keller ¹³⁸, M. Kenyon ⁵³, O. Kepka ¹²⁵, N. Kerschen ³⁰, B.P. Kerševan ⁷⁴, S. Kersten ¹⁷⁵, K. Kessoku ¹⁵⁵, J. Keung ¹⁵⁸, F. Khalil-zada ¹¹, H. Khandanyan ^{146a,146b}, A. Khanov ¹¹², D. Kharchenko ⁶⁴, A. Khodinov ⁹⁶, A. Khomich ^{58a}, T.J. Khoo ²⁸, G. Khoriauli ²¹, A. Khoroshilov ¹⁷⁵, V. Khovanskiy ⁹⁵, E. Khramov ⁶⁴, J. Khubua ^{51b}, H. Kim ^{146a,146b}, S.H. Kim ¹⁶⁰, N. Kimura ¹⁷¹, O. Kind ¹⁶, B.T. King ⁷³, M. King ⁶⁶, R.S.B. King ¹¹⁸, J. Kirk ¹²⁹, A.E. Kiryunin ⁹⁹, T. Kishimoto ⁶⁶, D. Kisielewska ³⁸, T. Kitamura ⁶⁶, T. Kittelmann ¹²³, K. Kiuchi ¹⁶⁰, E. Kladiva ^{144b}, M. Klein ⁷³, U. Klein ⁷³, K. Kleinknecht ⁸¹, M. Klemetti ⁸⁵, A. Klier ¹⁷², P. Klimek ^{146a,146b}, A. Klimentov ²⁵, R. Klingenberg ⁴³, J.A. Klinger ⁸², E.B. Klinkby ³⁶, T. Klioutchnikova ³⁰, P.F. Klok ¹⁰⁴, S. Klous ¹⁰⁵, E.-E. Kluge ^{58a}, T. Kluge ⁷³, P. Kluit ¹⁰⁵, S. Kluth ⁹⁹, E. Kneringer ⁶¹, E.B.F.G. Knoops ⁸³, A. Knue ⁵⁴, B.R. Ko ⁴⁵, T. Kobayashi ¹⁵⁵, M. Kobel ⁴⁴, M. Kocian ¹⁴³, P. Kodys ¹²⁶, K. Köneke ³⁰, A.C. König ¹⁰⁴, S. Koenig ⁸¹, L. Köpke ⁸¹, F. Koetsveld ¹⁰⁴, P. Koevesarki ²¹, T. Koffas ²⁹, E. Koffeman ¹⁰⁵, L.A. Kogan ¹¹⁸, S. Kohlmann ¹⁷⁵, F. Kohn ⁵⁴, Z. Kohout ¹²⁷, T. Kohriki ⁶⁵, T. Koi ¹⁴³, G.M. Kolachev ^{107,*}, H. Kolanoski ¹⁶, V. Kolesnikov ⁶⁴, I. Koletsou ^{89a}, J. Koll ⁸⁸, A.A. Komar ⁹⁴, Y. Komori ¹⁵⁵, T. Kondo ⁶⁵, T. Kono ^{42,r}, A.I. Kononov ⁴⁸, R. Konoplich ^{108,s}, N. Konstantinidis ⁷⁷, R. Kopeliansky ¹⁵², S. Koperny ³⁸, K. Korcyl ³⁹, K. Kordas ¹⁵⁴, A. Korn ¹¹⁸, A. Korol ¹⁰⁷, I. Korolkov ¹², E.V. Korolkova ¹³⁹, V.A. Korotkov ¹²⁸, O. Kortner ⁹⁹, S. Kortner ⁹⁹, V.V. Kostyukhin ²¹, S. Kotov ⁹⁹, V.M. Kotov ⁶⁴, A. Kotwal ⁴⁵, C. Kourkoumelis ⁹, V. Kouskoura ¹⁵⁴, A. Koutsman ^{159a}, R. Kowalewski ¹⁶⁹, T.Z. Kowalski ³⁸, W. Kozanecki ¹³⁶, A.S. Kozhin ¹²⁸, V. Kral ¹²⁷, V.A. Kramarenko ⁹⁷, G. Kramberger ⁷⁴, M.W. Krasny ⁷⁸, A. Krasznahorkay ¹⁰⁸, J.K. Kraus ²¹, S. Kreiss ¹⁰⁸, F. Krejci ¹²⁷, J. Kretzschmar ⁷³, N. Krieger ⁵⁴, P. Krieger ¹⁵⁸, K. Kroeninger ⁵⁴, H. Kroha ⁹⁹, J. Kroll ¹²⁰, J. Kroeseberg ²¹, J. Krstic ^{13a}, U. Kruchonak ⁶⁴, H. Krüger ²¹, T. Kruker ¹⁷, N. Krumnack ⁶³, Z.V. Krumshteyn ⁶⁴, M.K. Kruse ⁴⁵, T. Kubota ⁸⁶, S. Kuday ^{4a}, S. Kuehn ⁴⁸, A. Kugel ^{58c}, T. Kuhl ⁴², D. Kuhn ⁶¹, V. Kukhtin ⁶⁴, Y. Kulchitsky ⁹⁰, S. Kuleshov ^{32b}, C. Kummer ⁹⁸, M. Kuna ⁷⁸, J. Kunkle ¹²⁰, A. Kupco ¹²⁵, H. Kurashige ⁶⁶, M. Kurata ¹⁶⁰, Y.A. Kurochkin ⁹⁰, V. Kus ¹²⁵, E.S. Kuwertz ¹⁴⁷, M. Kuze ¹⁵⁷, J. Kvita ¹⁴², R. Kwee ¹⁶, A. La Rosa ⁴⁹, L. La Rotonda ^{37a,37b}, L. Labarga ⁸⁰, J. Labbe ⁵, S. Lablak ^{135a}, C. Lacasta ¹⁶⁷, F. Lacava ^{132a,132b}, J. Lacey ²⁹, H. Lacker ¹⁶, D. Lacour ⁷⁸, V.R. Lacuesta ¹⁶⁷, E. Ladygin ⁶⁴, R. Lafaye ⁵, B. Laforge ⁷⁸, T. Lagouri ¹⁷⁶, S. Lai ⁴⁸, E. Laisne ⁵⁵, L. Lambourne ⁷⁷, C.L. Lampen ⁷, W. Lampl ⁷, E. Lancon ¹³⁶, U. Landgraf ⁴⁸, M.P.J. Landon ⁷⁵, V.S. Lang ^{58a}, C. Lange ⁴², A.J. Lankford ¹⁶³, F. Lanni ²⁵, K. Lantzsch ¹⁷⁵, A. Lanza ^{119a}, S. Laplace ⁷⁸, C. Lapoire ²¹, J.F. Laporte ¹³⁶, T. Lari ^{89a}, A. Larner ¹¹⁸, M. Lassnig ³⁰, P. Laurelli ⁴⁷, V. Lavorini ^{37a,37b}, W. Lavrijsen ¹⁵, P. Laycock ⁷³, O. Le Dortz ⁷⁸, E. Le Guirriec ⁸³, E. Le Menedeu ¹², T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁵, H. Lee ¹⁰⁵, J.S.H. Lee ¹¹⁶, S.C. Lee ¹⁵¹, L. Lee ¹⁷⁶, M. Lefebvre ¹⁶⁹, M. Legendre ¹³⁶, F. Legger ⁹⁸, C. Leggett ¹⁵, M. Lehacher ²¹, G. Lehmann Miotto ³⁰, A.G. Leister ¹⁷⁶, M.A.L. Leite ^{24d}, R. Leitner ¹²⁶, D. Lellouch ¹⁷², B. Lemmer ⁵⁴, V. Lendermann ^{58a}, K.J.C. Leney ^{145b}, T. Lenz ¹⁰⁵, G. Lenzen ¹⁷⁵, B. Lenzi ³⁰, K. Leonhardt ⁴⁴, S. Leontsinis ¹⁰, F. Lepold ^{58a}, C. Leroy ⁹³, J.-R. Lessard ¹⁶⁹, C.G. Lester ²⁸, C.M. Lester ¹²⁰, J. Levêque ⁵, D. Levin ⁸⁷, L.J. Levinson ¹⁷², A. Lewis ¹¹⁸, G.H. Lewis ¹⁰⁸, A.M. Leyko ²¹, M. Leyton ¹⁶, B. Li ^{33b}, B. Li ⁸³, H. Li ¹⁴⁸, H.L. Li ³¹, S. Li ^{33b,t}, X. Li ⁸⁷, Z. Liang ^{118,u}, H. Liao ³⁴, B. Liberti ^{133a}, P. Lichard ³⁰, M. Lichtnecker ⁹⁸, K. Lie ¹⁶⁵, W. Liebig ¹⁴, C. Limbach ²¹, A. Limosani ⁸⁶, M. Limper ⁶², S.C. Lin ^{151,v}, F. Linde ¹⁰⁵, J.T. Linnemann ⁸⁸, E. Lipeles ¹²⁰, A. Lipniacka ¹⁴, T.M. Liss ¹⁶⁵, D. Lissauer ²⁵, A. Lister ⁴⁹, A.M. Litke ¹³⁷, C. Liu ²⁹, D. Liu ¹⁵¹, H. Liu ⁸⁷, J.B. Liu ⁸⁷, L. Liu ⁸⁷, M. Liu ^{33b}, Y. Liu ^{33b}, M. Livan ^{119a,119b}, S.S.A. Livermore ¹¹⁸, A. Lleres ⁵⁵, J. Llorente Merino ⁸⁰, S.L. Lloyd ⁷⁵, E. Lobodzinska ⁴², P. Loch ⁷, W.S. Lockman ¹³⁷, T. Loddenkoetter ²¹, F.K. Loebinger ⁸², A. Loginov ¹⁷⁶, C.W. Loh ¹⁶⁸, T. Lohse ¹⁶, K. Lohwasser ⁴⁸, M. Lokajicek ¹²⁵, V.P. Lombardo ⁵, R.E. Long ⁷¹, L. Lopes ^{124a}, D. Lopez Mateos ⁵⁷, J. Lorenz ⁹⁸, N. Lorenzo Martinez ¹¹⁵, M. Losada ¹⁶², P. Loscutoff ¹⁵, F. Lo Sterzo ^{132a,132b}, M.J. Losty ^{159a,*}, X. Lou ⁴¹, A. Lounis ¹¹⁵, K.F. Loureiro ¹⁶², J. Love ⁶, P.A. Love ⁷¹, A.J. Lowe ^{143,f}, F. Lu ^{33a}, H.J. Lubatti ¹³⁸, C. Luci ^{132a,132b}, A. Lucotte ⁵⁵, A. Ludwig ⁴⁴, D. Ludwig ⁴², I. Ludwig ⁴⁸, J. Ludwig ⁴⁸, F. Luehring ⁶⁰, G. Luijckx ¹⁰⁵, W. Lukas ⁶¹, L. Luminari ^{132a}, E. Lund ¹¹⁷, B. Lund-Jensen ¹⁴⁷, B. Lundberg ⁷⁹,

- J. Lundberg^{146a,146b}, O. Lundberg^{146a,146b}, J. Lundquist³⁶, M. Lungwitz⁸¹, D. Lynn²⁵, E. Lytken⁷⁹,
 H. Ma²⁵, L.L. Ma¹⁷³, G. Maccarrone⁴⁷, A. Macchiolo⁹⁹, B. Maček⁷⁴, J. Machado Miguens^{124a},
 D. Macina³⁰, R. Mackeprang³⁶, R.J. Madaras¹⁵, H.J. Maddocks⁷¹, W.F. Mader⁴⁴, R. Maenner^{58c},
 T. Maeno²⁵, P. Mättig¹⁷⁵, S. Mättig⁴², L. Magnoni¹⁶³, E. Magradze⁵⁴, K. Mahboubi⁴⁸, J. Mahlstedt¹⁰⁵,
 S. Mahmoud⁷³, G. Mahout¹⁸, C. Maiani¹³⁶, C. Maidantchik^{24a}, A. Maio^{124a,b}, S. Majewski²⁵,
 Y. Makida⁶⁵, N. Makovec¹¹⁵, P. Mal¹³⁶, B. Malaescu³⁰, Pa. Malecki³⁹, P. Malecki³⁹, V.P. Maleev¹²¹,
 F. Malek⁵⁵, U. Mallik⁶², D. Malon⁶, C. Malone¹⁴³, S. Maltezos¹⁰, V. Malyshev¹⁰⁷, S. Malyukov³⁰,
 R. Mameghani⁹⁸, J. Mamuzic^{13b}, A. Manabe⁶⁵, L. Mandelli^{89a}, I. Mandić⁷⁴, R. Mandrysch¹⁶,
 J. Maneira^{124a}, A. Manfredini⁹⁹, L. Manhaes de Andrade Filho^{24b}, J.A. Manjarres Ramos¹³⁶, A. Mann⁵⁴,
 P.M. Manning¹³⁷, A. Manousakis-Katsikakis⁹, B. Mansoulie¹³⁶, A. Mapelli³⁰, L. Mapelli³⁰, L. March¹⁶⁷,
 J.F. Marchand²⁹, F. Marchese^{133a,133b}, G. Marchiori⁷⁸, M. Marcisovsky¹²⁵, C.P. Marino¹⁶⁹,
 F. Marroquim^{24a}, Z. Marshall³⁰, L.F. Marti¹⁷, S. Marti-Garcia¹⁶⁷, B. Martin³⁰, B. Martin⁸⁸, J.P. Martin⁹³,
 T.A. Martin¹⁸, V.J. Martin⁴⁶, B. Martin dit Latour⁴⁹, S. Martin-Haugh¹⁴⁹, M. Martinez¹²,
 V. Martinez Outschoorn⁵⁷, A.C. Martyniuk¹⁶⁹, M. Marx⁸², F. Marzano^{132a}, A. Marzin¹¹¹, L. Masetti⁸¹,
 T. Mashimo¹⁵⁵, R. Mashinistov⁹⁴, J. Masik⁸², A.L. Maslennikov¹⁰⁷, I. Massa^{20a,20b}, G. Massaro¹⁰⁵,
 N. Massol⁵, P. Mastrandrea¹⁴⁸, A. Mastroberardino^{37a,37b}, T. Masubuchi¹⁵⁵, P. Matricon¹¹⁵,
 H. Matsunaga¹⁵⁵, T. Matsushita⁶⁶, C. Mattravers^{118,c}, J. Maurer⁸³, S.J. Maxfield⁷³, D.A. Maximov^{107,g},
 A. Mayne¹³⁹, R. Mazini¹⁵¹, M. Mazur²¹, L. Mazzaferro^{133a,133b}, M. Mazzanti^{89a}, J. Mc Donald⁸⁵,
 S.P. Mc Kee⁸⁷, A. McCarn¹⁶⁵, R.L. McCarthy¹⁴⁸, T.G. McCarthy²⁹, N.A. McCubbin¹²⁹, K.W. McFarlane^{56,*},
 J.A. McFayden¹³⁹, G. Mchedlidze^{51b}, T. McLaughlan¹⁸, S.J. McMahon¹²⁹, R.A. McPherson^{169,k},
 A. Meade⁸⁴, J. Mechlich¹⁰⁵, M. Mechtel¹⁷⁵, M. Medinnis⁴², S. Meehan³¹, R. Meera-Lebbai¹¹¹,
 T. Meguro¹¹⁶, S. Mehlhase³⁶, A. Mehta⁷³, K. Meier^{58a}, B. Meirose⁷⁹, C. Melachrinos³¹,
 B.R. Mellado Garcia¹⁷³, F. Meloni^{89a,89b}, L. Mendoza Navas¹⁶², Z. Meng^{151,w}, A. Mengarelli^{20a,20b},
 S. Menke⁹⁹, E. Meoni¹⁶¹, K.M. Mercurio⁵⁷, P. Mermod⁴⁹, L. Merola^{102a,102b}, C. Meroni^{89a}, F.S. Merritt³¹,
 H. Merritt¹⁰⁹, A. Messina^{30,x}, J. Metcalfe²⁵, A.S. Mete¹⁶³, C. Meyer⁸¹, C. Meyer³¹, J.-P. Meyer¹³⁶,
 J. Meyer¹⁷⁴, J. Meyer⁵⁴, S. Michal³⁰, L. Micu^{26a}, R.P. Middleton¹²⁹, S. Migas⁷³, L. Mijović¹³⁶,
 G. Mikenberg¹⁷², M. Mikesikova¹²⁵, M. Mikuž⁷⁴, D.W. Miller³¹, R.J. Miller⁸⁸, W.J. Mills¹⁶⁸, C. Mills⁵⁷,
 A. Milov¹⁷², D.A. Milstead^{146a,146b}, D. Milstein¹⁷², A.A. Minaenko¹²⁸, M. Miñano Moya¹⁶⁷,
 I.A. Minashvili⁶⁴, A.I. Mincer¹⁰⁸, B. Mindur³⁸, M. Mineev⁶⁴, Y. Ming¹⁷³, L.M. Mir¹², G. Mirabelli^{132a},
 J. Mitrevski¹³⁷, V.A. Mitsou¹⁶⁷, S. Mitsui⁶⁵, P.S. Miyagawa¹³⁹, J.U. Mjörnmark⁷⁹, T. Moa^{146a,146b},
 V. Moeller²⁸, K. Mönig⁴², N. Möser²¹, S. Mohapatra¹⁴⁸, W. Mohr⁴⁸, R. Moles-Valls¹⁶⁷, A. Molfetas³⁰,
 J. Monk⁷⁷, E. Monnier⁸³, J. Montejo Berlingen¹², F. Monticelli⁷⁰, S. Monzani^{20a,20b}, R.W. Moore³,
 G.F. Moorhead⁸⁶, C. Mora Herrera⁴⁹, A. Moraes⁵³, N. Morange¹³⁶, J. Morel⁵⁴, G. Morello^{37a,37b},
 D. Moreno⁸¹, M. Moreno Llácer¹⁶⁷, P. Morettini^{50a}, M. Morgenstern⁴⁴, M. Morii⁵⁷, A.K. Morley³⁰,
 G. Mornacchi³⁰, J.D. Morris⁷⁵, L. Morvaj¹⁰¹, H.G. Moser⁹⁹, M. Mosidze^{51b}, J. Moss¹⁰⁹, R. Mount¹⁴³,
 E. Mountricha^{10,y}, S.V. Mouraviev^{94,*}, E.J.W. Moyse⁸⁴, F. Mueller^{58a}, J. Mueller¹²³, K. Mueller²¹,
 T.A. Müller⁹⁸, T. Mueller⁸¹, D. Muenstermann³⁰, Y. Munwes¹⁵³, W.J. Murray¹²⁹, I. Mussche¹⁰⁵,
 E. Musto¹⁵², A.G. Myagkov¹²⁸, M. Myska¹²⁵, O. Nackenhorst⁵⁴, J. Nadal¹², K. Nagai¹⁶⁰, R. Nagai¹⁵⁷,
 K. Nagano⁶⁵, A. Nagarkar¹⁰⁹, Y. Nagasaka⁵⁹, M. Nagel⁹⁹, A.M. Nairz³⁰, Y. Nakahama³⁰, K. Nakamura¹⁵⁵,
 T. Nakamura¹⁵⁵, I. Nakano¹¹⁰, G. Nanava²¹, A. Napier¹⁶¹, R. Narayan^{58b}, M. Nash^{77,c}, T. Nattermann²¹,
 T. Naumann⁴², G. Navarro¹⁶², H.A. Neal⁸⁷, P.Yu. Nechaeva⁹⁴, T.J. Neep⁸², A. Negri^{119a,119b}, G. Negri³⁰,
 M. Negrini^{20a}, S. Nektarijevic⁴⁹, A. Nelson¹⁶³, T.K. Nelson¹⁴³, S. Nemecek¹²⁵, P. Nemethy¹⁰⁸,
 A.A. Nepomuceno^{24a}, M. Nessi^{30,z}, M.S. Neubauer¹⁶⁵, M. Neumann¹⁷⁵, A. Neusiedl⁸¹, R.M. Neves¹⁰⁸,
 P. Nevski²⁵, F.M. Newcomer¹²⁰, P.R. Newman¹⁸, V. Nguyen Thi Hong¹³⁶, R.B. Nickerson¹¹⁸,
 R. Nicolaïdou¹³⁶, B. Nicquevert³⁰, F. Niedercorn¹¹⁵, J. Nielsen¹³⁷, N. Nikiforou³⁵, A. Nikiforov¹⁶,
 V. Nikolaenko¹²⁸, I. Nikolic-Audit⁷⁸, K. Nikolics⁴⁹, K. Nikolopoulos¹⁸, H. Nilsen⁴⁸, P. Nilsson⁸,
 Y. Ninomiya¹⁵⁵, A. Nisati^{132a}, R. Nisius⁹⁹, T. Nobe¹⁵⁷, L. Nodulman⁶, M. Nomachi¹¹⁶, I. Nomidis¹⁵⁴,
 S. Norberg¹¹¹, M. Nordberg³⁰, P.R. Norton¹²⁹, J. Novakova¹²⁶, M. Nozaki⁶⁵, L. Nozka¹¹³,
 I.M. Nugent^{159a}, A.-E. Nuncio-Quiroz²¹, G. Nunes Hanninger⁸⁶, T. Nunnemann⁹⁸, E. Nurse⁷⁷,
 B.J. O'Brien⁴⁶, D.C. O'Neil¹⁴², V. O'Shea⁵³, L.B. Oakes⁹⁸, F.G. Oakham^{29,e}, H. Oberlack⁹⁹, J. Ocariz⁷⁸,
 A. Ochi⁶⁶, S. Oda⁶⁹, S. Odaka⁶⁵, J. Odier⁸³, H. Ogren⁶⁰, A. Oh⁸², S.H. Oh⁴⁵, C.C. Ohm³⁰, T. Ohshima¹⁰¹,
 W. Okamura¹¹⁶, H. Okawa²⁵, Y. Okumura³¹, T. Okuyama¹⁵⁵, A. Olariu^{26a}, A.G. Olchevski⁶⁴,

- S.A. Olivares Pino ^{32a}, M. Oliveira ^{124a,h}, D. Oliveira Damazio ²⁵, E. Oliver Garcia ¹⁶⁷, D. Olivito ¹²⁰,
 A. Olszewski ³⁹, J. Olszowska ³⁹, A. Onofre ^{124a,aa}, P.U.E. Onyisi ³¹, C.J. Oram ^{159a}, M.J. Oreglia ³¹,
 Y. Oren ¹⁵³, D. Orestano ^{134a,134b}, N. Orlando ^{72a,72b}, I. Orlov ¹⁰⁷, C. Oropeza Barrera ⁵³, R.S. Orr ¹⁵⁸,
 B. Osculati ^{50a,50b}, R. Ospanov ¹²⁰, C. Osuna ¹², G. Otero y Garzon ²⁷, J.P. Ottersbach ¹⁰⁵, M. Ouchrif ^{135d},
 E.A. Ouellette ¹⁶⁹, F. Ould-Saada ¹¹⁷, A. Ouraou ¹³⁶, Q. Ouyang ^{33a}, A. Ovcharova ¹⁵, M. Owen ⁸²,
 S. Owen ¹³⁹, V.E. Ozcan ^{19a}, N. Ozturk ⁸, A. Pacheco Pages ¹², C. Padilla Aranda ¹², S. Pagan Griso ¹⁵,
 E. Paganis ¹³⁹, C. Pahl ⁹⁹, F. Paige ²⁵, P. Pais ⁸⁴, K. Pajchel ¹¹⁷, G. Palacino ^{159b}, C.P. Paleari ⁷, S. Palestini ³⁰,
 D. Pallin ³⁴, A. Palma ^{124a}, J.D. Palmer ¹⁸, Y.B. Pan ¹⁷³, E. Panagiotopoulou ¹⁰, J.G. Panduro Vazquez ⁷⁶,
 P. Pani ¹⁰⁵, N. Panikashvili ⁸⁷, S. Panitkin ²⁵, D. Pantea ^{26a}, A. Papadelis ^{146a}, Th.D. Papadopoulou ¹⁰,
 A. Paramonov ⁶, D. Paredes Hernandez ³⁴, W. Park ^{25,ab}, M.A. Parker ²⁸, F. Parodi ^{50a,50b}, J.A. Parsons ³⁵,
 U. Parzefall ⁴⁸, S. Pashapour ⁵⁴, E. Pasqualucci ^{132a}, S. Passaggio ^{50a}, A. Passeri ^{134a}, F. Pastore ^{134a,134b,*},
 Fr. Pastore ⁷⁶, G. Pásztor ^{49,ac}, S. Pataraia ¹⁷⁵, N. Patel ¹⁵⁰, J.R. Pater ⁸², S. Patricelli ^{102a,102b}, T. Pauly ³⁰,
 M. Pecsy ^{144a}, S. Pedraza Lopez ¹⁶⁷, M.I. Pedraza Morales ¹⁷³, S.V. Peleganchuk ¹⁰⁷, D. Pelikan ¹⁶⁶,
 H. Peng ^{33b}, B. Penning ³¹, A. Penson ³⁵, J. Penwell ⁶⁰, M. Perantoni ^{24a}, K. Perez ^{35,ad},
 T. Perez Cavalcanti ⁴², E. Perez Codina ^{159a}, M.T. Pérez García-Estañ ¹⁶⁷, V. Perez Reale ³⁵, L. Perini ^{89a,89b},
 H. Pernegger ³⁰, R. Perrino ^{72a}, P. Perrodo ⁵, V.D. Peshekhonov ⁶⁴, K. Peters ³⁰, B.A. Petersen ³⁰,
 J. Petersen ³⁰, T.C. Petersen ³⁶, E. Petit ⁵, A. Petridis ¹⁵⁴, C. Petridou ¹⁵⁴, E. Petrolo ^{132a}, F. Petrucci ^{134a,134b},
 D. Petschull ⁴², M. Petteni ¹⁴², R. Pezoa ^{32b}, A. Phan ⁸⁶, P.W. Phillips ¹²⁹, G. Piacquadio ³⁰, A. Picazio ⁴⁹,
 E. Piccaro ⁷⁵, M. Piccinini ^{20a,20b}, S.M. Piec ⁴², R. Piegaia ²⁷, D.T. Pignotti ¹⁰⁹, J.E. Pilcher ³¹,
 A.D. Pilkington ⁸², J. Pina ^{124a,b}, M. Pinamonti ^{164a,164c}, A. Pinder ¹¹⁸, J.L. Pinfold ³, B. Pinto ^{124a},
 C. Pizio ^{89a,89b}, M. Plamondon ¹⁶⁹, M.-A. Pleier ²⁵, E. Plotnikova ⁶⁴, A. Poblaguev ²⁵, S. Poddar ^{58a},
 F. Podlyski ³⁴, L. Poggioli ¹¹⁵, D. Pohl ²¹, M. Pohl ⁴⁹, G. Polesello ^{119a}, A. Policicchio ^{37a,37b}, A. Polini ^{20a},
 J. Poll ⁷⁵, V. Polychronakos ²⁵, D. Pomeroy ²³, K. Pommès ³⁰, L. Pontecorvo ^{132a}, B.G. Pope ⁸⁸,
 G.A. Popenciu ^{26a}, D.S. Popovic ^{13a}, A. Poppleton ³⁰, X. Portell Bueso ³⁰, G.E. Pospelov ⁹⁹, S. Pospisil ¹²⁷,
 I.N. Potrap ⁹⁹, C.J. Potter ¹⁴⁹, C.T. Potter ¹¹⁴, G. Pouillard ³⁰, J. Poveda ⁶⁰, V. Pozdnyakov ⁶⁴, R. Prabhu ⁷⁷,
 P. Pralavorio ⁸³, A. Pranko ¹⁵, S. Prasad ³⁰, R. Pravahan ²⁵, S. Prell ⁶³, K. Pretzl ¹⁷, D. Price ⁶⁰, J. Price ⁷³,
 L.E. Price ⁶, D. Prieur ¹²³, M. Primavera ^{72a}, K. Prokofiev ¹⁰⁸, F. Prokoshin ^{32b}, S. Protopopescu ²⁵,
 J. Proudfoot ⁶, X. Prudent ⁴⁴, M. Przybycien ³⁸, H. Przysiezniak ⁵, S. Psoroulas ²¹, E. Ptacek ¹¹⁴,
 E. Pueschel ⁸⁴, J. Purdham ⁸⁷, M. Purohit ^{25,ab}, P. Puzo ¹¹⁵, Y. Pylypchenko ⁶², J. Qian ⁸⁷, A. Quadt ⁵⁴,
 D.R. Quarrie ¹⁵, W.B. Quayle ¹⁷³, F. Quinonez ^{32a}, M. Raas ¹⁰⁴, V. Radeka ²⁵, V. Radescu ⁴², P. Radloff ¹¹⁴,
 F. Ragusa ^{89a,89b}, G. Rahal ¹⁷⁸, A.M. Rahimi ¹⁰⁹, D. Rahm ²⁵, S. Rajagopalan ²⁵, M. Rammensee ⁴⁸,
 M. Rammes ¹⁴¹, A.S. Randle-Conde ⁴⁰, K. Randrianarivony ²⁹, F. Rauscher ⁹⁸, T.C. Rave ⁴⁸, M. Raymond ³⁰,
 A.L. Read ¹¹⁷, D.M. Rebuzzi ^{119a,119b}, A. Redelbach ¹⁷⁴, G. Redlinger ²⁵, R. Reece ¹²⁰, K. Reeves ⁴¹,
 A. Reinsch ¹¹⁴, I. Reisinger ⁴³, C. Rembser ³⁰, Z.L. Ren ¹⁵¹, A. Renaud ¹¹⁵, M. Rescigno ^{132a}, S. Resconi ^{89a},
 B. Resende ¹³⁶, P. Reznicek ⁹⁸, R. Rezvani ¹⁵⁸, R. Richter ⁹⁹, E. Richter-Was ^{5,ae}, M. Ridel ⁷⁸, M. Rijpstra ¹⁰⁵,
 M. Rijssenbeek ¹⁴⁸, A. Rimoldi ^{119a,119b}, L. Rinaldi ^{20a}, R.R. Rios ⁴⁰, I. Riu ¹², G. Rivoltella ^{89a,89b},
 F. Rizatdinova ¹¹², E. Rizvi ⁷⁵, S.H. Robertson ^{85,k}, A. Robichaud-Veronneau ¹¹⁸, D. Robinson ²⁸,
 J.E.M. Robinson ⁸², A. Robson ⁵³, J.G. Rocha de Lima ¹⁰⁶, C. Roda ^{122a,122b}, D. Roda Dos Santos ³⁰, A. Roe ⁵⁴,
 S. Roe ³⁰, O. Røhne ¹¹⁷, S. Rolli ¹⁶¹, A. Romaniouk ⁹⁶, M. Romano ^{20a,20b}, G. Romeo ²⁷, E. Romero Adam ¹⁶⁷,
 N. Rompotis ¹³⁸, L. Roos ⁷⁸, E. Ros ¹⁶⁷, S. Rosati ^{132a}, K. Rosbach ⁴⁹, A. Rose ¹⁴⁹, M. Rose ⁷⁶,
 G.A. Rosenbaum ¹⁵⁸, E.I. Rosenberg ⁶³, P.L. Rosendahl ¹⁴, O. Rosenthal ¹⁴¹, L. Rosselet ⁴⁹, V. Rossetti ¹²,
 E. Rossi ^{132a,132b}, L.P. Rossi ^{50a}, M. Rotaru ^{26a}, I. Roth ¹⁷², J. Rothberg ¹³⁸, D. Rousseau ¹¹⁵, C.R. Royon ¹³⁶,
 A. Rozanov ⁸³, Y. Rozen ¹⁵², X. Ruan ^{33a,af}, F. Rubbo ¹², I. Rubinskiy ⁴², N. Ruckstuhl ¹⁰⁵, V.I. Rud ⁹⁷,
 C. Rudolph ⁴⁴, G. Rudolph ⁶¹, F. Rühr ⁷, A. Ruiz-Martinez ⁶³, L. Rumyantsev ⁶⁴, Z. Rurikova ⁴⁸,
 N.A. Rusakovich ⁶⁴, A. Ruschke ⁹⁸, J.P. Rutherford ⁷, P. Ruzicka ¹²⁵, Y.F. Ryabov ¹²¹, M. Rybar ¹²⁶,
 G. Rybkin ¹¹⁵, N.C. Ryder ¹¹⁸, A.F. Saavedra ¹⁵⁰, I. Sadeh ¹⁵³, H.F-W. Sadrozinski ¹³⁷, R. Sadykov ⁶⁴,
 F. Safai Tehrani ^{132a}, H. Sakamoto ¹⁵⁵, G. Salamanna ⁷⁵, A. Salamon ^{133a}, M. Saleem ¹¹¹, D. Salek ³⁰,
 D. Salihagic ⁹⁹, A. Salnikov ¹⁴³, J. Salt ¹⁶⁷, B.M. Salvachua Ferrando ⁶, D. Salvatore ^{37a,37b}, F. Salvatore ¹⁴⁹,
 A. Salvucci ¹⁰⁴, A. Salzburger ³⁰, D. Sampsonidis ¹⁵⁴, B.H. Samset ¹¹⁷, A. Sanchez ^{102a,102b},
 V. Sanchez Martinez ¹⁶⁷, H. Sandaker ¹⁴, H.G. Sander ⁸¹, M.P. Sanders ⁹⁸, M. Sandhoff ¹⁷⁵, T. Sandoval ²⁸,
 C. Sandoval ¹⁶², R. Sandstroem ⁹⁹, D.P.C. Sankey ¹²⁹, A. Sansoni ⁴⁷, C. Santamarina Rios ⁸⁵, C. Santoni ³⁴,
 R. Santonico ^{133a,133b}, H. Santos ^{124a}, I. Santoyo Castillo ¹⁴⁹, J.G. Saraiva ^{124a}, T. Sarangi ¹⁷³,

- E. Sarkisyan-Grinbaum⁸, B. Sarrazin²¹, F. Sarri^{122a,122b}, G. Sartisohn¹⁷⁵, O. Sasaki⁶⁵, Y. Sasaki¹⁵⁵, N. Saso⁶⁷, I. Satsounkevitch⁹⁰, G. Sauvage^{5,*}, E. Sauvan⁵, J.B. Sauvan¹¹⁵, P. Savard^{158,e}, V. Savinov¹²³, D.O. Savu³⁰, L. Sawyer^{25,m}, D.H. Saxon⁵³, J. Saxon¹²⁰, C. Sbarra^{20a}, A. Sbrizzi^{20a,20b}, D.A. Scannicchio¹⁶³, M. Scarcella¹⁵⁰, J. Schaarschmidt¹¹⁵, P. Schacht⁹⁹, D. Schaefer¹²⁰, U. Schäfer⁸¹, A. Schaelicke⁴⁶, S. Schaepe²¹, S. Schatzel^{58b}, A.C. Schaffer¹¹⁵, D. Schaile⁹⁸, R.D. Schamberger¹⁴⁸, A.G. Schamov¹⁰⁷, V. Scharf^{58a}, V.A. Schegelsky¹²¹, D. Scheirich⁸⁷, M. Schernau¹⁶³, M.I. Scherzer³⁵, C. Schiavi^{50a,50b}, J. Schieck⁹⁸, M. Schioppa^{37a,37b}, S. Schlenker³⁰, E. Schmidt⁴⁸, K. Schmieden²¹, C. Schmitt⁸¹, S. Schmitt^{58b}, B. Schneider¹⁷, U. Schnoor⁴⁴, L. Schoeffel¹³⁶, A. Schoening^{58b}, A.L.S. Schorlemmer⁵⁴, M. Schott³⁰, D. Schouten^{159a}, J. Schovancova¹²⁵, M. Schram⁸⁵, C. Schroeder⁸¹, N. Schroer^{58c}, M.J. Schultens²¹, J. Schulthes¹⁷⁵, H.-C. Schultz-Coulon^{58a}, H. Schulz¹⁶, M. Schumacher⁴⁸, B.A. Schumm¹³⁷, Ph. Schune¹³⁶, C. Schwanenberger⁸², A. Schwartzman¹⁴³, Ph. Schwegl⁹⁹, Ph. Schwemling⁷⁸, R. Schwienhorst⁸⁸, R. Schwierz⁴⁴, J. Schwindling¹³⁶, T. Schwindt²¹, M. Schwoerer⁵, F.G. Sciaccia¹⁷, G. Sciolla²³, W.G. Scott¹²⁹, J. Searcy¹¹⁴, G. Sedov⁴², E. Sedykh¹²¹, S.C. Seidel¹⁰³, A. Seiden¹³⁷, F. Seifert⁴⁴, J.M. Seixas^{24a}, G. Sekhniaidze^{102a}, S.J. Sekula⁴⁰, K.E. Selbach⁴⁶, D.M. Seliverstov¹²¹, B. Sellden^{146a}, G. Sellers⁷³, M. Seman^{144b}, N. Semprini-Cesari^{20a,20b}, C. Serfon⁹⁸, L. Serin¹¹⁵, L. Serkin⁵⁴, R. Seuster^{159a}, H. Severini¹¹¹, A. Sfyrla³⁰, E. Shabalina⁵⁴, M. Shamim¹¹⁴, L.Y. Shan^{33a}, J.T. Shank²², Q.T. Shao⁸⁶, M. Shapiro¹⁵, P.B. Shatalov⁹⁵, K. Shaw^{164a,164c}, D. Sherman¹⁷⁶, P. Sherwood⁷⁷, S. Shimizu¹⁰¹, M. Shimojima¹⁰⁰, T. Shin⁵⁶, M. Shiyakova⁶⁴, A. Shmeleva⁹⁴, M.J. Shochet³¹, D. Short¹¹⁸, S. Shrestha⁶³, E. Shulga⁹⁶, M.A. Shupe⁷, P. Sicho¹²⁵, A. Sidoti^{132a}, F. Siegert⁴⁸, Dj. Sijacki^{13a}, O. Silbert¹⁷², J. Silva^{124a}, Y. Silver¹⁵³, D. Silverstein¹⁴³, S.B. Silverstein^{146a}, V. Simak¹²⁷, O. Simard¹³⁶, Lj. Simic^{13a}, S. Simion¹¹⁵, E. Simioni⁸¹, B. Simmons⁷⁷, R. Simonello^{89a,89b}, M. Simonyan³⁶, P. Sinervo¹⁵⁸, N.B. Sinev¹¹⁴, V. Sipica¹⁴¹, G. Siragusa¹⁷⁴, A. Sircar²⁵, A.N. Sisakyan^{64,*}, S.Yu. Sivoklokov⁹⁷, J. Sjölin^{146a,146b}, T.B. Sjursen¹⁴, L.A. Skinnari¹⁵, H.P. Skottowe⁵⁷, K. Skovpen¹⁰⁷, P. Skubic¹¹¹, M. Slater¹⁸, T. Slavicek¹²⁷, K. Sliwa¹⁶¹, V. Smakhtin¹⁷², B.H. Smart⁴⁶, L. Smestad¹¹⁷, S.Yu. Smirnov⁹⁶, Y. Smirnov⁹⁶, L.N. Smirnova⁹⁷, O. Smirnova⁷⁹, B.C. Smith⁵⁷, D. Smith¹⁴³, K.M. Smith⁵³, M. Smizanska⁷¹, K. Smolek¹²⁷, A.A. Snesarev⁹⁴, S.W. Snow⁸², J. Snow¹¹¹, S. Snyder²⁵, R. Sobie^{169,k}, J. Sodomka¹²⁷, A. Soffer¹⁵³, C.A. Solans¹⁶⁷, M. Solar¹²⁷, J. Solc¹²⁷, E.Yu. Soldatov⁹⁶, U. Soldevila¹⁶⁷, E. Solfaroli Camillocci^{132a,132b}, A.A. Solodkov¹²⁸, O.V. Solovsky¹²⁸, V. Solovyev¹²¹, N. Soni¹, A. Sood¹⁵, V. Sopko¹²⁷, B. Sopko¹²⁷, M. Sosebee⁸, R. Soualah^{164a,164c}, A. Soukharev¹⁰⁷, S. Spagnolo^{72a,72b}, F. Spanò⁷⁶, R. Spighi^{20a}, G. Spigo³⁰, R. Spiwoks³⁰, M. Spousta^{126,ag}, T. Spreitzer¹⁵⁸, B. Spurlock⁸, R.D. St. Denis⁵³, J. Stahlman¹²⁰, R. Stamen^{58a}, E. Stancka³⁹, R.W. Stanek⁶, C. Stanescu^{134a}, M. Stanescu-Bellu⁴², M.M. Stanitzki⁴², S. Stapnes¹¹⁷, E.A. Starchenko¹²⁸, J. Stark⁵⁵, P. Staroba¹²⁵, P. Starovoitov⁴², R. Staszewski³⁹, A. Staude⁹⁸, P. Stavina^{144a,*}, G. Steele⁵³, P. Steinbach⁴⁴, P. Steinberg²⁵, I. Stekl¹²⁷, B. Stelzer¹⁴², H.J. Stelzer⁸⁸, O. Stelzer-Chilton^{159a}, H. Stenzel⁵², S. Stern⁹⁹, G.A. Stewart³⁰, J.A. Stillings²¹, M.C. Stockton⁸⁵, K. Stoerig⁴⁸, G. Stoica^{26a}, S. Stonjek⁹⁹, P. Strachota¹²⁶, A.R. Stradling⁸, A. Straessner⁴⁴, J. Strandberg¹⁴⁷, S. Strandberg^{146a,146b}, A. Strandlie¹¹⁷, M. Strang¹⁰⁹, E. Strauss¹⁴³, M. Strauss¹¹¹, P. Strizenec^{144b}, R. Ströhmer¹⁷⁴, D.M. Strom¹¹⁴, J.A. Strong^{76,*}, R. Stroynowski⁴⁰, B. Stugu¹⁴, I. Stumer^{25,*}, J. Stupak¹⁴⁸, P. Sturm¹⁷⁵, N.A. Styles⁴², D.A. Soh^{151,u}, D. Su¹⁴³, H.S. Subramania³, R. Subramaniam²⁵, A. Succurro¹², Y. Sugaya¹¹⁶, C. Suhr¹⁰⁶, M. Suk¹²⁶, V.V. Sulin⁹⁴, S. Sultansoy^{4d}, T. Sumida⁶⁷, X. Sun⁵⁵, J.E. Sundermann⁴⁸, K. Suruliz¹³⁹, G. Susinno^{37a,37b}, M.R. Sutton¹⁴⁹, Y. Suzuki⁶⁵, Y. Suzuki⁶⁶, M. Svatos¹²⁵, S. Swedish¹⁶⁸, I. Sykora^{144a}, T. Sykora¹²⁶, J. Sánchez¹⁶⁷, D. Ta¹⁰⁵, K. Tackmann⁴², A. Taffard¹⁶³, R. Tafirout^{159a}, N. Taiblum¹⁵³, Y. Takahashi¹⁰¹, H. Takai²⁵, R. Takashima⁶⁸, H. Takeda⁶⁶, T. Takeshita¹⁴⁰, Y. Takubo⁶⁵, M. Talby⁸³, A. Talyshov^{107,g}, M.C. Tamsett²⁵, K.G. Tan⁸⁶, J. Tanaka¹⁵⁵, R. Tanaka¹¹⁵, S. Tanaka¹³¹, S. Tanaka⁶⁵, A.J. Tanasijczuk¹⁴², K. Tani⁶⁶, N. Tannoury⁸³, S. Tapprogge⁸¹, D. Tardif¹⁵⁸, S. Tarem¹⁵², F. Tarrade²⁹, G.F. Tartarelli^{89a}, P. Tas¹²⁶, M. Tasevsky¹²⁵, E. Tassi^{37a,37b}, Y. Tayalati^{135d}, C. Taylor⁷⁷, F.E. Taylor⁹², G.N. Taylor⁸⁶, W. Taylor^{159b}, M. Teinturier¹¹⁵, F.A. Teischinger³⁰, M. Teixeira Dias Castanheira⁷⁵, P. Teixeira-Dias⁷⁶, K.K. Temming⁴⁸, H. Ten Kate³⁰, P.K. Teng¹⁵¹, S. Terada⁶⁵, K. Terashi¹⁵⁵, J. Terron⁸⁰, M. Testa⁴⁷, R.J. Teuscher^{158,k}, J. Therhaag²¹, T. Theveneaux-Pelzer⁷⁸, S. Thoma⁴⁸, J.P. Thomas¹⁸, E.N. Thompson³⁵, P.D. Thompson¹⁸, P.D. Thompson¹⁵⁸, A.S. Thompson⁵³, L.A. Thomsen³⁶, E. Thomson¹²⁰, M. Thomson²⁸, W.M. Thong⁸⁶, R.P. Thun⁸⁷, F. Tian³⁵, M.J. Tibbetts¹⁵, T. Tic¹²⁵, V.O. Tikhomirov⁹⁴, Y.A. Tikhonov^{107,g}, S. Timoshenko⁹⁶, E. Tiouchichine⁸³, P. Tipton¹⁷⁶, S. Tisserant⁸³, T. Todorov⁵, S. Todorova-Nova¹⁶¹,

- B. Toggerson ¹⁶³, J. Tojo ⁶⁹, S. Tokár ^{144a}, K. Tokushuku ⁶⁵, K. Tollefson ⁸⁸, M. Tomoto ¹⁰¹, L. Tompkins ³¹, K. Toms ¹⁰³, A. Tonoyan ¹⁴, C. Topfel ¹⁷, N.D. Topilin ⁶⁴, E. Torrence ¹¹⁴, H. Torres ⁷⁸, E. Torró Pastor ¹⁶⁷, J. Toth ^{83,ac}, F. Touchard ⁸³, D.R. Tovey ¹³⁹, T. Trefzger ¹⁷⁴, L. Tremblet ³⁰, A. Tricoli ³⁰, I.M. Trigger ^{159a}, S. Trincaz-Duvold ⁷⁸, M.F. Tripiana ⁷⁰, N. Triplett ²⁵, W. Trischuk ¹⁵⁸, B. Trocmé ⁵⁵, C. Troncon ^{89a}, M. Trottier-McDonald ¹⁴², P. True ⁸⁸, M. Trzebinski ³⁹, A. Trzupek ³⁹, C. Tsarouchas ³⁰, J.-C.-L. Tseng ¹¹⁸, M. Tsiakiris ¹⁰⁵, P.V. Tsiareshka ⁹⁰, D. Tsionou ^{5,ah}, G. Tsipolitis ¹⁰, S. Tsiskaridze ¹², V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ^{51a}, I.I. Tsukerman ⁹⁵, V. Tsulaia ¹⁵, J.-W. Tsung ²¹, S. Tsuno ⁶⁵, D. Tsybychev ¹⁴⁸, A. Tua ¹³⁹, A. Tudorache ^{26a}, V. Tudorache ^{26a}, J.M. Tuggle ³¹, A.N. Tuna ¹²⁰, M. Turala ³⁹, D. Turecek ¹²⁷, I. Turk Cakir ^{4e}, E. Turlay ¹⁰⁵, R. Turra ^{89a,89b}, P.M. Tuts ³⁵, A. Tykhanov ⁷⁴, M. Tylmad ^{146a,146b}, M. Tyndel ¹²⁹, G. Tzanakos ⁹, K. Uchida ²¹, I. Ueda ¹⁵⁵, R. Ueno ²⁹, M. Ugland ¹⁴, M. Uhlenbrock ²¹, M. Uhrmacher ⁵⁴, F. Ukegawa ¹⁶⁰, G. Unal ³⁰, A. Undrus ²⁵, G. Unel ¹⁶³, Y. Unno ⁶⁵, D. Urbaniec ³⁵, P. Urquijo ²¹, G. Usai ⁸, M. Uslenghi ^{119a,119b}, L. Vacavant ⁸³, V. Vacek ¹²⁷, B. Vachon ⁸⁵, S. Vahsen ¹⁵, J. Valenta ¹²⁵, S. Valentinetto ^{20a,20b}, A. Valero ¹⁶⁷, S. Valkar ¹²⁶, E. Valladolid Gallego ¹⁶⁷, S. Vallecorsa ¹⁵², J.A. Valls Ferrer ¹⁶⁷, R. Van Berg ¹²⁰, P.C. Van Der Deijl ¹⁰⁵, R. van der Geer ¹⁰⁵, H. van der Graaf ¹⁰⁵, R. Van Der Leeuw ¹⁰⁵, E. van der Poel ¹⁰⁵, D. van der Ster ³⁰, N. van Eldik ³⁰, P. van Gemmeren ⁶, I. van Vulpen ¹⁰⁵, M. Vanadia ⁹⁹, W. Vandelli ³⁰, A. Vaniachine ⁶, P. Vankov ⁴², F. Vannucci ⁷⁸, R. Vari ^{132a}, E.W. Varnes ⁷, T. Varol ⁸⁴, D. Varouchas ¹⁵, A. Vartapetian ⁸, K.E. Varvell ¹⁵⁰, V.I. Vassilakopoulos ⁵⁶, F. Vazeille ³⁴, T. Vazquez Schroeder ⁵⁴, G. Vegni ^{89a,89b}, J.J. Veillet ¹¹⁵, F. Veloso ^{124a}, R. Veness ³⁰, S. Veneziano ^{132a}, A. Ventura ^{72a,72b}, D. Ventura ⁸⁴, M. Venturi ⁴⁸, N. Venturi ¹⁵⁸, V. Vercesi ^{119a}, M. Verducci ¹³⁸, W. Verkerke ¹⁰⁵, J.C. Vermeulen ¹⁰⁵, A. Vest ⁴⁴, M.C. Vetterli ^{142,e}, I. Vichou ¹⁶⁵, T. Vickey ^{145b,ai}, O.E. Vickey Boeriu ^{145b}, G.H.A. Viehhauser ¹¹⁸, S. Viel ¹⁶⁸, M. Villa ^{20a,20b}, M. Villaplana Perez ¹⁶⁷, E. Vilucchi ⁴⁷, M.G. Vincter ²⁹, E. Vinek ³⁰, V.B. Vinogradov ⁶⁴, M. Virchaux ^{136,*}, J. Virzi ¹⁵, O. Vitells ¹⁷², M. Viti ⁴², I. Vivarelli ⁴⁸, F. Vives Vaque ³, S. Vlachos ¹⁰, D. Vladoiu ⁹⁸, M. Vlasak ¹²⁷, A. Vogel ²¹, P. Vokac ¹²⁷, G. Volpi ⁴⁷, M. Volpi ⁸⁶, G. Volpini ^{89a}, H. von der Schmitt ⁹⁹, H. von Radziewski ⁴⁸, E. von Toerne ²¹, V. Vorobel ¹²⁶, V. Vorwerk ¹², M. Vos ¹⁶⁷, R. Voss ³⁰, T.T. Voss ¹⁷⁵, J.H. Vossebeld ⁷³, N. Vranjes ¹³⁶, M. Vranjes Milosavljevic ¹⁰⁵, V. Vrba ¹²⁵, M. Vreeswijk ¹⁰⁵, T. Vu Anh ⁴⁸, R. Vuillermet ³⁰, I. Vukotic ³¹, W. Wagner ¹⁷⁵, P. Wagner ¹²⁰, H. Wahnen ¹⁷⁵, S. Wahrmund ⁴⁴, J. Wakabayashi ¹⁰¹, S. Walch ⁸⁷, J. Walder ⁷¹, R. Walker ⁹⁸, W. Walkowiak ¹⁴¹, R. Wall ¹⁷⁶, P. Waller ⁷³, B. Walsh ¹⁷⁶, C. Wang ⁴⁵, H. Wang ¹⁷³, H. Wang ⁴⁰, J. Wang ¹⁵¹, J. Wang ⁵⁵, R. Wang ¹⁰³, S.M. Wang ¹⁵¹, T. Wang ²¹, A. Warburton ⁸⁵, C.P. Ward ²⁸, D.R. Wardrope ⁷⁷, M. Warsinsky ⁴⁸, A. Washbrook ⁴⁶, C. Wasicki ⁴², I. Watanabe ⁶⁶, P.M. Watkins ¹⁸, A.T. Watson ¹⁸, I.J. Watson ¹⁵⁰, M.F. Watson ¹⁸, G. Watts ¹³⁸, S. Watts ⁸², A.T. Waugh ¹⁵⁰, B.M. Waugh ⁷⁷, M.S. Weber ¹⁷, J.S. Webster ³¹, A.R. Weidberg ¹¹⁸, P. Weigell ⁹⁹, J. Weingarten ⁵⁴, C. Weiser ⁴⁸, P.S. Wells ³⁰, T. Wenaus ²⁵, D. Wendland ¹⁶, Z. Weng ^{151,u}, T. Wengler ³⁰, S. Wenig ³⁰, N. Wermes ²¹, M. Werner ⁴⁸, P. Werner ³⁰, M. Werth ¹⁶³, M. Wessels ^{58a}, J. Wetter ¹⁶¹, C. Weydert ⁵⁵, K. Whalen ²⁹, A. White ⁸, M.J. White ⁸⁶, S. White ^{122a,122b}, S.R. Whitehead ¹¹⁸, D. Whiteson ¹⁶³, D. Whittington ⁶⁰, F. Wicek ¹¹⁵, D. Wicke ¹⁷⁵, F.J. Wickens ¹²⁹, W. Wiedemann ¹⁷³, M. Wielers ¹²⁹, P. Wienemann ²¹, C. Wiglesworth ⁷⁵, L.A.M. Wiik-Fuchs ²¹, P.A. Wijeratne ⁷⁷, A. Wildauer ⁹⁹, M.A. Wildt ^{42,r}, I. Wilhelm ¹²⁶, H.G. Wilkens ³⁰, J.Z. Will ⁹⁸, E. Williams ³⁵, H.H. Williams ¹²⁰, W. Willis ³⁵, S. Willocq ⁸⁴, J.A. Wilson ¹⁸, M.G. Wilson ¹⁴³, A. Wilson ⁸⁷, I. Wingerter-Seez ⁵, S. Winkelmann ⁴⁸, F. Winklmeier ³⁰, M. Wittgen ¹⁴³, S.J. Wollstadt ⁸¹, M.W. Wolter ³⁹, H. Wolters ^{124a,h}, W.C. Wong ⁴¹, G. Wooden ⁸⁷, B.K. Wosiek ³⁹, J. Wotschack ³⁰, M.J. Woudstra ⁸², K.W. Wozniak ³⁹, K. Wraight ⁵³, M. Wright ⁵³, B. Wrona ⁷³, S.L. Wu ¹⁷³, X. Wu ⁴⁹, Y. Wu ^{33b,aj}, E. Wulf ³⁵, B.M. Wynne ⁴⁶, S. Xella ³⁶, M. Xiao ¹³⁶, S. Xie ⁴⁸, C. Xu ^{33b,y}, D. Xu ¹³⁹, L. Xu ^{33b}, B. Yabsley ¹⁵⁰, S. Yacoob ^{145a,ak}, M. Yamada ⁶⁵, H. Yamaguchi ¹⁵⁵, A. Yamamoto ⁶⁵, K. Yamamoto ⁶³, S. Yamamoto ¹⁵⁵, T. Yamamura ¹⁵⁵, T. Yamanaka ¹⁵⁵, T. Yamazaki ¹⁵⁵, Y. Yamazaki ⁶⁶, Z. Yan ²², H. Yang ⁸⁷, U.K. Yang ⁸², Y. Yang ¹⁰⁹, Z. Yang ^{146a,146b}, S. Yanush ⁹¹, L. Yao ^{33a}, Y. Yao ¹⁵, Y. Yasu ⁶⁵, G.V. Ybeles Smit ¹³⁰, J. Ye ⁴⁰, S. Ye ²⁵, M. Yilmaz ^{4c}, R. Yoosoofmiya ¹²³, K. Yorita ¹⁷¹, R. Yoshida ⁶, K. Yoshihara ¹⁵⁵, C. Young ¹⁴³, C.J. Young ¹¹⁸, S. Youssef ²², D. Yu ²⁵, D.R. Yu ¹⁵, J. Yu ⁸, J. Yu ¹¹², L. Yuan ⁶⁶, A. Yurkewicz ¹⁰⁶, B. Zabinski ³⁹, R. Zaidan ⁶², A.M. Zaitsev ¹²⁸, Z. Zajacova ³⁰, L. Zanello ^{132a,132b}, D. Zanzi ⁹⁹, A. Zaytsev ²⁵, C. Zeitnitz ¹⁷⁵, M. Zeman ¹²⁵, A. Zemla ³⁹, C. Zendler ²¹, O. Zenin ¹²⁸, T. Ženiš ^{144a}, Z. Zinonos ^{122a,122b}, D. Zerwas ¹¹⁵, G. Zevi della Porta ⁵⁷, D. Zhang ^{33b,al}, H. Zhang ⁸⁸, J. Zhang ⁶, X. Zhang ^{33d}, Z. Zhang ¹¹⁵, L. Zhao ¹⁰⁸, Z. Zhao ^{33b}, A. Zhemchugov ⁶⁴, J. Zhong ¹¹⁸, B. Zhou ⁸⁷, N. Zhou ¹⁶³, Y. Zhou ¹⁵¹, C.G. Zhu ^{33d},

H. Zhu⁴², J. Zhu⁸⁷, Y. Zhu^{33b}, X. Zhuang⁹⁸, V. Zhuravlov⁹⁹, A. Zibell⁹⁸, D. Ziemska⁶⁰, N.I. Zimin⁶⁴, R. Zimmermann²¹, S. Zimmermann²¹, S. Zimmermann⁴⁸, M. Ziolkowski¹⁴¹, R. Zitoun⁵, L. Živković³⁵, V.V. Zmouchko^{128,*}, G. Zobernig¹⁷³, A. Zoccoli^{20a,20b}, M. zur Nedden¹⁶, V. Zutshi¹⁰⁶, L. Zwalski³⁰

¹ School of Chemistry and Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany, NY, United States

³ Department of Physics, University of Alberta, Edmonton, AB, Canada

⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Department of Physics, Dumlupınar University, Kutahya; ^(c) Department of Physics, Gazi University, Ankara; ^(d) Division of Physics, TOBB University of Economics and Technology, Ankara; ^(e) Turkish Atomic Energy Authority, Ankara, Turkey

⁵ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States

⁷ Department of Physics, University of Arizona, Tucson, AZ, United States

⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States

⁹ Physics Department, University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain

¹³ ^(a) Institute of Physics, University of Belgrade, Belgrade; ^(b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States

¹⁶ Department of Physics, Humboldt University, Berlin, Germany

¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Division of Physics, Dogus University, Istanbul; ^(c) Department of Physics Engineering, Gaziantep University, Gaziantep;

^(d) Department of Physics, İstanbul Technical University, İstanbul, Turkey

²⁰ ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica, Università di Bologna, Bologna, Italy

²¹ Physikalisches Institut, University of Bonn, Bonn, Germany

²² Department of Physics, Boston University, Boston, MA, United States

²³ Department of Physics, Brandeis University, Waltham, MA, United States

²⁴ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil

²⁵ Physics Department, Brookhaven National Laboratory, Upton, NY, United States

²⁶ ^(a) National Institute of Physics and Nuclear Engineering, Bucharest; ^(b) University Politehnica Bucharest, Bucharest; ^(c) West University in Timisoara, Timisoara, Romania

²⁷ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

²⁸ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

²⁹ Department of Physics, Carleton University, Ottawa, ON, Canada

³⁰ CERN, Geneva, Switzerland

³¹ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States

³² ^(a) Departamento de Física, Pontifícia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

³³ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong; ^(e) Physics Department, Shanghai Jiao Tong University, Shanghai, China

³⁴ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France

³⁵ Nevis Laboratory, Columbia University, Irvington, NY, United States

³⁶ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark

³⁷ ^(a) INFN Gruppo Collegato di Cosenza; ^(b) Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy

³⁸ AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland

³⁹ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland

⁴⁰ Physics Department, Southern Methodist University, Dallas, TX, United States

⁴¹ Physics Department, University of Texas at Dallas, Richardson, TX, United States

⁴² DESY, Hamburg and Zeuthen, Germany

⁴³ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴⁴ Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany

⁴⁵ Department of Physics, Duke University, Durham, NC, United States

⁴⁶ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy

⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität Freiburg, Germany

⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland

⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy

⁵¹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵² II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵³ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁴ II. Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France

⁵⁶ Department of Physics, Hampton University, Hampton, VA, United States

⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States

⁵⁸ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

⁶⁰ Department of Physics, Indiana University, Bloomington, IN, United States

⁶¹ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

⁶² University of Iowa, Iowa City, IA, United States

⁶³ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States

⁶⁴ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia

⁶⁵ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

⁶⁶ Graduate School of Science, Kobe University, Kobe, Japan

⁶⁷ Faculty of Science, Kyoto University, Kyoto, Japan

⁶⁸ Kyoto University of Education, Kyoto, Japan

⁶⁹ Department of Physics, Kyushu University, Fukuoka, Japan

- ⁷⁰ Instituto de Fisica La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷¹ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷² (^a) INFN Sezione di Lecce; (^b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷³ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁵ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁷ Department of Physics and Astronomy, University College London, London, United Kingdom
⁷⁸ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁷⁹ Fysiska institutionen, Lunds universitet, Lund, Sweden
⁸⁰ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸¹ Institut für Physik, Universität Mainz, Mainz, Germany
⁸² School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸³ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁴ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁸⁵ Department of Physics, McGill University, Montreal, QC, Canada
⁸⁶ School of Physics, University of Melbourne, Victoria, Australia
⁸⁷ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁸⁸ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁸⁹ (^a) INFN Sezione di Milano; (^b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹⁰ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹¹ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹² Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
⁹³ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁴ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
⁹⁵ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁶ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
⁹⁷ Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
⁹⁸ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
⁹⁹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
¹⁰⁰ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰¹ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰² (^a) INFN Sezione di Napoli; (^b) Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
¹⁰³ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁴ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁵ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁶ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹⁰⁷ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹⁰⁸ Department of Physics, New York University, New York, NY, United States
¹⁰⁹ Ohio State University, Columbus, OH, United States
¹¹⁰ Faculty of Science, Okayama University, Okayama, Japan
¹¹¹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹² Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹³ Palacký University, RCPMT, Olomouc, Czech Republic
¹¹⁴ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁵ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
¹¹⁶ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁷ Department of Physics, University of Oslo, Oslo, Norway
¹¹⁸ Department of Physics, Oxford University, Oxford, United Kingdom
¹¹⁹ (^a) INFN Sezione di Pavia; (^b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²⁰ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²¹ Petersburg Nuclear Physics Institute, Gatchina, Russia
¹²² (^a) INFN Sezione di Pisa; (^b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²³ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²⁴ (^a) Laboratorio de Instrumentacão e Física Experimental de Partículas – LIP, Lisboa, Portugal; (^b) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
¹²⁵ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁶ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹²⁷ Czech Technical University in Prague, Praha, Czech Republic
¹²⁸ State Research Center Institute for High Energy Physics, Protvino, Russia
¹²⁹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹³⁰ Physics Department, University of Regina, Regina, SK, Canada
¹³¹ Ritsumeikan University, Kusatsu, Shiga, Japan
¹³² (^a) INFN Sezione di Roma I; (^b) Dipartimento di Fisica, Università La Sapienza, Roma, Italy
¹³³ (^a) INFN Sezione di Roma Tor Vergata; (^b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³⁴ (^a) INFN Sezione di Roma Tre; (^b) Dipartimento di Fisica, Università Roma Tre, Roma, Italy
¹³⁵ (^a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; (^b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; (^c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; (^d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (^e) Faculté des Sciences, Université Mohammed V-Agdal, Rabat, Morocco
¹³⁶ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France
¹³⁷ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
¹³⁸ Department of Physics, University of Washington, Seattle, WA, United States
¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴⁰ Department of Physics, Shinshu University, Nagano, Japan
¹⁴¹ Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴² Department of Physics, Simon Fraser University, Burnaby, BC, Canada
¹⁴³ SLAC National Accelerator Laboratory, Stanford, CA, United States
¹⁴⁴ (^a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (^b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

- 145 ^(a) Department of Physics, University of Johannesburg, Johannesburg; ^(b) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
 146 ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
 147 Physics Department, Royal Institute of Technology, Stockholm, Sweden
 148 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
 149 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
 150 School of Physics, University of Sydney, Sydney, Australia
 151 Institute of Physics, Academia Sinica, Taipei, Taiwan
 152 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
 153 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
 154 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
 155 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
 156 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
 157 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
 158 Department of Physics, University of Toronto, Toronto, ON, Canada
 159 ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
 160 Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
 161 Department of Physics and Astronomy, Tufts University, Medford, MA, United States
 162 Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
 163 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
 164 ^(a) INFN Gruppo Collegato di Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 165 Department of Physics, University of Illinois, Urbana, IL, United States
 166 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
 167 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
 168 Department of Physics, University of British Columbia, Vancouver, BC, Canada
 169 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
 170 Department of Physics, University of Warwick, Coventry, United Kingdom
 171 Waseda University, Tokyo, Japan
 172 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
 173 Department of Physics, University of Wisconsin, Madison, WI, United States
 174 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
 175 Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
 176 Department of Physics, Yale University, New Haven, CT, United States
 177 Yerevan Physics Institute, Yerevan, Armenia
 178 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa, Portugal.

^b Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal.

^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

^d Also at Department of Physics, University of Johannesburg, Johannesburg, South Africa.

^e Also at TRIUMF, Vancouver, BC, Canada.

^f Also at Department of Physics, California State University, Fresno, CA, United States.

^g Also at Novosibirsk State University, Novosibirsk, Russia.

^h Also at Department of Physics, University of Coimbra, Coimbra, Portugal.

ⁱ Also at Department of Physics, UASLP, San Luis Potosi, Mexico.

^j Also at Università di Napoli Parthenope, Napoli, Italy.

^k Also at Institute of Particle Physics (IPP), Canada.

^l Also at Department of Physics, Middle East Technical University, Ankara, Turkey.

^m Also at Louisiana Tech University, Ruston, LA, United States.

ⁿ Also at Dep. Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal.

^o Also at Department of Physics and Astronomy, University College London, London, United Kingdom.

^p Also at Department of Physics, University of Cape Town, Cape Town, South Africa.

^q Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^r Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

^s Also at Manhattan College, New York, NY, United States.

^t Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

^u Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

^v Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

^w Also at School of Physics, Shandong University, Shandong, China.

^x Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy.

^y Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France.

^z Also at Section de Physique, Université de Genève, Geneva, Switzerland.

^{aa} Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal.

^{ab} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.

^{ac} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

^{ad} Also at California Institute of Technology, Pasadena, CA, United States.

^{ae} Also at Institute of Physics, Jagiellonian University, Krakow, Poland.

^{af} Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.

^{ag} Also at Nevis Laboratory, Columbia University, Irvington, NY, United States.

^{ah} Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom.

^{ai} Also at Department of Physics, Oxford University, Oxford, United Kingdom.

^{aj} Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.

^{ak} Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.

^{al} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

* Deceased.