

Search for R-parity-violating supersymmetric particles in multi-jet final states produced in p - p collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC



The ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 11 April 2018
 Received in revised form 26 July 2018
 Accepted 15 August 2018
 Available online 17 August 2018
 Editor: M. Doser

ABSTRACT

Results of a search for gluino pair production with subsequent R-parity-violating decays to quarks are presented. This search uses 36.1 fb^{-1} of data collected by the ATLAS detector in proton-proton collisions with a centre-of-mass energy of $\sqrt{s} = 13$ TeV at the LHC. The analysis is performed using requirements on the number of jets and the number of jets tagged as containing a b -hadron as well as a topological observable formed by the scalar sum of masses of large-radius jets in the event. No significant excess above the expected Standard Model background is observed. Limits are set on the production of gluinos in models with the R-parity-violating decays of either the gluino itself (direct decay) or the neutralino produced in the R-parity-conserving gluino decay (cascade decay). In the gluino cascade decay model, gluino masses below 1850 GeV are excluded for 1000 GeV neutralino mass. For the gluino direct decay model, the 95% confidence level upper limit on the cross section times branching ratio varies between 0.80 fb at $m_{\tilde{g}} = 900$ GeV and 0.011 fb at $m_{\tilde{g}} = 1800$ GeV.

© 2018 The Author. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

Supersymmetry (SUSY) [1–6] is a theoretical extension of the Standard Model (SM) which fundamentally relates fermions and bosons. It is an alluring theoretical possibility given its potential to solve the hierarchy problem [7–10]. This Letter presents a search for supersymmetric gluino pair production with subsequent R-parity-violating (RPV) [11–16] decays into quarks in events with many jets using 36.1 fb^{-1} of p - p collision data at $\sqrt{s} = 13$ TeV collected by the ATLAS detector in 2015 and 2016. In the minimal supersymmetric extension of the Standard Model, the RPV component of a generic superpotential can be written as [15,17]:

$$W_{\text{RPV}} = \frac{1}{2} \lambda_{ijk} L_i L_j \bar{E}_k + \lambda'_{ijk} L_i Q_j \bar{D}_k + \frac{1}{2} \lambda''_{ijk} \bar{U}_i \bar{D}_j \bar{D}_k + \kappa_i L_i H_2, \quad (1)$$

where $i, j, k = 1, 2, 3$ are generation indices. The generation indices are omitted in the discussions that follow if the statement being made is not specific to any generation. The first three terms in Eq. (1) are often referred to as the trilinear couplings, whereas the last term is referred to as bilinear. The L_i and Q_i represent the lepton and quark $SU(2)_L$ doublet superfields, whereas H_2 represents the Higgs superfield. The \bar{E}_j , \bar{D}_j , and \bar{U}_j are the charged lepton,

down-type quark, and up-type quark $SU(2)_L$ singlet superfields, respectively. The couplings for each term are given by λ , λ' , and λ'' , while κ is a mass parameter. In the benchmark models considered in this search, the couplings of λ and λ' are set to zero and only the baryon-number-violating coupling λ''_{ijk} is non-zero. Because of the structure of Eq. (1), scenarios in which only $\lambda''_{ijk} \neq 0$ are often referred to as UDD scenarios. The diagrams shown in Fig. 1 represent the benchmark processes used in the optimization and design of the search presented in this Letter. In the gluino direct decay model (Fig. 1(a)), the gluino directly decays into three quarks via the RPV UDD coupling λ'' , leading to six quarks at tree level in the final state of gluino pair production. In the gluino cascade decay model (Fig. 1(b)), the gluino decays into two quarks and a neutralino, which, in turn, decays into three quarks via the RPV UDD coupling λ'' , resulting in ten quarks at tree level in the final state of gluino pair production. Events produced in these processes typically have a high multiplicity of reconstructed jets. In signal models considered in this search, the production of the gluino pair is assumed to be independent of the value of λ'' . Decay branching ratios of all possible λ'' flavour combinations given by the structure of Eq. (1) are assumed to be equal, and decays of the gluino and neutralino are implemented as prompt decays via modifying the decay widths of gluinos and neutralinos. In this configuration, a significant portion of signal events contain at least one bottom or top quark. Other models of the RPV UDD scenario, such as the

* E-mail address: atlas.publications@cern.ch.




Fig. 1. Diagrams for the benchmark processes considered for this analysis. The black lines represent Standard Model particles, the red lines represent SUSY partners, the grey shaded circles represent effective vertices that include off-shell propagators (e.g. heavy squarks coupling to a $\tilde{\chi}_1^0$ neutralino and a quark), and the blue solid circles represent effective RPV vertices allowed by the baryon-number-violating λ'' couplings with off-shell propagators (e.g. heavy squarks coupling to two quarks). Quark and antiquark are not distinguished in the diagrams. (For interpretation of the colours in the figure(s), the reader is referred to the web version of this article.)

Minimal Flavour Violation model [18,19], predict that the gluino decays preferentially into final states with third-generation quarks. These theoretical arguments motivate the introduction of b -tagging requirements into the search.

This analysis is an update to previous ATLAS searches for signals arising from RPV UDD scenarios [20,21] performed with data taken at $\sqrt{s} = 8$ TeV. The search strategy closely follows the one implemented in Ref. [21], which excludes a gluino with mass up to 917 GeV in the gluino direct decay model, and a gluino with mass up to 1000 GeV for a neutralino mass of 500 GeV in the gluino cascade decay model. Two other publications [22,23] from the ATLAS Collaboration reported on the searches for signals from a different gluino cascade decay model where the quarks/antiquarks from the gluino decay are top quark–anti-quark pairs and the quarks from the neutralino decays are u , d or s quarks. These searches probed events with at least one electron or muon. The most stringent lower limit on the gluino mass, from Ref. [22], is 2100 GeV for a neutralino mass of 1000 GeV. In a recent publication [24], the CMS Collaboration set a lower limit of 1610 GeV on the gluino mass in an RPV UDD scenario where the gluino exclusively decays into a final state of a top quark, a bottom quark and a strange quark, using $\sqrt{s} = 13$ TeV pp collision data.

2. ATLAS detector

The ATLAS detector [25] covers almost the whole solid angle around the collision point with layers of tracking detectors, calorimeters and muon chambers. The inner detector, immersed in a magnetic field provided by a solenoid, has full coverage in ϕ and covers the pseudorapidity range $|\eta| < 2.5$.¹ It consists of a silicon pixel detector, a silicon microstrip detector and a transition radiation straw-tube tracker. The innermost pixel layer, the insertable B-layer, was added between Run-1 and Run-2 of the LHC, at a radius of 33 mm around a new, thinner, beam pipe [26]. In the pseudorapidity region $|\eta| < 3.2$, high granularity lead/liquid-argon (LAr) electromagnetic (EM) sampling calorimeters are used. A steel/scintillator tile calorimeter provides hadronic calorimetry coverage over $|\eta| < 1.7$. The end-cap and forward regions, spanning $1.5 < |\eta| < 4.9$, are instrumented with LAr calorimetry for both the EM and hadronic measurements. The muon spectrometer

surrounds these calorimeters, and comprises a system of precision tracking chambers and fast-response detectors for triggering, with three large toroidal magnets, each consisting of eight coils, providing the magnetic field for the muon detectors. A two-level trigger system is used to select events [27]. The first-level trigger is implemented in hardware and uses a subset of the detector information. This is followed by the software-based high-level trigger, reducing the event rate to about 1 kHz.

3. Simulation samples

Signal samples were produced covering a wide range of gluino and neutralino masses. In the gluino direct decay model, the gluino mass ($m_{\tilde{g}}$) was varied from 900 GeV to 1800 GeV. In the case of the cascade decays, for each gluino mass (1000 GeV to 2100 GeV), separate samples were generated with multiple neutralino masses ($m_{\tilde{\chi}_1^0}$) ranging from 50 GeV to 1.65 TeV. In each case, $m_{\tilde{\chi}_1^0} < m_{\tilde{g}}$. In the gluino cascade decay model, the two quarks produced from the gluino decay were restricted to be first or second generation quarks. All three generations of quarks were allowed to be in the final state of the lightest supersymmetric particle decay. Signal samples were generated at leading-order (LO) accuracy with up to two additional partons using the MADGRAPH5_AMC@NLO v2.3.3 event generator [28] interfaced with PYTHIA 8.186 [29] for the parton shower, fragmentation and underlying event. The A14 set of tuned parameters [30] was used together with the NNPDF2.3LO parton distribution function (PDF) set [31]. The EvtGen v1.2.0 program was used to describe the properties of the b - and c -hadron decays in the signal samples. The signal production cross sections were calculated at next-to-leading order (NLO) in the strong coupling constant, adding the resummation of soft gluon emission at next-to-leading-logarithm accuracy (NLO + NLL) [32–36]. The nominal cross section and its uncertainty were taken from Ref. [37]. Cross sections were evaluated assuming masses of 450 TeV for the light-flavour squarks in the case of gluino pair production. In the simulation, the total widths of gluinos and neutralinos were set to be 1 GeV, effectively making their decays prompt.

While a data-driven method was used to estimate the background, simulated events were used to establish, test and validate the methodology of the analysis. Multijet events constitute the dominant background in the search region, with small contributions from top-quark pair production ($t\bar{t}$). Contributions from $\gamma + \text{jets}$, $W + \text{jets}$, $Z + \text{jets}$, single-top-quark, and diboson background processes are found to be negligible from studies performed with simulated events. The multijet background was studied with three different leading order Monte Carlo samples. The PYTHIA 8.186 event generator was used together with the A14 tune and the NNPDF2.3LO parton distribution functions, while the Herwig++ 2.7.1 event generator was used together with the UEEES5 tune [38] and CTEQ6L1 PDF sets [39]. The SHERPA event generator [40] was also used to generate multijet events for the study of background estimation. Matrix elements were calculated with up to three partons at LO, were showered with SHERPA as well, and were merged using the ME+PS@LO prescription [41]. The CT10 PDF set [42] was used in conjunction with dedicated parton shower tuning developed by the SHERPA authors. For the generation of fully hadronic decays of $t\bar{t}$ events, the PowHEG-Box v2 event generator [43] was used with the CT10 PDF set and was interfaced with PYTHIA 6.428 [44]. The EvtGen v1.2.0 program [45] was also used to describe the properties of the b - and c -hadron decays for the background samples except those generated with SHERPA [46].

The effect of additional p - p interactions per bunch crossing (“pile-up”) as a function of the instantaneous luminosity was taken

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point in the centre of the detector and the z -axis along the beam direction. The x -axis points toward the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity η is defined in terms of the polar angle θ by $\eta = -\ln[\tan(\theta/2)]$.

into account by overlaying simulated minimum-bias events according to the observed distribution of the number of pile-up interactions in data. All Monte Carlo simulated background samples were passed through a full GEANT4 simulation [47] of the ATLAS detector [48]. The signal samples were passed through a fast detector simulation [49] based on a parameterization of the performance of the ATLAS electromagnetic and hadronic calorimeters and on GEANT4 elsewhere. The compatibility of the signal selection efficiency between the fast simulation sample and the full simulation sample was validated at a number of signal points in the gluino direct decay model and gluino cascade decay model considered in this Letter.

4. Event selection

The data were recorded in 2015 and 2016, with the LHC operating at a centre-of-mass energy of $\sqrt{s} = 13$ TeV. All detector elements are required to be operational. The integrated luminosity is measured to be 3.2 fb^{-1} and 32.9 fb^{-1} , for the 2015 and 2016 data sets, respectively. The uncertainty in the combined 2015 and 2016 integrated luminosity is 2.1%. It is derived, following a methodology similar to that detailed in Ref. [50], from a calibration of the luminosity scale using x - y beam-separation scans.

The events used in this search are selected using an H_T trigger, seeded from a first-level jet trigger with an E_T threshold of 100 GeV, which requires the scalar sum of jet transverse energies at the high level trigger to be greater than 1.0 TeV. This requirement is found to be fully efficient for signal regions considered in this Letter. Events are required to have a primary vertex with at least two associated tracks with transverse momentum (p_T) above 0.4 GeV. The primary vertex assigned to the hard-scattering collision is the one with the highest $\sum_{\text{track}} p_T^2$, where the sum of track p_T^2 is taken over all tracks associated with that vertex. To reject events with detector noise or non-collision backgrounds, events are removed if they fail basic quality criteria [51,52].

Jets are reconstructed from three-dimensional topological clusters of energy deposits in the calorimeter calibrated at the EM scale [53], using the anti- k_t algorithm [54,55] with two different radius parameters of $R = 1.0$ and $R = 0.4$, hereafter referred to as large- R jets and small- R jets, respectively. The four-momenta of the jets are calculated as the sum of the four-momenta of the clusters, which are assumed to be massless. For the large- R jets, the original constituents are calibrated using the local cell weighting algorithm [53,56] prior to jet-finding and reclustered using the longitudinally-invariant k_t algorithm [57] with a radius parameter of $R_{\text{sub-jet}} = 0.2$, to form a collection of sub-jets. A sub-jet is discarded if it carries less than 5% of the large- R jet p_T of the original jet. The constituents in the remaining sub-jets are then used to recalculate the large- R jet four-momenta, and the jet energy and mass are further calibrated to particle level using correction factors derived from simulation [58]. The resulting “trimmed” [58, 59] large- R jets are required to have $p_T > 200$ GeV and $|\eta| < 2.0$. The analysis does not place any requirement on the vertex association of tracks within a jet nor on the timing of the calorimeter cells within a jet, which preserves the sensitivity of this analysis to models containing non-prompt jets. The small- R jets are corrected for pile-up contributions and are then calibrated to the particle level using simulated events followed by a correction based on in situ measurements [53,60,61].

The identification of jets containing b -hadrons is based on the small- R jets with $p_T > 50$ GeV and $|\eta| < 2.5$ and a multivariate tagging algorithm [62,63]. This algorithm is applied to a set of tracks with loose impact parameter constraints in a region of interest around each jet axis to enable the reconstruction of the b -hadron decay vertex. The b -tagging requirements result in an

efficiency of 70% for jets containing b -hadrons, as determined in a sample of simulated $t\bar{t}$ events [63]. A small- R jet passing the b -tagging requirement is referred to as a b -tagged jet.

The analysis of data is primarily based on observables built from large- R jets. The small- R jets are used to classify events and for categorization of the large- R jets based on the b -tagging information. Specifically, events selected in the analysis are divided into a b -tagging sample where at least one b -tagged jet is present in the event, and a b -veto sample where no b -tagged jet is present in the event. Events selected without taking into account any b -tagging requirement are referred to as inclusive events. Large- R jets are classified as either those that are matched to a b -tagged jet within $\Delta R = 1.0$ (b -matched jets), or those that are not matched to a b -tagged jet.

5. Analysis strategy

The analysis uses a kinematic observable, the total jet mass, M_J^Σ [64–66], as the primary discriminating variable to separate signal and background. The observable M_J^Σ is defined as the sum of the masses of the four leading large- R jets.

$$M_J^\Sigma = \sum_{\substack{p_T > 200 \text{ GeV} \\ |\eta| \leq 2.0 \\ j=1-4}} m_{\text{jet}}^j \quad (2)$$

This observable provides significant sensitivity for gluinos with very high mass. Fig. 2(a) presents examples of the discrimination that the M_J^Σ observable provides between the background (represented here by SHERPA, PYTHIA 8.186 and Herwig++ multijet Monte Carlo simulation) and several signal samples, as well as the comparison of the data to the simulated multijet background.

Another discriminating variable that is independent of M_J^Σ is necessary in order to define suitable control and validation regions where the background estimation can be studied and tested. The signal is characterized by a higher rate of central-jet events as compared to the primary multijet background. This is expected due to the difference in the production modes: predominantly s -channel for the signal, whereas the background can also be produced through u - and t -channel processes. Fig. 2(b) shows the distribution of the pseudorapidity difference between the two leading large- R jets, $|\Delta\eta_{12}|$ for several signal and background Monte Carlo samples, as well as data. A high- $|\Delta\eta_{12}|$ requirement can be applied to establish a control region or a validation region where the potential signal contamination needs to be suppressed.

The use of M_J^Σ in this analysis provides an opportunity to employ the fully data-driven jet mass *template method* to estimate the background contribution in signal regions. The jet mass template method is discussed in Ref. [66], and its first experimental implementation is described in Ref. [21]. In this method, single-jet mass templates are extracted from signal-depleted control regions. These jet mass templates are created in bins that are defined by a number of observables, which include jet p_T and $|\eta|$, and the b -matching status. They provide a *probability density function* that describes the relative probability for a jet with a given p_T and η to have a certain mass. This method assumes that jet mass templates only depend on these observables and are the same in the control regions and signal regions. A sample where the background M_J^Σ distribution needs to be estimated, such as a validation region or a signal region, is referred to as the kinematic sample. The only information used is the jet p_T and η , as well as its b -matching status, which are inputs to the templates. For each jet in the kinematic sample, its corresponding jet mass template is used to generate a random jet mass. An M_J^Σ distribution can be constructed from




Fig. 2. Comparison between signal samples and background control samples for (a) the sum of the masses of the four leading large- R jets M_j^Σ and (b) the difference in pseudorapidity between the two leading large- R jets $|\Delta\eta_{12}|$. Two typical signal points for gluino cascade decay models are shown, as well as the distributions obtained from the data. All distributions are normalized to the same area. The selection requires four or more jets, is inclusive in $|\Delta\eta_{12}|$ and has no b -tagging requirements.

Table 1

Summary of the event-level and jet-level requirements used to define various regions. Requirements on large- R jet multiplicity (N_{jet}), whether or not a b -tagged jet is present (b -tag), and the pseudorapidity gap between the two leading-large- R -jets ($|\Delta\eta_{12}|$) are applied to define control, validation and signal regions. In addition, each signal region includes an additional M_j^Σ requirement for statistical interpretation. Control regions are defined separately for non-matched jets and b -matched jets. For the uncertainty determination regions, the N_{jet} and leading-jet p_T ($p_{T,1}$) requirements are used.

| | | $N_{\text{jet}} (p_T > 200 \text{ GeV})$ | b -tag | $p_{T,1}$ | $ \Delta\eta_{12} $ | M_j^Σ |
|-----|---------|--|----------|-----------|---------------------|---------------------|
| CR | 3jCR | = 3 | – | – | – | – |
| UDR | UDR1 | = 2 | – | > 400 GeV | – | – |
| | UDR2 | = 4 | – | < 400 GeV | – | – |
| VR | 4jVR | ≥ 4 | – | > 400 GeV | > 1.4 | – |
| | 5jVR | ≥ 5 | – | – | > 1.4 | – |
| | 4jVRb | ≥ 4 | ≥ 1 | > 400 GeV | > 1.4 | – |
| | 5jVRb | ≥ 5 | ≥ 1 | – | > 1.4 | – |
| SR | 4jSR | ≥ 4 | – | > 400 GeV | < 1.4 | $> 1.0 \text{ TeV}$ |
| | 5jSR | ≥ 5 | – | – | < 1.4 | $> 0.8 \text{ TeV}$ |
| | 4jSRb | ≥ 4 | ≥ 1 | > 400 GeV | < 1.4 | $> 1.0 \text{ TeV}$ |
| | 5jSRb_1 | ≥ 5 | ≥ 1 | – | < 1.4 | $> 0.8 \text{ TeV}$ |
| | 5jSRb_2 | ≥ 5 | ≥ 1 | – | < 1.4 | $> 0.6 \text{ TeV}$ |

the randomized jet masses of the kinematic sample. If jet mass templates are created from a control sample of background events, then the M_j^Σ distribution constructed from randomized jet masses should reproduce the shape of the M_j^Σ distribution for the background.²

This jet mass prediction procedure is similar to the one employed in Ref. [21] with two minor differences. First, the statistical fluctuations in the jet mass templates are propagated to the background yield prediction in the signal region, and therefore considered as a systematic uncertainty of the jet mass template method, whereas the Run-1 analysis made assumptions about the form of the template shape by smoothing using a Gaussian kernel technique. Second, the predicted M_j^Σ distribution is normalized to the observation in $0.2 \text{ TeV} < M_j^\Sigma < 0.6 \text{ TeV}$, whereas the Run-1 analysis did not introduce any normalization region, effectively normalizing the prediction to the observation in the entire M_j^Σ range. The boundaries of the normalization region are determined so that contamination from signal models not yet excluded by the previous search [21] is negligible compared to the statistical uncertainty of the background.

The selected events are divided into control, uncertainty determination, validation and signal regions, as summarized in Table 1. Control regions (CRs) are defined with events that have exactly three large- R jets with $p_T > 200 \text{ GeV}$. Jets in the control regions are divided into 4 $|\eta|$ bins uniformly defined between 0 and 2, 15 p_T bins uniformly defined in $\log_{10}(p_T)$, and 2 b -matching status bins (b -matched or not). A total of 120 jet mass templates are created. Fig. 3 shows example jet mass template distributions in two p_T - $|\eta|$ bins for both the data and PYTHIA8 multijet samples. The shapes of the jet mass templates are different between b -matched jets and non-matched jets. A $|\Delta\eta_{12}| > 1.4$ requirement is included for control region events where at least one b -matched jet is present, in order to suppress potential signal contamination.

Five overlapping signal regions (SRs) are considered in this analysis. All signal regions are required to have $|\Delta\eta_{12}| < 1.4$. The first set of signal regions does not require the presence of a b -tagged jet and is used to test more generic BSM signals of pair-produced heavy particles cascade-decaying into many quarks or gluons. Two selections on the large- R jet multiplicity are used, $N_{\text{jet}} \geq 4$ (4jSR) and $N_{\text{jet}} \geq 5$ (5jSR). In order to further improve the sensitivity to the benchmark signal models of the RPV UDD scenario, subsets of events in the 4jSR and 5jSR are selected by requiring the presence of at least one b -tagged small- R jet. To ensure that the H_T trigger is fully efficient for the offline data analysis, a leading-jet $p_T > 400 \text{ GeV}$ requirement is added for signal regions

² When signal events are present in the kinematic sample, a correction is needed in order to remove the bias in the background estimate, and this correction is discussed later in this letter.




Fig. 3. Example jet mass template distributions for b -matched jets and non-matched jets in data (solid and open circles) and Pythia8 multijet (solid and dashed lines) samples. (a) shows the jet mass template distributions in the bin of $600 \text{ GeV} < p_T < 644 \text{ GeV}$, $0.5 < |\eta| < 1.0$, while (b) shows the jet mass template distributions in the bin of $733 \text{ GeV} < p_T < 811 \text{ GeV}$, $1.5 < |\eta| < 2.0$.

with four or more large- R jets. Finally, a requirement on the M_j^Σ variable is placed in each signal region, with the requirement optimized for the direct decay and cascade decay models. For each signal region, a validation region is defined by reversing the $|\Delta\eta_{12}|$ requirement. These validation regions are used to cross-check the background estimation, thus validating the background prediction in the signal region.

Uncertainties in the jet mass prediction include a statistical component and a systematic component. The statistical uncertainty arises from the finite sample size in the control region, and the jet mass randomization, which can be quantified through pseudo-experiments. Systematic uncertainties of the jet mass prediction can be attributed to a number of factors; for example, jet mass templates are assumed to only depend on a given number of observables (jet p_T , $|\eta|$, and b -matching information, in this analysis), jet mass templates are created for each of these observables with a given bin width, and jets in the same event are assumed to be uncorrelated with each other, such that their masses can be modelled independently. These systematic uncertainties are estimated in uncertainty determination regions (UDRs) in data, where the predicted and observed jet masses are compared. The difference between them provides an estimate of the size of the systematic uncertainty.

The UDRs represent extreme scenarios in terms of jet origin and multiplicity of an event, and the uncertainties estimated from these regions are found to be large enough to cover the potential difference between the true and estimated background in the signal regions. This strategy has been validated with the simulated background samples. One UDR (UDR1) requires exactly two large- R jets with the leading large- R jet p_T greater than 400 GeV. Events in this UDR contain high- p_T jets and can have an imbalance in p_T between the leading-jet and the subleading-jet. The other UDR (UDR2) is defined by requiring exactly four large- R jets with the leading large- R jet p_T less than 400 GeV. Events in this UDR contain fewer energetic jets, which tend to be more balanced in p_T . In each UDR, selected jets are binned in the same way as they are in the control regions.

In order to quantify the small difference between the predicted and observed jet mass distributions, the jet mass response, defined as the ratio of the average observed jet mass to the average predicted jet mass, is studied with both UDRs. It is found that the difference between jet mass distributions in the same p_T and $|\eta|$ bin between regions with different selections can be largely cap-

tured by a scale factor between the distributions, and therefore the jet mass response reflects the size of this scale factor. Studies using Monte Carlo multijet events have shown that scaling up and down the predicted jet mass by the jet mass response in the UDRs leads to variations in the predicted M_j^Σ distributions that cover the difference between the observed and predicted M_j^Σ distributions.

Fig. 4 shows the jet mass responses in the UDRs as a function of jet p_T and $|\eta|$. An under-prediction of jet mass is seen in the UDR1, varying between a few percent and 14%. In the p_T range of 200 GeV–400 GeV, the UDR2 indicates an over-prediction, at the 4–5% level. Overall, the behaviour of the jet mass response is quite similar between different pseudorapidity regions. It was checked and found that the difference between predicted and observed jet masses in the UDRs are not due to the trigger inefficiency in the UDRs and CR, based on studies performed with Monte Carlo multijet samples and data. In these studies, additional H_T requirements are introduced in the analysis so that the UDRs and CR are fully efficient with respect to the HLT_ht1000 trigger, and the differences in the UDRs remain qualitatively the same. The differences in the jet mass response are used as an estimate for the p_T - and $|\eta|$ -dependent systematic uncertainty of the jet mass prediction. Since the signs of the differences from the UDR1 and UDR2 are opposite in the p_T range of 200 GeV–400 GeV, the larger of the differences from these UDRs is used as the uncertainty and symmetrized. The uncertainty of the jet mass prediction is uncorrelated between the p_T range of 200 GeV–400 GeV (“low- p_T ”) and the p_T range of > 400 GeV (“high- p_T ”). For jets within the low- p_T or high- p_T range, the jet mass prediction uncertainties are correlated between different p_T and $|\eta|$ bins.

Possible bias on the background estimate due to the presence of $t\bar{t}$ events, where the jet origin is different from that in multijet events, is not explicitly addressed by the background estimation strategy. However, a study using Monte Carlo multijet and $t\bar{t}$ samples finds that the background prediction is insensitive to the presence of $t\bar{t}$ events, because of its relatively small cross section.

The jet mass template method is then applied to data in the validation and signal regions. Uncertainties in the jet mass prediction derived from the UDRs are propagated to the predicted M_j^Σ distribution. The background estimation performance is first examined in the validation regions. Fig. 5 shows the observed and predicted M_j^Σ distributions in the validation regions, where in general they are seen to agree well. The difference between the observed




Fig. 4. The average observed and predicted jet masses (top panes) and the jet mass responses (bottom pane) in UDR1 and UDR2 are shown for four different pseudorapidity regions.

and predicted M_j^Σ distributions is consistent with variations of the jet mass prediction due to correlated systematic uncertainties and is covered by the total uncertainty. Fig. 6 shows the predicted and observed M_j^Σ distributions in the signal regions.

The statistical interpretation is based on the event yield in a signal region beyond an M_j^Σ threshold, which maximizes the sensitivity to both the gluino direct decay and cascade decay models. For the 5jSR and 5jSRb_1 signal regions, the threshold used is 0.8 TeV, except that for direct decay models with $m_{\tilde{g}} < 1080$ GeV, 5jSRb_2 with $M_j^\Sigma > 0.6$ TeV is found to be optimal. For the 4jSR and 4jSRb signal regions, the M_j^Σ threshold is 1.0 TeV. The model-independent interpretation is performed in all the signal regions with the M_j^Σ requirements mentioned just above.

6. Signal systematic uncertainties

The main systematic uncertainties for the predicted signal yield include the large- R jet mass scale and resolution uncertainties, b -tagging uncertainty, Monte Carlo statistical uncertainty, and luminosity uncertainty. The large- R jet mass scale and resolution uncertainties are estimated by comparing the performance of calorimeter-based jets with the performance of track-based jets in data and Monte Carlo simulation samples [67]. The uncertainty in the predicted signal yields due to the large- R jet mass scale and resolution uncertainty is as large as 24% for signal models with $m_{\tilde{g}} = 1000$ GeV, and decreases to 8% for signal models with $m_{\tilde{g}} = 1800$ GeV. The Monte Carlo samples reproduce the b -tagging efficiency measured in data with limited accuracy. Dedicated cor-




Fig. 5. Predicted (solid line) and observed (dots) M_j^Σ distributions for validation regions (a) 4jVR, (b) 4jVRb, (c) 5jVR, and (d) 5jVRb. The shaded area surrounding the predicted M_j^Σ distribution represents the uncertainty of the background estimation. The predicted M_j^Σ distribution is normalized to data in $0.2 \text{ TeV} < M_j^\Sigma < 0.6 \text{ TeV}$, where the expected contaminations from signals of gluino direct decay or cascade decay models not excluded by the Run-1 analysis [21] are negligible compared to the background statistical uncertainty. The expected contributions from two RPV signal samples are also shown.

rection factors, derived from a comparison between $t\bar{t}$ events in data and Monte Carlo simulation, are applied to the signal samples [62]. The uncertainty of the correction factors is propagated to a systematic uncertainty in the yields in the signal region. This uncertainty is between 1% and 5% for all signal models considered in this analysis. Due to low acceptance, the statistical uncertainty of the signal yield predicted by the Monte Carlo samples can be as large as 8% for signal models with $m_{\tilde{g}} \leq 1000 \text{ GeV}$. The Monte Carlo statistical uncertainty for signal models with large $m_{\tilde{g}}$ is negligible. Uncertainties in the signal acceptance due to the choices of QCD scales and PDF, and the modelling of initial-state radia-

tion (ISR) are studied. The uncertainty due to the PDF and QCD scales is found to be as large as 25% for $m_{\tilde{g}} = 1000 \text{ GeV}$, 10% for $m_{\tilde{g}} = 1700 \text{ GeV}$, and a few percent for $m_{\tilde{g}} = 2100 \text{ GeV}$. The relatively large uncertainty at $m_{\tilde{g}} = 1000 \text{ GeV}$ is partly because the signal region M_j^Σ requirement is placed at the tail of the M_j^Σ distribution, which is more sensitive to scale variations.

Since signal events and background events have different kinematic distributions and jet flavour compositions, the presence of signal events in data can bias the predicted background yield in the signal region. The presence of signal events can lead to a positive contribution to the predicted background yield, which can be




Fig. 6. Predicted (solid line) and observed (dots) M_j^Σ distributions for signal regions (a) 4jSR, (b) 4jSRb, (c) 5jSR, and (d) 5jSRb. The shaded area surrounding the predicted M_j^Σ distribution represents the uncertainty of background estimation. The predicted M_j^Σ distribution is normalized to data in $0.2 \text{ TeV} < M_j^\Sigma < 0.6 \text{ TeV}$, where the expected contaminations from signals of gluino direct decay or cascade decay models not excluded by the Run-1 analysis [21] are negligible compared to the background statistical uncertainty. The expected contributions from two RPV signal samples are also shown.

determined by studying signal Monte Carlo samples, and therefore is subtracted from the background prediction for the model-dependent interpretation. This potential bias is not considered for the model-independent interpretation. As the contribution is induced by the signal events, the correction also scales with the cross section of the signal events, which is equivalent to a correction of the predicted signal yield. The size of the correction relative to the predicted signal can be as large as 50% for cascade decay models with $m_{\tilde{\chi}_1^0} = 50$ GeV, and decreases to a few percent for models with a small mass difference between the gluino and neutralino.

7. Results

Table 2 summarizes the predicted and observed event yields in signal regions with different M_j^Σ requirements, which are used to construct the likelihood function for the statistical interpretation. The number of events in each signal region's corresponding normalization region is also shown. Modest, but not statistically significant, excesses are seen in signal regions requiring five or more jets and the 4jSR signal region.

Signal and background systematic uncertainties are incorporated as nuisance parameters. A frequentist procedure based on

Table 2


Predicted and observed yields in various search regions for a number of different M_j^Σ requirements. The number of events in the normalization region, N_{NR} , is also shown.

| Region | N_{NR} | $\geq M_j^\Sigma$ [TeV] | Expected (| \pm | (stat.) | \pm | (high- p_T) | \pm | (low- p_T) | Observed |
|---------|-----------------|-------------------------|------------|-------|---------|-------|----------------|-------|---------------|----------|
| 4jSRb | 64081 | 1.0 | 23.6 | \pm | 4.6 | \pm | 6.1 | \pm | 1.7 | 15 |
| 4jSR | 224862 | 1.0 | 8.2 | \pm | 7.6 | \pm | 15.8 | \pm | 4.4 | 82 |
| 5jSRb_1 | 2177 | 0.8 | 7.0 | \pm | 2.4 | \pm | 1.9 | \pm | 0.7 | 10 |
| 5jSRb_2 | 2177 | 0.6 | 44.0 | \pm | 7.5 | \pm | 11.2 | \pm | 7.2 | 61 |
| 5jSR | 6592 | 0.8 | 18.0 | \pm | 3.7 | \pm | 4.6 | \pm | 1.5 | 31 |


Table 3

Expected and observed limits on the signal production cross section for the signal regions. The observed p_0 -value is also shown.

| Signal region | M_j^Σ requirement | Expected limit [fb] | Observed limit [fb] | p_0 -value |
|---------------|--------------------------|------------------------|---------------------|--------------|
| 4jSRb | > 1.0 TeV | $0.53^{+0.20}_{-0.12}$ | 0.37 | 0.5 |
| 4jSR | > 1.0 TeV | $1.12^{+0.50}_{-0.32}$ | 1.50 | 0.24 |
| 5jSRb_1 | > 0.8 TeV | $0.24^{+0.10}_{-0.06}$ | 0.34 | 0.26 |
| 5jSRb_2 | > 0.6 TeV | $0.86^{+0.40}_{-0.20}$ | 1.32 | 0.20 |
| 5jSR | > 0.8 TeV | $0.44^{+0.18}_{-0.10}$ | 0.84 | 0.062 |



(a) gluino direct decay model



(b) gluino cascade decay model

Fig. 7. (a) Expected and observed cross-section limits for the gluino direct decay model. The discontinuities in the observed limit and $\pm 1\sigma$ and $\pm 2\sigma$ bands are caused by the use of two different signal regions (5jSRb_2 for $m_{\tilde{g}} < 1080$ GeV, 5jSRb_1 for $m_{\tilde{g}} > 1080$ GeV). The long-dashed line and the grey band surrounding it are the expected gluino pair production cross section and the associated theoretical uncertainty. (b) Expected and observed exclusion contours in the $(m_{\tilde{g}}, m_{\tilde{\chi}_1^0})$ plane for the gluino cascade decay model. The dashed black line shows the expected limit at 95% CL, with the light (yellow) band indicating the $\pm 1\sigma$ variations due to experimental uncertainties. Observed limits are indicated by red curves, where the solid contour represents the nominal limit, and the dotted lines are obtained by varying the signal cross section by the renormalization and factorization scale and PDF uncertainties. The observed limit from the Run-1 analysis [21] is also shown as a dotted-dashed line.

the profile likelihood ratio [68] is used to evaluate the p_0 -values of these excesses, and the results are shown in Table 3. Since no significant excess is seen in any of the signal regions, a model-independent limit on σ_{vis} , defined as the upper limit on the number of signal events of a generic BSM model in the signal region divided by the integrated luminosity, is calculated using a modified frequentist procedure (the CL_s method [69]). The observed and expected limits are shown in Table 3.

Limits are set on the production of gluinos in UDD scenarios of RPV SUSY and are shown in Fig. 7. Typically, for RPV signals from the gluino cascade decay model with $m_{\tilde{g}} = 1800$ GeV and $250 \text{ GeV} \leq m_{\tilde{\chi}_1^0} < 1650$ GeV, the detector efficiency, defined as the ratio of the selection efficiency at detector level to the event-generator-level acceptance, is between 1.2 and 1.4, for 5jSRb with $M_j^\Sigma > 0.8$ TeV. The detector efficiency at $m_{\tilde{\chi}_1^0} = 1050$ GeV, varies between 1.5 for $m_{\tilde{g}} = 1200$ GeV to 1.2 for $m_{\tilde{g}} = 2000$ GeV. The ratio is beyond 1 because the migration of events due to effects of resolution and efficiency at the reconstruction level. The search excludes a gluino with mass 1000–1875 GeV at the 95% confi-

dence level (CL) in the gluino cascade decay model, with the most stringent limit achieved at $m_{\tilde{\chi}_1^0} \gtrsim 1000$ GeV and the weakest limit achieved at $m_{\tilde{\chi}_1^0} \gtrsim 50$ GeV. The exclusion is weaker for signal points with a small $m_{\tilde{\chi}_1^0}$ or a small gap between $m_{\tilde{\chi}_1^0}$ and $m_{\tilde{g}}$, because these signal points have smaller jet multiplicities and hence smaller efficiencies. For the gluino direct decay model, the search does not exclude any specific range of gluino mass due to an upward fluctuation in the signal regions, nonetheless, the search yields a 95% CL upper limit on the production cross section between 0.011 fb^{-1} and 0.80 fb^{-1} , in the range $900 \text{ GeV} < m_{\tilde{\chi}_1^0} < 1800 \text{ GeV}$.

8. Conclusion

A search for R-parity-violating SUSY signals in events with multiple jets is conducted with 36.1 fb^{-1} of proton–proton collision data at $\sqrt{s} = 13$ TeV collected by the ATLAS detector at the LHC. Distributions of events as a function of total jet mass of the four leading jets in p_T are examined. No significant excess is seen in

any signal region. Limits are set on the production of gluinos in the gluino direct decay and cascade decay models in the UDD scenarios of RPV SUSY. In the gluino cascade decay model, gluinos with masses between 1000 GeV and 1875 GeV are excluded at 95% CL, depending on the neutralino mass; in the gluino direct decay model, signals with a cross section of 0.011–0.8 fb are excluded at 95% CL, depending on the gluino mass. Model-independent limits are also set on the signal production cross section times branching ratio in five overlapping signal regions. These significantly extend the limits from the 8 TeV LHC analyses.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [70].

References

- [1] Yu.A. Gol'dand, E.P. Likhtman, Extension of the algebra of Poincaré group generators and violation of p invariance, *JETP Lett.* **13** (1971) 323, *Pisma Zh. Eksp. Teor. Fiz.* **13** (1971) 452.
- [2] D.V. Volkov, V.P. Akulov, Is the neutrino a goldstone particle?, *Phys. Lett. B* **46** (1973) 109.
- [3] J. Wess, B. Zumino, Supergauge transformations in four-dimensions, *Nucl. Phys. B* **70** (1974) 39.
- [4] J. Wess, B. Zumino, Supergauge invariant extension of quantum electrodynamics, *Nucl. Phys. B* **78** (1974) 1.
- [5] S. Ferrara, B. Zumino, Supergauge invariant Yang–Mills theories, *Nucl. Phys. B* **79** (1974) 413.
- [6] A. Salam, J.A. Strathdee, Supersymmetry and nonabelian gauges, *Phys. Lett. B* **51** (1974) 353.
- [7] N. Sakai, Naturalness in supersymmetric guts, *Z. Phys. C* **11** (1981) 153.
- [8] S. Dimopoulos, S. Raby, F. Wilczek, Supersymmetry and the scale of unification, *Phys. Rev. D* **24** (1981) 1681.
- [9] L.E. Ibanez, G.G. Ross, Low-energy predictions in supersymmetric grand unified theories, *Phys. Lett. B* **105** (1981) 439.
- [10] S. Dimopoulos, H. Georgi, Softly broken supersymmetry and SU(5), *Nucl. Phys. B* **193** (1981) 150.
- [11] G.R. Farrar, P. Fayet, Phenomenology of the production, decay, and detection of new hadronic states associated with supersymmetry, *Phys. Lett. B* **76** (1978) 575.
- [12] L.J. Hall, M. Suzuki, Explicit R-parity breaking in supersymmetric models, *Nucl. Phys. B* **231** (1984) 419.
- [13] G.G. Ross, J.W.F. Valle, Supersymmetric models without R-parity, *Phys. Lett. B* **151** (1985) 375.
- [14] V.D. Barger, G.F. Giudice, T. Han, Some new aspects of supersymmetry R-parity violating interactions, *Phys. Rev. D* **40** (1989) 2987.
- [15] H.K. Dreiner, An introduction to explicit R-parity violation, *Adv. Ser. Dir. High Energy Phys.* **21** (1997) 565, arXiv:hep-ph/9707435.
- [16] R. Barbier, et al., R-parity violating supersymmetry, *Phys. Rep.* **420** (2005) 1, arXiv:hep-ph/0406039.
- [17] B. Allanach, A. Dedes, H. Dreiner, R parity violating minimal supergravity model, *Phys. Rev. D* **69** (2004) 115002, arXiv:hep-ph/0309196.
- [18] E. Nikolidakis, C. Smith, Minimal flavor violation, seesaw, and R-parity, *Phys. Rev. D* **77** (2008) 015021, arXiv:0710.3129 [hep-ph].
- [19] C. Csaki, Y. Grossman, B. Heidenreich, MFV SUSY: a natural theory for R-parity violation, *Phys. Rev. D* **85** (2012) 095009, arXiv:1111.1239 [hep-ph].
- [20] ATLAS Collaboration, Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC, *J. High Energy Phys.* **12** (2012) 086, arXiv:1210.4813 [hep-ex].
- [21] ATLAS Collaboration, Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV, *Phys. Rev. D* **91** (2015) 112016, arXiv:1502.05686 [hep-ex]; *Phys. Rev. D* **93** (2016) 039901 (Erratum).
- [22] ATLAS Collaboration, Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data, *J. High Energy Phys.* **09** (2017) 088, arXiv:1704.08493 [hep-ex].
- [23] ATLAS Collaboration, Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb^{-1} of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector, *J. High Energy Phys.* **09** (2017) 084, arXiv:1706.03731 [hep-ex].
- [24] CMS Collaboration, Search for R-parity violating supersymmetry in pp collisions at $\sqrt{s} = 13$ TeV using b jets in a final state with a single lepton, many jets, and high sum of large-radius jet masses, arXiv:1712.08920 [hep-ex], 2017.
- [25] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* **3** (2008) S08003.
- [26] ATLAS Collaboration, ATLAS Insertable B-Layer Technical Design Report, ATLAS-TDR-19, <https://cds.cern.ch/record/1291633>, 2010; ATLAS Insertable B-Layer Technical Design Report Addendum, ATLAS-TDR-19-ADD-1, <https://cds.cern.ch/record/1451888>, 2012.
- [27] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, *Eur. Phys. J. C* **77** (2017) 317, arXiv:1611.09661 [hep-ex].
- [28] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* **07** (2014) 079, arXiv:1405.0301 [hep-ph].
- [29] T. Sjöstrand, et al., An introduction to PYTHIA 8.2, *Comput. Phys. Commun.* **191** (2015) 159, arXiv:1410.3012 [hep-ph].
- [30] ATLAS Collaboration, Summary of ATLAS Pythia 8 Tunes, ATL-PHYS-PUB-2012-003, <https://cds.cern.ch/record/1474107>, 2012.
- [31] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* **867** (2013) 244, arXiv:1207.1303 [hep-ph].
- [32] W. Beenakker, R. Hopker, M. Spira, P. Zerwas, Squark and gluino production at hadron colliders, *Nucl. Phys. B* **492** (1997) 51, arXiv:hep-ph/9610490.
- [33] A. Kulesza, L. Motyka, Threshold resummation for squark-antisquark and gluino-pair production at the LHC, *Phys. Rev. Lett.* **102** (2009) 111802, arXiv:0807.2405 [hep-ph].
- [34] A. Kulesza, L. Motyka, Soft gluon resummation for the production of gluino-gluino and squark-antisquark pairs at the LHC, *Phys. Rev. D* **80** (2009) 095004, arXiv:0905.4749 [hep-ph].
- [35] W. Beenakker, S. Bremsing, M. Kramer, A. Kulesza, E. Laenen, et al., Soft-gluon resummation for squark and gluino hadroproduction, *J. High Energy Phys.* **12** (2009) 041, arXiv:0909.4418 [hep-ph].
- [36] W. Beenakker, S. Bremsing, M. Kramer, A. Kulesza, E. Laenen, et al., Squark and gluino hadroproduction, *Int. J. Mod. Phys. A* **26** (2011) 2637, arXiv:1105.1110 [hep-ph].
- [37] C. Borschensky, et al., Squark and gluino production cross sections in pp collisions at $\sqrt{s} = 13, 14, 33$ and 100 TeV, *Eur. Phys. J. C* **74** (2014) 3174, arXiv:1407.5066 [hep-ph].
- [38] M. Bahr, et al., Herwig++ physics and manual, *Eur. Phys. J. C* **58** (2008) 639, arXiv:0803.0883 [hep-ph].

- [39] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* 07 (2002) 012, arXiv:hep-ph/0201195.
- [40] S. Schumann, F. Krauss, A parton shower algorithm based on Catani-Seymour dipole factorisation, *J. High Energy Phys.* 03 (2008) 038, arXiv:0709.1027 [hep-ph].
- [41] S. Hoeche, F. Krauss, S. Schumann, F. Siegert, QCD matrix elements and truncated showers, *J. High Energy Phys.* 05 (2009) 053, arXiv:0903.1219 [hep-ph].
- [42] H.-L. Lai, et al., New parton distributions for collider physics, *Phys. Rev. D* 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [43] S. Alioli, P. Nason, C. Oleari, E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX, *J. High Energy Phys.* 06 (2010) 043, arXiv:1002.2581 [hep-ph].
- [44] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 physics and manual, *J. High Energy Phys.* 05 (2006) 026, arXiv:hep-ph/0603175.
- [45] D.J. Lange, The EvtGen particle decay simulation package, *Nucl. Instrum. Methods A* 462 (2001) 152.
- [46] T. Gleisberg, et al., Event generation with SHERPA 1.1, *J. High Energy Phys.* 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [47] S. Agostinelli, et al., GEANT4: a simulation toolkit, *Nucl. Instrum. Methods A* 506 (2003) 250.
- [48] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823, arXiv:1005.4568 [physics.ins-det].
- [49] ATLAS Collaboration, The Simulation Principle and Performance of the ATLAS Fast Calorimeter Simulation FastCaloSim, ATL-PHYS-PUB-2010-013, <https://cds.cern.ch/record/1300517>, 2010.
- [50] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, *Eur. Phys. J. C* 76 (2016) 653, arXiv:1608.03953 [hep-ex].
- [51] ATLAS Collaboration, Characterisation and mitigation of beam-induced backgrounds observed in the ATLAS detector during the 2011 proton-proton run, *J. Instrum.* 8 (2013) P07004, arXiv:1303.0223 [hep-ex].
- [52] ATLAS Collaboration, Selection of Jets Produced in 13 TeV Proton-Proton Collisions with the ATLAS Detector, ATL-CONF-2015-029, <https://cds.cern.ch/record/2037702>, 2015.
- [53] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, *Eur. Phys. J. C* 77 (2017) 490, arXiv:1603.02934 [hep-ex].
- [54] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_T jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [55] M. Cacciari, G.P. Salam, G. Soyez, Fastjet user manual, *Eur. Phys. J. C* 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [56] T. Barillari, et al., Local Hadronic Calibration, ATL-LARG-PUB-2009-001, <http://cds.cern.ch/record/1112035>, 2009.
- [57] S. Catani, Y.L. Dokshitzer, M.H. Seymour, B.R. Webber, Longitudinally invariant K_T clustering algorithms for hadron-hadron collisions, *Nucl. Phys. B* 406 (1993) 187.
- [58] ATLAS Collaboration, Performance of jet substructure techniques for large- R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, *J. High Energy Phys.* 09 (2013) 076, arXiv:1306.4945 [hep-ex].
- [59] D. Krohn, J. Thaler, L.-T. Wang, Jet trimming, *J. High Energy Phys.* 02 (2010) 084, arXiv:0912.1342 [hep-ph].
- [60] ATLAS Collaboration, Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* 96 (2017) 072002, arXiv:1703.09665 [hep-ex].
- [61] ATLAS Collaboration, Properties of Jets and Inputs to Jet Reconstruction and Calibration with the ATLAS Detector Using Proton-Proton Collisions at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-036, <https://cds.cern.ch/record/2044564>, 2015.
- [62] ATLAS Collaboration, Performance of b -jet identification in the ATLAS experiment, *J. Instrum.* 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [63] ATLAS Collaboration, Optimisation of the ATLAS b -Tagging Performance for the 2016 LHC Run, ATL-PHYS-PUB-2016-012, <https://cds.cern.ch/record/2160731>, 2016.
- [64] A. Hook, E. Izaguirre, M. Lisanti, J.G. Wacker, High multiplicity searches at the LHC using jet masses, *Phys. Rev. D* 85 (2012) 055029, arXiv:1202.0558 [hep-ph].
- [65] S. El Hedri, A. Hook, M. Jankowiak, J.G. Wacker, Learning how to count: a high multiplicity search for the LHC, *J. High Energy Phys.* 08 (2013) 136, arXiv:1302.1870 [hep-ph].
- [66] T. Cohen, M. Jankowiak, M. Lisanti, H.K. Lou, J.G. Wacker, Jet substructure templates: data-driven QCD backgrounds for fat jet searches, *J. High Energy Phys.* 05 (2014) 005, arXiv:1402.0516 [hep-ph].
- [67] ATLAS Collaboration, Jet Mass Reconstruction with the ATLAS Detector in Early Run 2 Data, ATL-CONF-2016-035, <https://cds.cern.ch/record/2200211>, 2016.
- [68] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* 71 (2011) 1554, arXiv:1007.1727 [physics.data-an]; *Eur. Phys. J. C* 73 (2013) 2501 (Erratum).
- [69] A.L. Read, Presentation of search results: the CL_S technique, *J. Phys. G* 28 (2002) 2693.
- [70] ATLAS Collaboration, ATLAS Computing Acknowledgements, ATL-GEN-PUB-2016-002, <https://cds.cern.ch/record/2202407>.

ATLAS Collaboration

M. Aaboud ^{34d}, G. Aad ⁹⁹, B. Abbott ¹²⁴, O. Abdinov ^{13,*}, B. Abeloos ¹²⁸, S.H. Abidi ¹⁶⁵, O.S. AbouZeid ¹⁴³, N.L. Abraham ¹⁵³, H. Abramowicz ¹⁵⁹, H. Abreu ¹⁵⁸, Y. Abulaiti ^{43a,43b}, B.S. Acharya ^{64a,64b,o}, S. Adachi ¹⁶¹, L. Adamczyk ^{81a}, J. Adelman ¹¹⁹, M. Adersberger ¹¹², T. Adye ¹⁴¹, A.A. Affolder ¹⁴³, Y. Afik ¹⁵⁸, C. Agheorghiesei ^{27c}, J.A. Aguilar-Saavedra ^{136f,136a}, F. Ahmadov ^{77,ag}, G. Aielli ^{71a,71b}, S. Akatsuka ⁸³, T.P.A. Åkesson ⁹⁴, E. Akilli ⁵², A.V. Akimov ¹⁰⁸, G.L. Alberghi ^{23b,23a}, J. Albert ¹⁷⁴, P. Albicocco ⁴⁹, M.J. Alconada Verzini ⁸⁶, S. Alderweireldt ¹¹⁷, M. Aleksić ³⁵, I.N. Aleksandrov ⁷⁷, C. Alexa ^{27b}, G. Alexander ¹⁵⁹, T. Alexopoulos ¹⁰, M. Alhroob ¹²⁴, B. Ali ¹³⁸, G. Alimonti ^{66a}, J. Alison ³⁶, S.P. Alkire ³⁸, C. Allaire ¹²⁸, B.M.M. Allbrooke ¹⁵³, B.W. Allen ¹²⁷, P.P. Allport ²¹, A. Aloisio ^{67a,67b}, A. Alonso ³⁹, F. Alonso ⁸⁶, C. Alpigiani ¹⁴⁵, A.A. Alshehri ⁵⁵, M.I. Alstaty ⁹⁹, B. Alvarez Gonzalez ³⁵, D. Álvarez Piqueras ¹⁷², M.G. Alviggi ^{67a,67b}, B.T. Amadio ¹⁸, Y. Amaral Coutinho ^{78b}, L. Ambroz ¹³¹, C. Amelung ²⁶, D. Amidei ¹⁰³, S.P. Amor Dos Santos ^{136a,136c}, S. Amoroso ³⁵, C. Anastopoulos ¹⁴⁶, L.S. Ancu ⁵², N. Andari ²¹, T. Andeen ¹¹, C.F. Anders ^{59b}, J.K. Anders ²⁰, K.J. Anderson ³⁶, A. Andreazza ^{66a,66b}, V. Andrei ^{59a}, S. Angelidakis ³⁷, I. Angelozzi ¹¹⁸, A. Angerami ³⁸, A.V. Anisenkov ^{120b,120a}, A. Annovi ^{69a}, C. Antel ^{59a}, M. Antonelli ⁴⁹, A. Antonov ^{110,*}, D.J.A. Antrim ¹⁶⁹, F. Anulli ^{70a}, M. Aoki ⁷⁹, L. Aperio Bella ³⁵, G. Arabidze ¹⁰⁴, Y. Arai ⁷⁹, J.P. Araque ^{136a}, V. Araujo Ferraz ^{78b}, A.T.H. Arce ⁴⁷, R.E. Ardell ⁹¹, F.A. Arduh ⁸⁶, J.-F. Arguin ¹⁰⁷, S. Argyropoulos ⁷⁵, A.J. Armbruster ³⁵, L.J. Armitage ⁹⁰, O. Arnaez ¹⁶⁵, H. Arnold ⁵⁰, M. Arratia ³¹, O. Arslan ²⁴, A. Artamonov ^{109,*}, G. Artoni ¹³¹, S. Artz ⁹⁷, S. Asai ¹⁶¹, N. Asbah ⁴⁴, A. Ashkenazi ¹⁵⁹, L. Asquith ¹⁵³, K. Assamagan ²⁹, R. Astalos ^{28a}, R.J. Atkin ^{32a}, M. Atkinson ¹⁷¹, N.B. Atlay ¹⁴⁸, K. Augsten ¹³⁸, G. Avolio ³⁵, B. Axen ¹⁸, M.K. Ayoub ^{15a}, G. Azuelos ^{107,au}, A.E. Baas ^{59a}, M.J. Baca ²¹, H. Bachacou ¹⁴², K. Bachas ^{65a,65b}, M. Backes ¹³¹, P. Bagnaia ^{70a,70b}, M. Bahmani ⁸², H. Bahrasemani ¹⁴⁹, J.T. Baines ¹⁴¹, M. Bajic ³⁹, O.K. Baker ¹⁸¹,

- P.J. Bakker ¹¹⁸, D. Bakshi Gupta ⁹³, E.M. Baldin ^{120b,120a}, P. Balek ¹⁷⁸, F. Balli ¹⁴², W.K. Balunas ¹³³, E. Banas ⁸², A. Bandyopadhyay ²⁴, S. Banerjee ^{179,k}, A.A.E. Bannoura ¹⁸⁰, L. Barak ¹⁵⁹, E.L. Barberio ¹⁰², D. Barberis ^{53b,53a}, M. Barbero ⁹⁹, T. Barillari ¹¹³, M-S. Barisits ⁷⁴, J. Barkeloo ¹²⁷, T. Barklow ¹⁵⁰, N. Barlow ³¹, S.L. Barnes ^{58c}, B.M. Barnett ¹⁴¹, R.M. Barnett ¹⁸, Z. Barnovska-Blenessy ^{58a}, A. Baroncelli ^{72a}, G. Barone ²⁶, A.J. Barr ¹³¹, L. Barranco Navarro ¹⁷², F. Barreiro ⁹⁶, J. Barreiro Guimaraes da Costa ^{15a}, R. Bartoldus ¹⁵⁰, A.E. Barton ⁸⁷, P. Bartos ^{28a}, A. Basalaev ¹³⁴, A. Bassalat ¹²⁸, R.L. Bates ⁵⁵, S.J. Batista ¹⁶⁵, J.R. Batley ³¹, M. Battaglia ¹⁴³, M. Bauce ^{70a,70b}, F. Bauer ¹⁴², K.T. Bauer ¹⁶⁹, H.S. Bawa ^{150,m}, J.B. Beacham ¹²², M.D. Beattie ⁸⁷, T. Beau ¹³², P.H. Beauchemin ¹⁶⁸, P. Bechtle ²⁴, H.C. Beck ⁵¹, H.P. Beck ^{20,r}, K. Becker ¹³¹, M. Becker ⁹⁷, C. Becot ¹²¹, A. Beddall ^{12d}, A.J. Beddall ^{12a}, V.A. Bednyakov ⁷⁷, M. Bedognetti ¹¹⁸, C.P. Bee ¹⁵², T.A. Beermann ³⁵, M. Begalli ^{78b}, M. Begel ²⁹, J.K. Behr ⁴⁴, A.S. Bell ⁹², G. Bella ¹⁵⁹, L. Bellagamba ^{23b}, A. Bellerive ³³, M. Bellomo ¹⁵⁸, K. Belotskiy ¹¹⁰, N.L. Belyaev ¹¹⁰, O. Benary ^{159,*}, D. Bencheikroun ^{34a}, M. Bender ¹¹², N. Benekos ¹⁰, Y. Benhammou ¹⁵⁹, E. Benhar Noccioli ¹⁸¹, J. Benitez ⁷⁵, D.P. Benjamin ⁴⁷, M. Benoit ⁵², J.R. Bensinger ²⁶, S. Bentvelsen ¹¹⁸, L. Beresford ¹³¹, M. Beretta ⁴⁹, D. Berge ⁴⁴, E. Bergeaas Kuutmann ¹⁷⁰, N. Berger ⁵, L.J. Bergsten ²⁶, J. Beringer ¹⁸, S. Berlendis ⁵⁶, N.R. Bernard ¹⁰⁰, G. Bernardi ¹³², C. Bernius ¹⁵⁰, F.U. Bernlochner ²⁴, T. Berry ⁹¹, P. Berta ⁹⁷, C. Bertella ^{15a}, G. Bertoli ^{43a,43b}, I.A. Bertram ⁸⁷, C. Bertsche ⁴⁴, G.J. Besjes ³⁹, O. Bessidskaia Bylund ^{43a,43b}, M. Bessner ⁴⁴, N. Besson ¹⁴², A. Bethani ⁹⁸, S. Bethke ¹¹³, A. Betti ²⁴, A.J. Bevan ⁹⁰, J. Beyer ¹¹³, R.M.B. Bianchi ¹³⁵, O. Biebel ¹¹², D. Biedermann ¹⁹, R. Bielski ⁹⁸, K. Bierwagen ⁹⁷, N.V. Biesuz ^{69a,69b}, M. Biglietti ^{72a}, T.R.V. Billoud ¹⁰⁷, M. Bindu ⁵¹, A. Bingul ^{12d}, C. Bini ^{70a,70b}, S. Biondi ^{23b,23a}, T. Bisanz ⁵¹, C. Bittrich ⁴⁶, D.M. Bjergaard ⁴⁷, J.E. Black ¹⁵⁰, K.M. Black ²⁵, R.E. Blair ⁶, T. Blazek ^{28a}, I. Bloch ⁴⁴, C. Blocker ²⁶, A. Blue ⁵⁵, U. Blumenschein ⁹⁰, Dr. Blunier ^{144a}, G.J. Bobbink ¹¹⁸, V.S. Bobrovnikov ^{120b,120a}, S.S. Bocchetta ⁹⁴, A. Bocci ⁴⁷, C. Bock ¹¹², D. Boerner ¹⁸⁰, D. Bogavac ¹¹², A.G. Bogdanchikov ^{120b,120a}, C. Bohm ^{43a}, V. Boisvert ⁹¹, P. Bokan ^{170,y}, T. Bold ^{81a}, A.S. Boldyrev ¹¹¹, A.E. Bolz ^{59b}, M. Bomben ¹³², M. Bona ⁹⁰, J.S. Bonilla ¹²⁷, M. Boonekamp ¹⁴², A. Borisov ¹⁴⁰, G. Borissov ⁸⁷, J. Bortfeldt ³⁵, D. Bortolotto ¹³¹, V. Bortolotto ^{61a,61b,61c}, D. Boscherini ^{23b}, M. Bosman ¹⁴, J.D. Bossio Sola ³⁰, J. Boudreau ¹³⁵, E.V. Bouhova-Thacker ⁸⁷, D. Boumediene ³⁷, C. Bourdarios ¹²⁸, S.K. Boutle ⁵⁵, A. Boveia ¹²², J. Boyd ³⁵, I.R. Boyko ⁷⁷, A.J. Bozson ⁹¹, J. Bracinik ²¹, A. Brandt ⁸, G. Brandt ¹⁸⁰, O. Brandt ^{59a}, F. Braren ⁴⁴, U. Bratzler ¹⁶², B. Brau ¹⁰⁰, J.E. Brau ¹²⁷, W.D. Breaden Madden ⁵⁵, K. Brendlinger ⁴⁴, A.J. Brennan ¹⁰², L. Brenner ¹¹⁸, R. Brenner ¹⁷⁰, S. Bressler ¹⁷⁸, S.K. Bright-thonney ¹⁸, D.L. Briglin ²¹, T.M. Bristow ⁴⁸, D. Britton ⁵⁵, D. Britzger ^{59b}, I. Brock ²⁴, R. Brock ¹⁰⁴, G. Brooijmans ³⁸, T. Brooks ⁹¹, W.K. Brooks ^{144b}, E. Brost ¹¹⁹, J.H. Broughton ²¹, P.A. Bruckman de Renstrom ⁸², D. Bruncko ^{28b}, A. Bruni ^{23b}, G. Bruni ^{23b}, L.S. Bruni ¹¹⁸, S. Bruno ^{71a,71b}, B.H. Brunt ³¹, M. Bruschi ^{23b}, N. Bruscino ¹³⁵, P. Bryant ³⁶, L. Bryngemark ⁴⁴, T. Buanes ¹⁷, Q. Buat ¹⁴⁹, P. Buchholz ¹⁴⁸, A.G. Buckley ⁵⁵, I.A. Budagov ⁷⁷, F. Buehrer ⁵⁰, M.K. Bugge ¹³⁰, O. Bulekov ¹¹⁰, D. Bullock ⁸, T.J. Burch ¹¹⁹, S. Burdin ⁸⁸, C.D. Burgard ¹¹⁸, A.M. Burger ⁵, B. Burghgrave ¹¹⁹, K. Burka ⁸², S. Burke ¹⁴¹, I. Burmeister ⁴⁵, J.T.P. Burr ¹³¹, D. Büscher ⁵⁰, V. Büscher ⁹⁷, E. Buschmann ⁵¹, P. Bussey ⁵⁵, J.M. Butler ²⁵, C.M. Buttar ⁵⁵, J.M. Butterworth ⁹², P. Butti ³⁵, W. Buttiger ²⁹, A. Buzatu ¹⁵⁵, A.R. Buzykaev ^{120b,120a}, S. Cabrera Urbán ¹⁷², D. Caforio ¹³⁸, H. Cai ¹⁷¹, V.M.M. Cairo ², O. Cakir ^{4a}, N. Calace ⁵², P. Calafiura ¹⁸, A. Calandri ⁹⁹, G. Calderini ¹³², P. Calfayan ⁶³, G. Callea ^{40b,40a}, L.P. Caloba ^{78b}, S. Calvente Lopez ⁹⁶, D. Calvet ³⁷, S. Calvet ³⁷, T.P. Calvet ⁹⁹, R. Camacho Toro ³⁶, S. Camarda ³⁵, P. Camarri ^{71a,71b}, D. Cameron ¹³⁰, R. Caminal Armadans ¹⁰⁰, C. Camincher ⁵⁶, S. Campana ³⁵, M. Campanelli ⁹², A. Camplani ^{66a,66b}, A. Campoverde ¹⁴⁸, V. Canale ^{67a,67b}, M. Cano Bret ^{58c}, J. Cantero ¹²⁵, T. Cao ¹⁵⁹, Y. Cao ¹⁷¹, M.D.M. Capeans Garrido ³⁵, I. Caprini ^{27b}, M. Caprini ^{27b}, M. Capua ^{40b,40a}, R.M. Carbone ³⁸, R. Cardarelli ^{71a}, F.C. Cardillo ⁵⁰, I. Carli ¹³⁹, T. Carli ³⁵, G. Carlino ^{67a}, B.T. Carlson ¹³⁵, L. Carminati ^{66a,66b}, R.M.D. Carney ^{43a,43b}, S. Caron ¹¹⁷, E. Carquin ^{144b}, S. Carrá ^{66a,66b}, G.D. Carrillo-Montoya ³⁵, D. Casadei ²¹, M.P. Casado ^{14,g}, A.F. Casha ¹⁶⁵, M. Casolino ¹⁴, D.W. Casper ¹⁶⁹, R. Castelijn ¹¹⁸, V. Castillo Gimenez ¹⁷², N.F. Castro ^{136a}, A. Catinaccio ³⁵, J.R. Catmore ¹³⁰, A. Cattai ³⁵, J. Caudron ²⁴, V. Cavaliere ²⁹, E. Cavallaro ¹⁴, D. Cavalli ^{66a}, M. Cavalli-Sforza ¹⁴, V. Cavasinni ^{69a,69b}, E. Celebi ^{12b}, F. Ceradini ^{72a,72b}, L. Cerdà Alberich ¹⁷², A.S. Cerqueira ^{78a}, A. Cerri ¹⁵³, L. Cerrito ^{71a,71b}, F. Cerutti ¹⁸, A. Cervelli ^{23b,23a}, S.A. Cetin ^{12b}, A. Chafaq ^{34a}, D. Chakraborty ¹¹⁹, S.K. Chan ⁵⁷, W.S. Chan ¹¹⁸, Y.L. Chan ^{61a}, P. Chang ¹⁷¹, J.D. Chapman ³¹, D.G. Charlton ²¹, C.C. Chau ³³, C.A. Chavez Barajas ¹⁵³, S. Che ¹²², A. Chegwidden ¹⁰⁴, S. Chekanov ⁶, S.V. Chekulaev ^{166a}, G.A. Chelkov ^{77,at}, M.A. Chelstowska ³⁵, C. Chen ^{58a}, C.H. Chen ⁷⁶,

- H. Chen ²⁹, J. Chen ^{58a}, J. Chen ³⁸, S. Chen ¹³³, S.J. Chen ^{15c}, X. Chen ^{15b,as}, Y. Chen ⁸⁰, H.C. Cheng ¹⁰³, H.J. Cheng ^{15d}, A. Cheplakov ⁷⁷, E. Cheremushkina ¹⁴⁰, R. Cherkoui El Moursli ^{34e}, E. Cheu ⁷, K. Cheung ⁶², L. Chevalier ¹⁴², V. Chiarella ⁴⁹, G. Chiarelli ^{69a}, G. Chiodini ^{65a}, A.S. Chisholm ³⁵, A. Chitan ^{27b}, Y.H. Chiu ¹⁷⁴, M.V. Chizhov ⁷⁷, K. Choi ⁶³, A.R. Chomont ³⁷, S. Chouridou ¹⁶⁰, Y.S. Chow ¹¹⁸, V. Christodoulou ⁹², M.C. Chu ^{61a}, J. Chudoba ¹³⁷, A.J. Chuinard ¹⁰¹, J.J. Chwastowski ⁸², L. Chytka ¹²⁶, D. Cinca ⁴⁵, V. Cindro ⁸⁹, I.A. Cioară ²⁴, A. Ciocio ¹⁸, F. Cirotto ^{67a,67b}, Z.H. Citron ¹⁷⁸, M. Citterio ^{66a}, A. Clark ⁵², M.R. Clark ³⁸, P.J. Clark ⁴⁸, R.N. Clarke ¹⁸, C. Clement ^{43a,43b}, Y. Coadou ⁹⁹, M. Cobal ^{64a,64c}, A. Coccaro ⁵², J. Cochran ⁷⁶, L. Colasurdo ¹¹⁷, B. Cole ³⁸, A.P. Colijn ¹¹⁸, J. Collot ⁵⁶, P. Conde Muñoz ^{136a,136b}, E. Coniavitis ⁵⁰, S.H. Connell ^{32b}, I.A. Connolly ⁹⁸, S. Constantinescu ^{27b}, G. Conti ³⁵, F. Conventi ^{67a,av}, A.M. Cooper-Sarkar ¹³¹, F. Cormier ¹⁷³, K.J.R. Cormier ¹⁶⁵, M. Corradi ^{70a,70b}, E.E. Corrigan ⁹⁴, F. Corriveau ^{101,ae}, A. Cortes-Gonzalez ³⁵, M.J. Costa ¹⁷², D. Costanzo ¹⁴⁶, G. Cottin ³¹, G. Cowan ⁹¹, B.E. Cox ⁹⁸, K. Cranmer ¹²¹, S.J. Crawley ⁵⁵, R.A. Creager ¹³³, G. Cree ³³, S. Crépé-Renaudin ⁵⁶, F. Crescioli ¹³², M. Cristinziani ²⁴, V. Croft ¹²¹, G. Crosetti ^{40b,40a}, A. Cueto ⁹⁶, T. Cuhadar Donszelmann ¹⁴⁶, A.R. Cukierman ¹⁵⁰, J. Cummings ¹⁸¹, M. Curatolo ⁴⁹, J. Cúth ⁹⁷, S. Czekiera ⁸², P. Czodrowski ³⁵, M.J. Da Cunha Sargedas De Sousa ^{136a,136b}, C. Da Via ⁹⁸, W. Dabrowski ^{81a}, T. Dado ^{28a,y}, S. Dahbi ^{34e}, T. Dai ¹⁰³, O. Dale ¹⁷, F. Dallaire ¹⁰⁷, C. Dallapiccola ¹⁰⁰, M. Dam ³⁹, G. D'amen ^{23b,23a}, J.R. Dandoy ¹³³, M.F. Daneri ³⁰, N.P. Dang ^{179,k}, N.D. Dann ⁹⁸, M. Danninger ¹⁷³, M. Dano Hoffmann ¹⁴², V. Dao ³⁵, G. Darbo ^{53b}, S. Darmora ⁸, J. Dassoulas ³, A. Dattagupta ¹²⁷, T. Daubney ⁴⁴, S. D'Auria ⁵⁵, W. Davey ²⁴, C. David ⁴⁴, T. Davidek ¹³⁹, D.R. Davis ⁴⁷, P. Davison ⁹², E. Dawe ¹⁰², I. Dawson ¹⁴⁶, K. De ⁸, R. De Asmundis ^{67a}, A. De Benedetti ¹²⁴, S. De Castro ^{23b,23a}, S. De Cecco ¹³², N. De Groot ¹¹⁷, P. de Jong ¹¹⁸, H. De la Torre ¹⁰⁴, F. De Lorenzi ⁷⁶, A. De Maria ^{51,t}, D. De Pedis ^{70a}, A. De Salvo ^{70a}, U. De Sanctis ^{71a,71b}, A. De Santo ¹⁵³, K. De Vasconcelos Corga ⁹⁹, J.B. De Vivie De Regie ¹²⁸, C. Debenedetti ¹⁴³, D.V. Dedovich ⁷⁷, N. Dehghanian ³, I. Deigaard ¹¹⁸, M. Del Gaudio ^{40b,40a}, J. Del Peso ⁹⁶, D. Delgove ¹²⁸, F. Deliot ¹⁴², C.M. Delitzsch ⁷, M. Della Pietra ^{67a,67b}, D. Della Volpe ⁵², A. Dell'Acqua ³⁵, L. Dell'Asta ²⁵, M. Delmastro ⁵, C. Delporte ¹²⁸, P.A. Delsart ⁵⁶, D.A. DeMarco ¹⁶⁵, S. Demers ¹⁸¹, M. Demichev ⁷⁷, S.P. Denisov ¹⁴⁰, D. Denysiuk ¹⁴², L. D'Eramo ¹³², D. Derendarz ⁸², J.E. Derkaoui ^{34d}, F. Derue ¹³², P. Dervan ⁸⁸, K. Desch ²⁴, C. Deterre ⁴⁴, K. Dette ¹⁶⁵, M.R. Devesa ³⁰, P.O. Deviveiros ³⁵, A. Dewhurst ¹⁴¹, S. Dhaliwal ²⁶, F.A. Di Bello ⁵², A. Di Ciaccio ^{71a,71b}, L. Di Ciaccio ⁵, W.K. Di Clemente ¹³³, C. Di Donato ^{67a,67b}, A. Di Girolamo ³⁵, B. Di Micco ^{72a,72b}, R. Di Nardo ³⁵, K.F. Di Petrillo ⁵⁷, A. Di Simone ⁵⁰, R. Di Sipio ¹⁶⁵, D. Di Valentino ³³, C. Diaconu ⁹⁹, M. Diamond ¹⁶⁵, F.A. Dias ³⁹, M.A. Diaz ^{144a}, J. Dickinson ¹⁸, E.B. Diehl ¹⁰³, J. Dietrich ¹⁹, S. Díez Cornell ⁴⁴, A. Dimitrievska ¹⁸, J. Dingfelder ²⁴, P. Dita ^{27b}, S. Dita ^{27b}, F. Dittus ³⁵, F. Djama ⁹⁹, T. Djobava ^{157b}, J.I. Djuvsland ^{59a}, M.A.B. Do Vale ^{78c}, M. Dobre ^{27b}, D. Dodsworth ²⁶, C. Doglioni ⁹⁴, J. Dolejsi ¹³⁹, Z. Dolezal ¹³⁹, M. Donadelli ^{78d}, S. Donati ^{69a,69b}, J. Donini ³⁷, M. D'Onofrio ⁸⁸, J. Dopke ¹⁴¹, A. Doria ^{67a}, M.T. Dova ⁸⁶, A.T. Doyle ⁵⁵, E. Drechsler ⁵¹, E. Dreyer ¹⁴⁹, M. Dris ¹⁰, Y. Du ^{58b}, J. Duarte-Campderros ¹⁵⁹, F. Dubinin ¹⁰⁸, A. Dubreuil ⁵², E. Duchovni ¹⁷⁸, G. Duckeck ¹¹², A. Ducourthial ¹³², O.A. Ducu ^{107,x}, D. Duda ¹¹⁸, A. Dudarev ³⁵, A.C. Dudder ⁹⁷, E.M. Duffield ¹⁸, L. Duflot ¹²⁸, M. Dührssen ³⁵, C. Dülsen ¹⁸⁰, M. Dumancic ¹⁷⁸, A.E. Dumitriu ^{27b,e}, A.K. Duncan ⁵⁵, M. Dunford ^{59a}, A. Duperrin ⁹⁹, H. Duran Yildiz ^{4a}, M. Düren ⁵⁴, A. Durglishvili ^{157b}, D. Duschinger ⁴⁶, B. Dutta ⁴⁴, D. Duvnjak ¹, M. Dyndal ⁴⁴, B.S. Dziedzic ⁸², C. Eckardt ⁴⁴, K.M. Ecker ¹¹³, R.C. Edgar ¹⁰³, T. Eifert ³⁵, G. Eigen ¹⁷, K. Einsweiler ¹⁸, T. Ekelof ¹⁷⁰, M. El Kacimi ^{34c}, R. El Kosseifi ⁹⁹, V. Ellajosyula ⁹⁹, M. Ellert ¹⁷⁰, F. Ellinghaus ¹⁸⁰, A.A. Elliot ¹⁷⁴, N. Ellis ³⁵, J. Elmsheuser ²⁹, M. Elsing ³⁵, D. Emeliyanov ¹⁴¹, Y. Enari ¹⁶¹, J.S. Ennis ¹⁷⁶, M.B. Epland ⁴⁷, J. Erdmann ⁴⁵, A. Ereditato ²⁰, S. Errede ¹⁷¹, M. Escalier ¹²⁸, C. Escobar ¹⁷², B. Esposito ⁴⁹, O. Estrada Pastor ¹⁷², A.I. Etienne ¹⁴², E. Etzion ¹⁵⁹, H. Evans ⁶³, A. Ezhilov ¹³⁴, M. Ezzi ^{34e}, F. Fabbri ^{23b,23a}, L. Fabbri ^{23b,23a}, V. Fabiani ¹¹⁷, G. Facini ⁹², R.M. Fakhrutdinov ¹⁴⁰, S. Falciano ^{70a}, R.J. Falla ⁹², J. Faltova ¹³⁹, Y. Fang ^{15a}, M. Fanti ^{66a,66b}, A. Farbin ⁸, A. Farilla ^{72a}, E.M. Farina ^{68a,68b}, T. Farooque ¹⁰⁴, S. Farrell ¹⁸, S.M. Farrington ¹⁷⁶, P. Farthouat ³⁵, F. Fassi ^{34e}, P. Fassnacht ³⁵, D. Fassouliotis ⁹, M. Faucci Giannelli ⁴⁸, A. Favareto ^{53b,53a}, W.J. Fawcett ¹³¹, L. Fayard ¹²⁸, O.L. Fedin ^{134,q}, W. Fedorko ¹⁷³, M. Feickert ⁴¹, S. Feigl ¹³⁰, L. Feligioni ⁹⁹, C. Feng ^{58b}, E.J. Feng ³⁵, M. Feng ⁴⁷, M.J. Fenton ⁵⁵, A.B. Fenyuk ¹⁴⁰, L. Feremenga ⁸, P. Fernandez Martinez ¹⁷², J. Ferrando ⁴⁴, A. Ferrari ¹⁷⁰, P. Ferrari ¹¹⁸, R. Ferrari ^{68a}, D.E. Ferreira de Lima ^{59b}, A. Ferrer ¹⁷², D. Ferrere ⁵², C. Ferretti ¹⁰³, F. Fiedler ⁹⁷, A. Filipčič ⁸⁹, F. Filthaut ¹¹⁷, M. Fincke-Keeler ¹⁷⁴, K.D. Finelli ²⁵, M.C.N. Fiolhais ^{136a,136c,b}, L. Fiorini ¹⁷², C. Fischer ¹⁴,

- J. Fischer ¹⁸⁰, W.C. Fisher ¹⁰⁴, N. Flaschel ⁴⁴, I. Fleck ¹⁴⁸, P. Fleischmann ¹⁰³, R.R.M. Fletcher ¹³³, T. Flick ¹⁸⁰,
 B.M. Flierl ¹¹², L.M. Flores ¹³³, L.R. Flores Castillo ^{61a}, N. Fomin ¹⁷, G.T. Forcolin ⁹⁸, A. Formica ¹⁴²,
 F.A. Förster ¹⁴, A.C. Forti ⁹⁸, A.G. Foster ²¹, D. Fournier ¹²⁸, H. Fox ⁸⁷, S. Fracchia ¹⁴⁶, P. Francavilla ^{69a,69b},
 M. Franchini ^{23b,23a}, S. Franchino ^{59a}, D. Francis ³⁵, L. Franconi ¹³⁰, M. Franklin ⁵⁷, M. Frate ¹⁶⁹,
 M. Fraternali ^{68a,68b}, D. Freeborn ⁹², S.M. Fressard-Batraneanu ³⁵, B. Freund ¹⁰⁷, W.S. Freund ^{78b},
 D. Froidevaux ³⁵, J.A. Frost ¹³¹, C. Fukunaga ¹⁶², T. Fusayasu ¹¹⁴, J. Fuster ¹⁷², O. Gabizon ¹⁵⁸,
 A. Gabrielli ^{23b,23a}, A. Gabrielli ¹⁸, G.P. Gach ^{81a}, S. Gadatsch ⁵², S. Gadomski ⁵², G. Gagliardi ^{53b,53a},
 L.G. Gagnon ¹⁰⁷, C. Galea ¹¹⁷, B. Galhardo ^{136a,136c}, E.J. Gallas ¹³¹, B.J. Gallop ¹⁴¹, P. Gallus ¹³⁸, G. Galster ³⁹,
 R. Gamboa Goni ⁹⁰, K.K. Gan ¹²², S. Ganguly ¹⁷⁸, Y. Gao ⁸⁸, Y.S. Gao ^{150,m}, C. García ¹⁷²,
 J.E. García Navarro ¹⁷², J.A. García Pascual ^{15a}, M. Garcia-Sciveres ¹⁸, R.W. Gardner ³⁶, N. Garelli ¹⁵⁰,
 V. Garonne ¹³⁰, K. Gasnikova ⁴⁴, A. Gaudiello ^{53b,53a}, G. Gaudio ^{68a}, I.L. Gavrilenco ¹⁰⁸, C. Gay ¹⁷³,
 G. Gaycken ²⁴, E.N. Gazis ¹⁰, C.N.P. Gee ¹⁴¹, J. Geisen ⁵¹, M. Geisen ⁹⁷, M.P. Geisler ^{59a}, K. Gellerstedt ^{43a,43b},
 C. Gemme ^{53b}, M.H. Genest ⁵⁶, C. Geng ¹⁰³, S. Gentile ^{70a,70b}, C. Gentsos ¹⁶⁰, S. George ⁹¹, D. Gerbaudo ¹⁴,
 G. Gessner ⁴⁵, S. Ghasemi ¹⁴⁸, M. Ghneimat ²⁴, B. Giacobbe ^{23b}, S. Giagu ^{70a,70b}, N. Giangiacomi ^{23b,23a},
 P. Giannetti ^{69a}, S.M. Gibson ⁹¹, M. Gignac ¹⁴³, M. Gilchriese ¹⁸, D. Gillberg ³³, G. Gilles ¹⁸⁰,
 D.M. Gingrich ^{3,au}, M.P. Giordani ^{64a,64c}, F.M. Giorgi ^{23b}, P.F. Giraud ¹⁴², P. Giromini ⁵⁷,
 G. Giugliarelli ^{64a,64c}, D. Giugni ^{66a}, F. Juli ¹³¹, M. Giulini ^{59b}, S. Gkaitatzis ¹⁶⁰, I. Gkialas ^{9,j},
 E.L. Gkougkousis ¹⁴, P. Gkountoumis ¹⁰, L.K. Gladilin ¹¹¹, C. Glasman ⁹⁶, J. Glatzer ¹⁴, P.C.F. Glaysher ⁴⁴,
 A. Glazov ⁴⁴, M. Goblirsch-Kolb ²⁶, J. Godlewski ⁸², S. Goldfarb ¹⁰², T. Golling ⁵², D. Golubkov ¹⁴⁰,
 A. Gomes ^{136a,136b,136d}, R. Goncalves Gama ^{78b}, R. Gonçalo ^{136a}, G. Gonella ⁵⁰, L. Gonella ²¹,
 A. Gongadze ⁷⁷, F. Gonnella ²¹, J.L. Gonski ⁵⁷, S. González de la Hoz ¹⁷², S. Gonzalez-Sevilla ⁵²,
 L. Goossens ³⁵, P.A. Gorbounov ¹⁰⁹, H.A. Gordon ²⁹, B. Gorini ³⁵, E. Gorini ^{65a,65b}, A. Gorišek ⁸⁹,
 A.T. Goshaw ⁴⁷, C. Gössling ⁴⁵, M.I. Gostkin ⁷⁷, C.A. Gottardo ²⁴, C.R. Goudet ¹²⁸, D. Goujdami ^{34c},
 A.G. Goussiou ¹⁴⁵, N. Govender ^{32b,c}, C. Goy ⁵, E. Gozani ¹⁵⁸, I. Grabowska-Bold ^{81a}, P.O.J. Gradin ¹⁷⁰,
 E.C. Graham ⁸⁸, J. Gramling ¹⁶⁹, E. Gramstad ¹³⁰, S. Grancagnolo ¹⁹, V. Gratchev ¹³⁴, P.M. Gravila ^{27f},
 C. Gray ⁵⁵, H.M. Gray ¹⁸, Z.D. Greenwood ^{93,aj}, C. Grefe ²⁴, K. Gregersen ⁹², I.M. Gregor ⁴⁴, P. Grenier ¹⁵⁰,
 K. Grevtsov ⁵, J. Griffiths ⁸, A.A. Grillo ¹⁴³, K. Grimm ¹⁵⁰, S. Grinstein ^{14,z}, Ph. Gris ³⁷, J.-F. Grivaz ¹²⁸,
 S. Groh ⁹⁷, E. Gross ¹⁷⁸, J. Grosse-Knetter ⁵¹, G.C. Grossi ⁹³, Z.J. Grout ⁹², A. Grummer ¹¹⁶, L. Guan ¹⁰³,
 W. Guan ¹⁷⁹, J. Guenther ³⁵, A. Guerguichon ¹²⁸, F. Guescini ^{166a}, D. Guest ¹⁶⁹, O. Gueta ¹⁵⁹, R. Gugel ⁵⁰,
 B. Gui ¹²², T. Guillemin ⁵, S. Guindon ³⁵, U. Gul ⁵⁵, C. Gumpert ³⁵, J. Guo ^{58c}, W. Guo ¹⁰³, Y. Guo ^{58a,s},
 R. Gupta ⁴¹, S. Gurbuz ^{12c}, G. Gustavino ¹²⁴, B.J. Gutelman ¹⁵⁸, P. Gutierrez ¹²⁴, N.G. Gutierrez Ortiz ⁹²,
 C. Gutschow ⁹², C. Guyot ¹⁴², M.P. Guzik ^{81a}, C. Gwenlan ¹³¹, C.B. Gwilliam ⁸⁸, A. Haas ¹²¹, C. Haber ¹⁸,
 H.K. Hadavand ⁸, N. Haddad ^{34e}, A. Hadef ⁹⁹, S. Hageböck ²⁴, M. Hagihara ¹⁶⁷, H. Hakobyan ^{182,*},
 M. Haleem ¹⁷⁵, J. Haley ¹²⁵, G. Halladjian ¹⁰⁴, G.D. Hallewell ⁹⁹, K. Hamacher ¹⁸⁰, P. Hamal ¹²⁶,
 K. Hamano ¹⁷⁴, A. Hamilton ^{32a}, G.N. Hamity ¹⁴⁶, K. Han ^{58a,ai}, L. Han ^{58a}, S. Han ^{15d}, K. Hanagaki ^{79,v},
 M. Hance ¹⁴³, D.M. Handl ¹¹², B. Haney ¹³³, R. Hankache ¹³², P. Hanke ^{59a}, E. Hansen ⁹⁴, J.B. Hansen ³⁹,
 J.D. Hansen ³⁹, M.C. Hansen ²⁴, P.H. Hansen ³⁹, K. Hara ¹⁶⁷, A.S. Hard ¹⁷⁹, T. Harenberg ¹⁸⁰, F. Hariri ¹²⁸,
 S. Harkusha ¹⁰⁵, P.F. Harrison ¹⁷⁶, N.M. Hartmann ¹¹², Y. Hasegawa ¹⁴⁷, A. Hasib ⁴⁸, S. Hassani ¹⁴²,
 S. Haug ²⁰, R. Hauser ¹⁰⁴, L. Hauswald ⁴⁶, L.B. Havener ³⁸, M. Havranek ¹³⁸, C.M. Hawkes ²¹,
 R.J. Hawkings ³⁵, D. Hayden ¹⁰⁴, C.P. Hays ¹³¹, J.M. Hays ⁹⁰, H.S. Hayward ⁸⁸, S.J. Haywood ¹⁴¹, T. Heck ⁹⁷,
 V. Hedberg ⁹⁴, L. Heelan ⁸, S. Heer ²⁴, K.K. Heidegger ⁵⁰, S. Heim ⁴⁴, T. Heim ¹⁸, B. Heinemann ^{44,ap},
 J.J. Heinrich ¹¹², L. Heinrich ¹²¹, C. Heinz ⁵⁴, J. Hejbal ¹³⁷, L. Helary ³⁵, A. Held ¹⁷³, S. Hellman ^{43a,43b},
 C. Helsens ³⁵, R.C.W. Henderson ⁸⁷, Y. Heng ¹⁷⁹, S. Henkelmann ¹⁷³, A.M. Henriques Correia ³⁵,
 G.H. Herbert ¹⁹, H. Herde ²⁶, V. Herget ¹⁷⁵, Y. Hernández Jiménez ^{32c}, H. Herr ⁹⁷, G. Herten ⁵⁰,
 R. Hertenberger ¹¹², L. Hervas ³⁵, T.C. Herwig ¹³³, G.G. Hesketh ⁹², N.P. Hessey ^{166a}, J.W. Hetherly ⁴¹,
 S. Higashino ⁷⁹, E. Higón-Rodriguez ¹⁷², K. Hildebrand ³⁶, E. Hill ¹⁷⁴, J.C. Hill ³¹, K.H. Hiller ⁴⁴, S.J. Hillier ²¹,
 M. Hils ⁴⁶, I. Hinchliffe ¹⁸, M. Hirose ⁵⁰, D. Hirschbuehl ¹⁸⁰, B. Hiti ⁸⁹, O. Hladík ¹³⁷, D.R. Hlautku ^{32c},
 X. Hoad ⁴⁸, J. Hobbs ¹⁵², N. Hod ^{166a}, M.C. Hodgkinson ¹⁴⁶, A. Hoecker ³⁵, M.R. Hoeferkamp ¹¹⁶,
 F. Hoenig ¹¹², D. Hohn ²⁴, D. Hohov ¹²⁸, T.R. Holmes ³⁶, M. Holzbock ¹¹², M. Homann ⁴⁵, S. Honda ¹⁶⁷,
 T. Honda ⁷⁹, T.M. Hong ¹³⁵, B.H. Hooberman ¹⁷¹, W.H. Hopkins ¹²⁷, Y. Horii ¹¹⁵, A.J. Horton ¹⁴⁹,
 J-Y. Hostachy ⁵⁶, A. Hostiuc ¹⁴⁵, S. Hou ¹⁵⁵, A. Hoummada ^{34a}, J. Howarth ⁹⁸, J. Hoya ⁸⁶, M. Hrabovsky ¹²⁶,
 J. Hrdinka ³⁵, I. Hristova ¹⁹, J. Hrivnac ¹²⁸, A. Hrynevich ¹⁰⁶, T. Hrypn'ova ⁵, P.J. Hsu ⁶², S.-C. Hsu ¹⁴⁵, Q. Hu ²⁹,

- S. Hu ^{58c}, Y. Huang ^{15a}, Z. Hubacek ¹³⁸, F. Hubaut ⁹⁹, F. Huegging ²⁴, T.B. Huffman ¹³¹, E.W. Hughes ³⁸, M. Huhtinen ³⁵, R.F.H. Hunter ³³, P. Huo ¹⁵², A.M. Hupe ³³, N. Huseynov ^{77,ag}, J. Huston ¹⁰⁴, J. Huth ⁵⁷, R. Hyneman ¹⁰³, G. Jacobucci ⁵², G. Iakovidis ²⁹, I. Ibragimov ¹⁴⁸, L. Iconomidou-Fayard ¹²⁸, Z. Idrissi ^{34e}, P. Iengo ³⁵, O. Igonkina ^{118,ac}, R. Iguchi ¹⁶¹, T. Iizawa ¹⁷⁷, Y. Ikegami ⁷⁹, M. Ikeno ⁷⁹, D. Iliadis ¹⁶⁰, N. Illic ¹⁵⁰, F. Iltzsche ⁴⁶, G. Introzzi ^{68a,68b}, M. Iodice ^{72a}, K. Iordanidou ³⁸, V. Ippolito ⁵⁷, M.F. Isacson ¹⁷⁰, N. Ishijima ¹²⁹, M. Ishino ¹⁶¹, M. Ishitsuka ¹⁶³, C. Issever ¹³¹, S. Istin ^{12c,an}, F. Ito ¹⁶⁷, J.M. Iturbe Ponce ^{61a}, R. Iuppa ^{73a,73b}, H. Iwasaki ⁷⁹, J.M. Izen ⁴², V. Izzo ^{67a}, S. Jabbar ³, P. Jackson ¹, R.M. Jacobs ²⁴, V. Jain ², G. Jäkel ¹⁸⁰, K.B. Jakobi ⁹⁷, K. Jakobs ⁵⁰, S. Jakobsen ⁷⁴, T. Jakoubek ¹³⁷, D.O. Jamin ¹²⁵, D.K. Jana ⁹³, R. Jansky ⁵², J. Janssen ²⁴, M. Janus ⁵¹, P.A. Janus ^{81a}, G. Jarlskog ⁹⁴, N. Javadov ^{77,ag}, T. Javůrek ⁵⁰, M. Javurkova ⁵⁰, F. Jeanneau ¹⁴², L. Jeanty ¹⁸, J. Jejelava ^{157a,ah}, A. Jelinskas ¹⁷⁶, P. Jenni ^{50,d}, C. Jeske ¹⁷⁶, S. Jézéquel ⁵, H. Ji ¹⁷⁹, J. Jia ¹⁵², H. Jiang ⁷⁶, Y. Jiang ^{58a}, Z. Jiang ¹⁵⁰, S. Jiggins ⁹², J. Jimenez Pena ¹⁷², S. Jin ^{15c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁶³, H. Jivan ^{32c}, P. Johansson ¹⁴⁶, K.A. Johns ⁷, C.A. Johnson ⁶³, W.J. Johnson ¹⁴⁵, K. Jon-And ^{43a,43b}, R.W.L. Jones ⁸⁷, S.D. Jones ¹⁵³, S. Jones ⁷, T.J. Jones ⁸⁸, J. Jongmanns ^{59a}, P.M. Jorge ^{136a,136b}, J. Jovicevic ^{166a}, X. Ju ¹⁷⁹, A. Juste Rozas ^{14,z}, A. Kaczmarska ⁸², M. Kado ¹²⁸, H. Kagan ¹²², M. Kagan ¹⁵⁰, S.J. Kahn ⁹⁹, T. Kaji ¹⁷⁷, E. Kajomovitz ¹⁵⁸, C.W. Kalderon ⁹⁴, A. Kaluza ⁹⁷, S. Kama ⁴¹, A. Kamenshchikov ¹⁴⁰, L. Kanjir ⁸⁹, Y. Kano ¹⁶¹, V.A. Kantserov ¹¹⁰, J. Kanzaki ⁷⁹, B. Kaplan ¹²¹, L.S. Kaplan ¹⁷⁹, D. Kar ^{32c}, K. Karakostas ¹⁰, N. Karastathis ¹⁰, M.J. Kareem ^{166b}, E. Karentzos ¹⁰, S.N. Karpov ⁷⁷, Z.M. Karpova ⁷⁷, V. Kartvelishvili ⁸⁷, A.N. Karyukhin ¹⁴⁰, K. Kasahara ¹⁶⁷, L. Kashif ¹⁷⁹, R.D. Kass ¹²², A. Kastanas ¹⁵¹, Y. Kataoka ¹⁶¹, C. Kato ¹⁶¹, A. Katre ⁵², J. Katzy ⁴⁴, K. Kawade ⁸⁰, K. Kawagoe ⁸⁵, T. Kawamoto ¹⁶¹, G. Kawamura ⁵¹, E.F. Kay ⁸⁸, V.F. Kazanin ^{120b,120a}, R. Keeler ¹⁷⁴, R. Kehoe ⁴¹, J.S. Keller ³³, E. Kellermann ⁹⁴, J.J. Kempster ²¹, J. Kendrick ²¹, H. Keoshkerian ¹⁶⁵, O. Kepka ¹³⁷, S. Kersten ¹⁸⁰, B.P. Kerševan ⁸⁹, R.A. Keyes ¹⁰¹, M. Khader ¹⁷¹, F. Khalil-Zada ¹³, A. Khanov ¹²⁵, A.G. Kharlamov ^{120b,120a}, T. Kharlamova ^{120b,120a}, A. Khodinov ¹⁶⁴, T.J. Khoo ⁵², V. Khovanskiy ^{109,*}, E. Khramov ⁷⁷, J. Khubua ^{157b}, S. Kido ⁸⁰, M. Kiehn ⁵², C.R. Kilby ⁹¹, H.Y. Kim ⁸, S.H. Kim ¹⁶⁷, Y.K. Kim ³⁶, N. Kimura ^{64a,64c}, O.M. Kind ¹⁹, B.T. King ⁸⁸, D. Kirchmeier ⁴⁶, J. Kirk ¹⁴¹, A.E. Kiryunin ¹¹³, T. Kishimoto ¹⁶¹, D. Kisielewska ^{81a}, V. Kitali ⁴⁴, O. Kivernyk ⁵, E. Kladiva ^{28b}, T. Klapdor-Kleingrothaus ⁵⁰, M.H. Klein ¹⁰³, M. Klein ⁸⁸, U. Klein ⁸⁸, K. Kleinknecht ⁹⁷, P. Klimek ¹¹⁹, A. Klimentov ²⁹, R. Klingenberg ^{45,*}, T. Klingl ²⁴, T. Klioutchnikova ³⁵, F.F. Klitzner ¹¹², P. Kluit ¹¹⁸, S. Kluth ¹¹³, E. Kneringer ⁷⁴, E.B.F.G. Knoops ⁹⁹, A. Knue ⁵⁰, A. Kobayashi ¹⁶¹, D. Kobayashi ⁸⁵, T. Kobayashi ¹⁶¹, M. Kobel ⁴⁶, M. Kocian ¹⁵⁰, P. Kodys ¹³⁹, T. Koffas ³³, E. Koffeman ¹¹⁸, N.M. Köhler ¹¹³, T. Koi ¹⁵⁰, M. Kolb ^{59b}, I. Koletsou ⁵, T. Kondo ⁷⁹, N. Kondrashova ^{58c}, K. Köneke ⁵⁰, A.C. König ¹¹⁷, T. Kono ^{79,ao}, R. Konoplich ^{121,ak}, N. Konstantinidis ⁹², B. Konya ⁹⁴, R. Kopeliansky ⁶³, S. Koperny ^{81a}, K. Korcyl ⁸², K. Kordas ¹⁶⁰, A. Korn ⁹², I. Korolkov ¹⁴, E.V. Korolkova ¹⁴⁶, O. Kortner ¹¹³, S. Kortner ¹¹³, T. Kosek ¹³⁹, V.V. Kostyukhin ²⁴, A. Kotwal ⁴⁷, A. Koulouris ¹⁰, A. Kourkoumeli-Charalampidi ^{68a,68b}, C. Kourkoumelis ⁹, E. Kourlitis ¹⁴⁶, V. Kouskoura ²⁹, A.B. Kowalewska ⁸², R. Kowalewski ¹⁷⁴, T.Z. Kowalski ^{81a}, C. Kozakai ¹⁶¹, W. Kozanecki ¹⁴², A.S. Kozhin ¹⁴⁰, V.A. Kramarenko ¹¹¹, G. Kramberger ⁸⁹, D. Krasnopevtsev ¹¹⁰, M.W. Krasny ¹³², A. Krasznahorkay ³⁵, D. Krauss ¹¹³, J.A. Kremer ^{81a}, J. Kretzschmar ⁸⁸, K. Kreutzfeldt ⁵⁴, P. Krieger ¹⁶⁵, K. Krizka ¹⁸, K. Kroeninger ⁴⁵, H. Kroha ¹¹³, J. Kroll ¹³⁷, J. Kroll ¹³³, J. Kroseberg ²⁴, J. Krstic ¹⁶, U. Kruchonak ⁷⁷, H. Krüger ²⁴, N. Krumnack ⁷⁶, M.C. Kruse ⁴⁷, T. Kubota ¹⁰², S. Kuday ^{4b}, J.T. Kuechler ¹⁸⁰, S. Kuehn ³⁵, A. Kugel ^{59a}, F. Kuger ¹⁷⁵, T. Kuhl ⁴⁴, V. Kukhtin ⁷⁷, R. Kukla ⁹⁹, Y. Kulchitsky ¹⁰⁵, S. Kuleshov ^{144b}, Y.P. Kulinich ¹⁷¹, M. Kuna ⁵⁶, T. Kunigo ⁸³, A. Kupco ¹³⁷, T. Kupfer ⁴⁵, O. Kuprash ¹⁵⁹, H. Kurashige ⁸⁰, L.L. Kurchaninov ^{166a}, Y.A. Kurochkin ¹⁰⁵, M.G. Kurth ^{15d}, E.S. Kuwertz ¹⁷⁴, M. Kuze ¹⁶³, J. Kvita ¹²⁶, T. Kwan ¹⁷⁴, A. La Rosa ¹¹³, J.L. La Rosa Navarro ^{78d}, L. La Rotonda ^{40b,40a}, F. La Ruffa ^{40b,40a}, C. Lacasta ¹⁷², F. Lacava ^{70a,70b}, J. Lacey ⁴⁴, D.P.J. Lack ⁹⁸, H. Lacker ¹⁹, D. Lacour ¹³², E. Ladygin ⁷⁷, R. Lafaye ⁵, B. Laforge ¹³², S. Lai ⁵¹, S. Lammers ⁶³, W. Lampl ⁷, E. Lançon ²⁹, U. Landgraf ⁵⁰, M.P.J. Landon ⁹⁰, M.C. Lanfermann ⁵², V.S. Lang ⁴⁴, J.C. Lange ¹⁴, R.J. Langenberg ³⁵, A.J. Lankford ¹⁶⁹, F. Lanni ²⁹, K. Lantzsch ²⁴, A. Lanza ^{68a}, A. Lapertosa ^{53b,53a}, S. Laplace ¹³², J.F. Laporte ¹⁴², T. Lari ^{66a}, F. Lasagni Manghi ^{23b,23a}, M. Lassnig ³⁵, T.S. Lau ^{61a}, A. Laudrain ¹²⁸, A.T. Law ¹⁴³, P. Laycock ⁸⁸, M. Lazzaroni ^{66a,66b}, B. Le ¹⁰², O. Le Dortz ¹³², E. Le Guiriec ⁹⁹, E.P. Le Quilleuc ¹⁴², M. LeBlanc ⁷, T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁶, C.A. Lee ²⁹, G.R. Lee ^{144a}, L. Lee ⁵⁷, S.C. Lee ¹⁵⁵, B. Lefebvre ¹⁰¹, M. Lefebvre ¹⁷⁴, F. Legger ¹¹², C. Leggett ¹⁸, G. Lehmann Miotto ³⁵, W.A. Leight ⁴⁴, A. Leisos ^{160,w}, M.A.L. Leite ^{78d}, R. Leitner ¹³⁹, D. Lellouch ¹⁷⁸, B. Lemmer ⁵¹, K.J.C. Leney ⁹², T. Lenz ²⁴, B. Lenzi ³⁵,

- R. Leone ⁷, S. Leone ^{69a}, C. Leonidopoulos ⁴⁸, G. Lerner ¹⁵³, C. Leroy ¹⁰⁷, R. Les ¹⁶⁵, A.A.J. Lesage ¹⁴², C.G. Lester ³¹, M. Levchenko ¹³⁴, J. Levêque ⁵, D. Levin ¹⁰³, L.J. Levinson ¹⁷⁸, M. Levy ²¹, D. Lewis ⁹⁰, B. Li ^{58a,s}, C.-Q. Li ^{58a}, H. Li ^{58b}, L. Li ^{58c}, Q. Li ^{15d}, Q.Y. Li ^{58a}, S. Li ⁴⁷, X. Li ^{58c}, Y. Li ¹⁴⁸, Z. Liang ^{15a}, B. Liberti ^{71a}, A. Liblong ¹⁶⁵, K. Lie ^{61c}, A. Limosani ¹⁵⁴, C.Y. Lin ³¹, K. Lin ¹⁰⁴, S.C. Lin ¹⁵⁶, T.H. Lin ⁹⁷, R.A. Linck ⁶³, B.E. Lindquist ¹⁵², A.L. Lioni ⁵², E. Lipeles ¹³³, A. Lipniacka ¹⁷, M. Lisovyi ^{59b}, T.M. Liss ^{171,ar}, A. Lister ¹⁷³, A.M. Litke ¹⁴³, B. Liu ⁷⁶, H.B. Liu ²⁹, H. Liu ¹⁰³, J.B. Liu ^{58a}, J.K.K. Liu ¹³¹, K. Liu ¹³², M. Liu ^{58a}, P. Liu ¹⁸, Y.L. Liu ^{58a}, Y.W. Liu ^{58a}, M. Livan ^{68a,68b}, A. Lleres ⁵⁶, J. Llorente Merino ^{15a}, S.L. Lloyd ⁹⁰, C.Y. Lo ^{61b}, F. Lo Sterzo ⁴¹, E.M. Lobodzinska ⁴⁴, P. Loch ⁷, F.K. Loebinger ⁹⁸, A. Loesle ⁵⁰, K.M. Loew ²⁶, T. Lohse ¹⁹, K. Lohwasser ¹⁴⁶, M. Lokajicek ¹³⁷, B.A. Long ²⁵, J.D. Long ¹⁷¹, R.E. Long ⁸⁷, L. Longo ^{65a,65b}, K.A.Looper ¹²², J.A. Lopez ^{144b}, I. Lopez Paz ¹⁴, A. Lopez Solis ¹³², J. Lorenz ¹¹², N. Lorenzo Martinez ⁵, M. Losada ²², P.J. Lösel ¹¹², X. Lou ^{15a}, A. Lounis ¹²⁸, J. Love ⁶, P.A. Love ⁸⁷, H. Lu ^{61a}, N. Lu ¹⁰³, S. Lu ¹⁸, Y.J. Lu ⁶², H.J. Lubatti ¹⁴⁵, C. Luci ^{70a,70b}, A. Lucotte ⁵⁶, C. Luedtke ⁵⁰, F. Luehring ⁶³, W. Lukas ⁷⁴, L. Luminari ^{70a}, B. Lund-Jensen ¹⁵¹, M.S. Lutz ¹⁰⁰, P.M. Luzi ¹³², D. Lynn ²⁹, R. Lysak ¹³⁷, E. Lytken ⁹⁴, F. Lyu ^{15a}, V. Lyubushkin ⁷⁷, H. Ma ²⁹, L.L. Ma ^{58b}, Y. Ma ^{58b}, G. Maccarrone ⁴⁹, A. Macchiolo ¹¹³, C.M. Macdonald ¹⁴⁶, J. Machado Miguens ^{133,136b}, D. Madaffari ¹⁷², R. Madar ³⁷, W.F. Mader ⁴⁶, A. Madsen ⁴⁴, N. Madysa ⁴⁶, J. Maeda ⁸⁰, S. Maeland ¹⁷, T. Maeno ²⁹, A.S. Maevskiy ¹¹¹, V. Magerl ⁵⁰, C. Maidantchik ^{78b}, T. Maier ¹¹², A. Maio ^{136a,136b,136d}, O. Majersky ^{28a}, S. Majewski ¹²⁷, Y. Makida ⁷⁹, N. Makovec ¹²⁸, B. Malaescu ¹³², Pa. Malecki ⁸², V.P. Maleev ¹³⁴, F. Malek ⁵⁶, U. Mallik ⁷⁵, D. Malon ⁶, C. Malone ³¹, S. Maltezos ¹⁰, S. Malyukov ³⁵, J. Mamuzic ¹⁷², G. Mancini ⁴⁹, I. Mandić ⁸⁹, J. Maneira ^{136a}, L. Manhaes de Andrade Filho ^{78a}, J. Manjarres Ramos ⁴⁶, K.H. Mankinen ⁹⁴, A. Mann ¹¹², A. Manousos ³⁵, B. Mansoulie ¹⁴², J.D. Mansour ^{15a}, R. Mantifel ¹⁰¹, M. Mantoani ⁵¹, S. Manzoni ^{66a,66b}, G. Marcea ³⁰, L. March ⁵², L. Marchese ¹³¹, G. Marchiori ¹³², M. Marcisovsky ¹³⁷, C.A. Marin Tobon ³⁵, M. Marjanovic ³⁷, D.E. Marley ¹⁰³, F. Marroquim ^{78b}, Z. Marshall ¹⁸, M.U.F Martensson ¹⁷⁰, S. Marti-Garcia ¹⁷², C.B. Martin ¹²², T.A. Martin ¹⁷⁶, V.J. Martin ⁴⁸, B. Martin dit Latour ¹⁷, M. Martinez ^{14,z}, V.I. Martinez Outschoorn ¹⁰⁰, S. Martin-Haugh ¹⁴¹, V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹², A. Marzin ³⁵, L. Masetti ⁹⁷, T. Mashimo ¹⁶¹, R. Mashinistov ¹⁰⁸, J. Masik ⁹⁸, A.L. Maslennikov ^{120b,120a}, L.H. Mason ¹⁰², L. Massa ^{71a,71b}, P. Mastrandrea ⁵, A. Mastroberardino ^{40b,40a}, T. Masubuchi ¹⁶¹, P. Mättig ¹⁸⁰, J. Maurer ^{27b}, B. Maček ⁸⁹, S.J. Maxfield ⁸⁸, D.A. Maximov ^{120b,120a}, R. Mazini ¹⁵⁵, I. Maznias ¹⁶⁰, S.M. Mazza ¹⁴³, N.C. Mc Fadden ¹¹⁶, G. Mc Goldrick ¹⁶⁵, S.P. Mc Kee ¹⁰³, A. McCarn ¹⁰³, T.G. McCarthy ¹¹³, L.I. McClymont ⁹², E.F. McDonald ¹⁰², J.A. Mcfayden ³⁵, G. Mchedlidze ⁵¹, M.A. McKay ⁴¹, S.J. McMahon ¹⁴¹, P.C. McNamara ¹⁰², C.J. McNicol ¹⁷⁶, R.A. McPherson ^{174,ae}, Z.A. Meadows ¹⁰⁰, S. Meehan ¹⁴⁵, T. Megy ⁵⁰, S. Mehlhase ¹¹², A. Mehta ⁸⁸, T. Meideck ⁵⁶, B. Meirose ⁴², D. Melini ^{172,h}, B.R. Mellado Garcia ^{32c}, J.D. Mellenthin ⁵¹, M. Melo ^{28a}, F. Meloni ²⁰, A. Melzer ²⁴, S.B. Menary ⁹⁸, L. Meng ⁸⁸, X.T. Meng ¹⁰³, A. Mengarelli ^{23b,23a}, S. Menke ¹¹³, E. Meoni ^{40b,40a}, S. Mergelmeyer ¹⁹, C. Merlassino ²⁰, P. Mermod ⁵², L. Merola ^{67a,67b}, C. Meroni ^{66a}, F.S. Merritt ³⁶, A. Messina ^{70a,70b}, J. Metcalfe ⁶, A.S. Mete ¹⁶⁹, C. Meyer ¹³³, J. Meyer ¹¹⁸, J-P. Meyer ¹⁴², H. Meyer Zu Theenhausen ^{59a}, F. Miano ¹⁵³, R.P. Middleton ¹⁴¹, S. Miglioranzi ^{53b,53a}, L. Mijović ⁴⁸, G. Mikenberg ¹⁷⁸, M. Mikestikova ¹³⁷, M. Mikuž ⁸⁹, M. Milesi ¹⁰², A. Milic ¹⁶⁵, D.A. Millar ⁹⁰, D.W. Miller ³⁶, A. Milov ¹⁷⁸, D.A. Milstead ^{43a,43b}, A.A. Minaenko ¹⁴⁰, I.A. Minashvili ^{157b}, A.I. Mincer ¹²¹, B. Mindur ^{81a}, M. Mineev ⁷⁷, Y. Minegishi ¹⁶¹, Y. Ming ¹⁷⁹, L.M. Mir ¹⁴, A. Mirto ^{65a,65b}, K.P. Mistry ¹³³, T. Mitani ¹⁷⁷, J. Mitrevski ¹¹², V.A. Mitsou ¹⁷², A. Miucci ²⁰, P.S. Miyagawa ¹⁴⁶, A. Mizukami ⁷⁹, J.U. Mjörnmark ⁹⁴, T. Mkrtchyan ¹⁸², M. Mlynarikova ¹³⁹, T. Moa ^{43a,43b}, K. Mochizuki ¹⁰⁷, P. Mogg ⁵⁰, S. Mohapatra ³⁸, S. Molander ^{43a,43b}, R. Moles-Valls ²⁴, M.C. Mondragon ¹⁰⁴, K. Möning ⁴⁴, J. Monk ³⁹, E. Monnier ⁹⁹, A. Montalbano ¹⁵², J. Montejo Berlingen ³⁵, F. Monticelli ⁸⁶, S. Monzani ^{66a}, R.W. Moore ³, N. Morange ¹²⁸, D. Moreno ²², M. Moreno Llácer ³⁵, P. Morettini ^{53b}, M. Morgenstern ¹¹⁸, S. Morgenstern ³⁵, D. Mori ¹⁴⁹, T. Mori ¹⁶¹, M. Morii ⁵⁷, M. Morinaga ¹⁷⁷, V. Morisbak ¹³⁰, A.K. Morley ³⁵, G. Mornacchi ³⁵, J.D. Morris ⁹⁰, L. Morvaj ¹⁵², P. Moschovakos ¹⁰, M. Mosidze ^{157b}, H.J. Moss ¹⁴⁶, J. Moss ^{150,n}, K. Motohashi ¹⁶³, R. Mount ¹⁵⁰, E. Mountricha ²⁹, E.J.W. Moyse ¹⁰⁰, S. Muanza ⁹⁹, F. Mueller ¹¹³, J. Mueller ¹³⁵, R.S.P. Mueller ¹¹², D. Muenstermann ⁸⁷, P. Mullen ⁵⁵, G.A. Mullier ²⁰, F.J. Munoz Sanchez ⁹⁸, P. Murin ^{28b}, W.J. Murray ^{176,141}, M. Muškinja ⁸⁹, C. Mwewa ^{32a}, A.G. Myagkov ^{140,al}, J. Myers ¹²⁷, M. Myska ¹³⁸, B.P. Nachman ¹⁸, O. Nackenhorst ⁴⁵, K. Nagai ¹³¹, R. Nagai ^{79,ao}, K. Nagano ⁷⁹, Y. Nagasaka ⁶⁰, K. Nagata ¹⁶⁷, M. Nagel ⁵⁰, E. Nagy ⁹⁹, A.M. Nairz ³⁵, Y. Nakahama ¹¹⁵, K. Nakamura ⁷⁹, T. Nakamura ¹⁶¹, I. Nakano ¹²³, R.F. Naranjo Garcia ⁴⁴, R. Narayan ¹¹, D.I. Narrias Villar ^{59a}, I. Naryshkin ¹³⁴, T. Naumann ⁴⁴, G. Navarro ²²,

- R. Nayyar ⁷, H.A. Neal ¹⁰³, P.Y. Nechaeva ¹⁰⁸, T.J. Neep ¹⁴², A. Negri ^{68a,68b}, M. Negrini ^{23b},
 S. Nektarijevic ¹¹⁷, C. Nellist ⁵¹, M.E. Nelson ¹³¹, S. Nemecek ¹³⁷, P. Nemethy ¹²¹, M. Nessi ^{35,f},
 M.S. Neubauer ¹⁷¹, M. Neumann ¹⁸⁰, P.R. Newman ²¹, T.Y. Ng ^{61c}, Y.S. Ng ¹⁹, T. Nguyen Manh ¹⁰⁷,
 R.B. Nickerson ¹³¹, R. Nicolaidou ¹⁴², J. Nielsen ¹⁴³, N. Nikiforou ¹¹, V. Nikolaenko ^{140,al}, I. Nikolic-Audit ¹³²,
 K. Nikolopoulos ²¹, P. Nilsson ²⁹, Y. Ninomiya ⁷⁹, A. Nisati ^{70a}, N. Nishu ^{58c}, R. Nisius ¹¹³, I. Nitsche ⁴⁵,
 T. Nitta ¹⁷⁷, T. Nobe ¹⁶¹, Y. Noguchi ⁸³, M. Nomachi ¹²⁹, I. Nomidis ³³, M.A. Nomura ²⁹, T. Nooney ⁹⁰,
 M. Nordberg ³⁵, N. Norjoharuddeen ¹³¹, O. Novgorodova ⁴⁶, R. Novotny ¹³⁸, M. Nozaki ⁷⁹, L. Nozka ¹²⁶,
 K. Ntekas ¹⁶⁹, E. Nurse ⁹², F. Nuti ¹⁰², F.G. Oakham ^{33,au}, H. Oberlack ¹¹³, T. Obermann ²⁴, J. Ocariz ¹³²,
 A. Ochi ⁸⁰, I. Ochoa ³⁸, J.P. Ochoa-Ricoux ^{144a}, K. O'Connor ²⁶, S. Oda ⁸⁵, S. Odaka ⁷⁹, A. Oh ⁹⁸, S.H. Oh ⁴⁷,
 C.C. Ohm ¹⁵¹, H. Ohman ¹⁷⁰, H. Oide ^{53b,53a}, H. Okawa ¹⁶⁷, Y. Okumura ¹⁶¹, T. Okuyama ⁷⁹, A. Olariu ^{27b},
 L.F. Oleiro Seabra ^{136a}, S.A. Olivares Pino ^{144a}, D. Oliveira Damazio ²⁹, J.L. Oliver ¹, M.J.R. Olsson ³⁶,
 A. Olszewski ⁸², J. Olszowska ⁸², D.C. O'Neil ¹⁴⁹, A. Onofre ^{136a,136e}, K. Onogi ¹¹⁵, P.U.E. Onyisi ¹¹,
 H. Oppen ¹³⁰, M.J. Oreglia ³⁶, Y. Oren ¹⁵⁹, D. Orestano ^{72a,72b}, E.C. Orgill ⁹⁸, N. Orlando ^{61b},
 A.A. O'Rourke ⁴⁴, R.S. Orr ¹⁶⁵, B. Osculati ^{53b,53a,*}, V. O'Shea ⁵⁵, R. Ospanov ^{58a}, G. Otero y Garzon ³⁰,
 H. Otono ⁸⁵, M. Ouchrif ^{34d}, F. Ould-Saada ¹³⁰, A. Ouraou ¹⁴², K.P. Oussoren ¹¹⁸, Q. Ouyang ^{15a}, M. Owen ⁵⁵,
 R.E. Owen ²¹, V.E. Ozcan ^{12c}, N. Ozturk ⁸, K. Pachal ¹⁴⁹, A. Pacheco Pages ¹⁴, L. Pacheco Rodriguez ¹⁴²,
 C. Padilla Aranda ¹⁴, S. Pagan Griso ¹⁸, M. Paganini ¹⁸¹, F. Paige ²⁹, G. Palacino ⁶³, S. Palazzo ^{40b,40a},
 S. Palestini ³⁵, M. Palka ^{81b}, D. Pallin ³⁷, E.St. Panagiotopoulou ¹⁰, I. Panagoulias ¹⁰, C.E. Pandini ⁵²,
 J.G. Panduro Vazquez ⁹¹, P. Pani ³⁵, D. Pantea ^{27b}, L. Paolozzi ⁵², T.D. Papadopoulou ¹⁰, K. Papageorgiou ^{9,j},
 A. Paramonov ⁶, D. Paredes Hernandez ^{61b}, B. Parida ^{58c}, A.J. Parker ⁸⁷, K.A. Parker ⁴⁴, M.A. Parker ³¹,
 F. Parodi ^{53b,53a}, J.A. Parsons ³⁸, U. Parzefall ⁵⁰, V.R. Pascuzzi ¹⁶⁵, J.M.P. Pasner ¹⁴³, E. Pasqualucci ^{70a},
 S. Passaggio ^{53b}, F. Pastore ⁹¹, S. Pataraia ⁹⁷, J.R. Pater ⁹⁸, T. Pauly ³⁵, B. Pearson ¹¹³, S. Pedraza Lopez ¹⁷²,
 R. Pedro ^{136a,136b}, S.V. Peleganchuk ^{120b,120a}, O. Penc ¹³⁷, C. Peng ^{15d}, H. Peng ^{58a}, J. Penwell ⁶³,
 B.S. Peralva ^{78a}, M.M. Perego ¹⁴², D.V. Perepelitsa ²⁹, F. Peri ¹⁹, L. Perini ^{66a,66b}, H. Pernegger ³⁵,
 S. Perrella ^{67a,67b}, V.D. Peshekhonov ^{77,*}, K. Peters ⁴⁴, R.F.Y. Peters ⁹⁸, B.A. Petersen ³⁵, T.C. Petersen ³⁹,
 E. Petit ⁵⁶, A. Petridis ¹, C. Petridou ¹⁶⁰, P. Petroff ¹²⁸, E. Petrolo ^{70a}, M. Petrov ¹³¹, F. Petrucci ^{72a,72b},
 N.E. Pettersson ¹⁰⁰, A. Peyaud ¹⁴², R. Pezoa ^{144b}, T. Pham ¹⁰², F.H. Phillips ¹⁰⁴, P.W. Phillips ¹⁴¹,
 G. Piacquadio ¹⁵², E. Pianori ¹⁷⁶, A. Picazio ¹⁰⁰, M.A. Pickering ¹³¹, R. Piegaia ³⁰, J.E. Pilcher ³⁶,
 A.D. Pilkington ⁹⁸, M. Pinamonti ^{71a,71b}, J.L. Pinfold ³, M. Pitt ¹⁷⁸, M-A. Pleier ²⁹, V. Pleskot ⁹⁷,
 E. Plotnikova ⁷⁷, D. Pluth ⁷⁶, P. Podberezko ^{120b,120a}, R. Poettgen ⁹⁴, R. Poggi ^{68a,68b}, L. Poggioli ¹²⁸,
 I. Pogrebnyak ¹⁰⁴, D. Pohl ²⁴, I. Pokharel ⁵¹, G. Polesello ^{68a}, A. Poley ⁴⁴, A. Policicchio ^{40b,40a}, R. Polifka ³⁵,
 A. Polini ^{23b}, C.S. Pollard ⁴⁴, V. Polychronakos ²⁹, D. Ponomarenko ¹¹⁰, L. Pontecorvo ^{70a},
 G.A. Popeneciu ^{27d}, D.M. Portillo Quintero ¹³², S. Pospisil ¹³⁸, K. Potamianos ⁴⁴, I.N. Potrap ⁷⁷, C.J. Potter ³¹,
 H. Potti ¹¹, T. Poulsen ⁹⁴, J. Poveda ³⁵, M.E. Pozo Astigarraga ³⁵, P. Pralavorio ⁹⁹, S. Prell ⁷⁶, D. Price ⁹⁸,
 M. Primavera ^{65a}, S. Prince ¹⁰¹, N. Proklova ¹¹⁰, K. Prokofiev ^{61c}, F. Prokoshin ^{144b}, S. Protopopescu ²⁹,
 J. Proudfoot ⁶, M. Przybycien ^{81a}, A. Puri ¹⁷¹, P. Puzo ¹²⁸, J. Qian ¹⁰³, Y. Qin ⁹⁸, A. Quadrat ⁵¹,
 M. Queitsch-Maitland ⁴⁴, A. Qureshi ¹, V. Radeka ²⁹, S.K. Radhakrishnan ¹⁵², P. Rados ¹⁰², F. Ragusa ^{66a,66b},
 G. Rahal ⁹⁵, J.A. Raine ⁹⁸, S. Rajagopalan ²⁹, T. Rashid ¹²⁸, S. Raspopov ⁵, M.G. Ratti ^{66a,66b}, D.M. Rauch ⁴⁴,
 F. Rauscher ¹¹², S. Rave ⁹⁷, I. Ravinovich ¹⁷⁸, J.H. Rawling ⁹⁸, M. Raymond ³⁵, A.L. Read ¹³⁰, N.P. Readioff ⁵⁶,
 M. Reale ^{65a,65b}, D.M. Rebuzzi ^{68a,68b}, A. Redelbach ¹⁷⁵, G. Redlinger ²⁹, R. Reece ¹⁴³, R.G. Reed ^{32c},
 K. Reeves ⁴², L. Rehnisch ¹⁹, J. Reichert ¹³³, A. Reiss ⁹⁷, C. Rembser ³⁵, H. Ren ^{15d}, M. Rescigno ^{70a},
 S. Resconi ^{66a}, E.D. Ressegue ¹³³, S. Rettie ¹⁷³, E. Reynolds ²¹, O.L. Rezanova ^{120b,120a}, P. Reznicek ¹³⁹,
 R. Richter ¹¹³, S. Richter ⁹², E. Richter-Was ^{81b}, O. Ricken ²⁴, M. Ridel ¹³², P. Rieck ¹¹³, C.J. Riegel ¹⁸⁰,
 O. Rifki ¹²⁴, M. Rijssenbeek ¹⁵², A. Rimoldi ^{68a,68b}, M. Rimoldi ²⁰, L. Rinaldi ^{23b}, G. Ripellino ¹⁵¹, B. Ristić ³⁵,
 E. Ritsch ³⁵, I. Riu ¹⁴, J.C. Rivera Vergara ^{144a}, F. Rizatdinova ¹²⁵, E. Rizvi ⁹⁰, C. Rizzi ¹⁴, R.T. Roberts ⁹⁸,
 S.H. Robertson ^{101,ae}, A. Robichaud-Veronneau ¹⁰¹, D. Robinson ³¹, J.E.M. Robinson ⁴⁴, A. Robson ⁵⁵,
 E. Rocco ⁹⁷, C. Roda ^{69a,69b}, Y. Rodina ^{99,aa}, S. Rodriguez Bosca ¹⁷², A. Rodriguez Perez ¹⁴,
 D. Rodriguez Rodriguez ¹⁷², A.M. Rodríguez Vera ^{166b}, S. Roe ³⁵, C.S. Rogan ⁵⁷, O. Røhne ¹³⁰, R. Röhrg ¹¹³,
 J. Roloff ⁵⁷, A. Romanikou ¹¹⁰, M. Romano ^{23b,23a}, S.M. Romano Saez ³⁷, E. Romero Adam ¹⁷²,
 N. Rompotis ⁸⁸, M. Ronzani ⁵⁰, L. Roos ¹³², S. Rosati ^{70a}, K. Rosbach ⁵⁰, P. Rose ¹⁴³, N-A. Rosien ⁵¹,
 E. Rossi ^{67a,67b}, L.P. Rossi ^{53b}, L. Rossini ^{66a,66b}, J.H.N. Rosten ³¹, R. Rosten ¹⁴⁵, M. Rotaru ^{27b}, J. Rothberg ¹⁴⁵,
 D. Rousseau ¹²⁸, D. Roy ^{32c}, A. Rozanov ⁹⁹, Y. Rozen ¹⁵⁸, X. Ruan ^{32c}, F. Rubbo ¹⁵⁰, F. Rühr ⁵⁰,

- A. Ruiz-Martinez ³³, Z. Rurikova ⁵⁰, N.A. Rusakovich ⁷⁷, H.L. Russell ¹⁰¹, J.P. Rutherford ⁷, N. Ruthmann ³⁵, E.M. Rüttinger ^{44,l}, Y.F. Ryabov ¹³⁴, M. Rybar ¹⁷¹, G. Rybkin ¹²⁸, S. Ryu ⁶, A. Ryzhov ¹⁴⁰, G.F. Rzeborz ⁵¹, G. Sabato ¹¹⁸, S. Sacerdoti ³⁰, H.F-W. Sadrozinski ¹⁴³, R. Sadykov ⁷⁷, F. Safai Tehrani ^{70a}, P. Saha ¹¹⁹, M. Sahinsoy ^{59a}, M. Saimpert ⁴⁴, M. Saito ¹⁶¹, T. Saito ¹⁶¹, H. Sakamoto ¹⁶¹, A. Sakharov ^{121,ak}, G. Salamanna ^{72a,72b}, J.E. Salazar Loyola ^{144b}, D. Salek ¹¹⁸, P.H. Sales De Bruin ¹⁷⁰, D. Salihagic ¹¹³, A. Salnikov ¹⁵⁰, J. Salt ¹⁷², D. Salvatore ^{40b,40a}, F. Salvatore ¹⁵³, A. Salvucci ^{61a,61b,61c}, A. Salzburger ³⁵, D. Sammel ⁵⁰, D. Sampsonidis ¹⁶⁰, D. Sampsonidou ¹⁶⁰, J. Sánchez ¹⁷², A. Sanchez Pineda ^{64a,64c}, H. Sandaker ¹³⁰, R.L. Sandbach ⁹⁰, C.O. Sander ⁴⁴, M. Sandhoff ¹⁸⁰, C. Sandoval ²², D.P.C. Sankey ¹⁴¹, M. Sannino ^{53b,53a}, Y. Sano ¹¹⁵, A. Sansoni ⁴⁹, C. Santoni ³⁷, H. Santos ^{136a}, I. Santoyo Castillo ¹⁵³, A. Sapronov ⁷⁷, J.G. Saraiva ^{136a,136d}, O. Sasaki ⁷⁹, K. Sato ¹⁶⁷, E. Sauvan ⁵, P. Savard ^{165,au}, N. Savic ¹¹³, R. Sawada ¹⁶¹, C. Sawyer ¹⁴¹, L. Sawyer ^{93,aj}, C. Sbarra ^{23b}, A. Sbrizzi ^{23b,23a}, T. Scanlon ⁹², D.A. Scannicchio ¹⁶⁹, J. Schaarschmidt ¹⁴⁵, P. Schacht ¹¹³, B.M. Schachtner ¹¹², D. Schaefer ³⁶, L. Schaefer ¹³³, J. Schaeffer ⁹⁷, S. Schaepe ³⁵, U. Schäfer ⁹⁷, A.C. Schaffer ¹²⁸, D. Schaile ¹¹², R.D. Schamberger ¹⁵², V.A. Schegelsky ¹³⁴, D. Scheirich ¹³⁹, F. Schenck ¹⁹, M. Schernau ¹⁶⁹, C. Schiavi ^{53b,53a}, S. Schier ¹⁴³, L.K. Schildgen ²⁴, Z.M. Schillaci ²⁶, C. Schillo ⁵⁰, E.J. Schioppa ³⁵, M. Schioppa ^{40b,40a}, K.E. Schleicher ⁵⁰, S. Schlenker ³⁵, K.R. Schmidt-Sommerfeld ¹¹³, K. Schmieden ³⁵, C. Schmitt ⁹⁷, S. Schmitt ⁴⁴, S. Schmitz ⁹⁷, U. Schnoor ⁵⁰, L. Schoeffel ¹⁴², A. Schoening ^{59b}, E. Schopf ²⁴, M. Schott ⁹⁷, J.F.P. Schouwenberg ¹¹⁷, J. Schovancova ³⁵, S. Schramm ⁵², N. Schuh ⁹⁷, A. Schulte ⁹⁷, H-C. Schultz-Coulon ^{59a}, M. Schumacher ⁵⁰, B.A. Schumm ¹⁴³, Ph. Schune ¹⁴², A. Schwartzman ¹⁵⁰, T.A. Schwarz ¹⁰³, H. Schweiger ⁹⁸, Ph. Schwemling ¹⁴², R. Schwienhorst ¹⁰⁴, A. Sciandra ²⁴, G. Sciolla ²⁶, M. Scornajenghi ^{40b,40a}, F. Scuri ^{69a}, F. Scutti ¹⁰², L.M. Scyboz ¹¹³, J. Searcy ¹⁰³, P. Seema ²⁴, S.C. Seidel ¹¹⁶, A. Seiden ¹⁴³, J.M. Seixas ^{78b}, G. Sekhniaidze ^{67a}, K. Sekhon ¹⁰³, S.J. Sekula ⁴¹, N. Semprini-Cesari ^{23b,23a}, S. Senkin ³⁷, C. Serfon ¹³⁰, L. Serin ¹²⁸, L. Serkin ^{64a,64b}, M. Sessa ^{72a,72b}, H. Severini ¹²⁴, F. Sforza ¹⁶⁸, A. Sfyrla ⁵², E. Shabalina ⁵¹, J.D. Shahinian ¹⁴³, N.W. Shaikh ^{43a,43b}, L.Y. Shan ^{15a}, R. Shang ¹⁷¹, J.T. Shank ²⁵, M. Shapiro ¹⁸, P.B. Shatalov ¹⁰⁹, K. Shaw ^{64a,64b}, S.M. Shaw ⁹⁸, A. Shcherbakova ^{43a,43b}, C.Y. Shehu ¹⁵³, Y. Shen ¹²⁴, N. Sherafati ³³, A.D. Sherman ²⁵, P. Sherwood ⁹², L. Shi ^{155,aq}, S. Shimizu ⁸⁰, C.O. Shimmin ¹⁸¹, M. Shimojima ¹¹⁴, I.P.J. Shipsey ¹³¹, S. Shirabe ⁸⁵, M. Shiyakova ⁷⁷, J. Shlomi ¹⁷⁸, A. Shmeleva ¹⁰⁸, D. Shoaleh Saadi ¹⁰⁷, M.J. Shochet ³⁶, S. Shojaii ¹⁰², D.R. Shope ¹²⁴, S. Shrestha ¹²², E. Shulga ¹¹⁰, P. Sicho ¹³⁷, A.M. Sickles ¹⁷¹, P.E. Sidebo ¹⁵¹, E. Sideras Haddad ^{32c}, O. Sidiropoulou ¹⁷⁵, A. Sidoti ^{23b,23a}, F. Siegert ⁴⁶, Dj. Sijacki ¹⁶, J. Silva ^{136a,136d}, M. Silva Jr. ¹⁷⁹, S.B. Silverstein ^{43a}, L. Simic ⁷⁷, S. Simion ¹²⁸, E. Simioni ⁹⁷, B. Simmons ⁹², M. Simon ⁹⁷, P. Sinervo ¹⁶⁵, N.B. Sinev ¹²⁷, M. Sioli ^{23b,23a}, G. Siragusa ¹⁷⁵, I. Siral ¹⁰³, S.Yu. Sivoklokov ¹¹¹, J. Sjölin ^{43a,43b}, M.B. Skinner ⁸⁷, P. Skubic ¹²⁴, M. Slater ²¹, T. Slavicek ¹³⁸, M. Slawinska ⁸², K. Sliwa ¹⁶⁸, R. Slovak ¹³⁹, V. Smakhtin ¹⁷⁸, B.H. Smart ⁵, J. Smiesko ^{28a}, N. Smirnov ¹¹⁰, S.Yu. Smirnov ¹¹⁰, Y. Smirnov ¹¹⁰, L.N. Smirnova ¹¹¹, O. Smirnova ⁹⁴, J.W. Smith ⁵¹, M.N.K. Smith ³⁸, R.W. Smith ³⁸, M. Smizanska ⁸⁷, K. Smolek ¹³⁸, A.A. Snesarev ¹⁰⁸, I.M. Snyder ¹²⁷, S. Snyder ²⁹, R. Sobie ^{174,ae}, F. Socher ⁴⁶, A.M. Soffa ¹⁶⁹, A. Soffer ¹⁵⁹, A. Søgaard ⁴⁸, D.A. Soh ¹⁵⁵, G. Sokhrannyi ⁸⁹, C.A. Solans Sanchez ³⁵, M. Solar ¹³⁸, E.Yu. Soldatov ¹¹⁰, U. Soldevila ¹⁷², A.A. Solodkov ¹⁴⁰, A. Soloshenko ⁷⁷, O.V. Solovyanov ¹⁴⁰, V. Solovyev ¹³⁴, P. Sommer ¹⁴⁶, H. Son ¹⁶⁸, W. Song ¹⁴¹, A. Sopczak ¹³⁸, F. Sopkova ^{28b}, D. Sosa ^{59b}, C.L. Sotiroglou ^{69a,69b}, S. Sottocornola ^{68a,68b}, R. Soualah ^{64a,64c,i}, A.M. Soukharev ^{120b,120a}, D. South ⁴⁴, B.C. Sowden ⁹¹, S. Spagnolo ^{65a,65b}, M. Spalla ¹¹³, M. Spangenberg ¹⁷⁶, F. Spanò ⁹¹, D. Sperlich ¹⁹, F. Spettel ¹¹³, T.M. Speker ^{59a}, R. Spighi ^{23b}, G. Spigo ³⁵, L.A. Spiller ¹⁰², M. Spousta ¹³⁹, R.D. St. Denis ^{55,*}, A. Stabile ^{66a,66b}, R. Stamen ^{59a}, S. Stamm ¹⁹, E. Stanecka ⁸², R.W. Stanek ⁶, C. Stanescu ^{72a}, M.M. Stanitzki ⁴⁴, B.S. Stapf ¹¹⁸, S. Stapnes ¹³⁰, E.A. Starchenko ¹⁴⁰, G.H. Stark ³⁶, J. Stark ⁵⁶, S.H Stark ³⁹, P. Staroba ¹³⁷, P. Starovoitov ^{59a}, S. Stärz ³⁵, R. Staszewski ⁸², M. Stegler ⁴⁴, P. Steinberg ²⁹, B. Stelzer ¹⁴⁹, H.J. Stelzer ³⁵, O. Stelzer-Chilton ^{166a}, H. Stenzel ⁵⁴, T.J. Stevenson ⁹⁰, G.A. Stewart ⁵⁵, M.C. Stockton ¹²⁷, G. Stoica ^{27b}, P. Stolte ⁵¹, S. Stonjek ¹¹³, A. Straessner ⁴⁶, M.E. Stramaglia ²⁰, J. Strandberg ¹⁵¹, S. Strandberg ^{43a,43b}, M. Strauss ¹²⁴, P. Strizenec ^{28b}, R. Ströhmer ¹⁷⁵, D.M. Strom ¹²⁷, R. Stroynowski ⁴¹, A. Strubig ⁴⁸, S.A. Stucci ²⁹, B. Stugu ¹⁷, N.A. Styles ⁴⁴, D. Su ¹⁵⁰, J. Su ¹³⁵, S. Suchek ^{59a}, Y. Sugaya ¹²⁹, M. Suk ¹³⁸, V.V. Sulin ¹⁰⁸, D.M.S. Sultan ⁵², S. Sultansoy ^{4c}, T. Sumida ⁸³, S. Sun ¹⁰³, X. Sun ³, K. Suruliz ¹⁵³, C.J.E. Suster ¹⁵⁴, M.R. Sutton ¹⁵³, S. Suzuki ⁷⁹, M. Svatos ¹³⁷, M. Swiatlowski ³⁶, S.P. Swift ², A. Sydorenko ⁹⁷, I. Sykora ^{28a}, T. Sykora ¹³⁹, D. Ta ⁵⁰, K. Tackmann ^{44,ab}, J. Taenzer ¹⁵⁹, A. Taffard ¹⁶⁹, R. Tafirout ^{166a}, E. Tahirovic ⁹⁰, N. Taiblum ¹⁵⁹, H. Takai ²⁹, R. Takashima ⁸⁴,

- E.H. Takasugi ¹¹³, K. Takeda ⁸⁰, T. Takeshita ¹⁴⁷, Y. Takubo ⁷⁹, M. Talby ⁹⁹, A.A. Talyshov ^{120b,120a}, J. Tanaka ¹⁶¹, M. Tanaka ¹⁶³, R. Tanaka ¹²⁸, R. Tanioka ⁸⁰, B.B. Tannenwald ¹²², S. Tapia Araya ^{144b}, S. Tapprogge ⁹⁷, A. Tarek Abouelfadl Mohamed ¹³², S. Tarem ¹⁵⁸, G. Tarna ^{27b,e}, G.F. Tartarelli ^{66a}, P. Tas ¹³⁹, M. Tasevsky ¹³⁷, T. Tashiro ⁸³, E. Tassi ^{40b,40a}, A. Tavares Delgado ^{136a,136b}, Y. Tayalati ^{34e}, A.C. Taylor ¹¹⁶, A.J. Taylor ⁴⁸, G.N. Taylor ¹⁰², P.T.E. Taylor ¹⁰², W. Taylor ^{166b}, P. Teixeira-Dias ⁹¹, D. Temple ¹⁴⁹, H. Ten Kate ³⁵, P.K. Teng ¹⁵⁵, J.J. Teoh ¹²⁹, F. Tepel ¹⁸⁰, S. Terada ⁷⁹, K. Terashi ¹⁶¹, J. Terron ⁹⁶, S. Terzo ¹⁴, M. Testa ⁴⁹, R.J. Teuscher ^{165,ae}, S.J. Thais ¹⁸¹, T. Theveneaux-Pelzer ⁴⁴, F. Thiele ³⁹, J.P. Thomas ²¹, J. Thomas-Wilsker ⁹¹, A.S. Thompson ⁵⁵, P.D. Thompson ²¹, L.A. Thomsen ¹⁸¹, E. Thomson ¹³³, Y. Tian ³⁸, R.E. Ticse Torres ⁵¹, V.O. Tikhomirov ^{108,am}, Yu.A. Tikhonov ^{120b,120a}, S. Timoshenko ¹¹⁰, P. Tipton ¹⁸¹, S. Tisserant ⁹⁹, K. Todome ¹⁶³, S. Todorova-Nova ⁵, S. Todt ⁴⁶, J. Tojo ⁸⁵, S. Tokár ^{28a}, K. Tokushuku ⁷⁹, E. Tolley ¹²², M. Tomoto ¹¹⁵, L. Tompkins ¹⁵⁰, K. Toms ¹¹⁶, B. Tong ⁵⁷, P. Tornambe ⁵⁰, E. Torrence ¹²⁷, H. Torres ⁴⁶, E. Torró Pastor ¹⁴⁵, J. Toth ^{99,ad}, F. Touchard ⁹⁹, D.R. Tovey ¹⁴⁶, C.J. Treado ¹²¹, T. Trefzger ¹⁷⁵, F. Tresoldi ¹⁵³, A. Tricoli ²⁹, I.M. Trigger ^{166a}, S. Trincaz-Duvold ¹³², M.F. Tripiana ¹⁴, W. Trischuk ¹⁶⁵, B. Trocmé ⁵⁶, A. Trofymov ⁴⁴, C. Troncon ^{66a}, M. Trovatelli ¹⁷⁴, L. Truong ^{32b}, M. Trzebinski ⁸², A. Trzupek ⁸², K.W. Tsang ^{61a}, J.C.-L. Tseng ¹³¹, P.V. Tsiareshka ¹⁰⁵, N. Tsirintanis ⁹, S. Tsiskaridze ¹⁴, V. Tsiskaridze ⁵⁰, E.G. Tskhadadze ^{157a}, I.I. Tsukerman ¹⁰⁹, V. Tsulaia ¹⁸, S. Tsuno ⁷⁹, D. Tsybychev ¹⁵², Y. Tu ^{61b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, T.T. Tulbure ^{27a}, A.N. Tuna ⁵⁷, S. Turchikhin ⁷⁷, D. Turgeman ¹⁷⁸, I. Turk Cakir ^{4b,u}, R. Turra ^{66a}, P.M. Tuts ³⁸, G. Ucchielli ^{23b,23a}, I. Ueda ⁷⁹, M. Ughetto ^{43a,43b}, F. Ukegawa ¹⁶⁷, G. Unal ³⁵, A. Undrus ²⁹, G. Unel ¹⁶⁹, F.C. Ungaro ¹⁰², Y. Unno ⁷⁹, K. Uno ¹⁶¹, J. Urban ^{28b}, P. Urquijo ¹⁰², P. Urrejola ⁹⁷, G. Usai ⁸, J. Usui ⁷⁹, L. Vacavant ⁹⁹, V. Vacek ¹³⁸, B. Vachon ¹⁰¹, K.O.H. Vadla ¹³⁰, A. Vaidya ⁹², C. Valderanis ¹¹², E. Valdes Santurio ^{43a,43b}, M. Valente ⁵², S. Valentini ^{23b,23a}, A. Valero ¹⁷², L. Valéry ¹⁴, A. Vallier ⁵, J.A. Valls Ferrer ¹⁷², W. Van Den Wollenberg ¹¹⁸, H. Van der Graaf ¹¹⁸, P. Van Gemmeren ⁶, J. Van Nieuwkoop ¹⁴⁹, I. Van Vulpen ¹¹⁸, M.C. van Woerden ¹¹⁸, M. Vanadia ^{71a,71b}, W. Vandelli ³⁵, A. Vaniachine ¹⁶⁴, P. Vankov ¹¹⁸, R. Vari ^{70a}, E.W. Varnes ⁷, C. Varni ^{53b,53a}, T. Varol ⁴¹, D. Varouchas ¹²⁸, A. Vartapetian ⁸, K.E. Varvell ¹⁵⁴, G.A. Vasquez ^{144b}, J.G. Vasquez ¹⁸¹, F. Vazeille ³⁷, D. Vazquez Furelos ¹⁴, T. Vazquez Schroeder ¹⁰¹, J. Veatch ⁵¹, L.M. Veloce ¹⁶⁵, F. Veloso ^{136a,136c}, S. Veneziano ^{70a}, A. Ventura ^{65a,65b}, M. Venturi ¹⁷⁴, N. Venturi ³⁵, V. Vercesi ^{68a}, M. Verducci ^{72a,72b}, W. Verkerke ¹¹⁸, A.T. Vermeulen ¹¹⁸, J.C. Vermeulen ¹¹⁸, M.C. Vetterli ^{149,au}, N. Viaux Maira ^{144b}, O. Viazlo ⁹⁴, I. Vichou ^{171,*}, T. Vickey ¹⁴⁶, O.E. Vickey Boeriu ¹⁴⁶, G.H.A. Viehhauser ¹³¹, S. Viel ¹⁸, L. Vigani ¹³¹, M. Villa ^{23b,23a}, M. Villaplana Perez ^{66a,66b}, E. Vilucchi ⁴⁹, M.G. Vinchter ³³, V.B. Vinogradov ⁷⁷, A. Vishwakarma ⁴⁴, C. Vittori ^{23b,23a}, I. Vivarelli ¹⁵³, S. Vlachos ¹⁰, M. Vogel ¹⁸⁰, P. Vokac ¹³⁸, G. Volpi ¹⁴, S.E. Von Buddenbrock ^{32c}, E. Von Toerne ²⁴, V. Vorobel ¹³⁹, K. Vorobev ¹¹⁰, M. Vos ¹⁷², J.H. Vossebeld ⁸⁸, N. Vranjes ¹⁶, M. Vranjes Milosavljevic ¹⁶, V. Vrba ¹³⁸, M. Vreeswijk ¹¹⁸, T. Šfiligoj ⁸⁹, R. Vuillermet ³⁵, I. Vukotic ³⁶, T. Ženiš ^{28a}, L. Živković ¹⁶, P. Wagner ²⁴, W. Wagner ¹⁸⁰, J. Wagner-Kuhr ¹¹², H. Wahlberg ⁸⁶, S. Wahrmund ⁴⁶, K. Wakamiya ⁸⁰, J. Walder ⁸⁷, R. Walker ¹¹², W. Walkowiak ¹⁴⁸, V. Wallangen ^{43a,43b}, A.M. Wang ⁵⁷, C. Wang ^{58b,e}, F. Wang ¹⁷⁹, H. Wang ¹⁸, H. Wang ³, J. Wang ¹⁵⁴, J. Wang ^{59b}, Q. Wang ¹²⁴, R.-J. Wang ¹³², R. Wang ⁶, S.M. Wang ¹⁵⁵, T. Wang ³⁸, W. Wang ^{155,p}, W.X. Wang ^{58a,af}, Z. Wang ^{58c}, C. Wanotayaroj ⁴⁴, A. Warburton ¹⁰¹, C.P. Ward ³¹, D.R. Wardrope ⁹², A. Washbrook ⁴⁸, P.M. Watkins ²¹, A.T. Watson ²¹, M.F. Watson ²¹, G. Watts ¹⁴⁵, S. Watts ⁹⁸, B.M. Waugh ⁹², A.F. Webb ¹¹, S. Webb ⁹⁷, M.S. Weber ²⁰, S.A. Weber ³³, S.M. Weber ^{59a}, J.S. Webster ⁶, A.R. Weidberg ¹³¹, B. Weinert ⁶³, J. Weingarten ⁵¹, M. Weirich ⁹⁷, C. Weiser ⁵⁰, P.S. Wells ³⁵, T. Wenaus ²⁹, T. Wengler ³⁵, S. Wenig ³⁵, N. Wermes ²⁴, M.D. Werner ⁷⁶, P. Werner ³⁵, M. Wessels ^{59a}, T.D. Weston ²⁰, K. Whalen ¹²⁷, N.L. Whallon ¹⁴⁵, A.M. Wharton ⁸⁷, A.S. White ¹⁰³, A. White ⁸, M.J. White ¹, R. White ^{144b}, D. Whiteson ¹⁶⁹, B.W. Whitmore ⁸⁷, F.J. Wickens ¹⁴¹, W. Wiedenmann ¹⁷⁹, M. Wielers ¹⁴¹, C. Wiglesworth ³⁹, L.A.M. Wiik-Fuchs ⁵⁰, A. Wildauer ¹¹³, F. Wilk ⁹⁸, H.G. Wilkens ³⁵, H.H. Williams ¹³³, S. Williams ³¹, C. Willis ¹⁰⁴, S. Willocq ¹⁰⁰, J.A. Wilson ²¹, I. Wingerter-Seez ⁵, E. Winkels ¹⁵³, F. Winklmeier ¹²⁷, O.J. Winston ¹⁵³, B.T. Winter ²⁴, M. Wittgen ¹⁵⁰, M. Wobisch ⁹³, A. Wolf ⁹⁷, T.M.H. Wolf ¹¹⁸, R. Wolff ⁹⁹, M.W. Wolter ⁸², H. Wolters ^{136a,136c}, V.W.S. Wong ¹⁷³, N.L. Woods ¹⁴³, S.D. Worm ²¹, B.K. Wosiek ⁸², K.W. Woźniak ⁸², M. Wu ³⁶, S.L. Wu ¹⁷⁹, X. Wu ⁵², Y. Wu ^{58a}, T.R. Wyatt ⁹⁸, B.M. Wynne ⁴⁸, S. Xella ³⁹, Z. Xi ¹⁰³, L. Xia ^{15b}, D. Xu ^{15a}, L. Xu ²⁹, T. Xu ¹⁴², W. Xu ¹⁰³, B. Yabsley ¹⁵⁴, S. Yacoob ^{32a}, K. Yajima ¹²⁹, D.P. Yallup ⁹², D. Yamaguchi ¹⁶³, Y. Yamaguchi ¹⁶³, A. Yamamoto ⁷⁹, T. Yamanaka ¹⁶¹, F. Yamane ⁸⁰,

M. Yamatani ¹⁶¹, T. Yamazaki ¹⁶¹, Y. Yamazaki ⁸⁰, Z. Yan ²⁵, H.J. Yang ^{58c,58d}, H.T. Yang ¹⁸, S. Yang ⁷⁵, Y. Yang ¹⁵⁵, Z. Yang ¹⁷, W.-M. Yao ¹⁸, Y.C. Yap ⁴⁴, Y. Yasu ⁷⁹, E. Yatsenko ⁵, K.H. Yau Wong ²⁴, J. Ye ⁴¹, S. Ye ²⁹, I. Yeletskikh ⁷⁷, E. Yigitbasi ²⁵, E. Yildirim ⁹⁷, K. Yorita ¹⁷⁷, K. Yoshihara ¹³³, C.J.S. Young ³⁵, C. Young ¹⁵⁰, J. Yu ⁸, J. Yu ⁷⁶, S.P.Y. Yuen ²⁴, I. Yusuff ^{31,a}, B. Zabinski ⁸², G. Zacharis ¹⁰, R. Zaidan ¹⁴, A.M. Zaitsev ^{140,al}, N. Zakharchuk ⁴⁴, J. Zalieckas ¹⁷, S. Zambito ⁵⁷, D. Zanzi ³⁵, C. Zeitnitz ¹⁸⁰, G. Zemaityte ¹³¹, J.C. Zeng ¹⁷¹, Q. Zeng ¹⁵⁰, O. Zenin ¹⁴⁰, D. Zerwas ¹²⁸, D.F. Zhang ^{58b}, D. Zhang ¹⁰³, F. Zhang ¹⁷⁹, G. Zhang ^{58a,af}, H. Zhang ¹²⁸, J. Zhang ⁶, L. Zhang ⁵⁰, L. Zhang ^{58a}, M. Zhang ¹⁷¹, P. Zhang ^{15c}, R. Zhang ^{58a,e}, R. Zhang ²⁴, X. Zhang ^{58b}, Y. Zhang ^{15d}, Z. Zhang ¹²⁸, X. Zhao ⁴¹, Y. Zhao ^{58b,128,al}, Z. Zhao ^{58a}, A. Zhemchugov ⁷⁷, B. Zhou ¹⁰³, C. Zhou ¹⁷⁹, L. Zhou ⁴¹, M.S. Zhou ^{15d}, M. Zhou ¹⁵², N. Zhou ^{58c}, Y. Zhou ⁷, C.G. Zhu ^{58b}, H. Zhu ^{15a}, J. Zhu ¹⁰³, Y. Zhu ^{58a}, X. Zhuang ^{15a}, K. Zhukov ¹⁰⁸, V. Zhulanov ^{120b,120a}, A. Zibell ¹⁷⁵, D. Ziemińska ⁶³, N.I. Zimine ⁷⁷, S. Zimmermann ⁵⁰, Z. Zinonos ¹¹³, M. Zinser ⁹⁷, M. Ziolkowski ¹⁴⁸, G. Zobernig ¹⁷⁹, A. Zoccoli ^{23b,23a}, R. Zou ³⁶, M. Zur Nedden ¹⁹, L. Zwalski ³⁵

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany, NY, United States of America³ Department of Physics, University of Alberta, Edmonton, AB, Canada⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Istanbul Aydin University, Istanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey⁵ LAPP, Université Grenoble Alpes, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States of America⁷ Department of Physics, University of Arizona, Tucson, AZ, United States of America⁸ Department of Physics, University of Texas at Arlington, Arlington, TX, United States of America⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Department of Physics, University of Texas at Austin, Austin, TX, United States of America¹² ^(a) Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul; ^(b) Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(c) Department of Physics, Bogaziçi University, Istanbul; ^(d) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey¹³ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹⁴ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain¹⁵ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Physics Department, Tsinghua University, Beijing; ^(c) Department of Physics, Nanjing University, Nanjing;^(d) University of Chinese Academy of Science (UCAS), Beijing, China¹⁶ Institute of Physics, University of Belgrade, Belgrade, Serbia¹⁷ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁸ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States of America¹⁹ Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany²⁰ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland²¹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom²² Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia²³ ^(a) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna, Italy²⁴ Physikalisches Institut, Universität Bonn, Bonn, Germany²⁵ Department of Physics, Boston University, Boston, MA, United States of America²⁶ Department of Physics, Brandeis University, Waltham, MA, United States of America²⁷ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; ^(e) University Politehnica Bucharest; ^(f) West University of Timisoara, Timisoara, Romania²⁸ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Košice, Slovakia²⁹ Physics Department, Brookhaven National Laboratory, Upton, NY, United States of America³⁰ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina³¹ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom³² ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa³³ Department of Physics, Carleton University, Ottawa, ON, Canada³⁴ ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires (CNESTEN), Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco³⁵ CERN, Geneva, Switzerland³⁶ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States of America³⁷ LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France³⁸ Nevis Laboratory, Columbia University, Irvington, NY, United States of America³⁹ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark⁴⁰ ^(a) Dipartimento di Fisica, Università della Calabria, Rende; ^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy⁴¹ Physics Department, Southern Methodist University, Dallas, TX, United States of America⁴² Physics Department, University of Texas at Dallas, Richardson, TX, United States of America⁴³ ^(a) Department of Physics, Stockholm University; ^(b) Oskar Klein Centre, Stockholm, Sweden⁴⁴ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany⁴⁵ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany⁴⁶ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany⁴⁷ Department of Physics, Duke University, Durham, NC, United States of America⁴⁸ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom⁴⁹ INFN e Laboratori Nazionali di Frascati, Frascati, Italy⁵⁰ Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany⁵¹ II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany⁵² Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland

- 53 ^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova, Italy
 54 II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
 55 SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
 56 LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France
 57 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States of America
 58 ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, KIPAC-MoE, SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai, China
 59 ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
 60 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
 61 ^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
 62 Department of Physics, National Tsing Hua University, Hsinchu, Taiwan
 63 Department of Physics, Indiana University, Bloomington, IN, United States of America
 64 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 65 ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
 66 ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
 67 ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
 68 ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
 69 ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
 70 ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
 71 ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
 72 ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
 73 ^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento, Italy
 74 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
 75 University of Iowa, Iowa City, IA, United States of America
 76 Department of Physics and Astronomy, Iowa State University, Ames, IA, United States of America
 77 Joint Institute for Nuclear Research, Dubna, Russia
 78 ^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;
 (c) Universidade Federal de São João del Rei (UFSJ), São João del Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil
 79 KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
 80 Graduate School of Science, Kobe University, Kobe, Japan
 81 ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
 82 Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland
 83 Faculty of Science, Kyoto University, Kyoto, Japan
 84 Kyoto University of Education, Kyoto, Japan
 85 Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
 86 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
 87 Physics Department, Lancaster University, Lancaster, United Kingdom
 88 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
 89 Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
 90 School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
 91 Department of Physics, Royal Holloway University of London, Egham, United Kingdom
 92 Department of Physics and Astronomy, University College London, London, United Kingdom
 93 Louisiana Tech University, Ruston, LA, United States of America
 94 Fysiska institutionen, Lunds universitet, Lund, Sweden
 95 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
 96 Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain
 97 Institut für Physik, Universität Mainz, Mainz, Germany
 98 School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
 99 CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France
 100 Department of Physics, University of Massachusetts, Amherst, MA, United States of America
 101 Department of Physics, McGill University, Montreal, QC, Canada
 102 School of Physics, University of Melbourne, Victoria, Australia
 103 Department of Physics, University of Michigan, Ann Arbor, MI, United States of America
 104 Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States of America
 105 B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
 106 Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus
 107 Group of Particle Physics, University of Montreal, Montreal, QC, Canada
 108 P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
 109 Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
 110 National Research Nuclear University MEPhI, Moscow, Russia
 111 D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
 112 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
 113 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
 114 Nagasaki Institute of Applied Science, Nagasaki, Japan
 115 Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
 116 Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States of America
 117 Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
 118 Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
 119 Department of Physics, Northern Illinois University, DeKalb, IL, United States of America
 120 ^(a) Budker Institute of Nuclear Physics, SB RAS, Novosibirsk; ^(b) Novosibirsk State University Novosibirsk, Russia
 121 Department of Physics, New York University, New York, NY, United States of America
 122 Ohio State University, Columbus, OH, United States of America
 123 Faculty of Science, Okayama University, Okayama, Japan
 124 Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States of America
 125 Department of Physics, Oklahoma State University, Stillwater, OK, United States of America
 126 Palacký University, RCPTM, Joint Laboratory of Optics, Olomouc, Czech Republic

- ¹²⁷ Center for High Energy Physics, University of Oregon, Eugene, OR, United States of America
¹²⁸ LAL, Université Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
¹²⁹ Graduate School of Science, Osaka University, Osaka, Japan
¹³⁰ Department of Physics, University of Oslo, Oslo, Norway
¹³¹ Department of Physics, Oxford University, Oxford, United Kingdom
¹³² LPNHE, Sorbonne Université, Paris Diderot Sorbonne Paris Cité, CNRS/IN2P3, Paris, France
¹³³ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States of America
¹³⁴ Konstantinov Nuclear Physics Institute of National Research Centre "Kurchatov Institute", PNPI, St. Petersburg, Russia
¹³⁵ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States of America
¹³⁶ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP; ^(b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Departamento de Física, Universidade de Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
¹³⁷ Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic
¹³⁸ Czech Technical University in Prague, Prague, Czech Republic
¹³⁹ Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
¹⁴⁰ State Research Center Institute for High Energy Physics, NRC KI, Protvino, Russia
¹⁴¹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹⁴² IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France
¹⁴³ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States of America
¹⁴⁴ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
¹⁴⁵ Department of Physics, University of Washington, Seattle, WA, United States of America
¹⁴⁶ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹⁴⁷ Department of Physics, Shinshu University, Nagano, Japan
¹⁴⁸ Department Physik, Universität Siegen, Siegen, Germany
¹⁴⁹ Department of Physics, Simon Fraser University, Burnaby, BC, Canada
¹⁵⁰ SLAC National Accelerator Laboratory, Stanford, CA, United States of America
¹⁵¹ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁵² Departments of Physics and Astronomy, Stony Brook University, Stony Brook, NY, United States of America
¹⁵³ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁵⁴ School of Physics, University of Sydney, Sydney, Australia
¹⁵⁵ Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵⁶ Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵⁷ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
¹⁵⁸ Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel
¹⁵⁹ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁶⁰ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁶¹ International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan
¹⁶² Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁶³ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
¹⁶⁴ Tomsk State University, Tomsk, Russia
¹⁶⁵ Department of Physics, University of Toronto, Toronto, ON, Canada
¹⁶⁶ ^(a) TRIUMF, Vancouver, BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
¹⁶⁷ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
¹⁶⁸ Department of Physics and Astronomy, Tufts University, Medford, MA, United States of America
¹⁶⁹ Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States of America
¹⁷⁰ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁷¹ Department of Physics, University of Illinois, Urbana, IL, United States of America
¹⁷² Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Valencia, Spain
¹⁷³ Department of Physics, University of British Columbia, Vancouver, BC, Canada
¹⁷⁴ Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
¹⁷⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany
¹⁷⁶ Department of Physics, University of Warwick, Coventry, United Kingdom
¹⁷⁷ Waseda University, Tokyo, Japan
¹⁷⁸ Department of Particle Physics, Weizmann Institute of Science, Rehovot, Israel
¹⁷⁹ Department of Physics, University of Wisconsin, Madison, WI, United States of America
¹⁸⁰ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
¹⁸¹ Department of Physics, Yale University, New Haven, CT, United States of America
¹⁸² Yerevan Physics Institute, Yerevan, Armenia

^a Also at Department of Physics, University of Malaya, Kuala Lumpur, Malaysia.^b Also at Borough of Manhattan Community College, City University of New York, NY, United States of America.^c Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.^d Also at CERN, Geneva, Switzerland.^e Also at CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France.^f Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland.^g Also at Departament de Fisica de la Universitat Autònoma de Barcelona, Barcelona, Spain.^h Also at Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain.ⁱ Also at Department of Applied Physics and Astronomy, University of Sharjah, Sharjah, United Arab Emirates.^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.^k Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY, United States of America.^l Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom.^m Also at Department of Physics, California State University, Fresno, CA, United States of America.ⁿ Also at Department of Physics, California State University, Sacramento, CA, United States of America.^o Also at Department of Physics, King's College London, London, United Kingdom.^p Also at Department of Physics, Nanjing University, Nanjing, China.^q Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.^r Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

- ^s Also at Department of Physics, University of Michigan, Ann Arbor, MI, United States of America.
^t Also at Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy.
^u Also at Giresun University, Faculty of Engineering, Giresun, Turkey.
^v Also at Graduate School of Science, Osaka University, Osaka, Japan.
^w Also at Hellenic Open University, Patras, Greece.
^x Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania.
^y Also at II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany.
^z Also at Institut Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
^{aa} Also at Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain.
^{ab} Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.
^{ac} Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.
^{ad} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
^{ae} Also at Institute of Particle Physics (IPP), Canada.
^{af} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
^{ag} Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
^{ah} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
^{ai} Also at LAL, Université Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France.
^{aj} Also at Louisiana Tech University, Ruston, LA, United States of America.
^{ak} Also at Manhattan College, New York, NY, United States of America.
^{al} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{am} Also at National Research Nuclear University MEPhI, Moscow, Russia.
^{an} Also at Near East University, Nicosia, North Cyprus, Mersin, Turkey.
^{ao} Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.
^{ap} Also at Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany.
^{aq} Also at School of Physics, Sun Yat-sen University, Guangzhou, China.
^{ar} Also at The City College of New York, New York, NY, United States of America.
^{as} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.
^{at} Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^{au} Also at TRIUMF, Vancouver, BC, Canada.
^{av} Also at Universita di Napoli Parthenope, Napoli, Italy.

* Deceased.