



Search for displaced muonic lepton jets from light Higgs boson decay in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 1 October 2012

Received in revised form 12 February 2013

Accepted 28 February 2013

Available online 13 March 2013

Editor: H. Weerts

ABSTRACT

A search is performed for collimated muon pairs displaced from the primary vertex produced in the decay of long-lived neutral particles in proton–proton collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy, with the ATLAS detector at the LHC. In a 1.9 fb^{-1} event sample collected during 2011, the observed data are consistent with the Standard Model background expectations. Limits on the product of the production cross section and the branching ratio of a Higgs boson decaying to hidden-sector neutral long-lived particles are derived as a function of the particles' mean lifetime.

© 2013 CERN. Published by Elsevier B.V. Open access under CC BY-NC-ND license.

1. Introduction

A search is presented for long-lived neutral particles decaying to final states containing collimated muon pairs in proton–proton collisions at $\sqrt{s} = 7$ TeV centre-of-mass energy. The event sample, collected during 2011 at the LHC with the ATLAS detector, corresponds to an integrated luminosity of 1.9 fb^{-1} . The model considered in this analysis consists of a Higgs boson decaying to a new hidden sector of particles which finally produce two sets of collimated muon pairs, but the search described is equally valid for other, distinct models such as heavier Higgs boson doublets or singlet scalars, produced through gluon fusion, that decay to a hidden sector and eventually produce collimated muon pairs.

Recently, evidence for the production of a boson with a mass of about 126 GeV has been published by ATLAS [1] and CMS [2]. The observation is compatible with the expected production and decay of the Standard Model (SM) Higgs boson [3–5] at this mass. Testing the SM Higgs hypothesis is currently of utmost importance. To this end two effects may be considered: (i) additional resonances which arise in an extended Higgs sector found in many extensions of the SM, or (ii) rare Higgs boson decays which may deviate from those predicted by the SM. In this Letter we search for a scalar, produced through gluon fusion, that decays to a light hidden sector, according to the topology of Fig. 1, focusing on the 100 GeV to 140 GeV mass range.

The phenomenology of light hidden sectors has been studied extensively over the past few years [6–10]. Possible characteristic topological signatures of such extensions of the SM are “lepton jets”. A lepton jet is a cluster of highly collimated particles: electrons, muons and possibly pions [7,11–13]. These arise if light un-

stable particles with masses in the MeV to GeV range (for example dark photons, γ_d) reside in the hidden sector and decay predominantly to SM particles. At the LHC, hidden-sector particles may be produced with large boosts, causing the visible decay products to form jet-like structures. Hidden-sector particles such as γ_d may be long-lived, resulting in decay lengths comparable to, or larger than, the detector dimensions. The production of lepton jets can occur through various channels. For instance, in supersymmetric models, the lightest visible superpartner may decay into the hidden sector. Alternatively, a scalar particle that couples to the visible sector may also couple to the hidden sector through Yukawa couplings or the scalar potential. This analysis is focused on the case where the Higgs boson decays to the hidden sector [14,15]. The SM Higgs boson has a narrow width into SM final states if $m_H < 2m_W$. Consequently, any new (non-SM) coupling to additional states, which reside in a hidden sector, may contribute significantly to the Higgs boson decay branching ratios. Even with new couplings, the total Higgs boson width is typically small, well below the order of one GeV. If a SM-like Higgs boson is confirmed, it will remain important to constrain possible rare decays, e.g. into lepton jets.

Neutral particles with large decay lengths and collimated final states represent, from an experimental point of view, a challenge both for the trigger and for the reconstruction capabilities of the detector. Collimated particles in the final state can be hard to disentangle due to the finite granularity of the detectors; moreover, in the absence of inner tracking detector information and a primary vertex constraint, it is difficult to reconstruct charged-particle tracks from decay vertices far from the interaction point (IP). The ATLAS detector [16] is equipped with a muon spectrometer (MS) with high-granularity tracking detectors that allow charged-particle tracks to be reconstructed in a standalone configuration using only the muon detector information (MS-only). This is a crucial feature for detecting muons not originating from the primary interaction vertex.

* E-mail address: atlas.publications@cern.ch.




Fig. 1. Schematic picture of the Higgs boson decay chain, $H \rightarrow 2(f_{d2} \rightarrow f_{d1}\gamma_d)$. The Higgs boson decays to two hidden fermions (f_{d2}). Each hidden fermion decays to a γ_d and to a stable hidden fermion (f_{d1}), resulting in two muon jets from the γ_d decays in the final state.

The search presented in this Letter focuses on neutral particles decaying to the simplest type of muon jets (MJs), containing only two muons; prompt MJ searches have been performed both at the Tevatron [17,18] and at the LHC [19]. Other searches for displaced decays of a light Higgs boson to heavy fermion pairs have also been performed at the LHC [20].

The benchmark model used for this analysis is a simplified scenario where the Higgs boson decays to a pair of neutral hidden fermions (f_{d2}) each of which decays to one long-lived γ_d and one stable neutral hidden fermion (f_{d1}) that escapes the detector unnoticed, resulting in two lepton jets from the γ_d decays in the final state (see Fig. 1). The mass of the γ_d (0.4 GeV) is chosen to provide a sizeable branching ratio to muons [14].

2. The ATLAS detector

ATLAS is a multi-purpose detector [16] at the LHC, consisting of an inner tracking system (ID) embedded in a superconducting solenoid, which provides a 2 T magnetic field parallel to the beam direction, electromagnetic and hadronic calorimeters and a muon spectrometer using three air-core toroidal magnet systems.¹ The trigger system has three levels [21] called Level-1 (L1), Level-2 (L2) and Event Filter (EF). L1 is a hardware-based system using information from the calorimeter and muon spectrometer, and defines one or more Regions of Interest (ROIs), geometrical regions of the detector, identified by (η, ϕ) coordinates, containing interesting physics objects. L2 and the EF (globally called the High Level Trigger, HLT) are software-based systems and can access information from all sub-detectors. The ID, consisting of silicon pixel and micro-strip detectors and a straw-tube tracker, provides precision tracking of charged particles for $|\eta| \leq 2.5$. The electromagnetic and hadronic calorimeter system covers $|\eta| \leq 4.9$ and, at $\eta = 0$, has a total depth of 9.7 interaction lengths (22 radiation lengths in the electromagnetic part). The MS provides trigger information ($|\eta| \leq 2.4$) and momentum measurements ($|\eta| \leq 2.7$) for charged particles entering the spectrometer. It consists of one barrel and two endcap parts, each with 16 sectors in ϕ , equipped with precision tracking chambers and fast detectors for triggering. Monitored drift tubes are used for precision tracking in the region $|\eta| \leq 2.0$ and cathode strip chambers are used for $2.0 \leq |\eta| \leq 2.7$. The MS detectors are arranged in three stations of increasing distance from the IP: inner, middle and outer. The air core toroidal magnetic field allows an accurate charged particle reconstruction independent of the ID information. The three planes of trigger chambers (resistive

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis coinciding with the beam pipe axis. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$.

Table 1

Parameters used for the Monte Carlo simulation. The last column is the γ_d mean lifetime τ multiplied by the speed of light c , expressed in mm.

Higgs mass [GeV]	$m_{f_{d2}}$ [GeV]	$m_{f_{d1}}$ [GeV]	γ_d mass [GeV]	$c\tau$ [mm]
100	5.0	2.0	0.4	47
140	5.0	2.0	0.4	36

plate chambers in the barrel and thin gap chambers in the end-caps) are located in middle and outer (only in the barrel) stations. The L1 muon trigger requires hits in the middle stations to create a low transverse momentum (p_T) muon ROI or hits in both the middle and outer stations for a high p_T ROI. The muon ROIs have a spatial extent of 0.2×0.2 ($\Delta\eta \times \Delta\phi$) in the barrel and of 0.1×0.1 in the endcap. L1 ROI information seeds, at HLT level, the reconstruction of muon momenta using the precision chamber information. In this way sharp trigger thresholds up to 40 GeV can be obtained.

3. Signal and background simulation

The set of parameters used to generate the signal Monte Carlo samples is listed in Table 1. The Higgs boson is generated through the gluon-gluon fusion production mechanism which is the dominant process for a low mass Higgs boson. The gluon-gluon fusion Higgs boson production cross section in pp collisions at $\sqrt{s} = 7$ TeV, estimated at the next-to-next-to-leading order (NNLO) [22], is $\sigma_{SM} = 24.0$ pb for $m_H = 100$ GeV and $\sigma_{SM} = 12.1$ pb for $m_H = 140$ GeV. The PYTHIA generator [23] is used, linked together with MadGraph4.4.2 [24] and BRIDGE [25], for gluon-gluon fusion production of the Higgs boson and the subsequent decay to hidden-sector particles.

As discussed in the introduction, the signal is chosen to enable a study of rare, non-SM, Higgs boson decays in the (possibly extended) Higgs sector. To do so we choose two points which envelope a mass range covering the 126 GeV resonance. The lower mass point, $m_H = 100$ GeV, is chosen to be compatible with the decay-mode-independent search by OPAL at LEP [26]. The higher mass point, $m_H = 140$ GeV, is chosen well below the WW threshold, where a sizeable branching ratio into a hidden sector may be naturally achieved. The masses of f_{d2} and f_{d1} are chosen to be light relative to the Higgs boson mass, and far from the kinematic threshold at $m_{f_{d1}} + m_{\gamma_d} = m_{f_{d2}}$. For the chosen dark photon mass (0.4 GeV), the γ_d decay branching ratios are expected to be [14]: 45% e^+e^- , 45% $\mu^+\mu^-$, 10% $\pi^+\pi^-$. Thus 20% of the $H \rightarrow \gamma_d\gamma_d + X$ decays are expected to have the required four-muon final state.

The mean lifetime τ of the γ_d (expressed throughout this Letter as τ times the speed of light c) is a free parameter of the model. In the generated samples $c\tau$ is chosen so that a large fraction of the decays occur inside the sensitive ATLAS detector volume, i.e. up to 7 m in radius and 13 m along the z -axis, where the trigger chambers of the middle stations are located. The detection efficiency can then be estimated for a range of γ_d mean lifetimes through re-weighting of the generated samples.

Potential backgrounds include all the processes which lead to real prompt muons in the final state such as the SM processes $W + \text{jets}$, $Z + \text{jets}$, $t\bar{t}$, WW , WZ , and ZZ . However, the main contribution to the background is expected from processes giving a high production rate of secondary muons which do not point to the primary vertex, such as decays in flight of K/π and heavy flavour decays in multi-jet processes, or muons due to cosmic rays. The prompt lepton background samples are generated using PYTHIA ($W + \text{jets}$, and $Z + \text{jets}$) and MC@NLO [27] ($t\bar{t}$, WW , WZ , and ZZ).




Fig. 2. ΔR distribution between the two muons from the γ_d decay for the signal Monte Carlo samples with $m_H = 100$ GeV and $m_H = 140$ GeV.

The generated Monte Carlo events are processed through the full ATLAS simulation chain based on GEANT4 [28,29]. Additional pp interactions in the same and nearby bunch crossings (pile-up) are included in the simulation. All Monte Carlo samples are re-weighted to reproduce the observed distribution of the number of interactions per bunch crossing in the data. For the multi-jet background evaluation a data-driven method is used. The cosmic-ray background is also evaluated from data.

4. The kinematics of the signal

The main kinematic characteristics of the signal sample are:

- The γ_d pair are emitted approximately back-to-back in ϕ , with an angular spread of the distribution due to the emission of the f_{d1} .
- The average p_T of the γ_d in the laboratory frame is about 20 GeV for $m_H = 100$ GeV and 30 GeV for $m_H = 140$ GeV; due to the small mass of the γ_d , large boost factors in the decay length should be expected.
- Fig. 2 shows the distribution of $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$ between the two muons from the γ_d decay. The ΔR is computed at the decay vertex of the γ_d from the vector momenta of the two muons. Due to the small mass of the γ_d the ΔR is almost always below 0.1.

Since the two f_{d1} are, like the two γ_d , emitted back-to-back in ϕ , the observed missing transverse momentum E_T^{miss} , computed at the event-generator level, is small and cannot be used as a discriminating variable against the background.

5. Data samples and trigger selection

The dataset used for this analysis was collected at a centre-of-mass energy of 7 TeV during the first part of 2011, where a low level of pile-up events in the same bunch-crossing was present (an average of ≈ 6 interactions per crossing).² Only periods in which all ATLAS subdetectors were operational are used. The total integrated luminosity used is $1.94 \pm 0.07 \text{ fb}^{-1}$ [30,31]. All events are required to have at least one reconstructed vertex along the beam line with at least three associated tracks, each with $p_T \geq 0.4$ GeV. The primary interaction vertex is defined to be the vertex whose constituent tracks have the largest $\sum p_T^2$. This analysis deals with displaced γ_d decays with final states containing only muons. Signal events are therefore characterized by a four-muon final state

with the four muons coming from two displaced decay vertices. Due to the relatively low p_T of the muons and due to the displaced decay vertex, a low- p_T multi-muon trigger with muons reconstructed only in the MS is needed. In order to have an acceptably low trigger rate at a low p_T threshold, a multiplicity of at least three muons is required. Candidate events are collected using an unprescaled HLT trigger with three reconstructed muons of $p_T \geq 6$ GeV, seeded by a L1-accept with three different muon ROIs. These muons are reconstructed only in the MS, since muons originating from a neutral particle decaying outside the pixel detector will not have a matching track in the ID tracking system. The trigger efficiency for the Monte Carlo signal samples, defined as the fraction of events passing the trigger requirement with respect to the events satisfying the analysis selection criteria (described in Section 6) is $0.32 \pm 0.01_{\text{stat}}$ for $m_H = 100$ GeV and $0.31 \pm 0.01_{\text{stat}}$ for $m_H = 140$ GeV.

The main reason for the relatively low trigger efficiency is the small opening ΔR between the two muons of the γ_d decay ($\Delta R \leq 0.1$) shown in Fig. 2. These values of ΔR are often smaller than the L1 trigger granularity; in this case the L1 produces only one ROI. The trigger only fires if at least one of the γ_d produces two distinct L1 ROIs. The single γ_d ROI efficiency, $\varepsilon_{2\text{ROI}}$ ($\varepsilon_{1\text{ROI}}$), defined as the fraction of γ_d passing the offline selection that give two (one) trigger ROIs is $0.296 \pm 0.004_{\text{stat}}$ ($0.626 \pm 0.004_{\text{stat}}$) for $m_H = 100$ GeV and $0.269 \pm 0.003_{\text{stat}}$ ($0.653 \pm 0.003_{\text{stat}}$) for $m_H = 140$ GeV. Fig. 3 shows the $\varepsilon_{2\text{ROI}}$ as a function of the dark photon η and of the ΔR of the two muons from the γ_d decay. The increased trigger granularity in the endcap and the efficiency decrease at small values of ΔR are clearly visible.

The systematic uncertainty on the trigger efficiency is estimated with a sample of $J/\psi \rightarrow \mu^+ \mu^-$ from collision data and a corresponding sample of Monte Carlo events, using the tag-and-probe (TP) method. A cut on $\Delta R \leq 0.1$ between the two muons is used to reproduce the small track-to-track spatial separation in the MS of the signal. The tag is a (MS + ID) combined muon, defined as a MS-reconstructed muon that is associated with a trigger object and combined with a matching “good ID track”. Good ID tracks must have at least one hit in the pixel detector, at least six hits in the silicon micro-strip detectors and at least six hits in the straw-tube tracker. The probe is a good ID track which, when combined with the tag track, gives an invariant mass inside a 100 MeV window around the J/ψ mass. A muon ROI that matches the probe in η and ϕ , and is different from the ROI associated with the tag, is searched for. The number of probes with a matched ROI divided by the number of probes without a matched ROI gives the $\varepsilon_{2\text{ROI}}^{\text{TP}}/\varepsilon_{1\text{ROI}}^{\text{TP}}$ ratio. Values of $\varepsilon_{2\text{ROI}}^{\text{TP}}/\varepsilon_{1\text{ROI}}^{\text{TP}} = 0.42 \pm 0.05_{\text{stat}}$ for the $J/\psi \rightarrow \mu^+ \mu^-$ data and $\varepsilon_{2\text{ROI}}^{\text{TP}}/\varepsilon_{1\text{ROI}}^{\text{TP}} = 0.39 \pm 0.05_{\text{stat}}$ for the corresponding Monte Carlo sample are obtained. The relative statistical uncertainty on the difference between these two estimates is 17% and this is taken conservatively to be the systematic uncertainty on the trigger efficiency.

6. Muon Jet reconstruction and event selection

MJs from displaced γ_d decays are characterized by a pair of muons in a narrow cone, produced away from the primary vertex of the event. Consequently tracks reconstructed in the MS with a good quality track fit [32] are used. MJs are identified using a simple clustering algorithm that associates all the muons in cones of $\Delta R = 0.2$, starting with the muon with highest p_T . The size of the cone takes into account the multiple scattering of the muons in the calorimeters. All the muons found in the cone are associated with a MJ. After this procedure, if any muons are unassociated with a MJ the search is repeated for this remainder, starting again with the highest p_T muon. This continues until all possible MJs

² High pile-up levels will introduce a pile-up dependence for the isolation variables used in the analysis and needs to be further investigated.




Fig. 3. $\varepsilon_{2\text{ROI}}$ as a function (a) of the η of the γ_d and (b) of the ΔR of the muon pair for the Monte Carlo samples with Higgs boson masses of 100 GeV and 140 GeV. The errors are statistical only.

are formed. The MJ direction and momentum are obtained from the vector sum over all muons in the MJ. Only MJs with two reconstructed muons are accepted and only events with two MJs are kept for the subsequent analysis. In order to keep the search as model independent as possible no requirement on the muon momenta has been introduced.

The possible contribution to the background of SM processes which lead to real prompt muon pairs in the final state is evaluated using simulated samples. After the trigger and the requirement of having two MJs in the event, their contributions have been found to be negligible. The only significant background sources are expected to be from processes giving a high production rate of secondary muons which do not point to the primary vertex, such as decays in flight of K/π and heavy flavour decays in multi-jet production, or cosmic-ray muons not pointing to the primary vertex.

In order to separate the signal from the background, a number of discriminating variables have been studied. The multi-jet background can be significantly reduced by using calorimeter isolation requirements around the MJ direction. The calorimetric isolation variable E_T^{isol} is defined as the difference between the transverse calorimetric energy E_T in a cone of $\Delta R = 0.4$ around the highest p_T muon of the MJ and the E_T in a cone of $\Delta R = 0.2$; a cut $E_T^{\text{isol}} \leq 5$ GeV keeps almost all the signal. The isolation modelling is validated for real isolated muons with a sample of muons coming from $Z \rightarrow \mu\mu$ decays. To further improve the signal-to-background ratio, two additional discriminating variables are used: $\Delta\phi$ between the two MJs and $\sum p_T^{\text{ID}}$ for the MJ, defined as the scalar sum of the transverse momentum of the tracks, measured in the ID, inside a cone $\Delta R = 0.4$ around the direction of the MJ. The muon tracks of the MJ in the ID, if any, are not removed from the isolation sum, so that prompt muons, which give a reconstructed track in both the ID and MS, will contribute to the $\sum p_T^{\text{ID}}$. As a consequence a cut on $\sum p_T^{\text{ID}}$ of a few GeV will remove prompt MJs or MJs with very short decay length.

For the background coming from cosmic-ray muons (mainly pairs of almost parallel cosmic-ray muons crossing the detector) a cut on the impact parameters of the muon tracks with respect to the primary interaction vertex is used.

The final set of selection criteria used is the following:

- Topology cut: events are required to have exactly two MJs, $N_{\text{MJ}} = 2$.
- MJ isolation: require MJ isolation with $E_T^{\text{isol}} \leq 5$ GeV for both MJs in the event.
- Require $|\Delta\phi| \geq 2$ between the two MJs.
- Require opposite charges for the two muons in a MJ ($Q_{\text{MJ}} = 0$).
- Require a cut on the transverse and longitudinal impact parameters of the muons with respect to the primary vertex: $|d_0| < 200$ mm and $|z_0| < 270$ mm.
- Require $\sum p_T^{\text{ID}} < 3$ GeV for both MJs.

The distributions of the relevant variables used in the selection before each step of the cut flow are shown in Fig. 4. The results are summarized in Table 2. No events survive the selection in the data sample whereas the expected signals from Monte Carlo simulation, assuming the Higgs boson SM production cross section, 100% branching ratio for $H \rightarrow \gamma_d \gamma_d + X$ and the parameters given in Table 1, are 75 or 48 events for Higgs boson masses of 100 GeV and 140 GeV respectively. The method used to estimate the cosmic-ray and multi-jet background yields, quoted in Table 2, is discussed in Section 7.

The resulting single γ_d reconstruction efficiency for the mean lifetimes given in Table 1 is shown in Fig. 5 as a function of η , the ΔR separation of the two muons from the γ_d decay and the decay length in the transverse plane, L_{xy} , of the γ_d . The efficiency is defined as the number of γ_d passing the offline selection divided by the number of γ_d in the spectrometer acceptance ($|\eta| \leq 2.4$) with both muons having $p_T \geq 6$ GeV. The low reconstruction efficiency at very short L_{xy} is a consequence of the $\sum p_T^{\text{ID}}$ cut.

The systematic uncertainty on the reconstruction efficiency is evaluated using a tag-and-probe method by comparing the reconstruction efficiency $\varepsilon_{\text{rec}}^{\text{TP}}$ for $J/\psi \rightarrow \mu^+ \mu^-$ samples from collision data and $J/\psi \rightarrow \mu^+ \mu^-$ Monte Carlo simulation. The tag-and-probe definitions and the cut on $\Delta R \leq 0.1$ between the two muons are the same as in Section 5. To measure the reconstruction efficiency the ID probe track is associated with a MS-only muon track, different from the one associated with the tag. The result is shown in Fig. 6.

The relative difference between the result obtained from the $J/\psi \rightarrow \mu^+ \mu^-$ data and the $J/\psi \rightarrow \mu^+ \mu^-$ Monte Carlo sample in the same range of $\Delta R \leq 0.1$, as for the signal, is taken as the systematic uncertainty on the reconstruction efficiency and amounts to 13%.

7. Multi-jet and cosmic-ray background evaluation

To estimate the multi-jet background contamination in the signal region we use a data-driven ABCD method slightly modified to cope with the problem of the very low number of events in the control regions. The ABCD method assumes that two variables can be identified, which are relatively uncorrelated, and which can each be used to separate signal and background. It is assumed that the multi-jet background distribution can be factorized in the MJ $E_T^{\text{isol}} - |\Delta\phi|$ plane. The region A is defined by $E_T^{\text{isol}} \leq 5$ GeV and $|\Delta\phi| < 2$; the region B, defined by $E_T^{\text{isol}} \leq 5$ GeV and $|\Delta\phi| \geq 2$, is the signal region. The regions C and D are the anti-isolated regions ($E_T^{\text{isol}} > 5$ GeV) and they are defined by $|\Delta\phi| < 2$ and $|\Delta\phi| \geq 2$, respectively. Neglecting the signal contamination in regions A, C and




Fig. 4. Plots of the variables used in the selection before the corresponding cut on Monte Carlo ($m_H = 140 \text{ GeV}$) and on data. The arrows indicate in each plot the position of the cut. (a) Distribution of the calorimetric isolation around the MJ direction E_T^{isol} after the requirement of two MJs in the event. (b) Distribution of $\Delta\phi$ between the two MJs after the requirement of the isolation cut. (c) Distribution of $\sum p_T^{\text{ID}}$ of the MJ after the requirement of the impact parameters cut. The points show the data and the histogram is the signal Monte Carlo normalized to 1.9 fb^{-1} . The uncertainties are statistical only.

Table 2
Cut flow for the event selection on the cosmic-ray background, the multi-jet background estimation from the ABCD method (described in Section 7), the signal Monte Carlo and the data; the background event and signal yields are normalized to an integrated luminosity of 1.9 fb^{-1} . The signal yields assume the Higgs boson SM production cross sections at the two mass values and 100% branching ratio of $H \rightarrow \gamma d\gamma d + X$. The first uncertainties are statistical and the second systematic.

Cut	Cosmic-rays	Multi-jet	Total background	$m_H = 100 \text{ GeV}$	$m_H = 140 \text{ GeV}$	Data
$N_{\text{MJ}} = 2$	3.0 ± 2.1	N/A	N/A	$135 \pm 11^{+29}_{-21}$	$90 \pm 9^{+17}_{-13}$	871
$E_T^{\text{isol}} \leq 5 \text{ GeV}$	3.0 ± 2.1	N/A	N/A	$132 \pm 11^{+28}_{-21}$	$88 \pm 9^{+17}_{-13}$	219
$ \Delta\phi \geq 2$	1.5 ± 1.5	$153 \pm 18 \pm 9$	$155 \pm 18 \pm 9$	$123 \pm 11^{+26}_{-19}$	$81 \pm 9^{+15}_{-12}$	104
$Q_{\text{MJ}} = 0$	1.5 ± 1.5	$57 \pm 15 \pm 22$	$59 \pm 15 \pm 22$	$121 \pm 11^{+26}_{-19}$	$79 \pm 8^{+15}_{-12}$	80
$ d_0 , z_0 $	$0^{+1.64}_{-0}$	$111 \pm 39 \pm 63$	$111 \pm 39 \pm 63$	$105 \pm 10^{+22}_{-16}$	$66 \pm 8^{+12}_{-10}$	70
$\sum p_T^{\text{ID}} < 3 \text{ GeV}$	$0^{+1.64}_{-0}$	$0.06 \pm 0.02^{+0.66}_{-0.06}$	$0.06^{+1.64+0.66}_{-0.02-0.06}$	$75 \pm 9^{+16}_{-12}$	$48 \pm 7^{+9}_{-7}$	0

D ($E_T^{\text{isol}} > 5 \text{ GeV}$ or $|\Delta\phi| < 2$) the number of multi-jet background events in the signal region can be evaluated as $N_B = N_D \times N_A/N_C$. Due to the very low number of events in the control regions the values of N_A , N_C and N_D as a function of the cut on the final discriminant variable $\sum p_T^{\text{ID}}$ are extracted by modelling the $\sum p_T^{\text{ID}}$ distributions with bifurcated Gaussian templates, with parameters fitted from the data in the corresponding regions, and by integrating the fitted function in the range $0 < \sum p_T^{\text{ID}} < 3 \text{ GeV}$. The low statistics in the four regions at each step of the cut flow results in large fluctuations in the multi-jet background estimate; however, the expected contribution to the final number of background events is negligible and the statistical uncertainty on the data driven background is included in the systematic. The extracted yields are $N_A = (7.1 \pm 1.5_{\text{stat}}) \cdot 10^{-3}$, $N_C = (1.81 \pm 1.0_{\text{stat}}) \cdot 10^{-2}$ and $N_D = (1.51 \pm 0.07_{\text{stat}}) \cdot 10^{-1}$ and the estimated number of multi-jet background events in the signal region is $N_B = 0.06 \pm 0.02_{\text{stat}}$.

Possible sources of systematic uncertainty related to the background estimation method are also evaluated. Various functional models are used to fit the $\sum p_T^{\text{ID}}$ distributions, trying extreme functional forms from linear distribution to bifurcate Gaussian in order to get an estimate of the uncertainty on the number of multi-jet background events in each control region. The procedure to estimate the number of multi-jet background events in the signal region is then repeated. The maximum variation in N_B is taken as the systematic uncertainty, that amounts to $^{+0.66}_{-0.06}$. The effect of possible signal leakage in the background regions is also considered and is found to be negligible.

The background induced by muons from cosmic-ray showers is evaluated using events collected by the trigger being active when there are no collisions (empty bunch crossings). The number of triggered events is rescaled by the collision to empty bunch crossing ratio and for the active time (since the trigger in the empty bunch crossing was not active in all the runs). No events survived the requirements on the impact parameters with respect to the primary vertex ($|d_0| < 200 \text{ mm}$ and $|z_0| < 270 \text{ mm}$), resulting in a

cosmic-ray contamination estimate of $0^{+1.64}_{-0}$. The final yields for the different background sources are summarized in Table 2.

8. Systematic uncertainties

The following effects are considered as possible sources of systematic uncertainty:

- **Luminosity**

The overall normalization uncertainty of the integrated luminosity is 3.7% [30,31].

- **Muon momentum resolution**

The systematic uncertainty on the muon momentum resolution for MS-only muons has been evaluated by smearing and shifting the momenta of the muons by scale factors derived from $Z \rightarrow \mu\mu$ data-Monte Carlo comparison, and by observing the effect of this shift on the signal efficiency. The overall effect of the muon momentum resolution uncertainty is negligible.

- **Trigger**

The systematic uncertainty on the single γd trigger efficiency, evaluated using a tag-and-probe method is 17% (see Section 5).

- **Reconstruction efficiency**

The systematic uncertainty on the reconstruction efficiency, evaluated using a tag-and-probe method for the single γd reconstruction efficiency, is 13% (see Section 6).

- **Effect of pile-up**

The systematic uncertainty on the signal efficiency related to the effect of pile-up is evaluated by comparing the number of signal events after imposing all the selection criteria on the signal Monte Carlo sample increasing the average number of interactions per crossing from ≈ 6 to ≈ 16 . This systematic uncertainty is negligible.




Fig. 5. γ_d reconstruction efficiency ε_{rec} as a function (a) of η , (b) of ΔR and (c) of the transverse decay length of the γ_d for $m_H = 100 \text{ GeV}$ and $m_H = 140 \text{ GeV}$ and for the mean lifetimes given in Table 1. The reconstruction efficiency is defined as the number of γ_d passing the offline selection divided by the number of γ_d in the spectrometer acceptance ($|\eta| \leq 2.4$) with both muons having $p_T \geq 6 \text{ GeV}$. The uncertainties are statistical only.




Fig. 6. Tag-and-probe reconstruction efficiency $\varepsilon_{\text{rec}}^{\text{TP}}$ as a function of the ΔR between the two muons, evaluated on a sample of $J/\psi \rightarrow \mu^+ \mu^-$ from collision data and a corresponding sample of Monte Carlo events. The $\varepsilon_{\text{rec}}^{\text{TP}}$ for the signal Monte Carlo, evaluated with a similar tag-and-probe method, is also shown. The uncertainties are statistical only.

Table 3

Ranges in which $\gamma_d \tau$ is excluded at 95% CL for $m_H = 100 \text{ GeV}$ and $m_H = 140 \text{ GeV}$, assuming 100% and 10% branching ratio of $H \rightarrow \gamma_d \gamma_d + X$ and the SM Higgs boson production cross section.

Higgs boson mass [GeV]	Excluded τ [mm] BR(100%)	Excluded τ [mm] BR(10%)
100	$1 \leq \tau \leq 670$	$5 \leq \tau \leq 159$
140	$1 \leq \tau \leq 430$	$7 \leq \tau \leq 82$

• Effect of $\sum p_T^{\text{ID}}$ cut

Since the $\sum p_T^{\text{ID}}$ cut could affect the minimum τ value that can be excluded, the effect of this cut on the signal Monte Carlo has been studied. A variation of 10% on the $\sum p_T^{\text{ID}}$ cut results in a relative variation of <1% on the signal, which can therefore be neglected.

• Background evaluation

The systematic uncertainties that can affect the background estimation are related to the data-driven method used. The functional model used to fit the $\sum p_T^{\text{ID}}$ distribution is varied to evaluate the systematic uncertainty in the modelling of its shape, which also includes the effect of the $\sum p_T^{\text{ID}}$ cut on the background estimation. This systematic uncertainty amounts to $+0.66$ events. The effect of signal leakage is also negligible.

9. Results and interpretation

The efficiency of the selection criteria described above is evaluated for the simulated signal samples (see Table 1) as a function of the mean lifetime of the γ_d . The signal Monte Carlo events are weighted by the detection probability of the two γ_d in the various parts of the detector, generating their decay points according to a chosen value of the γ_d lifetime, with τ ranging from 0 to 700 mm. In this way the number of expected signal events is predicted as function of the γ_d mean lifetime. These numbers, together with the expected number of background events (multi-jet and cosmic rays) and taking into account the zero data events surviving the selection criteria in 1.9 fb^{-1} , are used as input to obtain limits at the 95% confidence level (CL). The CLs method [33] is used to set 95% CL upper limits on the cross section times branching ratio ($\sigma \times \text{BR}$) for the process $H \rightarrow \gamma_d \gamma_d + X$, according to the model of Fig. 1. Here the branching ratio of $\gamma_d \rightarrow \mu \mu$ is set to 45% with the γ_d mass set to 0.4 GeV, as previously discussed. The $\sigma \times \text{BR}$ is given as a function of the γ_d mean lifetime, expressed as τ for $m_H = 100 \text{ GeV}$ and $m_H = 140 \text{ GeV}$. These limits are shown on Fig. 7. Table 3 shows the ranges in which the $\gamma_d \tau$ is excluded at the 95% CL for $H \rightarrow \gamma_d \gamma_d + X$ branching ratios of 100% and 10%.

10. Conclusions

The ATLAS detector at the LHC was used to search for a light Higgs boson decaying into a pair of hidden fermions (f_{d2}), each of which decays to a γ_d and to a stable hidden fermion (f_{d1}), resulting in two muon jets from the γ_d decay in the final state. In a 1.9 fb^{-1} sample of $\sqrt{s} = 7 \text{ TeV}$ proton–proton collisions no events consistent with this Higgs boson decay mode are observed. The observed data are consistent with the Standard Model background expectations.

Limits are set on the $\sigma \times \text{BR}$ to $H \rightarrow \gamma_d \gamma_d + X$, according to the model of Fig. 1, as a function of the long-lived particle mean lifetime for $m_H = 100 \text{ GeV}$ and 140 GeV with the chosen γ_d mass that gives a decay branching ratio of 45% for $\gamma_d \rightarrow \mu \mu$. Assuming the SM production rate for a 140 GeV Higgs boson, its branching ratio to two hidden-sector photons is found to be below 10%, at 95% CL, for hidden photon τ in the range $7 \text{ mm} \leq \tau \leq 82 \text{ mm}$. Bounds




Fig. 7. The 95% upper limits on the $\sigma \times \text{BR}$ for the process $H \rightarrow \gamma_d \gamma_d + X$ as a function of the dark photon $c\tau$ for the benchmark sample with (a) $m_H = 100$ GeV and with (b) $m_H = 140$ GeV, assuming the Higgs boson SM production cross section. The expected limit is shown as the dashed curve and the solid curve shows the observed limit. The horizontal lines correspond to the Higgs boson SM production cross sections at the two mass values.

on the $\sigma \times \text{BR}$ of a 126 GeV Higgs boson may be conservatively extracted using the corresponding 140 GeV exclusion curve.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Nor-

way; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Open access

This article is published Open Access at sciencedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

References

- [1] ATLAS Collaboration, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214.
- [2] CMS Collaboration, Phys. Lett. B 716 (2012) 30, arXiv:1207.7235.
- [3] F. Englert, R. Brout, Phys. Rev. Lett. 13 (1964) 321.
- [4] P.W. Higgs, Phys. Lett. 12 (1964) 132.
- [5] G.S. Guralnik, C.R. Hagen, T.W.B. Kibble, Phys. Rev. Lett. 13 (1964) 585.
- [6] M.J. Strassler, K.M. Zurek, Phys. Lett. B 651 (2007) 374, arXiv:hep-ph/0604261.
- [7] N. Arkani-Hamed, N. Weiner, JHEP 0812 (2008) 104, arXiv:0810.0714.
- [8] T. Han, Z. Si, K.M. Zurek, M.J. Strassler, JHEP 0807 (2008) 008.
- [9] S. Gopalakrishna, S. Jung, J.D. Wells, Phys. Rev. D 78 (2008) 055002, arXiv: 0801.3456.
- [10] M.J. Strassler, K.M. Zurek, Phys. Lett. B 661 (2008) 263, arXiv:hep-ph/0605193.
- [11] M. Baumgart, C. Cheung, J.T. Ruderman, L.T. Wang, I. Yavin, JHEP 0904 (2009) 014, arXiv:0901.0283.
- [12] C. Cheung, J.T. Ruderman, L.T. Wang, I. Yavin, JHEP 1004 (2010) 116, arXiv: 0909.0290.
- [13] Y. Bai, Z. Han, Phys. Rev. Lett. 103 (2009) 051801, arXiv:0902.0006.
- [14] A. Falkowski, J.T. Ruderman, T. Volansky, J. Zupan, JHEP 1005 (2010) 077.
- [15] A. Falkowski, J.T. Ruderman, T. Volansky, J. Zupan, Phys. Rev. Lett. 105 (2010) 241801, arXiv:1007.3496.
- [16] ATLAS Collaboration, JINST 3 (2008) S08003.
- [17] V.M. Abazov, et al., D0 Collaboration, Phys. Rev. Lett. 103 (2009) 081802.
- [18] V.M. Abazov, et al., D0 Collaboration, Phys. Rev. Lett. 105 (2010) 211802.
- [19] CMS Collaboration, JHEP 1107 (2011) 098, arXiv:1106.2375.
- [20] ATLAS Collaboration, Phys. Rev. Lett. 108 (2012) 251801.
- [21] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1849, arXiv:1110.1530.
- [22] LHC Higgs Cross Section Working Group, S. Dittmaier, C. Mariotti, G. Passarino, R. Tanaka (Eds.), Handbook of LHC Higgs Cross Sections: 1. Inclusive Observables, CERN-2011-002, CERN, Geneva, 2011, arXiv:1101.0593.
- [23] S. Mrenna, T. Sjöstrand, P.Z. Skands, JHEP 0605 (2006) 026, arXiv:hep-ph/ 0603175.
- [24] J. Alwall, M. Herquet, F. Maltoni, O. Mattelaer, T. Stelzer, JHEP 1106 (2011) 128, arXiv:1106.0522.
- [25] P. Meade, M. Reece, Bridge: Branching Ratio Inquiry/Decay Generated Events, arXiv:hep-ph/0703031.
- [26] G. Abbiendi, et al., OPAL Collaboration, Eur. Phys. J. C 27 (2003) 311, arXiv: hep-ex/0206022.
- [27] S. Frixione, B.R. Webber, JHEP 0206 (2002) 029, arXiv:hep-ph/0204244.
- [28] S. Agostinelli, et al., Nucl. Instrum. Meth. A 506 (2003) 250.
- [29] ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568.
- [30] ATLAS Collaboration, Eur. Phys. J. C 71 (2011) 1630, arXiv:1101.2185.
- [31] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector in 2011, ATLAS-CONF-2011-116, <http://cdsweb.cern.ch/record/1376384/files/ATLAS-CONF-2011-116.pdf>.
- [32] ATLAS Collaboration, Expected performance of the ATLAS experiment – detector, trigger and physics, arXiv:0901.0512, 2009.
- [33] A.L. Read, J. Phys. G 28 (2002) 2693.

ATLAS Collaboration

- G. Aad ⁴⁷, T. Abajyan ²⁰, B. Abbott ¹¹⁰, J. Abdallah ¹¹, S. Abdel Khalek ¹¹⁴, A.A. Abdelalim ⁴⁸, O. Abdinov ¹⁰, R. Aben ¹⁰⁴, B. Abi ¹¹¹, M. Abolins ⁸⁷, O.S. AbouZeid ¹⁵⁷, H. Abramowicz ¹⁵², H. Abreu ¹³⁵, E. Acerbi ^{88a,88b}, B.S. Acharya ^{163a,163b}, L. Adamczyk ³⁷, D.L. Adams ²⁴, T.N. Addy ⁵⁵, J. Adelman ¹⁷⁵, S. Adomeit ⁹⁷, P. Adragna ⁷⁴, T. Adye ¹²⁸, S. Aefsky ²², J.A. Aguilar-Saavedra ^{123b,a}, M. Agustoni ¹⁶, M. Aharrouche ⁸⁰, S.P. Ahlen ²¹, F. Ahles ⁴⁷, A. Ahmad ¹⁴⁷, M. Ahsan ⁴⁰, G. Aielli ^{132a,132b}, T. Akdogan ^{18a}, T.P.A. Åkesson ⁷⁸, G. Akimoto ¹⁵⁴, A.V. Akimov ⁹³, M.S. Alam ¹, M.A. Alam ⁷⁵, J. Albert ¹⁶⁸, S. Albrand ⁵⁴, M. Aleksi ²⁹, I.N. Aleksandrov ⁶³, F. Alessandria ^{88a}, C. Alexa ^{25a}, G. Alexander ¹⁵², G. Alexandre ⁴⁸, T. Alexopoulos ⁹, M. Alhroob ^{163a,163c}, M. Aliev ¹⁵, G. Alimonti ^{88a}, J. Alison ¹¹⁹, B.M.M. Allbrooke ¹⁷, P.P. Allport ⁷², S.E. Allwood-Spiers ⁵², J. Almond ⁸¹, A. Aloisio ^{101a,101b}, R. Alon ¹⁷¹, A. Alonso ⁷⁸, F. Alonso ⁶⁹, B. Alvarez Gonzalez ⁸⁷, M.G. Alviggi ^{101a,101b}, K. Amako ⁶⁴, C. Amelung ²², V.V. Ammosov ^{127,*}, S.P. Amor Dos Santos ^{123a}, A. Amorim ^{123a,b}, N. Amram ¹⁵², C. Anastopoulos ²⁹, L.S. Ancu ¹⁶, N. Andari ¹¹⁴, T. Andeen ³⁴, C.F. Anders ^{57b}, G. Anders ^{57a}, K.J. Anderson ³⁰, A. Andreazza ^{88a,88b}, V. Andrei ^{57a}, M.-L. Andrieux ⁵⁴, X.S. Anduaga ⁶⁹, P. Anger ⁴³, A. Angerami ³⁴, F. Anghinolfi ²⁹, A. Anisenkov ¹⁰⁶, N. Anjos ^{123a}, A. Annovi ⁴⁶, A. Antonaki ⁸, M. Antonelli ⁴⁶, A. Antonov ⁹⁵, J. Antos ^{143b}, F. Anulli ^{131a}, M. Aoki ¹⁰⁰, S. Aoun ⁸², L. Aperio Bella ⁴, R. Apolle ^{117,c}, G. Arabidze ⁸⁷, I. Aracena ¹⁴², Y. Arai ⁶⁴, A.T.H. Arce ⁴⁴, S. Arfaoui ¹⁴⁷, J.-F. Arguin ¹⁴, E. Arik ^{18a,*}, M. Arik ^{18a}, A.J. Armbruster ⁸⁶, O. Arnaez ⁸⁰, V. Arnal ⁷⁹, C. Arnault ¹¹⁴, A. Artamonov ⁹⁴, G. Artoni ^{131a,131b}, D. Arutinov ²⁰, S. Asai ¹⁵⁴, R. Asfandiyarov ¹⁷², S. Ask ²⁷, B. Åsman ^{145a,145b}, L. Asquith ⁵, K. Assamagan ²⁴, A. Astbury ¹⁶⁸, M. Atkinson ¹⁶⁴, B. Aubert ⁴, E. Auge ¹¹⁴, K. Augsten ¹²⁶, M. Aurousseau ^{144a}, G. Avolio ¹⁶², R. Avramidou ⁹, D. Axen ¹⁶⁷, G. Azuelos ^{92,d}, Y. Azuma ¹⁵⁴, M.A. Baak ²⁹, G. Baccaglioni ^{88a}, C. Bacci ^{133a,133b}, A.M. Bach ¹⁴, H. Bachacou ¹³⁵, K. Bachas ²⁹, M. Backes ⁴⁸, M. Backhaus ²⁰, E. Badescu ^{25a}, P. Bagnaia ^{131a,131b}, S. Bahinipati ², Y. Bai ^{32a}, D.C. Bailey ¹⁵⁷, T. Bain ¹⁵⁷, J.T. Baines ¹²⁸, O.K. Baker ¹⁷⁵, M.D. Baker ²⁴, S. Baker ⁷⁶, E. Banas ³⁸, P. Banerjee ⁹², Sw. Banerjee ¹⁷², D. Banfi ²⁹, A. Bangert ¹⁴⁹, V. Bansal ¹⁶⁸, H.S. Bansil ¹⁷, L. Barak ¹⁷¹, S.P. Baranov ⁹³, A. Barbaro Galtieri ¹⁴, T. Barber ⁴⁷, E.L. Barberio ⁸⁵, D. Barberis ^{49a,49b}, M. Barbero ²⁰, D.Y. Bardin ⁶³, T. Barillari ⁹⁸, M. Barisonzi ¹⁷⁴, T. Barklow ¹⁴², N. Barlow ²⁷, B.M. Barnett ¹²⁸, R.M. Barnett ¹⁴, A. Baroncelli ^{133a}, G. Barone ⁴⁸, A.J. Barr ¹¹⁷, F. Barreiro ⁷⁹, J. Barreiro Guimarães da Costa ⁵⁶, P. Barrillon ¹¹⁴, R. Bartoldus ¹⁴², A.E. Barton ⁷⁰, V. Bartsch ¹⁴⁸, A. Basye ¹⁶⁴, R.L. Bates ⁵², L. Batkova ^{143a}, J.R. Batley ²⁷, A. Battaglia ¹⁶, M. Battistin ²⁹, F. Bauer ¹³⁵, H.S. Bawa ^{142,e}, S. Beale ⁹⁷, T. Beau ⁷⁷, P.H. Beauchemin ¹⁶⁰, R. Beccherle ^{49a}, P. Bechtle ²⁰, H.P. Beck ¹⁶, A.K. Becker ¹⁷⁴, S. Becker ⁹⁷, M. Beckingham ¹³⁷, K.H. Becks ¹⁷⁴, A.J. Beddall ^{18c}, A. Beddall ^{18c}, S. Bedikian ¹⁷⁵, V.A. Bednyakov ⁶³, C.P. Bee ⁸², L.J. Beemster ¹⁰⁴, M. Begel ²⁴, S. Behar Harpaz ¹⁵¹, P.K. Behera ⁶¹, M. Beimforde ⁹⁸, C. Belanger-Champagne ⁸⁴, P.J. Bell ⁴⁸, W.H. Bell ⁴⁸, G. Bella ¹⁵², L. Bellagamba ^{19a}, F. Bellina ²⁹, M. Bellomo ²⁹, A. Belloni ⁵⁶, O. Beloborodova ^{106,f}, K. Belotskiy ⁹⁵, O. Beltramello ²⁹, O. Benary ¹⁵², D. Benchekroun ^{134a}, K. Bendtz ^{145a,145b}, N. Benekos ¹⁶⁴, Y. Benhammou ¹⁵², E. Benhar Noccioli ⁴⁸, J.A. Benitez Garcia ^{158b}, D.P. Benjamin ⁴⁴, M. Benoit ¹¹⁴, J.R. Bensinger ²², K. Benslama ¹²⁹, S. Bentvelsen ¹⁰⁴, D. Berge ²⁹, E. Bergeaas Kuutmann ⁴¹, N. Berger ⁴, F. Berghaus ¹⁶⁸, E. Berglund ¹⁰⁴, J. Beringer ¹⁴, P. Bernat ⁷⁶, R. Bernhard ⁴⁷, C. Bernius ²⁴, T. Berry ⁷⁵, C. Bertella ⁸², A. Bertin ^{19a,19b}, F. Bertolucci ^{121a,121b}, M.I. Besana ^{88a,88b}, G.J. Besjes ¹⁰³, N. Besson ¹³⁵, S. Bethke ⁹⁸, W. Bhimji ⁴⁵, R.M. Bianchi ²⁹, M. Bianco ^{71a,71b}, O. Biebel ⁹⁷, S.P. Bieniek ⁷⁶, K. Bierwagen ⁵³, J. Biesiada ¹⁴, M. Biglietti ^{133a}, H. Bilokon ⁴⁶, M. Bindi ^{19a,19b}, S. Binet ¹¹⁴, A. Bingul ^{18c}, C. Bini ^{131a,131b}, C. Biscarat ¹⁷⁷, B. Bittner ⁹⁸, K.M. Black ²¹, R.E. Blair ⁵, J.-B. Blanchard ¹³⁵, G. Blanchot ²⁹, T. Blazek ^{143a}, C. Blocker ²², J. Blocki ³⁸, A. Blondel ⁴⁸, W. Blum ⁸⁰, U. Blumenschein ⁵³, G.J. Bobbink ¹⁰⁴, V.B. Bobrovnikov ¹⁰⁶, S.S. Bocchetta ⁷⁸, A. Bocci ⁴⁴, C.R. Boddy ¹¹⁷, M. Boehler ⁴⁷, J. Boek ¹⁷⁴, N. Boelaert ³⁵, J.A. Bogaerts ²⁹, A. Bogdanchikov ¹⁰⁶, A. Bogouch ^{89,*}, C. Bohm ^{145a}, J. Bohm ¹²⁴, V. Boisvert ⁷⁵, T. Bold ³⁷, V. Boldea ^{25a}, N.M. Bolnet ¹³⁵, M. Bomben ⁷⁷, M. Bona ⁷⁴, M. Boonekamp ¹³⁵, C.N. Booth ¹³⁸, S. Bordoni ⁷⁷, C. Borer ¹⁶, A. Borisov ¹²⁷, G. Borissov ⁷⁰, I. Borjanovic ^{12a}, M. Borri ⁸¹, S. Borroni ⁸⁶, V. Bortolotto ^{133a,133b}, K. Bos ¹⁰⁴, D. Boscherini ^{19a}, M. Bosman ¹¹, H. Boterenbrood ¹⁰⁴, J. Bouchami ⁹², J. Boudreau ¹²², E.V. Bouhouva-Thacker ⁷⁰, D. Boumediene ³³, C. Bourdarios ¹¹⁴, N. Bousson ⁸², A. Boveia ³⁰, J. Boyd ²⁹, I.R. Boyko ⁶³, I. Bozovic-Jelisavcic ^{12b}, J. Bracinik ¹⁷, P. Branchini ^{133a}, G.W. Brandenburg ⁵⁶, A. Brandt ⁷, G. Brandt ¹¹⁷, O. Brandt ⁵³, U. Bratzler ¹⁵⁵, B. Brau ⁸³, J.E. Brau ¹¹³, H.M. Braun ^{174,*}, S.F. Brazzale ^{163a,163c}, B. Brelier ¹⁵⁷, J. Bremer ²⁹, K. Brendlinger ¹¹⁹, R. Brenner ¹⁶⁵, S. Bressler ¹⁷¹, D. Britton ⁵², F.M. Brochu ²⁷,

- I. Brock²⁰, R. Brock⁸⁷, F. Broggi^{88a}, C. Bromberg⁸⁷, J. Bronner⁹⁸, G. Brooijmans³⁴, T. Brooks⁷⁵, W.K. Brooks^{31b}, G. Brown⁸¹, H. Brown⁷, P.A. Bruckman de Renstrom³⁸, D. Bruncko^{143b}, R. Bruneliere⁴⁷, S. Brunet⁵⁹, A. Bruni^{19a}, G. Bruni^{19a}, M. Bruschi^{19a}, T. Buanes¹³, Q. Buat⁵⁴, F. Bucci⁴⁸, J. Buchanan¹¹⁷, P. Buchholz¹⁴⁰, R.M. Buckingham¹¹⁷, A.G. Buckley⁴⁵, S.I. Buda^{25a}, I.A. Budagov⁶³, B. Budick¹⁰⁷, V. Büscher⁸⁰, L. Bugge¹¹⁶, O. Bulekov⁹⁵, A.C. Bundock⁷², M. Bunse⁴², T. Buran¹¹⁶, H. Burckhart²⁹, S. Burdin⁷², T. Burgess¹³, S. Burke¹²⁸, E. Busato³³, P. Bussey⁵², C.P. Buszello¹⁶⁵, B. Butler¹⁴², J.M. Butler²¹, C.M. Buttar⁵², J.M. Butterworth⁷⁶, W. Buttlinger²⁷, M. Byszewski²⁹, S. Cabrera Urbán¹⁶⁶, D. Caforio^{19a,19b}, O. Cakir^{3a}, P. Calafiura¹⁴, G. Calderini⁷⁷, P. Calfayan⁹⁷, R. Calkins¹⁰⁵, L.P. Caloba^{23a}, R. Caloi^{131a,131b}, D. Calvet³³, S. Calvet³³, R. Camacho Toro³³, P. Camarri^{132a,132b}, D. Cameron¹¹⁶, L.M. Caminada¹⁴, R. Caminal Armadans¹¹, S. Campana²⁹, M. Campanelli⁷⁶, V. Canale^{101a,101b}, F. Canelli^{30,g}, A. Canepa^{158a}, J. Cantero⁷⁹, R. Cantrill⁷⁵, L. Capasso^{101a,101b}, M.D.M. Capeans Garrido²⁹, I. Caprini^{25a}, M. Caprini^{25a}, D. Capriotti⁹⁸, M. Capua^{36a,36b}, R. Caputo⁸⁰, R. Cardarelli^{132a}, T. Carli²⁹, G. Carlino^{101a}, L. Carminati^{88a,88b}, B. Caron⁸⁴, S. Caron¹⁰³, E. Carquin^{31b}, G.D. Carrillo-Montoya¹⁷², A.A. Carter⁷⁴, J.R. Carter²⁷, J. Carvalho^{123a,h}, D. Casadei¹⁰⁷, M.P. Casado¹¹, M. Cascella^{121a,121b}, C. Caso^{49a,49b,*}, A.M. Castaneda Hernandez^{172,i}, E. Castaneda-Miranda¹⁷², V. Castillo Gimenez¹⁶⁶, N.F. Castro^{123a}, G. Cataldi^{71a}, P. Catastini⁵⁶, A. Catinaccio²⁹, J.R. Catmore²⁹, A. Cattai²⁹, G. Cattani^{132a,132b}, S. Caughron⁸⁷, V. Cavalieri¹⁶⁴, P. Cavalleri⁷⁷, D. Cavalli^{88a}, M. Cavalli-Sforza¹¹, V. Cavasinni^{121a,121b}, F. Ceradini^{133a,133b}, A.S. Cerqueira^{23b}, A. Cerri²⁹, L. Cerrito⁷⁴, F. Cerutti⁴⁶, S.A. Cetin^{18b}, A. Chafaq^{134a}, D. Chakraborty¹⁰⁵, I. Chalupkova¹²⁵, K. Chan², P. Chang¹⁶⁴, B. Chapleau⁸⁴, J.D. Chapman²⁷, J.W. Chapman⁸⁶, E. Chareyre⁷⁷, D.G. Charlton¹⁷, V. Chavda⁸¹, C.A. Chavez Barajas²⁹, S. Cheatham⁸⁴, S. Chekanov⁵, S.V. Chekulaev^{158a}, G.A. Chelkov⁶³, M.A. Chelstowska¹⁰³, C. Chen⁶², H. Chen²⁴, S. Chen^{32c}, X. Chen¹⁷², Y. Chen³⁴, A. Cheplakov⁶³, R. Cherkaoui El Moursli^{134e}, V. Chernyatin²⁴, E. Cheu⁶, S.L. Cheung¹⁵⁷, L. Chevalier¹³⁵, G. Chiefari^{101a,101b}, L. Chikovani^{50a,*}, J.T. Childers²⁹, A. Chilingarov⁷⁰, G. Chiodini^{71a}, A.S. Chisholm¹⁷, R.T. Chislett⁷⁶, A. Chitan^{25a}, M.V. Chizhov⁶³, G. Choudalakis³⁰, S. Chouridou¹³⁶, I.A. Christidi⁷⁶, A. Christov⁴⁷, D. Chromek-Burckhart²⁹, M.L. Chu¹⁵⁰, J. Chudoba¹²⁴, G. Ciapetti^{131a,131b}, A.K. Ciftci^{3a}, R. Ciftci^{3a}, D. Cinca³³, V. Cindro⁷³, C. Ciocca^{19a,19b}, A. Ciocio¹⁴, M. Cirilli⁸⁶, P. Cirkovic^{12b}, Z.H. Citron¹⁷¹, M. Citterio^{88a}, M. Ciubancan^{25a}, A. Clark⁴⁸, P.J. Clark⁴⁵, R.N. Clarke¹⁴, W. Cleland¹²², J.C. Clemens⁸², B. Clement⁵⁴, C. Clement^{145a,145b}, Y. Coadou⁸², M. Cobal^{163a,163c}, A. Coccaro¹³⁷, J. Cochran⁶², J.G. Cogan¹⁴², J. Coggeshall¹⁶⁴, E. Cogneras¹⁷⁷, J. Colas⁴, S. Cole¹⁰⁵, A.P. Colijn¹⁰⁴, N.J. Collins¹⁷, C. Collins-Tooth⁵², J. Collot⁵⁴, T. Colombo^{118a,118b}, G. Colon⁸³, P. Conde Muiño^{123a}, E. Coniavitis¹¹⁷, M.C. Conidi¹¹, S.M. Consonni^{88a,88b}, V. Consorti⁴⁷, S. Constantinescu^{25a}, C. Conta^{118a,118b}, G. Conti⁵⁶, F. Conventi^{101a,j}, M. Cooke¹⁴, B.D. Cooper⁷⁶, A.M. Cooper-Sarkar¹¹⁷, K. Copic¹⁴, T. Cornelissen¹⁷⁴, M. Corradi^{19a}, F. Corriveau^{84,k}, A. Cortes-Gonzalez¹⁶⁴, G. Cortiana⁹⁸, G. Costa^{88a}, M.J. Costa¹⁶⁶, D. Costanzo¹³⁸, D. Côté²⁹, L. Courneyea¹⁶⁸, G. Cowan⁷⁵, C. Cowden²⁷, B.E. Cox⁸¹, K. Cranmer¹⁰⁷, F. Crescioli^{121a,121b}, M. Cristinziani²⁰, G. Crosetti^{36a,36b}, S. Crépé-Renaudin⁵⁴, C.-M. Cuciuc^{25a}, C. Cuenca Almenar¹⁷⁵, T. Cuhadar Donszelmann¹³⁸, M. Curatolo⁴⁶, C.J. Curtis¹⁷, C. Cuthbert¹⁴⁹, P. Cwetanski⁵⁹, H. Czirr¹⁴⁰, P. Czodrowski⁴³, Z. Czyczula¹⁷⁵, S. D'Auria⁵², M. D'Onofrio⁷², A. D'Orazio^{131a,131b}, M.J. Da Cunha Sargedas De Sousa^{123a}, C. Da Via⁸¹, W. Dabrowski³⁷, A. Dafinca¹¹⁷, T. Dai⁸⁶, C. Dallapiccola⁸³, M. Dam³⁵, M. Dameri^{49a,49b}, D.S. Damiani¹³⁶, H.O. Danielsson²⁹, V. Dao⁴⁸, G. Darbo^{49a}, G.L. Darlea^{25b}, J.A. Dassoulas⁴¹, W. Davey²⁰, T. Davidek¹²⁵, N. Davidson⁸⁵, R. Davidson⁷⁰, E. Davies^{117,c}, M. Davies⁹², O. Davignon⁷⁷, A.R. Davison⁷⁶, Y. Davygora^{57a}, E. Dawe¹⁴¹, I. Dawson¹³⁸, R.K. Daya-Ishmukhametova²², K. De⁷, R. de Asmundis^{101a}, S. De Castro^{19a,19b}, S. De Cecco⁷⁷, J. de Graat⁹⁷, N. De Groot¹⁰³, P. de Jong¹⁰⁴, C. De La Taille¹¹⁴, H. De la Torre⁷⁹, F. De Lorenzi⁶², L. de Mora⁷⁰, L. De Nooij¹⁰⁴, D. De Pedis^{131a}, A. De Salvo^{131a}, U. De Sanctis^{163a,163c}, A. De Santo¹⁴⁸, J.B. De Vivie De Regie¹¹⁴, G. De Zorzi^{131a,131b}, W.J. Dearnaley⁷⁰, R. Debbe²⁴, C. Debenedetti⁴⁵, B. Dechenaux⁵⁴, D.V. Dedovich⁶³, J. Degenhardt¹¹⁹, C. Del Papa^{163a,163c}, J. Del Peso⁷⁹, T. Del Prete^{121a,121b}, T. Delemontex⁵⁴, M. Deliyergiyev⁷³, A. Dell'Acqua²⁹, L. Dell'Asta²¹, M. Della Pietra^{101a,j}, D. della Volpe^{101a,101b}, M. Delmastro⁴, P.A. Delsart⁵⁴, C. Deluca¹⁰⁴, S. Demers¹⁷⁵, M. Demichev⁶³, B. Demirkoz^{11,l}, J. Deng¹⁶², S.P. Denisov¹²⁷, D. Derendarz³⁸, J.E. Derkaoui^{134d}, F. Derue⁷⁷, P. Dervan⁷², K. Desch²⁰, E. Devetak¹⁴⁷, P.O. Deviveiros¹⁰⁴, A. Dewhurst¹²⁸, B. DeWilde¹⁴⁷, S. Dhaliwal¹⁵⁷, R. Dhullipudi^{24,m}, A. Di Ciaccio^{132a,132b}, L. Di Ciaccio⁴, A. Di Girolamo²⁹,

- B. Di Girolamo ²⁹, S. Di Luise ^{133a,133b}, A. Di Mattia ¹⁷², B. Di Micco ²⁹, R. Di Nardo ⁴⁶,
 A. Di Simone ^{132a,132b}, R. Di Sipio ^{19a,19b}, M.A. Diaz ^{31a}, E.B. Diehl ⁸⁶, J. Dietrich ⁴¹, T.A. Dietzsch ^{57a},
 S. Diglio ⁸⁵, K. Dindar Yagci ³⁹, J. Dingfelder ²⁰, F. Dinut ^{25a}, C. Dionisi ^{131a,131b}, P. Dita ^{25a}, S. Dita ^{25a},
 F. Dittus ²⁹, F. Djama ⁸², T. Djebava ^{50b}, M.A.B. do Vale ^{23c}, A. Do Valle Wemans ^{123a,n}, T.K.O. Doan ⁴,
 M. Dobbs ⁸⁴, R. Dobinson ^{29,*}, D. Dobos ²⁹, E. Dobson ^{29,o}, J. Dodd ³⁴, C. Doglioni ⁴⁸, T. Doherty ⁵²,
 Y. Doi ^{64,*}, J. Dolejsi ¹²⁵, I. Dolenc ⁷³, Z. Dolezal ¹²⁵, B.A. Dolgoshein ^{95,*}, T. Dohmae ¹⁵⁴, M. Donadelli ^{23d},
 J. Donini ³³, J. Dopke ²⁹, A. Doria ^{101a}, A. Dos Anjos ¹⁷², A. Dotti ^{121a,121b}, M.T. Dova ⁶⁹, A.D. Doxiadis ¹⁰⁴,
 A.T. Doyle ⁵², N. Dressnandt ¹¹⁹, M. Dris ⁹, J. Dubbert ⁹⁸, S. Dube ¹⁴, E. Duchovni ¹⁷¹, G. Duckeck ⁹⁷,
 D. Duda ¹⁷⁴, A. Dudarev ²⁹, F. Dudziak ⁶², M. Dührssen ²⁹, I.P. Duerdorff ⁸¹, L. Duflot ¹¹⁴, M.-A. Dufour ⁸⁴,
 L. Duguid ⁷⁵, M. Dunford ²⁹, H. Duran Yildiz ^{3a}, R. Duxfield ¹³⁸, M. Dwuznik ³⁷, F. Dydak ²⁹, M. Düren ⁵¹,
 W.L. Ebenstein ⁴⁴, J. Ebke ⁹⁷, S. Eckweiler ⁸⁰, K. Edmonds ⁸⁰, W. Edson ¹, C.A. Edwards ⁷⁵, N.C. Edwards ⁵²,
 W. Ehrenfeld ⁴¹, T. Eifert ¹⁴², G. Eigen ¹³, K. Einsweiler ¹⁴, E. Eisenhandler ⁷⁴, T. Ekelof ¹⁶⁵,
 M. El Kacimi ^{134c}, M. Ellert ¹⁶⁵, S. Elles ⁴, F. Ellinghaus ⁸⁰, K. Ellis ⁷⁴, N. Ellis ²⁹, J. Elmsheuser ⁹⁷,
 M. Elsing ²⁹, D. Emeliyanov ¹²⁸, R. Engelmann ¹⁴⁷, A. Engl ⁹⁷, B. Epp ⁶⁰, J. Erdmann ⁵³, A. Ereditato ¹⁶,
 D. Eriksson ^{145a}, J. Ernst ¹, M. Ernst ²⁴, J. Ernwein ¹³⁵, D. Errede ¹⁶⁴, S. Errede ¹⁶⁴, E. Ertel ⁸⁰,
 M. Escalier ¹¹⁴, H. Esch ⁴², C. Escobar ¹²², X. Espinal Curull ¹¹, B. Esposito ⁴⁶, F. Etienne ⁸², A.I. Etienvre ¹³⁵,
 E. Etzion ¹⁵², D. Evangelakou ⁵³, H. Evans ⁵⁹, L. Fabbri ^{19a,19b}, C. Fabre ²⁹, R.M. Fakhrutdinov ¹²⁷,
 S. Falciano ^{131a}, Y. Fang ¹⁷², M. Fanti ^{88a,88b}, A. Farbin ⁷, A. Farilla ^{133a}, J. Farley ¹⁴⁷, T. Farooque ¹⁵⁷,
 S. Farrell ¹⁶², S.M. Farrington ¹⁶⁹, P. Farthouat ²⁹, F. Fassi ¹⁶⁶, P. Fassnacht ²⁹, D. Fassouliotis ⁸,
 B. Fatholahzadeh ¹⁵⁷, A. Favareto ^{88a,88b}, L. Fayard ¹¹⁴, S. Fazio ^{36a,36b}, R. Febbraro ³³, P. Federic ^{143a},
 O.L. Fedin ¹²⁰, W. Fedorko ⁸⁷, M. Fehling-Kaschek ⁴⁷, L. Feligioni ⁸², D. Fellmann ⁵, C. Feng ^{32d}, E.J. Feng ⁵,
 A.B. Fenyuk ¹²⁷, J. Ferencei ^{143b}, W. Fernando ⁵, S. Ferrag ⁵², J. Ferrando ⁵², V. Ferrara ⁴¹, A. Ferrari ¹⁶⁵,
 P. Ferrari ¹⁰⁴, R. Ferrari ^{118a}, D.E. Ferreira de Lima ⁵², A. Ferrer ¹⁶⁶, D. Ferrere ⁴⁸, C. Ferretti ⁸⁶,
 A. Ferretto Parodi ^{49a,49b}, M. Fiascaris ³⁰, F. Fiedler ⁸⁰, A. Filipčič ⁷³, F. Filthaut ¹⁰³, M. Fincke-Keeler ¹⁶⁸,
 M.C.N. Fiolhais ^{123a,h}, L. Fiorini ¹⁶⁶, A. Firan ³⁹, G. Fischer ⁴¹, M.J. Fisher ¹⁰⁸, M. Flechl ⁴⁷, I. Fleck ¹⁴⁰,
 J. Fleckner ⁸⁰, P. Fleischmann ¹⁷³, S. Fleischmann ¹⁷⁴, T. Flick ¹⁷⁴, A. Floderus ⁷⁸, L.R. Flores Castillo ¹⁷²,
 M.J. Flowerdew ⁹⁸, T. Fonseca Martin ¹⁶, A. Formica ¹³⁵, A. Forti ⁸¹, D. Fortin ^{158a}, D. Fournier ¹¹⁴,
 A.J. Fowler ⁴⁴, H. Fox ⁷⁰, P. Francavilla ¹¹, M. Franchini ^{19a,19b}, S. Franchino ^{118a,118b}, D. Francis ²⁹,
 T. Frank ¹⁷¹, S. Franz ²⁹, M. Fraternali ^{118a,118b}, S. Fratina ¹¹⁹, S.T. French ²⁷, C. Friedrich ⁴¹, F. Friedrich ⁴³,
 R. Froeschl ²⁹, D. Froidevaux ²⁹, J.A. Frost ²⁷, C. Fukunaga ¹⁵⁵, E. Fullana Torregrosa ²⁹, B.G. Fulsom ¹⁴²,
 J. Fuster ¹⁶⁶, C. Gabaldon ²⁹, O. Gabizon ¹⁷¹, A. Gabrielli ^{131a,131b}, T. Gadfort ²⁴, S. Gadomski ⁴⁸,
 G. Gagliardi ^{49a,49b}, P. Gagnon ⁵⁹, C. Galea ⁹⁷, B. Galhardo ^{123a}, E.J. Gallas ¹¹⁷, V. Gallo ¹⁶, B.J. Gallop ¹²⁸,
 P. Gallus ¹²⁴, K.K. Gan ¹⁰⁸, Y.S. Gao ^{142,e}, A. Gaponenko ¹⁴, F. Garberson ¹⁷⁵, M. Garcia-Sciveres ¹⁴,
 C. García ¹⁶⁶, J.E. García Navarro ¹⁶⁶, R.W. Gardner ³⁰, N. Garelli ²⁹, H. Garitaonandia ¹⁰⁴, V. Garonne ²⁹,
 C. Gatti ⁴⁶, G. Gaudio ^{118a}, B. Gaur ¹⁴⁰, L. Gauthier ¹³⁵, P. Gauzzi ^{131a,131b}, I.L. Gavrilenco ⁹³, C. Gay ¹⁶⁷,
 G. Gaycken ²⁰, E.N. Gazis ⁹, P. Ge ^{32d}, Z. Gecse ¹⁶⁷, C.N.P. Gee ¹²⁸, D.A.A. Geerts ¹⁰⁴, Ch. Geich-Gimbel ²⁰,
 K. Gellerstedt ^{145a,145b}, C. Gemme ^{49a}, A. Gemmell ⁵², M.H. Genest ⁵⁴, S. Gentile ^{131a,131b}, M. George ⁵³,
 S. George ⁷⁵, P. Gerlach ¹⁷⁴, A. Gershon ¹⁵², C. Geweniger ^{57a}, H. Ghazlane ^{134b}, N. Ghodbane ³³,
 B. Giacobbe ^{19a}, S. Giagu ^{131a,131b}, V. Giakoumopoulou ⁸, V. Giangiobbe ¹¹, F. Gianotti ²⁹, B. Gibbard ²⁴,
 A. Gibson ¹⁵⁷, S.M. Gibson ²⁹, M. Gilchriese ¹⁴, D. Gillberg ²⁸, A.R. Gillman ¹²⁸, D.M. Gingrich ^{2,d},
 J. Ginzburg ¹⁵², N. Giokaris ⁸, M.P. Giordani ^{163c}, R. Giordano ^{101a,101b}, F.M. Giorgi ¹⁵, P. Giovannini ⁹⁸,
 P.F. Giraud ¹³⁵, D. Giugni ^{88a}, M. Giunta ⁹², P. Giusti ^{19a}, B.K. Gjelsten ¹¹⁶, L.K. Gladilin ⁹⁶, C. Glasman ⁷⁹,
 J. Glatzer ⁴⁷, A. Glazov ⁴¹, K.W. Glitza ¹⁷⁴, G.L. Glonti ⁶³, J.R. Goddard ⁷⁴, J. Godfrey ¹⁴¹, J. Godlewski ²⁹,
 M. Goebel ⁴¹, T. Göpfert ⁴³, C. Goeringer ⁸⁰, C. Gössling ⁴², S. Goldfarb ⁸⁶, T. Golling ¹⁷⁵, A. Gomes ^{123a,b},
 L.S. Gomez Fajardo ⁴¹, R. Gonçalo ⁷⁵, J. Goncalves Pinto Firmino Da Costa ⁴¹, L. Gonella ²⁰, S. Gonzalez ¹⁷²,
 S. González de la Hoz ¹⁶⁶, G. Gonzalez Parra ¹¹, M.L. Gonzalez Silva ²⁶, S. Gonzalez-Sevilla ⁴⁸,
 J.J. Goodson ¹⁴⁷, L. Goossens ²⁹, P.A. Gorbounov ⁹⁴, H.A. Gordon ²⁴, I. Gorelov ¹⁰², G. Gorfine ¹⁷⁴,
 B. Gorini ²⁹, E. Gorini ^{71a,71b}, A. Gorišek ⁷³, E. Gornicki ³⁸, B. Gosdzik ⁴¹, A.T. Goshaw ⁵, M. Gosselink ¹⁰⁴,
 M.I. Gostkin ⁶³, I. Gough Eschrich ¹⁶², M. Gouighri ^{134a}, D. Goujdami ^{134c}, M.P. Goulette ⁴⁸,
 A.G. Goussiou ¹³⁷, C. Goy ⁴, S. Gozpinar ²², I. Grabowska-Bold ³⁷, P. Grafström ^{19a,19b}, K.-J. Grahn ⁴¹,
 F. Grancagnolo ^{71a}, S. Grancagnolo ¹⁵, V. Grassi ¹⁴⁷, V. Gratchev ¹²⁰, N. Grau ³⁴, H.M. Gray ²⁹, J.A. Gray ¹⁴⁷,
 E. Graziani ^{133a}, O.G. Grebenyuk ¹²⁰, T. Greenshaw ⁷², Z.D. Greenwood ^{24,m}, K. Gregersen ³⁵, I.M. Gregor ⁴¹,

- P. Grenier ¹⁴², J. Griffiths ⁷, N. Grigalashvili ⁶³, A.A. Grillo ¹³⁶, S. Grinstein ¹¹, Ph. Gris ³³,
 Y.V. Grishkevich ⁹⁶, J.-F. Grivaz ¹¹⁴, E. Gross ¹⁷¹, J. Grosse-Knetter ⁵³, J. Groth-Jensen ¹⁷¹, K. Grybel ¹⁴⁰,
 D. Guest ¹⁷⁵, C. Guicheney ³³, S. Guindon ⁵³, U. Gul ⁵², H. Guler ^{84,p}, J. Gunther ¹²⁴, B. Guo ¹⁵⁷, J. Guo ³⁴,
 P. Gutierrez ¹¹⁰, N. Guttman ¹⁵², O. Gutzwiller ¹⁷², C. Guyot ¹³⁵, C. Gwenlan ¹¹⁷, C.B. Gwilliam ⁷²,
 A. Haas ¹⁴², S. Haas ²⁹, C. Haber ¹⁴, H.K. Hadavand ³⁹, D.R. Hadley ¹⁷, P. Haefner ²⁰, F. Hahn ²⁹, S. Haider ²⁹,
 Z. Hajduk ³⁸, H. Hakobyan ¹⁷⁶, D. Hall ¹¹⁷, J. Haller ⁵³, K. Hamacher ¹⁷⁴, P. Hamal ¹¹², K. Hamano ⁸⁵,
 M. Hamer ⁵³, A. Hamilton ^{144b,q}, S. Hamilton ¹⁶⁰, L. Han ^{32b}, K. Hanagaki ¹¹⁵, K. Hanawa ¹⁵⁹, M. Hance ¹⁴,
 C. Handel ⁸⁰, P. Hanke ^{57a}, J.R. Hansen ³⁵, J.B. Hansen ³⁵, J.D. Hansen ³⁵, P.H. Hansen ³⁵, P. Hansson ¹⁴²,
 K. Hara ¹⁵⁹, G.A. Hare ¹³⁶, T. Harenberg ¹⁷⁴, S. Harkusha ⁸⁹, D. Harper ⁸⁶, R.D. Harrington ⁴⁵,
 O.M. Harris ¹³⁷, J. Hartert ⁴⁷, F. Hartjes ¹⁰⁴, T. Haruyama ⁶⁴, A. Harvey ⁵⁵, S. Hasegawa ¹⁰⁰, Y. Hasegawa ¹³⁹,
 S. Hassani ¹³⁵, S. Haug ¹⁶, M. Hauschild ²⁹, R. Hauser ⁸⁷, M. Havranek ²⁰, C.M. Hawkes ¹⁷, R.J. Hawkings ²⁹,
 A.D. Hawkins ⁷⁸, D. Hawkins ¹⁶², T. Hayakawa ⁶⁵, T. Hayashi ¹⁵⁹, D. Hayden ⁷⁵, C.P. Hays ¹¹⁷,
 H.S. Hayward ⁷², S.J. Haywood ¹²⁸, M. He ^{32d}, S.J. Head ¹⁷, V. Hedberg ⁷⁸, L. Heelan ⁷, S. Heim ⁸⁷,
 B. Heinemann ¹⁴, S. Heisterkamp ³⁵, L. Helary ²¹, C. Heller ⁹⁷, M. Heller ²⁹, S. Hellman ^{145a,145b},
 D. Hellmich ²⁰, C. Helsens ¹¹, R.C.W. Henderson ⁷⁰, M. Henke ^{57a}, A. Henrichs ⁵³,
 A.M. Henriques Correia ²⁹, S. Henrot-Versille ¹¹⁴, C. Hensel ⁵³, T. Henß ¹⁷⁴, C.M. Hernandez ⁷,
 Y. Hernández Jiménez ¹⁶⁶, R. Herrberg ¹⁵, G. Herten ⁴⁷, R. Hertenberger ⁹⁷, L. Hervas ²⁹, G.G. Hesketh ⁷⁶,
 N.P. Hessey ¹⁰⁴, E. Higón-Rodriguez ¹⁶⁶, J.C. Hill ²⁷, K.H. Hiller ⁴¹, S. Hillert ²⁰, S.J. Hillier ¹⁷, I. Hinchliffe ¹⁴,
 E. Hines ¹¹⁹, M. Hirose ¹¹⁵, F. Hirsch ⁴², D. Hirschbuehl ¹⁷⁴, J. Hobbs ¹⁴⁷, N. Hod ¹⁵², M.C. Hodgkinson ¹³⁸,
 P. Hodgson ¹³⁸, A. Hoecker ²⁹, M.R. Hoeferkamp ¹⁰², J. Hoffman ³⁹, D. Hoffmann ⁸², M. Hohlfeld ⁸⁰,
 M. Holder ¹⁴⁰, S.O. Holmgren ^{145a}, T. Holy ¹²⁶, J.L. Holzbauer ⁸⁷, T.M. Hong ¹¹⁹,
 L. Hooft van Huysduynen ¹⁰⁷, S. Horner ⁴⁷, J.-Y. Hostachy ⁵⁴, S. Hou ¹⁵⁰, A. Hoummada ^{134a}, J. Howard ¹¹⁷,
 J. Howarth ⁸¹, I. Hristova ¹⁵, J. Hrvnac ¹¹⁴, T. Hryvn'ova ⁴, P.J. Hsu ⁸⁰, S.-C. Hsu ¹⁴, D. Hu ³⁴, Z. Hubacek ¹²⁶,
 F. Hubaut ⁸², F. Huegging ²⁰, A. Huettmann ⁴¹, T.B. Huffman ¹¹⁷, E.W. Hughes ³⁴, G. Hughes ⁷⁰,
 M. Huhtinen ²⁹, M. Hurwitz ¹⁴, U. Husemann ⁴¹, N. Huseynov ^{63,r}, J. Huston ⁸⁷, J. Huth ⁵⁶, G. Iacobucci ⁴⁸,
 G. Iakovidis ⁹, M. Ibbotson ⁸¹, I. Ibragimov ¹⁴⁰, L. Iconomidou-Fayard ¹¹⁴, J. Idarraga ¹¹⁴, P. Iengo ^{101a},
 O. Igonkina ¹⁰⁴, Y. Ikegami ⁶⁴, M. Ikeno ⁶⁴, D. Iliadis ¹⁵³, N. Illic ¹⁵⁷, T. Ince ²⁰, J. Inigo-Golfin ²⁹,
 P. Ioannou ⁸, M. Iodice ^{133a}, K. Iordanidou ⁸, V. Ippolito ^{131a,131b}, A. Irles Quiles ¹⁶⁶, C. Isaksson ¹⁶⁵,
 M. Ishino ⁶⁶, M. Ishitsuka ¹⁵⁶, R. Ishmukhametov ³⁹, C. Issever ¹¹⁷, S. Istin ^{18a}, A.V. Ivashin ¹²⁷,
 W. Iwanski ³⁸, H. Iwasaki ⁶⁴, J.M. Izen ⁴⁰, V. Izzo ^{101a}, B. Jackson ¹¹⁹, J.N. Jackson ⁷², P. Jackson ¹⁴²,
 M.R. Jaekel ²⁹, V. Jain ⁵⁹, K. Jakobs ⁴⁷, S. Jakobsen ³⁵, T. Jakoubek ¹²⁴, J. Jakubek ¹²⁶, D.K. Jana ¹¹⁰,
 E. Jansen ⁷⁶, H. Jansen ²⁹, A. Jantsch ⁹⁸, M. Janus ⁴⁷, G. Jarlskog ⁷⁸, L. Jeanty ⁵⁶, I. Jen-La Plante ³⁰,
 D. Jennens ⁸⁵, P. Jenni ²⁹, A.E. Loevschall-Jensen ³⁵, P. Jež ³⁵, S. Jézéquel ⁴, M.K. Jha ^{19a}, H. Ji ¹⁷², W. Ji ⁸⁰,
 J. Jia ¹⁴⁷, Y. Jiang ^{32b}, M. Jimenez Belenguer ⁴¹, S. Jin ^{32a}, O. Jinnouchi ¹⁵⁶, M.D. Joergensen ³⁵, D. Joffe ³⁹,
 M. Johansen ^{145a,145b}, K.E. Johansson ^{145a}, P. Johansson ¹³⁸, S. Johnert ⁴¹, K.A. Johns ⁶, K. Jon-And ^{145a,145b},
 G. Jones ¹⁶⁹, R.W.L. Jones ⁷⁰, T.J. Jones ⁷², C. Joram ²⁹, P.M. Jorge ^{123a}, K.D. Joshi ⁸¹, J. Jovicevic ¹⁴⁶,
 T. Jovin ^{12b}, X. Ju ¹⁷², C.A. Jung ⁴², R.M. Jungst ²⁹, V. Juranek ¹²⁴, P. Jussel ⁶⁰, A. Juste Rozas ¹¹, S. Kabana ¹⁶,
 M. Kaci ¹⁶⁶, A. Kaczmarska ³⁸, P. Kadlecik ³⁵, M. Kado ¹¹⁴, H. Kagan ¹⁰⁸, M. Kagan ⁵⁶, E. Kajomovitz ¹⁵¹,
 S. Kalinin ¹⁷⁴, L.V. Kalinovskaya ⁶³, S. Kama ³⁹, N. Kanaya ¹⁵⁴, M. Kaneda ²⁹, S. Kaneti ²⁷, T. Kanno ¹⁵⁶,
 V.A. Kantserov ⁹⁵, J. Kanzaki ⁶⁴, B. Kaplan ¹⁰⁷, A. Kapliy ³⁰, J. Kaplon ²⁹, D. Kar ⁵², M. Karagounis ²⁰,
 K. Karakostas ⁹, M. Karnevskiy ⁴¹, V. Kartvelishvili ⁷⁰, A.N. Karyukhin ¹²⁷, L. Kashif ¹⁷², G. Kasieczka ^{57b},
 R.D. Kass ¹⁰⁸, A. Kastanas ¹³, M. Kataoka ⁴, Y. Kataoka ¹⁵⁴, E. Katsoufis ⁹, J. Katzy ⁴¹, V. Kaushik ⁶,
 K. Kawagoe ⁶⁸, T. Kawamoto ¹⁵⁴, G. Kawamura ⁸⁰, M.S. Kayl ¹⁰⁴, S. Kazama ¹⁵⁴, V.A. Kazanin ¹⁰⁶,
 M.Y. Kazarinov ⁶³, R. Keeler ¹⁶⁸, P.T. Keener ¹¹⁹, R. Kehoe ³⁹, M. Keil ⁵³, G.D. Kekelidze ⁶³, J.S. Keller ¹³⁷,
 M. Kenyon ⁵², O. Kepka ¹²⁴, N. Kerschen ²⁹, B.P. Kerševan ⁷³, S. Kersten ¹⁷⁴, K. Kessoku ¹⁵⁴, J. Keung ¹⁵⁷,
 F. Khalil-zada ¹⁰, H. Khandanyan ^{145a,145b}, A. Khanov ¹¹¹, D. Kharchenko ⁶³, A. Khodinov ⁹⁵,
 A. Khomich ^{57a}, T.J. Khoo ²⁷, G. Khoriauli ²⁰, A. Khoroshilov ¹⁷⁴, V. Khovanskiy ⁹⁴, E. Khramov ⁶³,
 J. Khubua ^{50b}, H. Kim ^{145a,145b}, S.H. Kim ¹⁵⁹, N. Kimura ¹⁷⁰, O. Kind ¹⁵, B.T. King ⁷², M. King ⁶⁵,
 R.S.B. King ¹¹⁷, J. Kirk ¹²⁸, A.E. Kiryunin ⁹⁸, T. Kishimoto ⁶⁵, D. Kisielewska ³⁷, T. Kitamura ⁶⁵,
 T. Kittelmann ¹²², K. Kiuchi ¹⁵⁹, E. Kladiva ^{143b}, M. Klein ⁷², U. Klein ⁷², K. Kleinknecht ⁸⁰, M. Klemetti ⁸⁴,
 A. Klier ¹⁷¹, P. Klimek ^{145a,145b}, A. Klimentov ²⁴, R. Klingenberg ⁴², J.A. Klinger ⁸¹, E.B. Klinkby ³⁵,
 T. Klioutchnikova ²⁹, P.F. Klok ¹⁰³, S. Klous ¹⁰⁴, E.-E. Kluge ⁷², P. Kluit ¹⁰⁴, S. Kluth ⁹⁸,

- N.S. Knecht ¹⁵⁷, E. Kneringer ⁶⁰, E.B.F.G. Knoops ⁸², A. Knue ⁵³, B.R. Ko ⁴⁴, T. Kobayashi ¹⁵⁴, M. Kobel ⁴³, M. Kocian ¹⁴², P. Kodys ¹²⁵, K. Köneke ²⁹, A.C. König ¹⁰³, S. Koenig ⁸⁰, L. Köpke ⁸⁰, F. Koetsveld ¹⁰³, P. Koevesarki ²⁰, T. Koffas ²⁸, E. Koffeman ¹⁰⁴, L.A. Kogan ¹¹⁷, S. Kohlmann ¹⁷⁴, F. Kohn ⁵³, Z. Kohout ¹²⁶, T. Kohriki ⁶⁴, T. Koi ¹⁴², G.M. Kolachev ^{106,*}, H. Kolanoski ¹⁵, V. Kolesnikov ⁶³, I. Koletsou ^{88a}, J. Koll ⁸⁷, M. Kollefrath ⁴⁷, A.A. Komar ⁹³, Y. Komori ¹⁵⁴, T. Kondo ⁶⁴, T. Kono ^{41,s}, A.I. Kononov ⁴⁷, R. Konoplich ^{107,t}, N. Konstantinidis ⁷⁶, S. Koperny ³⁷, K. Korcyl ³⁸, K. Kordas ¹⁵³, A. Korn ¹¹⁷, A. Korol ¹⁰⁶, I. Korolkov ¹¹, E.V. Korolkova ¹³⁸, V.A. Korotkov ¹²⁷, O. Kortner ⁹⁸, S. Kortner ⁹⁸, V.V. Kostyukhin ²⁰, S. Kotov ⁹⁸, V.M. Kotov ⁶³, A. Kotwal ⁴⁴, C. Kourkoumelis ⁸, V. Kouskoura ¹⁵³, A. Koutsman ^{158a}, R. Kowalewski ¹⁶⁸, T.Z. Kowalski ³⁷, W. Kozanecki ¹³⁵, A.S. Kozhin ¹²⁷, V. Kral ¹²⁶, V.A. Kramarenko ⁹⁶, G. Kramberger ⁷³, M.W. Krasny ⁷⁷, A. Krasznahorkay ¹⁰⁷, J.K. Kraus ²⁰, S. Kreiss ¹⁰⁷, F. Krejci ¹²⁶, J. Kretzschmar ⁷², N. Krieger ⁵³, P. Krieger ¹⁵⁷, K. Kroeninger ⁵³, H. Kroha ⁹⁸, J. Kroll ¹¹⁹, J. Kroseberg ²⁰, J. Krstic ^{12a}, U. Kruchonak ⁶³, H. Krüger ²⁰, T. Kruker ¹⁶, N. Krumnack ⁶², Z.V. Krumshteyn ⁶³, T. Kubota ⁸⁵, S. Kuday ^{3a}, S. Kuehn ⁴⁷, A. Kugel ^{57c}, T. Kuhl ⁴¹, D. Kuhn ⁶⁰, V. Kukhtin ⁶³, Y. Kulchitsky ⁸⁹, S. Kuleshov ^{31b}, C. Kummer ⁹⁷, M. Kuna ⁷⁷, J. Kunkle ¹¹⁹, A. Kupco ¹²⁴, H. Kurashige ⁶⁵, M. Kurata ¹⁵⁹, Y.A. Kurochkin ⁸⁹, V. Kus ¹²⁴, E.S. Kuwertz ¹⁴⁶, M. Kuze ¹⁵⁶, J. Kvita ¹⁴¹, R. Kwee ¹⁵, A. La Rosa ⁴⁸, L. La Rotonda ^{36a,36b}, L. Labarga ⁷⁹, J. Labbe ⁴, S. Lablak ^{134a}, C. Lacasta ¹⁶⁶, F. Lacava ^{131a,131b}, H. Lacker ¹⁵, D. Lacour ⁷⁷, V.R. Lacuesta ¹⁶⁶, E. Ladygin ⁶³, R. Lafaye ⁴, B. Laforge ⁷⁷, T. Lagouri ⁷⁹, S. Lai ⁴⁷, E. Laisne ⁵⁴, M. Lamanna ²⁹, L. Lambourne ⁷⁶, C.L. Lampen ⁶, W. Lampl ⁶, E. Lancon ¹³⁵, U. Landgraf ⁴⁷, M.P.J. Landon ⁷⁴, J.L. Lane ⁸¹, V.S. Lang ^{57a}, C. Lange ⁴¹, A.J. Lankford ¹⁶², F. Lanni ²⁴, K. Lantzsch ¹⁷⁴, S. Laplace ⁷⁷, C. Lapoire ²⁰, J.F. Laporte ¹³⁵, T. Lari ^{88a}, A. Larner ¹¹⁷, M. Lassnig ²⁹, P. Laurelli ⁴⁶, V. Lavorini ^{36a,36b}, W. Lavrijsen ¹⁴, P. Laycock ⁷², O. Le Dortz ⁷⁷, E. Le Guirriec ⁸², C. Le Maner ¹⁵⁷, E. Le Menedeu ¹¹, T. LeCompte ⁵, F. Ledroit-Guillon ⁵⁴, H. Lee ¹⁰⁴, J.S.H. Lee ¹¹⁵, S.C. Lee ¹⁵⁰, L. Lee ¹⁷⁵, M. Lefebvre ¹⁶⁸, M. Legendre ¹³⁵, F. Legger ⁹⁷, C. Leggett ¹⁴, M. Lehacher ²⁰, G. Lehmann Miotto ²⁹, X. Lei ⁶, M.A.L. Leite ^{23d}, R. Leitner ¹²⁵, D. Lellouch ¹⁷¹, B. Lemmer ⁵³, V. Lendermann ^{57a}, K.J.C. Leney ^{144b}, T. Lenz ¹⁰⁴, G. Lenzen ¹⁷⁴, B. Lenzi ²⁹, K. Leonhardt ⁴³, S. Leontsinis ⁹, F. Lepold ^{57a}, C. Leroy ⁹², J.-R. Lessard ¹⁶⁸, C.G. Lester ²⁷, C.M. Lester ¹¹⁹, J. Levêque ⁴, D. Levin ⁸⁶, L.J. Levinson ¹⁷¹, A. Lewis ¹¹⁷, G.H. Lewis ¹⁰⁷, A.M. Leyko ²⁰, M. Leyton ¹⁵, B. Li ⁸², H. Li ^{172,u}, S. Li ^{32b,v}, X. Li ⁸⁶, Z. Liang ^{117,w}, H. Liao ³³, B. Liberti ^{132a}, P. Lichard ²⁹, M. Lichtnecker ⁹⁷, K. Lie ¹⁶⁴, W. Liebig ¹³, C. Limbach ²⁰, A. Limosani ⁸⁵, M. Limper ⁶¹, S.C. Lin ^{150,x}, F. Linde ¹⁰⁴, J.T. Linnemann ⁸⁷, E. Lipeles ¹¹⁹, A. Lipniacka ¹³, T.M. Liss ¹⁶⁴, D. Lissauer ²⁴, A. Lister ⁴⁸, A.M. Litke ¹³⁶, C. Liu ²⁸, D. Liu ¹⁵⁰, H. Liu ⁸⁶, J.B. Liu ⁸⁶, L. Liu ⁸⁶, M. Liu ^{32b}, Y. Liu ^{32b}, M. Livan ^{118a,118b}, S.S.A. Livermore ¹¹⁷, A. Lleres ⁵⁴, J. Llorente Merino ⁷⁹, S.L. Lloyd ⁷⁴, E. Lobodzinska ⁴¹, P. Loch ⁶, W.S. Lockman ¹³⁶, T. Loddenkoetter ²⁰, F.K. Loebinger ⁸¹, A. Loginov ¹⁷⁵, C.W. Loh ¹⁶⁷, T. Lohse ¹⁵, K. Lohwasser ⁴⁷, M. Lokajicek ¹²⁴, V.P. Lombardo ⁴, R.E. Long ⁷⁰, L. Lopes ^{123a}, D. Lopez Mateos ⁵⁶, J. Lorenz ⁹⁷, N. Lorenzo Martinez ¹¹⁴, M. Losada ¹⁶¹, P. Loscutoff ¹⁴, F. Lo Sterzo ^{131a,131b}, M.J. Losty ^{158a,*}, X. Lou ⁴⁰, A. Lounis ¹¹⁴, K.F. Loureiro ¹⁶¹, J. Love ⁵, P.A. Love ⁷⁰, A.J. Lowe ^{142,e}, F. Lu ^{32a}, H.J. Lubatti ¹³⁷, C. Luci ^{131a,131b}, A. Lucotte ⁵⁴, A. Ludwig ⁴³, D. Ludwig ⁴¹, I. Ludwig ⁴⁷, J. Ludwig ⁴⁷, F. Luehring ⁵⁹, G. Luijckx ¹⁰⁴, W. Lukas ⁶⁰, D. Lumb ⁴⁷, L. Luminari ^{131a}, E. Lund ¹¹⁶, B. Lund-Jensen ¹⁴⁶, B. Lundberg ⁷⁸, J. Lundberg ^{145a,145b}, O. Lundberg ^{145a,145b}, J. Lundquist ³⁵, M. Lungwitz ⁸⁰, D. Lynn ²⁴, E. Lytken ⁷⁸, H. Ma ²⁴, L.L. Ma ¹⁷², G. Maccarrone ⁴⁶, A. Macchiolo ⁹⁸, B. Maćek ⁷³, J. Machado Miguens ^{123a}, R. Mackeprang ³⁵, R.J. Madaras ¹⁴, H.J. Maddocks ⁷⁰, W.F. Mader ⁴³, R. Maenner ^{57c}, T. Maeno ²⁴, P. Mättig ¹⁷⁴, S. Mättig ⁸⁰, L. Magnoni ¹⁶², E. Magradze ⁵³, K. Mahboubi ⁴⁷, S. Mahmoud ⁷², G. Mahout ¹⁷, C. Maiani ¹³⁵, C. Maidantchik ^{23a}, A. Maio ^{123a,b}, S. Majewski ²⁴, Y. Makida ⁶⁴, N. Makovec ¹¹⁴, P. Mal ¹³⁵, B. Malaescu ²⁹, Pa. Malecki ³⁸, P. Malecki ³⁸, V.P. Maleev ¹²⁰, F. Malek ⁵⁴, U. Mallik ⁶¹, D. Malon ⁵, C. Malone ¹⁴², S. Maltezos ⁹, V. Malyshev ¹⁰⁶, S. Malyukov ²⁹, R. Mameghani ⁹⁷, J. Mamuzic ^{12b}, A. Manabe ⁶⁴, L. Mandelli ^{88a}, I. Mandić ⁷³, R. Mandrysch ¹⁵, J. Maneira ^{123a}, A. Manfredini ⁹⁸, P.S. Mangeard ⁸⁷, L. Manhaes de Andrade Filho ^{23b}, J.A. Manjarres Ramos ¹³⁵, A. Mann ⁵³, P.M. Manning ¹³⁶, A. Manousakis-Katsikakis ⁸, B. Mansoulie ¹³⁵, A. Mapelli ²⁹, L. Mapelli ²⁹, L. March ⁷⁹, J.F. Marchand ²⁸, F. Marchese ^{132a,132b}, G. Marchiori ⁷⁷, M. Marcisovsky ¹²⁴, C.P. Marino ¹⁶⁸, F. Marroquim ^{23a}, Z. Marshall ²⁹, F.K. Martens ¹⁵⁷, L.F. Marti ¹⁶, S. Marti-Garcia ¹⁶⁶, B. Martin ²⁹, B. Martin ⁸⁷, J.P. Martin ⁹², T.A. Martin ¹⁷, V.J. Martin ⁴⁵, B. Martin dit Latour ⁴⁸, S. Martin-Haugh ¹⁴⁸, M. Martinez ¹¹, V. Martinez Ootschoorn ⁵⁶, A.C. Martyniuk ¹⁶⁸, M. Marx ⁸¹, F. Marzano ^{131a}, A. Marzin ¹¹⁰, L. Masetti ⁸⁰, T. Mashimo ¹⁵⁴,

- R. Mashinistov⁹³, J. Masik⁸¹, A.L. Maslennikov¹⁰⁶, I. Massa^{19a,19b}, G. Massaro¹⁰⁴, N. Massol⁴, P. Mastrandrea¹⁴⁷, A. Mastroberardino^{36a,36b}, T. Masubuchi¹⁵⁴, P. Matricon¹¹⁴, H. Matsunaga¹⁵⁴, T. Matsushita⁶⁵, C. Mattravers^{117,c}, J. Maurer⁸², S.J. Maxfield⁷², A. Mayne¹³⁸, R. Mazini¹⁵⁰, M. Mazur²⁰, L. Mazzaferro^{132a,132b}, M. Mazzanti^{88a}, J. Mc Donald⁸⁴, S.P. Mc Kee⁸⁶, A. McCarn¹⁶⁴, R.L. McCarthy¹⁴⁷, T.G. McCarthy²⁸, N.A. McCubbin¹²⁸, K.W. McFarlane^{55,*}, J.A. McFayden¹³⁸, G. Mchedlidze^{50b}, T. McLaughlan¹⁷, S.J. McMahon¹²⁸, R.A. McPherson^{168,k}, A. Meade⁸³, J. Mechlich¹⁰⁴, M. Mechtel¹⁷⁴, M. Medinnis⁴¹, R. Meera-Lebbai¹¹⁰, T. Meguro¹¹⁵, R. Mehdiyev⁹², S. Mehlhase³⁵, A. Mehta⁷², K. Meier^{57a}, B. Meirose⁷⁸, C. Melachrinos³⁰, B.R. Mellado Garcia¹⁷², F. Meloni^{88a,88b}, L. Mendoza Navas¹⁶¹, Z. Meng^{150,u}, A. Mengarelli^{19a,19b}, S. Menke⁹⁸, E. Meoni¹⁶⁰, K.M. Mercurio⁵⁶, P. Mermod⁴⁸, L. Merola^{101a,101b}, C. Meroni^{88a}, F.S. Merritt³⁰, H. Merritt¹⁰⁸, A. Messina^{29,y}, J. Metcalfe²⁴, A.S. Mete¹⁶², C. Meyer⁸⁰, C. Meyer³⁰, J.-P. Meyer¹³⁵, J. Meyer¹⁷³, J. Meyer⁵³, T.C. Meyer²⁹, J. Miao^{32d}, S. Michal²⁹, L. Micu^{25a}, R.P. Middleton¹²⁸, S. Migas⁷², L. Mijović¹³⁵, G. Mikenberg¹⁷¹, M. Mikestikova¹²⁴, M. Mikuž⁷³, D.W. Miller³⁰, R.J. Miller⁸⁷, W.J. Mills¹⁶⁷, C. Mills⁵⁶, A. Milov¹⁷¹, D.A. Milstead^{145a,145b}, D. Milstein¹⁷¹, A.A. Minaenko¹²⁷, M. Miñano Moya¹⁶⁶, I.A. Minashvili⁶³, A.I. Mincer¹⁰⁷, B. Mindur³⁷, M. Mineev⁶³, Y. Ming¹⁷², L.M. Mir¹¹, G. Mirabelli^{131a}, J. Mitrevski¹³⁶, V.A. Mitsou¹⁶⁶, S. Mitsui⁶⁴, P.S. Miyagawa¹³⁸, J.U. Mjörnmark⁷⁸, T. Moa^{145a,145b}, V. Moeller²⁷, K. Mönig⁴¹, N. Möser²⁰, S. Mohapatra¹⁴⁷, W. Mohr⁴⁷, R. Moles-Valls¹⁶⁶, A. Molfetas²⁹, J. Monk⁷⁶, E. Monnier⁸², J. Montejo Berlingen¹¹, F. Monticelli⁶⁹, S. Monzani^{19a,19b}, R.W. Moore², G.F. Moorhead⁸⁵, C. Mora Herrera⁴⁸, A. Moraes⁵², N. Morange¹³⁵, J. Morel⁵³, G. Morello^{36a,36b}, D. Moreno⁸⁰, M. Moreno Llácer¹⁶⁶, P. Morettini^{49a}, M. Morgenstern⁴³, M. Morii⁵⁶, A.K. Morley²⁹, G. Mornacchi²⁹, J.D. Morris⁷⁴, L. Morvaj¹⁰⁰, H.G. Moser⁹⁸, M. Mosidze^{50b}, J. Moss¹⁰⁸, R. Mount¹⁴², E. Mountricha^{9,z}, S.V. Mouraviev^{93,*}, E.J.W. Moyse⁸³, F. Mueller^{57a}, J. Mueller¹²², K. Mueller²⁰, T.A. Müller⁹⁷, T. Mueller⁸⁰, D. Muenstermann²⁹, Y. Munwes¹⁵², W.J. Murray¹²⁸, I. Mussche¹⁰⁴, E. Musto^{101a,101b}, A.G. Myagkov¹²⁷, M. Myska¹²⁴, J. Nadal¹¹, K. Nagai¹⁵⁹, R. Nagai¹⁵⁶, K. Nagano⁶⁴, A. Nagarkar¹⁰⁸, Y. Nagasaka⁵⁸, M. Nagel⁹⁸, A.M. Nairz²⁹, Y. Nakahama²⁹, K. Nakamura¹⁵⁴, T. Nakamura¹⁵⁴, I. Nakano¹⁰⁹, G. Nanava²⁰, A. Napier¹⁶⁰, R. Narayan^{57b}, M. Nash^{76,c}, T. Nattermann²⁰, T. Naumann⁴¹, G. Navarro¹⁶¹, H.A. Neal⁸⁶, P.Yu. Nechaeva⁹³, T.J. Neep⁸¹, A. Negri^{118a,118b}, G. Negri²⁹, M. Negrini^{19a}, S. Nektarijevic⁴⁸, A. Nelson¹⁶², T.K. Nelson¹⁴², S. Nemecek¹²⁴, P. Nemethy¹⁰⁷, A.A. Nepomuceno^{23a}, M. Nessi^{29,aa}, M.S. Neubauer¹⁶⁴, M. Neumann¹⁷⁴, A. Neusiedl⁸⁰, R.M. Neves¹⁰⁷, P. Nevski²⁴, F.M. Newcomer¹¹⁹, P.R. Newman¹⁷, V. Nguyen Thi Hong¹³⁵, R.B. Nickerson¹¹⁷, R. Nicolaïdou¹³⁵, B. Nicquevert²⁹, F. Niedercorn¹¹⁴, J. Nielsen¹³⁶, N. Nikiforou³⁴, A. Nikiforov¹⁵, V. Nikolaenko¹²⁷, I. Nikolic-Audit⁷⁷, K. Nikolics⁴⁸, K. Nikolopoulos¹⁷, H. Nilsen⁴⁷, P. Nilsson⁷, Y. Ninomiya¹⁵⁴, A. Nisati^{131a}, R. Nisius⁹⁸, T. Nobe¹⁵⁶, L. Nodulman⁵, M. Nomachi¹¹⁵, I. Nomidis¹⁵³, S. Norberg¹¹⁰, M. Nordberg²⁹, P.R. Norton¹²⁸, J. Novakova¹²⁵, M. Nozaki⁶⁴, L. Nozka¹¹², I.M. Nugent^{158a}, A.-E. Nuncio-Quiroz²⁰, G. Nunes Hanninger⁸⁵, T. Nunnemann⁹⁷, E. Nurse⁷⁶, B.J. O'Brien⁴⁵, S.W. O'Neale^{17,*}, D.C. O'Neil¹⁴¹, V. O'Shea⁵², L.B. Oakes⁹⁷, F.G. Oakham^{28,d}, H. Oberlack⁹⁸, J. Ocariz⁷⁷, A. Ochi⁶⁵, S. Oda⁶⁸, S. Odaka⁶⁴, J. Odier⁸², H. Ogren⁵⁹, A. Oh⁸¹, S.H. Oh⁴⁴, C.C. Ohm²⁹, T. Ohshima¹⁰⁰, H. Okawa²⁴, Y. Okumura³⁰, T. Okuyama¹⁵⁴, A. Olariu^{25a}, A.G. Olchevski⁶³, S.A. Olivares Pino^{31a}, M. Oliveira^{123a,h}, D. Oliveira Damazio²⁴, E. Oliver Garcia¹⁶⁶, D. Olivito¹¹⁹, A. Olszewski³⁸, J. Olszowska³⁸, A. Onofre^{123a,ab}, P.U.E. Onyisi³⁰, C.J. Oram^{158a}, M.J. Oreglia³⁰, Y. Oren¹⁵², D. Orestano^{133a,133b}, N. Orlando^{71a,71b}, I. Orlov¹⁰⁶, C. Oropeza Barrera⁵², R.S. Orr¹⁵⁷, B. Osculati^{49a,49b}, R. Ospanov¹¹⁹, C. Osuna¹¹, G. Otero y Garzon²⁶, J.P. Ottersbach¹⁰⁴, M. Ouchrif^{134d}, E.A. Ouellette¹⁶⁸, F. Ould-Saada¹¹⁶, A. Ouraou¹³⁵, Q. Ouyang^{32a}, A. Ovcharova¹⁴, M. Owen⁸¹, S. Owen¹³⁸, V.E. Ozcan^{18a}, N. Ozturk⁷, A. Pacheco Pages¹¹, C. Padilla Aranda¹¹, S. Pagan Griso¹⁴, E. Paganis¹³⁸, C. Pahl⁹⁸, F. Paige²⁴, P. Pais⁸³, K. Pajchel¹¹⁶, G. Palacino^{158b}, C.P. Paleari⁶, S. Palestini²⁹, D. Pallin³³, A. Palma^{123a}, J.D. Palmer¹⁷, Y.B. Pan¹⁷², E. Panagiotopoulou⁹, P. Pani¹⁰⁴, N. Panikashvili⁸⁶, S. Panitkin²⁴, D. Pantea^{25a}, A. Papadelis^{145a}, Th.D. Papadopoulou⁹, A. Paramonov⁵, D. Paredes Hernandez³³, W. Park^{24,ac}, M.A. Parker²⁷, F. Parodi^{49a,49b}, J.A. Parsons³⁴, U. Parzefall⁴⁷, S. Pashapour⁵³, E. Pasqualucci^{131a}, S. Passaggio^{49a}, A. Passeri^{133a}, F. Pastore^{133a,133b,*}, Fr. Pastore⁷⁵, G. Pásztor^{48,ad}, S. Pataraia¹⁷⁴, N. Patel¹⁴⁹, J.R. Pater⁸¹, S. Patricelli^{101a,101b}, T. Pauly²⁹, M. Pecs^{143a}, S. Pedraza Lopez¹⁶⁶, M.I. Pedraza Morales¹⁷², S.V. Peleganchuk¹⁰⁶, D. Pelikan¹⁶⁵, H. Peng^{32b}, B. Penning³⁰, A. Penson³⁴, J. Penwell⁵⁹, M. Perantoni^{23a}, K. Perez^{34,ae}, T. Perez Cavalcanti⁴¹, E. Perez Codina^{158a},

- M.T. Pérez García-Estañ ¹⁶⁶, V. Perez Reale ³⁴, L. Perini ^{88a,88b}, H. Pernegger ²⁹, R. Perrino ^{71a}, P. Perrodo ⁴, V.D. Peshekhonov ⁶³, K. Peters ²⁹, B.A. Petersen ²⁹, J. Petersen ²⁹, T.C. Petersen ³⁵, E. Petit ⁴, A. Petridis ¹⁵³, C. Petridou ¹⁵³, E. Petrolo ^{131a}, F. Petrucci ^{133a,133b}, D. Petschull ⁴¹, M. Petteni ¹⁴¹, R. Pezoa ^{31b}, A. Phan ⁸⁵, P.W. Phillips ¹²⁸, G. Piacquadio ²⁹, A. Picazio ⁴⁸, E. Piccaro ⁷⁴, M. Piccinini ^{19a,19b}, S.M. Piec ⁴¹, R. Piegaia ²⁶, D.T. Pignotti ¹⁰⁸, J.E. Pilcher ³⁰, A.D. Pilkington ⁸¹, J. Pina ^{123a,b}, M. Pinamonti ^{163a,163c}, A. Pinder ¹¹⁷, J.L. Pinfold ², B. Pinto ^{123a}, C. Pizio ^{88a,88b}, M. Plamondon ¹⁶⁸, M.-A. Pleier ²⁴, E. Plotnikova ⁶³, A. Poblaguev ²⁴, S. Poddar ^{57a}, F. Podlaski ³³, L. Poggioli ¹¹⁴, D. Pohl ²⁰, M. Pohl ⁴⁸, G. Polesello ^{118a}, A. Policicchio ^{36a,36b}, A. Polini ^{19a}, J. Poll ⁷⁴, V. Polychronakos ²⁴, D. Pomeroy ²², K. Pommès ²⁹, L. Pontecorvo ^{131a}, B.G. Pope ⁸⁷, G.A. Popeneiu ^{25a}, D.S. Popovic ^{12a}, A. Poppleton ²⁹, X. Portell Bueso ²⁹, G.E. Pospelov ⁹⁸, S. Pospisil ¹²⁶, I.N. Potrap ⁹⁸, C.J. Potter ¹⁴⁸, C.T. Potter ¹¹³, G. Pouillard ²⁹, J. Poveda ⁵⁹, V. Pozdnyakov ⁶³, R. Prabhu ⁷⁶, P. Pralavorio ⁸², A. Pranko ¹⁴, S. Prasad ²⁹, R. Pravahan ²⁴, S. Prell ⁶², K. Pretzl ¹⁶, D. Price ⁵⁹, J. Price ⁷², L.E. Price ⁵, D. Prieur ¹²², M. Primavera ^{71a}, K. Prokofiev ¹⁰⁷, F. Prokoshin ^{31b}, S. Protopopescu ²⁴, J. Proudfoot ⁵, X. Prudent ⁴³, M. Przybycien ³⁷, H. Przysiezniak ⁴, S. Psoroulas ²⁰, E. Ptacek ¹¹³, E. Pueschel ⁸³, J. Purdham ⁸⁶, M. Purohit ^{24,ac}, P. Puzo ¹¹⁴, Y. Pylypchenko ⁶¹, J. Qian ⁸⁶, A. Quadt ⁵³, D.R. Quarrie ¹⁴, W.B. Quayle ¹⁷², F. Quinonez ^{31a}, M. Raas ¹⁰³, V. Radeka ²⁴, V. Radescu ⁴¹, P. Radloff ¹¹³, T. Rador ^{18a}, F. Ragusa ^{88a,88b}, G. Rahal ¹⁷⁷, A.M. Rahimi ¹⁰⁸, D. Rahm ²⁴, S. Rajagopalan ²⁴, M. Rammensee ⁴⁷, M. Rammes ¹⁴⁰, A.S. Randle-Conde ³⁹, K. Randrianarivony ²⁸, F. Rauscher ⁹⁷, T.C. Rave ⁴⁷, M. Raymond ²⁹, A.L. Read ¹¹⁶, D.M. Rebuzzi ^{118a,118b}, A. Redelbach ¹⁷³, G. Redlinger ²⁴, R. Reece ¹¹⁹, K. Reeves ⁴⁰, E. Reinherz-Aronis ¹⁵², A. Reinsch ¹¹³, I. Reisinger ⁴², C. Rembser ²⁹, Z.L. Ren ¹⁵⁰, A. Renaud ¹¹⁴, M. Rescigno ^{131a}, S. Resconi ^{88a}, B. Resende ¹³⁵, P. Reznicek ⁹⁷, R. Rezvani ¹⁵⁷, R. Richter ⁹⁸, E. Richter-Was ^{4,af}, M. Ridel ⁷⁷, M. Rijpstra ¹⁰⁴, M. Rijssenbeek ¹⁴⁷, A. Rimoldi ^{118a,118b}, L. Rinaldi ^{19a}, R.R. Rios ³⁹, I. Riu ¹¹, G. Rivoltella ^{88a,88b}, F. Rizatdinova ¹¹¹, E. Rizvi ⁷⁴, S.H. Robertson ^{84,k}, A. Robichaud-Veronneau ¹¹⁷, D. Robinson ²⁷, J.E.M. Robinson ⁸¹, A. Robson ⁵², J.G. Rocha de Lima ¹⁰⁵, C. Roda ^{121a,121b}, D. Roda Dos Santos ²⁹, A. Roe ⁵³, S. Roe ²⁹, O. Røhne ¹¹⁶, S. Rolli ¹⁶⁰, A. Romaniouk ⁹⁵, M. Romano ^{19a,19b}, G. Romeo ²⁶, E. Romero Adam ¹⁶⁶, N. Rompotis ¹³⁷, L. Roos ⁷⁷, E. Ros ¹⁶⁶, S. Rosati ^{131a}, K. Rosbach ⁴⁸, A. Rose ¹⁴⁸, M. Rose ⁷⁵, G.A. Rosenbaum ¹⁵⁷, E.I. Rosenberg ⁶², P.L. Rosendahl ¹³, O. Rosenthal ¹⁴⁰, L. Rosselet ⁴⁸, V. Rossetti ¹¹, E. Rossi ^{131a,131b}, L.P. Rossi ^{49a}, M. Rotaru ^{25a}, I. Roth ¹⁷¹, J. Rothberg ¹³⁷, D. Rousseau ¹¹⁴, C.R. Royon ¹³⁵, A. Rozanov ⁸², Y. Rozen ¹⁵¹, X. Ruan ^{32a,ag}, F. Rubbo ¹¹, I. Rubinskiy ⁴¹, N. Ruckstuhl ¹⁰⁴, V.I. Rud ⁹⁶, J.T. Ruderman ^{137,ah}, C. Rudolph ⁴³, G. Rudolph ⁶⁰, F. Rühr ⁶, A. Ruiz-Martinez ⁶², L. Rumyantsev ⁶³, Z. Rurikova ⁴⁷, N.A. Rusakovich ⁶³, J.P. Rutherford ⁶, C. Ruwiedel ^{14,*}, P. Ruzicka ¹²⁴, Y.F. Ryabov ¹²⁰, M. Rybar ¹²⁵, G. Rybkin ¹¹⁴, N.C. Ryder ¹¹⁷, A.F. Saavedra ¹⁴⁹, I. Sadeh ¹⁵², H.F.-W. Sadrozinski ¹³⁶, R. Sadykov ⁶³, F. Safai Tehrani ^{131a}, H. Sakamoto ¹⁵⁴, G. Salamanna ⁷⁴, A. Salamon ^{132a}, M. Saleem ¹¹⁰, D. Salek ²⁹, D. Salihagic ⁹⁸, A. Salnikov ¹⁴², J. Salt ¹⁶⁶, B.M. Salvachua Ferrando ⁵, D. Salvatore ^{36a,36b}, F. Salvatore ¹⁴⁸, A. Salvucci ¹⁰³, A. Salzburger ²⁹, D. Sampsonidis ¹⁵³, B.H. Samset ¹¹⁶, A. Sanchez ^{101a,101b}, V. Sanchez Martinez ¹⁶⁶, H. Sandaker ¹³, H.G. Sander ⁸⁰, M.P. Sanders ⁹⁷, M. Sandhoff ¹⁷⁴, T. Sandoval ²⁷, C. Sandoval ¹⁶¹, R. Sandstroem ⁹⁸, D.P.C. Sankey ¹²⁸, A. Sansoni ⁴⁶, C. Santamarina Rios ⁸⁴, C. Santoni ³³, R. Santonico ^{132a,132b}, H. Santos ^{123a}, J.G. Saraiva ^{123a}, T. Sarangi ¹⁷², E. Sarkisyan-Grinbaum ⁷, F. Sarri ^{121a,121b}, G. Sartisohn ¹⁷⁴, O. Sasaki ⁶⁴, Y. Sasaki ¹⁵⁴, N. Sasao ⁶⁶, I. Satsounkevitch ⁸⁹, G. Sauvage ^{4,*}, E. Sauvan ⁴, J.B. Sauvan ¹¹⁴, P. Savard ^{157,d}, V. Savinov ¹²², D.O. Savu ²⁹, L. Sawyer ^{24,m}, D.H. Saxon ⁵², J. Saxon ¹¹⁹, C. Sbarra ^{19a}, A. Sbrizzi ^{19a,19b}, D.A. Scannicchio ¹⁶², M. Scarcella ¹⁴⁹, J. Schaarschmidt ¹¹⁴, P. Schacht ⁹⁸, D. Schaefer ¹¹⁹, U. Schäfer ⁸⁰, S. Schaepe ²⁰, S. Schaetzl ^{57b}, A.C. Schaffer ¹¹⁴, D. Schaile ⁹⁷, R.D. Schamberger ¹⁴⁷, A.G. Schamov ¹⁰⁶, V. Scharf ^{57a}, V.A. Schegelsky ¹²⁰, D. Scheirich ⁸⁶, M. Schernau ¹⁶², M.I. Scherzer ³⁴, C. Schiavi ^{49a,49b}, J. Schieck ⁹⁷, M. Schioppa ^{36a,36b}, S. Schlenker ²⁹, E. Schmidt ⁴⁷, K. Schmieden ²⁰, C. Schmitt ⁸⁰, S. Schmitt ^{57b}, M. Schmitz ²⁰, B. Schneider ¹⁶, U. Schnoor ⁴³, A. Schoening ^{57b}, A.L.S. Schorlemmer ⁵³, M. Schott ²⁹, D. Schouten ^{158a}, J. Schovancova ¹²⁴, M. Schram ⁸⁴, C. Schroeder ⁸⁰, N. Schroer ^{57c}, M.J. Schultens ²⁰, J. Schultes ¹⁷⁴, H.-C. Schultz-Coulon ^{57a}, H. Schulz ¹⁵, M. Schumacher ⁴⁷, B.A. Schumm ¹³⁶, Ph. Schune ¹³⁵, C. Schwanenberger ⁸¹, A. Schwartzman ¹⁴², Ph. Schwegler ⁹⁸, Ph. Schwemling ⁷⁷, R. Schwienhorst ⁸⁷, R. Schwierz ⁴³, J. Schwindling ¹³⁵, T. Schwindt ²⁰, M. Schwoerer ⁴, G. Sciolla ²², W.G. Scott ¹²⁸, J. Searcy ¹¹³, G. Sedov ⁴¹, E. Sedykh ¹²⁰, S.C. Seidel ¹⁰², A. Seiden ¹³⁶, F. Seifert ⁴³, J.M. Seixas ^{23a}, G. Sekhniaidze ^{101a}, S.J. Sekula ³⁹, K.E. Selbach ⁴⁵, D.M. Seliverstov ¹²⁰, B. Sellden ^{145a}, G. Sellers ⁷², M. Seman ^{143b},

- N. Semprini-Cesari 19^a, 19^b, C. Serfon 97, L. Serin 114, L. Serkin 53, R. Seuster 98, H. Severini 110, A. Sfyrla 29,
 E. Shabalina 53, M. Shamim 113, L.Y. Shan 32^a, J.T. Shank 21, Q.T. Shao 85, M. Shapiro 14, P.B. Shatalov 94,
 K. Shaw 163^a, 163^c, D. Sherman 175, P. Sherwood 76, A. Shibata 107, S. Shimizu 100, M. Shimojima 99,
 T. Shin 55, M. Shiyakova 63, A. Shmeleva 93, M.J. Shochet 30, D. Short 117, S. Shrestha 62, E. Shulga 95,
 M.A. Shupe 6, P. Sicho 124, A. Sidoti 131^a, F. Siegert 47, Dj. Sijacki 12^a, O. Silbert 171, J. Silva 123^a, Y. Silver 152,
 D. Silverstein 142, S.B. Silverstein 145^a, V. Simak 126, O. Simard 135, Lj. Simic 12^a, S. Simion 114, E. Simioni 80,
 B. Simmons 76, R. Simoniello 88^a, 88^b, M. Simonyan 35, P. Sinervo 157, N.B. Sinev 113, V. Sipica 140,
 G. Siragusa 173, A. Sircar 24, A.N. Sisakyan 63,* , S.Yu. Sivoklokov 96, J. Sjölin 145^a, 145^b, T.B. Sjursen 13,
 L.A. Skinnari 14, H.P. Skottowe 56, K. Skovpen 106, P. Skubic 110, M. Slater 17, T. Slavicek 126, K. Sliwa 160,
 V. Smakhtin 171, B.H. Smart 45, S.Yu. Smirnov 95, Y. Smirnov 95, L.N. Smirnova 96, O. Smirnova 78,
 B.C. Smith 56, D. Smith 142, K.M. Smith 52, M. Smizanska 70, K. Smolek 126, A.A. Snesarev 93, S.W. Snow 81,
 J. Snow 110, S. Snyder 24, R. Sobie 168,k , J. Sodomka 126, A. Soffer 152, C.A. Solans 166, M. Solar 126, J. Solc 126,
 E.Yu. Soldatov 95, U. Soldevila 166, E. Solfaroli Camillocci 131^a, 131^b, A.A. Solodkov 127, O.V. Solovyanov 127,
 V. Solovyev 120, N. Soni 85, V. Sopko 126, B. Sopko 126, M. Sosebee 7, R. Soualah 163^a, 163^c, A. Soukharev 106,
 S. Spagnolo 71^a, 71^b, F. Spanò 75, R. Spighi 19^a, G. Spigo 29, R. Spiwoks 29, M. Spousta 125,di , T. Spreitzer 157,
 B. Spurlock 7, R.D. St. Denis 52, J. Stahlman 119, R. Stamen 57^a, E. Stanecka 38, R.W. Stanek 5,
 C. Stanescu 133^a, M. Stanescu-Bellu 41, S. Stapnes 116, E.A. Starchenko 127, J. Stark 54, P. Staroba 124,
 P. Starovcito 41, R. Staszewski 38, A. Staude 97, P. Stavina 143^a,*, G. Steele 52, P. Steinbach 43,
 P. Steinberg 24, I. Stekl 126, B. Stelzer 141, H.J. Stelzer 87, O. Stelzer-Chilton 158^a, H. Stenzel 51, S. Stern 98,
 G.A. Stewart 29, J.A. Stillings 20, M.C. Stockton 84, K. Stoerig 47, G. Stoicea 25^a, S. Stonjek 98, P. Strachota 125,
 A.R. Stradling 7, A. Straessner 43, J. Strandberg 146, S. Strandberg 145^a, 145^b, A. Strandlie 116, M. Strang 108,
 E. Strauss 142, M. Strauss 110, P. Strizenec 143^b, R. Ströhmer 173, D.M. Strom 113, J.A. Strong 75,*,
 R. Stroynowski 39, J. Strube 128, B. Stugu 13, I. Stumer 24,*, J. Stupak 147, P. Sturm 174, N.A. Styles 41,
 D.A. Soh 150,w , D. Su 142, HS. Subramania 2, A. Succurro 11, Y. Sugaya 115, C. Suhr 105, M. Suk 125,
 V.V. Sulin 93, S. Sultansoy 3d , T. Sumida 66, X. Sun 54, J.E. Sundermann 47, K. Suruliz 138, G. Susinno 36a, 36b,
 M.R. Sutton 148, Y. Suzuki 64, Y. Suzuki 65, M. Svatos 124, S. Swedish 167, I. Sykora 143^a, T. Sykora 125,
 J. Sánchez 166, D. Ta 104, K. Tackmann 41, A. Taffard 162, R. Tafirout 158^a, N. Taiblum 152, Y. Takahashi 100,
 H. Takai 24, R. Takashima 67, H. Takeda 65, T. Takeshita 139, Y. Takubo 64, M. Talby 82, A. Talyshев 106,f ,
 M.C. Tamsett 24, K.G. Tan 85, J. Tanaka 154, R. Tanaka 114, S. Tanaka 130, S. Tanaka 64, A.J. Tanasijczuk 141,
 K. Tani 65, N. Tannoury 82, S. Tapprogge 80, D. Tardif 157, S. Tarem 151, F. Tarrade 28, G.F. Tartarelli 88a,
 P. Tas 125, M. Tasevsky 124, E. Tassi 36a, 36b , M. Tatarkhanov 14, Y. Tayalati 134d , C. Taylor 76, F.E. Taylor 91,
 G.N. Taylor 85, W. Taylor 158^b, M. Teinturier 114, F.A. Teischinger 29, M. Teixeira Dias Castanheira 74,
 P. Teixeira-Dias 75, K.K. Temming 47, H. Ten Kate 29, P.K. Teng 150, S. Terada 64, K. Terashi 154, J. Terron 79,
 M. Testa 46, R.J. Teuscher 157, k , J. Therhaag 20, T. Theveneaux-Pelzer 77, S. Thoma 47, J.P. Thomas 17,
 E.N. Thompson 34, P.D. Thompson 17, P.D. Thompson 157, A.S. Thompson 52, L.A. Thomsen 35,
 E. Thomson 119, M. Thomson 27, W.M. Thong 85, R.P. Thun 86, F. Tian 34, M.J. Tibbetts 14, T. Tic 124,
 V.O. Tikhomirov 93, Y.A. Tikhonov 106,f , S. Timoshenko 95, P. Tipton 175, S. Tisserant 82, T. Todorov 4,
 S. Todorova-Nova 160, B. Toggerson 162, J. Tojo 68, S. Tokár 143^a, K. Tokushuku 64, K. Tollefson 87,
 M. Tomoto 100, L. Tompkins 30, K. Toms 102, A. Tonoyan 13, C. Topfel 16, N.D. Topilin 63, I. Torchiani 29,
 E. Torrence 113, H. Torres 77, E. Torró Pastor 166, J. Toth 82, ad , F. Touchard 82, D.R. Tovey 138, T. Trefzger 173,
 L. Tremblet 29, A. Tricoli 29, I.M. Trigger 158^a, S. Trincaz-Duvold 77, M.F. Tripiana 69, N. Triplett 24,
 W. Trischuk 157, B. Trocmé 54, C. Troncon 88^a, M. Trottier-McDonald 141, M. Trzebinski 38, A. Trzupek 38,
 C. Tsarouchas 29, J.C.-L. Tseng 117, M. Tsiakiris 104, P.V. Tsiareshka 89, D. Tsionou 4, aj , G. Tsipolitis 9,
 S. Tsiskaridze 11, V. Tsiskaridze 47, E.G. Tskhadadze 50^a, I.I. Tsukerman 94, V. Tsulaia 14, J.-W. Tsung 20,
 S. Tsuno 64, D. Tsybychev 147, A. Tua 138, A. Tudorache 25^a, V. Tudorache 25^a, J.M. Tuggle 30, M. Turala 38,
 D. Turecek 126, I. Turk Cakir 3e , E. Turlay 104, R. Turra 88a, 88b , P.M. Tuts 34, A. Tykhanov 73,
 M. Tylmad 145^a, 145^b, M. Tyndel 128, G. Tzanakos 8, K. Uchida 20, I. Ueda 154, R. Ueno 28, M. Ugland 13,
 M. Uhlenbrock 20, M. Uhrmacher 53, F. Ukegawa 159, G. Unal 29, A. Undrus 24, G. Unel 162, Y. Unno 64,
 D. Urbaniec 34, G. Usai 7, M. Uslenghi 118a, 118b , L. Vacavant 82, V. Vacek 126, B. Vachon 84, S. Vahsen 14,
 J. Valenta 124, S. Valentini 19^a, 19^b, A. Valero 166, S. Valkar 125, E. Valladolid Gallego 166, S. Vallecorsa 151,
 J.A. Valls Ferrer 166, R. Van Berg 119, P.C. Van Der Deijl 104, R. van der Geer 104, H. van der Graaf 104,
 R. Van Der Leeuw 104, E. van der Poel 104, D. van der Ster 29, N. van Eldik 29, P. van Gemmeren 5,

- I. van Vulpen ¹⁰⁴, M. Vanadja ⁹⁸, W. Vandelli ²⁹, A. Vaniachine ⁵, P. Vankov ⁴¹, F. Vannucci ⁷⁷, R. Vari ^{131a},
 E.W. Varnes ⁶, T. Varol ⁸³, D. Varouchas ¹⁴, A. Vartapetian ⁷, K.E. Varvell ¹⁴⁹, V.I. Vassilakopoulos ⁵⁵,
 F. Vazeille ³³, T. Vazquez Schroeder ⁵³, G. Vegni ^{88a,88b}, J.J. Veillet ¹¹⁴, F. Veloso ^{123a}, R. Veness ²⁹,
 S. Veneziano ^{131a}, A. Ventura ^{71a,71b}, D. Ventura ⁸³, M. Venturi ⁴⁷, N. Venturi ¹⁵⁷, V. Vercesi ^{118a},
 M. Verducci ¹³⁷, W. Verkerke ¹⁰⁴, J.C. Vermeulen ¹⁰⁴, A. Vest ⁴³, M.C. Vetterli ^{141,d}, I. Vichou ¹⁶⁴,
 T. Vickey ^{144b,ak}, O.E. Vickey Boeriu ^{144b}, G.H.A. Viehhauser ¹¹⁷, S. Viel ¹⁶⁷, M. Villa ^{19a,19b},
 M. Villaplana Perez ¹⁶⁶, E. Vilucchi ⁴⁶, M.G. Vincter ²⁸, E. Vinek ²⁹, V.B. Vinogradov ⁶³, M. Virchaux ^{135,*},
 J. Virzi ¹⁴, O. Vitells ¹⁷¹, M. Viti ⁴¹, I. Vivarelli ⁴⁷, F. Vives Vaque ², S. Vlachos ⁹, D. Vladoiu ⁹⁷, M. Vlasak ¹²⁶,
 A. Vogel ²⁰, P. Vokac ¹²⁶, T. Volansky ¹⁵², G. Volpi ⁴⁶, M. Volpi ⁸⁵, G. Volpini ^{88a}, H. von der Schmitt ⁹⁸,
 H. von Radziewski ⁴⁷, E. von Toerne ²⁰, V. Vorobel ¹²⁵, V. Vorwerk ¹¹, M. Vos ¹⁶⁶, R. Voss ²⁹, T.T. Voss ¹⁷⁴,
 J.H. Vossebeld ⁷², N. Vranjes ¹³⁵, M. Vranjes Milosavljevic ¹⁰⁴, V. Vrba ¹²⁴, M. Vreeswijk ¹⁰⁴, T. Vu Anh ⁴⁷,
 R. Vuillermet ²⁹, I. Vukotic ³⁰, W. Wagner ¹⁷⁴, P. Wagner ¹¹⁹, H. Wahlen ¹⁷⁴, S. Wahrmund ⁴³,
 J. Wakabayashi ¹⁰⁰, S. Walch ⁸⁶, J. Walder ⁷⁰, R. Walker ⁹⁷, W. Walkowiak ¹⁴⁰, R. Wall ¹⁷⁵, P. Waller ⁷²,
 B. Walsh ¹⁷⁵, C. Wang ⁴⁴, H. Wang ¹⁷², H. Wang ^{32b,al}, J. Wang ¹⁵⁰, J. Wang ⁵⁴, R. Wang ¹⁰², S.M. Wang ¹⁵⁰,
 T. Wang ²⁰, A. Warburton ⁸⁴, C.P. Ward ²⁷, M. Warsinsky ⁴⁷, A. Washbrook ⁴⁵, C. Wasicki ⁴¹, I. Watanabe ⁶⁵,
 P.M. Watkins ¹⁷, A.T. Watson ¹⁷, I.J. Watson ¹⁴⁹, M.F. Watson ¹⁷, G. Watts ¹³⁷, S. Watts ⁸¹, A.T. Waugh ¹⁴⁹,
 B.M. Waugh ⁷⁶, M.S. Weber ¹⁶, P. Weber ⁵³, A.R. Weidberg ¹¹⁷, P. Weigell ⁹⁸, J. Weingarten ⁵³, C. Weiser ⁴⁷,
 H. Wellenstein ²², P.S. Wells ²⁹, T. Wenaus ²⁴, D. Wendland ¹⁵, Z. Weng ^{150,w}, T. Wengler ²⁹, S. Wenig ²⁹,
 N. Wermes ²⁰, M. Werner ⁴⁷, P. Werner ²⁹, M. Werth ¹⁶², M. Wessels ^{57a}, J. Wetter ¹⁶⁰, C. Weydert ⁵⁴,
 K. Whalen ²⁸, S.J. Wheeler-Ellis ¹⁶², A. White ⁷, M.J. White ⁸⁵, S. White ^{121a,121b}, S.R. Whitehead ¹¹⁷,
 D. Whiteson ¹⁶², D. Whittington ⁵⁹, F. Wicek ¹¹⁴, D. Wicke ¹⁷⁴, F.J. Wickens ¹²⁸, W. Wiedenmann ¹⁷²,
 M. Wielers ¹²⁸, P. Wienemann ²⁰, C. Wiglesworth ⁷⁴, L.A.M. Wiik-Fuchs ⁴⁷, P.A. Wijeratne ⁷⁶,
 A. Wildauer ⁹⁸, M.A. Wildt ^{41,s}, I. Wilhelm ¹²⁵, H.G. Wilkens ²⁹, J.Z. Will ⁹⁷, E. Williams ³⁴,
 H.H. Williams ¹¹⁹, W. Willis ³⁴, S. Willocq ⁸³, J.A. Wilson ¹⁷, M.G. Wilson ¹⁴², A. Wilson ⁸⁶,
 I. Wingerter-Seez ⁴, S. Winkelmann ⁴⁷, F. Winklmeier ²⁹, M. Wittgen ¹⁴², S.J. Wollstadt ⁸⁰, M.W. Wolter ³⁸,
 H. Wolters ^{123a,h}, W.C. Wong ⁴⁰, G. Wooden ⁸⁶, B.K. Wosiek ³⁸, J. Wotschack ²⁹, M.J. Woudstra ⁸¹,
 K.W. Wozniak ³⁸, K. Wraight ⁵², M. Wright ⁵², B. Wrona ⁷², S.L. Wu ¹⁷², X. Wu ⁴⁸, Y. Wu ^{32b,am}, E. Wulf ³⁴,
 B.M. Wynne ⁴⁵, S. Xella ³⁵, M. Xiao ¹³⁵, S. Xie ⁴⁷, C. Xu ^{32b,z}, D. Xu ¹³⁸, B. Yabsley ¹⁴⁹, S. Yacoob ^{144a,an},
 M. Yamada ⁶⁴, H. Yamaguchi ¹⁵⁴, A. Yamamoto ⁶⁴, K. Yamamoto ⁶², S. Yamamoto ¹⁵⁴, T. Yamamura ¹⁵⁴,
 T. Yamanaka ¹⁵⁴, J. Yamaoka ⁴⁴, T. Yamazaki ¹⁵⁴, Y. Yamazaki ⁶⁵, Z. Yan ²¹, H. Yang ⁸⁶, U.K. Yang ⁸¹,
 Y. Yang ⁵⁹, Z. Yang ^{145a,145b}, S. Yanush ⁹⁰, L. Yao ^{32a}, Y. Yao ¹⁴, Y. Yasu ⁶⁴, G.V. Ybeles Smit ¹²⁹, J. Ye ³⁹,
 S. Ye ²⁴, M. Yilmaz ^{3c}, R. Yoosoofmiya ¹²², K. Yorita ¹⁷⁰, R. Yoshida ⁵, C. Young ¹⁴², C.J. Young ¹¹⁷,
 S. Youssef ²¹, D. Yu ²⁴, J. Yu ⁷, J. Yu ¹¹¹, L. Yuan ⁶⁵, A. Yurkewicz ¹⁰⁵, B. Zabinski ³⁸, R. Zaidan ⁶¹,
 A.M. Zaitsev ¹²⁷, Z. Zajacova ²⁹, L. Zanello ^{131a,131b}, D. Zanzi ⁹⁸, A. Zaytsev ²⁴, C. Zeitnitz ¹⁷⁴, M. Zeman ¹²⁴,
 A. Zemla ³⁸, C. Zendler ²⁰, O. Zenin ¹²⁷, T. Ženiš ^{143a}, Z. Zinonos ^{121a,121b}, S. Zenz ¹⁴, D. Zerwas ¹¹⁴,
 G. Zevi della Porta ⁵⁶, Z. Zhan ^{32d}, D. Zhang ^{32b,al}, H. Zhang ⁸⁷, J. Zhang ⁵, X. Zhang ^{32d}, Z. Zhang ¹¹⁴,
 L. Zhao ¹⁰⁷, T. Zhao ¹³⁷, Z. Zhao ^{32b}, A. Zhemchugov ⁶³, J. Zhong ¹¹⁷, B. Zhou ⁸⁶, N. Zhou ¹⁶², Y. Zhou ¹⁵⁰,
 C.G. Zhu ^{32d}, H. Zhu ⁴¹, J. Zhu ⁸⁶, Y. Zhu ^{32b}, X. Zhuang ⁹⁷, V. Zhuravlov ⁹⁸, D. Zieminska ⁵⁹, N.I. Zimin ⁶³,
 R. Zimmermann ²⁰, S. Zimmermann ²⁰, S. Zimmermann ⁴⁷, M. Ziolkowski ¹⁴⁰, R. Zitoun ⁴, L. Živković ³⁴,
 V.V. Zmouchko ^{127,*}, G. Zobernig ¹⁷², A. Zoccoli ^{19a,19b}, M. zur Nedden ¹⁵, V. Zutshi ¹⁰⁵, L. Zwalski ²⁹

¹ Physics Department, SUNY Albany, Albany, NY, United States² Department of Physics, University of Alberta, Edmonton, AB, Canada³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Department of Physics, Dumlupinar University, Kutahya; ^(c) Department of Physics, Gazi University, Ankara; ^(d) Division of Physics, TOBB University of Economics and Technology, Ankara; ^(e) Turkish Atomic Energy Authority, Ankara, Turkey⁴ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France⁵ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States⁶ Department of Physics, University of Arizona, Tucson, AZ, United States⁷ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States⁸ Physics Department, University of Athens, Athens, Greece⁹ Physics Department, National Technical University of Athens, Zografou, Greece¹⁰ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹¹ Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain¹² ^(a) Institute of Physics, University of Belgrade, Belgrade; ^(b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia¹³ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁴ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States¹⁵ Department of Physics, Humboldt University, Berlin, Germany¹⁶ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁷ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

- 18 ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Division of Physics, Dogus University, Istanbul; ^(c) Department of Physics Engineering, Gaziantep University, Gaziantep;
^(d) Department of Physics, Istanbul Technical University, Istanbul, Turkey
- 19 ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica, Università di Bologna, Bologna, Italy
- 20 Physikalisches Institut, University of Bonn, Bonn, Germany
- 21 Department of Physics, Boston University, Boston, MA, United States
- 22 Department of Physics, Brandeis University, Waltham, MA, United States
- 23 ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- 24 Physics Department, Brookhaven National Laboratory, Upton, NY, United States
- 25 ^(a) National Institute of Physics and Nuclear Engineering, Bucharest; ^(b) University Politehnica Bucharest, Bucharest; ^(c) West University in Timisoara, Timisoara, Romania
- 26 Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- 27 Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
- 28 Department of Physics, Carleton University, Ottawa, ON, Canada
- 29 CERN, Geneva, Switzerland
- 30 Enrico Fermi Institute, University of Chicago, Chicago, IL, United States
- 31 ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- 32 ^(a) Institute of High Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui; ^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong, China
- 33 Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France
- 34 Nevis Laboratory, Columbia University, Irvington, NY, United States
- 35 Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
- 36 ^(a) INFN Gruppo Collegato di Cosenza; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy
- 37 AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland
- 38 The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- 39 Physics Department, Southern Methodist University, Dallas, TX, United States
- 40 Physics Department, University of Texas at Dallas, Richardson, TX, United States
- 41 DESY, Hamburg and Zeuthen, Germany
- 42 Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- 43 Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany
- 44 Department of Physics, Duke University, Durham, NC, United States
- 45 SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- 46 INFN Laboratori Nazionali di Frascati, Frascati, Italy
- 47 Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- 48 Section de Physique, Université de Genève, Geneva, Switzerland
- 49 ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
- 50 ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- 51 II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- 52 SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- 53 II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- 54 Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
- 55 Department of Physics, Hampton University, Hampton, VA, United States
- 56 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
- 57 ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- 58 Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- 59 Department of Physics, Indiana University, Bloomington, IN, United States
- 60 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- 61 University of Iowa, Iowa City, IA, United States
- 62 Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
- 63 Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- 64 KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- 65 Graduate School of Science, Kobe University, Kobe, Japan
- 66 Faculty of Science, Kyoto University, Kyoto, Japan
- 67 Kyoto University of Education, Kyoto, Japan
- 68 Department of Physics, Kyushu University, Fukuoka, Japan
- 69 Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- 70 Physics Department, Lancaster University, Lancaster, United Kingdom
- 71 ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- 72 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- 73 Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- 74 School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- 75 Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- 76 Department of Physics and Astronomy, University College London, London, United Kingdom
- 77 Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- 78 Fysiska institutionen, Lunds universitet, Lund, Sweden
- 79 Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- 80 Institut für Physik, Universität Mainz, Mainz, Germany
- 81 School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- 82 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- 83 Department of Physics, University of Massachusetts, Amherst, MA, United States
- 84 Department of Physics, McGill University, Montreal, QC, Canada
- 85 School of Physics, University of Melbourne, Victoria, Australia
- 86 Department of Physics, The University of Michigan, Ann Arbor, MI, United States
- 87 Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
- 88 ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- 89 B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
- 90 National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
- 91 Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
- 92 Group of Particle Physics, University of Montreal, Montreal, QC, Canada

- ⁹³ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
⁹⁴ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁵ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
⁹⁶ Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
⁹⁷ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
⁹⁸ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
⁹⁹ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰⁰ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰¹ (a) INFN Sezione di Napoli; (b) Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
¹⁰² Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰³ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁴ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁵ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹⁰⁶ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹⁰⁷ Department of Physics, New York University, New York, NY, United States
¹⁰⁸ Ohio State University, Columbus, OH, United States
¹⁰⁹ Faculty of Science, Okayama University, Okayama, Japan
¹¹⁰ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹¹ Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹² Palacky University, RCPTM, Olomouc, Czech Republic
¹¹³ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁴ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
¹¹⁵ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁶ Department of Physics, University of Oslo, Oslo, Norway
¹¹⁷ Department of Physics, Oxford University, Oxford, United Kingdom
¹¹⁸ (a) INFN Sezione di Pavia; (b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹¹⁹ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²⁰ Petersburg Nuclear Physics Institute, Gatchina, Russia
¹²¹ (a) INFN Sezione di Pisa; (b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²² Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
¹²³ (a) Laboratorio de Instrumentacion e Física Experimental de Partículas – LIP, Lisboa, Portugal; (b) Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
¹²⁴ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
¹²⁵ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
¹²⁶ Czech Technical University in Prague, Praha, Czech Republic
¹²⁷ State Research Center Institute for High Energy Physics, Protvino, Russia
¹²⁸ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
¹²⁹ Physics Department, University of Regina, Regina, SK, Canada
¹³⁰ Ritsumeikan University, Kusatsu, Shiga, Japan
¹³¹ (a) INFN Sezione di Roma I; (b) Dipartimento di Fisica, Università La Sapienza, Roma, Italy
¹³² (a) INFN Sezione di Roma Tor Vergata; (b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
¹³³ (a) INFN Sezione di Roma Tre; (b) Dipartimento di Fisica, Università Roma Tre, Roma, Italy
¹³⁴ (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; (b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; (e) Faculté des sciences, Université Mohammed V – Agdal, Rabat, Morocco
¹³⁵ DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique), Gif-sur-Yvette, France
¹³⁶ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
¹³⁷ Department of Physics, University of Washington, Seattle, WA, United States
¹³⁸ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
¹³⁹ Department of Physics, Shinshu University, Nagano, Japan
¹⁴⁰ Fachbereich Physik, Universität Siegen, Siegen, Germany
¹⁴¹ Department of Physics, Simon Fraser University, Burnaby, BC, Canada
¹⁴² SLAC National Accelerator Laboratory, Stanford, CA, United States
¹⁴³ (a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
¹⁴⁴ (a) Department of Physics, University of Johannesburg, Johannesburg; (b) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
¹⁴⁵ (a) Department of Physics, Stockholm University; (b) The Oskar Klein Centre, Stockholm, Sweden
¹⁴⁶ Physics Department, Royal Institute of Technology, Stockholm, Sweden
¹⁴⁷ Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
¹⁴⁸ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
¹⁴⁹ School of Physics, University of Sydney, Sydney, Australia
¹⁵⁰ Institute of Physics, Academia Sinica, Taipei, Taiwan
¹⁵¹ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
¹⁵² Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
¹⁵³ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
¹⁵⁴ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
¹⁵⁵ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
¹⁵⁶ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
¹⁵⁷ Department of Physics, University of Toronto, Toronto, ON, Canada
¹⁵⁸ (a) TRIUMF, Vancouver, BC; (b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
¹⁵⁹ Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
¹⁶⁰ Department of Physics and Astronomy, Tufts University, Medford, MA, United States
¹⁶¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
¹⁶² Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
¹⁶³ (a) INFN Gruppo Collegato di Udine; (b) ICTP, Trieste; (c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
¹⁶⁴ Department of Physics, University of Illinois, Urbana, IL, United States
¹⁶⁵ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
¹⁶⁶ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain

¹⁶⁷ Department of Physics, University of British Columbia, Vancouver, BC, Canada

¹⁶⁸ Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada

¹⁶⁹ Department of Physics, University of Warwick, Coventry, United Kingdom

¹⁷⁰ Waseda University, Tokyo, Japan

¹⁷¹ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel

¹⁷² Department of Physics, University of Wisconsin, Madison, WI, United States

¹⁷³ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany

¹⁷⁴ Fachbereich CPhysik, Bergische Universität Wuppertal, Wuppertal, Germany

¹⁷⁵ Department of Physics, Yale University, New Haven, CT, United States

¹⁷⁶ Yerevan Physics Institute, Yerevan, Armenia

¹⁷⁷ Centre de Calcul de l’Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa, Portugal.

^b Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal.

^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

^d Also at TRIUMF, Vancouver, BC, Canada.

^e Also at Department of Physics, California State University, Fresno, CA, United States.

^f Also at Novosibirsk State University, Novosibirsk, Russia.

^g Also at Fermilab, Batavia, IL, United States.

^h Also at Department of Physics, University of Coimbra, Coimbra, Portugal.

ⁱ Also at Department of Physics, UASLP, San Luis Potosi, Mexico.

^j Also at Università di Napoli Parthenope, Napoli, Italy.

^k Also at Institute of Particle Physics (IPP), Canada.

^l Also at Department of Physics, Middle East Technical University, Ankara, Turkey.

^m Also at Louisiana Tech University, Ruston, LA, United States.

ⁿ Also at Departamento de Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal.

^o Also at Department of Physics and Astronomy, University College London, London, United Kingdom.

^p Also at Group of Particle Physics, University of Montreal, Montreal, QC, Canada.

^q Also at Department of Physics, University of Cape Town, Cape Town, South Africa.

^r Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^s Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

^t Also at Manhattan College, New York, NY, United States.

^u Also at School of Physics, Shandong University, Shandong, China.

^v Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.

^w Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.

^x Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.

^y Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy.

^z Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l’Univers), CEA Saclay (Commissariat à l’Energie Atomique), Gif-sur-Yvette, France.

^{aa} Also at Section de Physique, Université de Genève, Geneva, Switzerland.

^{ab} Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal.

^{ac} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.

^{ad} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.

^{ae} Also at California Institute of Technology, Pasadena, CA, United States.

^{af} Also at Institute of Physics, Jagiellonian University, Krakow, Poland.

^{ag} Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.

^{ah} Also at Department of Physics, University of California, Berkeley, CA, United States, and Theoretical Physics Group, Lawrence Berkeley National Laboratory, Berkeley, CA, United States.

^{ai} Also at Nevis Laboratory, Columbia University, Irvington, NY, United States.

^{aj} Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom.

^{ak} Also at Department of Physics, Oxford University, Oxford, United Kingdom.

^{al} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.

^{am} Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.

^{an} Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.

* Deceased.