

A search for resonances decaying into a Higgs boson and a new particle X in the $XH \rightarrow q\bar{q}bb$ final state with the ATLAS detector

The ATLAS Collaboration*



ARTICLE INFO

Article history:

Received 21 September 2017
 Received in revised form 10 January 2018
 Accepted 16 January 2018
 Available online 3 February 2018
 Editor: M. Doser

ABSTRACT

A search for heavy resonances decaying into a Higgs boson (H) and a new particle (X) is reported, utilizing 36.1 fb^{-1} of proton–proton collision data at $\sqrt{s} = 13 \text{ TeV}$ collected during 2015 and 2016 with the ATLAS detector at the CERN Large Hadron Collider. The particle X is assumed to decay to a pair of light quarks, and the fully hadronic final state $XH \rightarrow q\bar{q}'b\bar{b}$ is analysed. The search considers the regime of high XH resonance masses, where the X and H bosons are both highly Lorentz-boosted and are each reconstructed using a single jet with large radius parameter. A two-dimensional phase space of XH mass versus X mass is scanned for evidence of a signal, over a range of XH resonance mass values between 1 TeV and 4 TeV, and for X particles with masses from 50 GeV to 1000 GeV. All search results are consistent with the expectations for the background due to Standard Model processes, and 95% CL upper limits are set, as a function of XH and X masses, on the production cross-section of the $XH \rightarrow q\bar{q}'b\bar{b}$ resonance.

© 2018 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

The Standard Model (SM), including the recently discovered Higgs boson [1,2], describes collider phenomenology for energy scales up to a few hundred GeV. However, a number of issues with the SM, including sensitivity of the Higgs boson mass to radiative corrections, indicate either extreme fine-tuning or the presence of new physics at an energy scale not far above the Higgs boson mass. Many theoretical extensions to the SM predict the existence of new particles around the TeV scale, and it is natural to expect such particles to exhibit significant coupling to the Higgs boson (H). Examples of previous studies at the CERN Large Hadron Collider (LHC) which are motivated by these considerations include ATLAS [3,4] and CMS [5–8] searches for new resonances decaying into VH , where V denotes a W or Z boson, as well as ATLAS [9] and CMS [10,11] searches for resonances decaying into HH .

This Letter presents a new and more general search for heavy resonances which decay into the SM Higgs boson and a new particle (X), utilizing a data sample corresponding to 36.1 fb^{-1} of proton–proton (pp) collisions at $\sqrt{s} = 13 \text{ TeV}$ collected during 2015 and 2016 with the ATLAS detector. Since the hypothetical particle X has not yet been detected, it has unknown properties. It is assumed that X decays hadronically into a pair of light quarks, $X \rightarrow q\bar{q}'$, and has a natural width which is narrow compared to the detector resolution. It is also assumed that single X produc-

tion is sufficiently rare that it has not been observed by analyses such as the ATLAS and CMS searches for dijet resonances [12–14].

Examples of theories of physics beyond the SM which predict the existence of XH resonances include pseudo Nambu–Goldstone models [15], extended Higgs sectors [16] and extra-dimension frameworks with warped compactifications [17]. For simplicity, such XH resonances are hereafter denoted by Y . It is assumed that the new resonance Y is narrow. This study analyses the decay chain $Y \rightarrow XH \rightarrow q\bar{q}'b\bar{b}$, and considers the regime of high Y masses, in the range between 1 TeV and 4 TeV, with $m(Y) \gg m(X)$, which implies that the X and H bosons are both highly Lorentz-boosted. The X and H boson candidates are each reconstructed in a single jet with large radius parameter; these jets are called “large- R jets” throughout this Letter and are denoted by J . Jet substructure techniques and b -tagging are used to suppress the dominant background from multijet events, to enhance the sensitivity to the dominant $H \rightarrow b\bar{b}$ decay mode, and to distinguish between the two bosons.

Given their assumed decay modes, both X and Y must be bosons. However, the search does not impose explicit requirements on their electric charge, spin or polarization states, and utilizes a simple event selection that does not seek to exploit angular correlations or other variables that would be sensitive to particular spin states. The analysis utilizes the reconstructed Y mass as the final discriminant, searching for an excess due to a resonance in the $Y \rightarrow XH \rightarrow J\bar{J}$ mass distribution, separately in a large number of overlapping ranges of X mass.

* E-mail address: atlas.publications@cern.ch.

A modified form of the benchmark heavy vector triplet (HVT) model [18,19] is used to provide a measure of the implications of the results of the search within one particular theoretical framework. The HVT model provides a simplified phenomenological Lagrangian that predicts heavy spin-1 resonances which are produced via $q\bar{q}$ annihilation, and which can have significant branching ratios for decays into boson pairs, with longitudinally polarized bosons. The search results are used to set limits on the production cross-section $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}/b\bar{b})$ within the HVT theoretical framework, to provide an interpretation in the case where both X and Y have spin 1. The search overlaps with the VH and HH searches, when the X mass window extends around the V and H mass values, respectively, in which cases the results are found to be compatible with those analyses. However, the current search considers a much wider range of X masses, from 50 GeV to 1000 GeV.

2. ATLAS detector

The ATLAS detector [20] is a general-purpose particle physics detector used to investigate a broad range of physics processes. ATLAS includes an inner detector (ID) surrounded by a superconducting solenoid, electromagnetic (EM) and hadronic calorimeters, and a muon spectrometer (MS). The ID consists of a silicon pixel detector, including the insertable B-layer [21] installed after Run 1 of the LHC, a silicon microstrip detector and a straw-tube tracker. The ID is immersed inside a 2 T axial magnetic field from the solenoid and provides precision tracking of charged particles with pseudo-rapidity¹ $|\eta| < 2.5$. The straw-tube tracker also provides transition radiation measurements for electron identification. The calorimeter system consists of finely segmented sampling calorimeters using lead/liquid-argon for the detection of EM showers up to $|\eta| = 3.2$, and copper or tungsten/liquid-argon for hadronic showers for $1.5 < |\eta| < 4.9$. In the central region ($|\eta| < 1.7$), a steel/scintillator hadronic calorimeter is used. Outside the calorimeters, the MS incorporates multiple layers of trigger and tracking chambers within a magnetic field produced by a system of superconducting toroids, enabling an independent precise measurement of muon track momenta for $|\eta| < 2.7$. The ATLAS detector has a two-level trigger system. The first-level (L1) trigger is implemented in hardware and uses the calorimeter and muon systems to reduce the accepted event rate to 100 kHz. The L1 trigger is followed by a software-based high-level trigger to reduce the accepted event rate to approximately 1 kHz for offline analysis [22].

3. Signal and background simulation

Samples of simulated signal and background events are used to optimize the event selection and to estimate the background contributions from various SM processes.

The $Y \rightarrow XH$ signal was simulated by modifying the HVT [18, 19] configuration for $W' \rightarrow WH$ decays, replacing the W' boson with a narrow resonance Y , and the W boson by X . The new X boson was assumed to have spin 1, a natural width of 2 GeV, and a branching ratio (B) of 100% for decays $X \rightarrow ud$. The properties of the Higgs boson were assumed to be as described in the SM, with its mass set to 125.5 GeV and decays into $b\bar{b}$ and $c\bar{c}$ enabled

in the simulation. Given the SM branching ratios and the relevant experimental performance factors, Higgs boson decays to $b\bar{b}$ dominate the signal efficiency. The signal samples were generated with **MADGRAPH5_aMC@NLO** 2.2.2 [23] interfaced to **PYTHIA** 8.186 [24] for parton shower and hadronization, with the NNPDF2.3 next-to-leading-order (NLO) parton distribution function (PDF) set [25] and the ATLAS A14 set of tuned parameters (tune) [26] for the underlying event. Approximately 100 signal samples were generated, each with individual values of Y and X masses, chosen in a two-dimensional grid of values ranging from 1 TeV to 4 TeV for $m(Y)$ and from 50 GeV to 1000 GeV for $m(X)$. The requirements $m(Y) > 1$ TeV and $m(Y) \gg m(X)$ were applied, to focus on the kinematic regime where the X and H bosons are highly Lorentz-boosted.

The dominant SM background is due to multijet processes and, as described in Section 7, is evaluated using data-driven techniques. Some cross-checks were performed using simulated multijet events generated with **PYTHIA** 8.186, with the NNPDF2.3 NLO PDF and the ATLAS A14 tune.

Minor background contributions, which are estimated using simulated samples, are due to $t\bar{t}$ production and to vector boson production in association with jets ($V+jets$). The $t\bar{t}$ samples were generated with **POWHEG-BOX** v2 [27] with the CT10 PDF set [28], interfaced with **PYTHIA** 6.428 [29] and the Perugia 2012 tune for the parton shower [30] using the CTEQ6L1 PDF set [31]. The cross-section of the $t\bar{t}$ process was normalized to the result of a QCD calculation at next-to-next-leading order and next-to-next-leading logarithmic accuracy (NNLO+NNLL), as implemented in **TOP++** 2.0 [32]. The $V+jets$ background samples were generated with **SHERPA** 2.1.1 [33] interfaced with the CT10 PDF set, including only hadronic V decays. Matrix elements of up to four extra partons were calculated at leading order in QCD. The $V+jets$ events are normalized to the NNLO cross-sections [34].

For all simulated samples except those produced using **SHERPA**, **EVTGEN** v1.2.0 [35] was used to model the properties of bottom and charm hadron decays. The effect of multiple pp interactions in the same and neighbouring bunch crossings (pile-up) was included by overlaying minimum-bias events simulated with **PYTHIA** 8.186 on each generated event [36]. The detector response was simulated with a **GEANT4** [37] based framework [38] and the events were processed with the same reconstruction software as that used for data.

4. Event reconstruction

The reconstruction and identification of hadronically decaying bosons is performed using jets. Large- R jets are reconstructed with the anti- k_t algorithm [39,40] with radius parameter $R = 1.0$ from three-dimensional topological clusters of energy deposits in the calorimeter [41]. The large- R jets are required to have transverse momentum $p_T > 250$ GeV and $|\eta| < 2.0$.

Track-jets are formed from charged-particle tracks with $p_T > 0.4$ GeV and $|\eta| < 2.5$ that satisfy a set of hit and impact parameter criteria to reduce the contamination from pile-up interactions, and are clustered using the anti- k_t algorithm with $R = 0.2$ [42]. Only track-jets with $p_T > 25$ GeV that are constructed from at least two tracks are considered in this analysis.

To mitigate pile-up effects and soft radiation, the large- R jets are trimmed [43], and then are subsequently reclustered into subjets using the k_t algorithm [44]. To compensate for the limited angular resolution of the calorimeter, the mass of large- R jets is computed using a combination of calorimeter and tracking information [45]. The combined jet mass is defined as

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

$$m_J \equiv w_{\text{calo}} \times m_J^{\text{calo}} + w_{\text{track}} \times \left(m_J^{\text{track}} \frac{p_T^{\text{calo}}}{p_T^{\text{track}}} \right),$$

where m_J^{calo} is the calorimeter-only estimate of the jet mass. The variable m_J^{track} is the jet mass estimated via tracks with $p_T > 0.4$ GeV associated with the large- R jet using “ghost association” [39], and is scaled in the combined mass formula by the ratio of calorimeter to track p_T estimates in order to account for the missing neutral-particle component in the track-jet. The ghost association technique relies on repeating the jet clustering process with the addition of measured tracks that have the same direction but infinitesimally small p_T , so that the jet properties remain unaffected. A track is associated with a jet if it is contained in the jet after this re-clustering procedure. The weighting factors w_{calo} and w_{track} depend on p_T satisfy $w_{\text{calo}} + w_{\text{track}} = 1$, and are used to optimize the combined mass resolution. To partially account for the energy carried by muons from semileptonic b -hadron decays, the four-momentum of the closest muon candidate satisfying “Tight” muon identification criteria [46] with $p_T > 4$ GeV and $|\eta| < 2.5$ that is within $\Delta R = 0.2$ of a track-jet that is b -tagged is added to the calorimeter jet four-momentum [47]. In this study, only large- R jets with $m_J > 50$ GeV are considered for further analysis.

Identifying a large- R jet as a hadronically decaying Higgs boson candidate is aided by using track-jets matched via ghost association to the large- R jet [48]. The identification of b -hadrons relies on a multivariate b -tagging algorithm [49] applied to a set of tracks in a region of interest around each track-jet axis. The b -tagging requirements result in an efficiency of 77% for track-jets containing b -hadrons, and the misidentification rate is $\sim 2\%$ ($\sim 24\%$) for light-flavour (charm) jets. These were determined in a sample of simulated $t\bar{t}$ events. For simulated samples the b -tagging efficiencies are corrected, based on the jet p_T , to match those measured in data [50].

Identifying a large- R jet as a hadronically decaying $X \rightarrow q\bar{q}'$ boson candidate is aided by using jet substructure techniques. The variable D_2 is defined² as a ratio of two- and three-point energy correlation functions [51,52], which are based on the energies and pairwise angular distances of particles within a jet. This variable is optimized [53] to distinguish between jets originating from a single parton and those from the two-body decay of a heavy particle. A detailed description of the optimization, performed using simulated V decays, can be found in Refs. [54,55]. Studies of boosted W boson decays [54] demonstrate that the D_2 variable is well modelled, with good agreement observed between data and simulation.

“Loose” electrons and muons are reconstructed and identified as described in Refs. [46,56]. These leptons have $p_T > 7$ GeV, $|\eta| < 2.5$ (2.47) for muons (electrons), $|d_0|/\sigma_{d_0} < 3$ (5) and $|z_0 \sin \theta| < 0.5$ mm, where d_0 is transverse impact parameter with respect to the beam line, σ_{d_0} is the corresponding uncertainty, and z_0 is the distance between the longitudinal position of the track along the beam line at the point where d_0 is measured and the longitudinal position of the primary vertex. An isolation criterion is also applied. Specifically, within a cone of size $\Delta R = 0.2$ (0.3) around an electron (muon), the scalar sum of transverse momenta of tracks divided by the lepton p_T is required to be less than a cut-off value, chosen to provide a constant efficiency of around 99% as a function of p_T and $|\eta|$.

5. Event selection

Events are selected from the 2015 (2016) running period using a trigger that requires a single large- R jet with $p_T >$




Fig. 1. Illustration of the definitions of the various mutually exclusive data regions. The data are divided into Low Sidebands (LSB), Signal Regions (SR), and High Sidebands (HSB) according to the mass of the candidate Higgs jet. Each region is subdivided further according to the number of b -tagged jets associated with the candidate Higgs jet. The 0-tag sample satisfying the SR mass cut is denoted by CRO to emphasize its use as a control region in the background determination, rather than as an additional signal region.

360 (420) GeV. Selected events are required to have at least one primary vertex (PV) that has at least two associated tracks, each with transverse momentum $p_T > 0.4$ GeV. For events with more than one PV candidate, the one with the largest track $\sum p_T^2$ is chosen as the hard-scatter PV. To select a hadronic final state, events with one or more “Loose” charged leptons (electrons or muons) are vetoed.

Events are kept only if they contain at least two large- R jets. For events with more than two large- R jets, only the two “leading” jets, namely those with highest p_T , are considered as possible X and H candidates. To ensure high and uniform trigger efficiency, the leading large- R jet must satisfy $p_T > 450$ GeV.

Additional requirements are imposed to distinguish hadronically decaying boson candidates from background jets. To be identified as a Higgs jet candidate, the combined mass of the jet is required to satisfy $75 \text{ GeV} < m_J < 145 \text{ GeV}$, a criterion that is $\sim 90\%$ efficient for Higgs boson jets. The number of b -tagged jets inside the Higgs jet is used to categorize the events in two orthogonal signal regions: the “1-tag” signal region (SR1) and “2-tag” signal region (SR2) definitions require Higgs candidates to contain exactly one and two b -tagged jets, respectively. The SR1 region recovers some efficiency loss in the high Y mass region where the angular separation between the two b -quarks from the Higgs decay is small and the fragmentation products are merged [47]. As depicted in Fig. 1 and described in Section 7, a number of different samples of events are selected to be used as part of the background estimation strategy. These samples include events with the Higgs jet candidate with a mass in the so-called “high sideband” (HSB) region with $145 \text{ GeV} < m_J < 200 \text{ GeV}$, as well as events in a “low sideband” (LSB) region with $50 \text{ GeV} < m_J < 75 \text{ GeV}$. In addition, “0-tag” samples, with Higgs candidates that pass these various mass requirements but have no associated b -tagged jets, are also selected. The 0-tag sideband samples are denoted by LSBO and HSBO. The 0-tag sample satisfying the SR mass cut is denoted by CRO to emphasize its use as a control region in the background determination (see Section 7), rather than as an additional signal region.

If both large- R jets fulfil the Higgs mass requirement, the jet with the highest number of associated b -tagged jets is chosen as the Higgs candidate. In case both have the same number of b -tagged jets, the ambiguity is resolved by assigning the leading p_T large- R jet as the Higgs candidate. Studies of signal samples with $m(X) = 110$ GeV demonstrate that, in the lower $m(Y)$ region, the probability to correctly identify the H and X jets is 98.8%. This

² The angular exponent β , defined in Ref. [51], is set to unity.




Fig. 2. Efficiencies, as a function of $m(Y)$ and $m(X)$ for all the generated signal samples, for the selection defining (a) the 1-tag signal region (SR1) and (b) the 2-tag signal region (SR2). (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

value decreases to 89.5% for $m(Y) = 4$ TeV, due to the falling efficiency in the very high mass region to tag two separate b -tagged jets within the H jet.

The large- R jet which is not chosen as the Higgs candidate is assigned to the X hypothesis. The jet substructure variable D_2 , described previously, is used to check whether the X candidate jet is compatible with the two-prong structure expected due to its assumed $X \rightarrow q\bar{q}'$ decay. The requirement on the value of D_2 corresponds to that defined in Refs. [54,55] to provide a constant efficiency of 50% for selecting hadronic V decays, when applied along with an associated requirement that m_j lies within a window around the V mass. Given that the X mass is a priori unknown, the event selection does not make any requirement on the mass of the X candidate jet beyond the $m_j > 50$ GeV restriction applied to all large- R jets, however the data are interpreted in windows of m_X .

The mass of the $Y \rightarrow XH$ candidate is required to be larger than 1 TeV. The efficiencies for the 1-tag and 2-tag signal region selections are presented as a function of $m(Y)$ and $m(X)$ in Fig. 2 for the various signal samples. No signal samples with $m(Y) > 4$ TeV were simulated, due to the low expected sensitivity for such high masses with the current data sample. However, data events with higher reconstructed Y mass values are included in the overflow bin in the mass distributions.

6. Signal modelling

The signal search in the two-dimensional space of $m(Y)$ versus $m(X)$ employs a sliding-window technique to the m_j spectrum of the X candidate jet, dividing the data into a series of overlapping m_j ranges. As described in Section 9, for each m_j window of the X candidate jet, the corresponding m_{Yj} distribution is examined for evidence of an excess due to a signal, where m_{Yj} denotes the invariant mass of the system formed by the H and X candidate large- R jets.

The reconstructed X mass resolution varies from 12 GeV to 40 GeV. The widths of the overlapping m_j windows for the X candidate jet are chosen to be around twice the X mass resolution, but also take into account the limited number of data events. The central values of neighbouring m_j windows are shifted by roughly half of the X mass resolution, ensuring that they overlap and do not leave gaps in the search coverage. Studies in which simulated

signals were injected at various mass values were used to demonstrate the reasonableness of the window choices.

The reconstructed $Y \rightarrow XH$ mass resolution varies from about 65 GeV to 100 GeV. For each m_j window of the X candidate jet, the binning for the corresponding m_{Yj} distribution is chosen to be at least as large as the Y mass resolution, dependent on the size of the data sample.

Given the large number of possible $m(Y)$ and $m(X)$ values in the ranges considered, a parameterization of the signal is used to interpolate between the mass values for which signal samples were generated. Probability distribution functions for the m_{Yj} and m_j shapes are built using the `RooKeysPdf` class of the `RooFit` package [57]. Multidimensional morphing methods, implemented in the `RooMomentMorphND` class [58], are subsequently applied to parameterize grid points using the surrounding four nearby points. The normalization of the parameterized signals is estimated using linear interpolation.

7. Background estimation

After the event selection, over 96% of the SM background originates from multijet processes. A data-driven method is used to determine the shape of the dominant multijet background, with its normalization in the signal regions being determined with the fit procedure described in Section 9. The small additional background contributions from $t\bar{t}$ and $V+jets$ production are estimated via simulation. The background determination is performed separately in each of the m_j windows considered for the X candidate jet mass.

As depicted in Fig. 1, the event sample, before any specific requirements are made on the mass of the X candidate jet, is separated into mutually exclusive categories according to the mass and number of b -tagged jets of the Higgs boson candidate. The SR1 and SR2 regions are used to perform the signal search, while the other seven regions are used as control regions to develop and validate the background model. The multijet background component in each of the seven control regions is determined by subtracting from the data the $t\bar{t}$ and $V+jets$ contributions predicted by simulation.

The modelling of the dominant multijet background in the SR1 and SR2 signal regions starts from the CRO sample, for which the candidate Higgs jet satisfies the SR requirement on the jet mass but has no associated b -tagged jets. The CRO sample should contain negligible signal contamination. The basic strategy is to use




Fig. 3. The m_{jj} mass distributions in the m_{jj} window of the X candidate jet from 133 GeV to 171 GeV after the likelihood fit for events in (a) the 1-tag signal region (SR1) and (b) the 2-tag signal region (SR2). The highest mass bin includes any overflows. The background expectation is given by the filled histograms and the ratio of the observed data to the background (Data/Bkg) is shown in the lower panel. The uncertainties shown are those after the fit described in the text. One particular example of a possible signal model, namely with $m(X) = 152\text{ GeV}$ and $m(Y) = 1.8\text{ TeV}$, is overlaid with an arbitrary overall normalization, illustrating the corresponding contributions that would be expected in the SR1 and SR2 regions. Panel (c) shows the resultant 95% CL upper limit on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}'b\bar{b})$. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

events in the CRO sample with at least one (two) track-jet(s) associated with the Higgs jet to model the shape of the multijet background in the SR1 (SR2) signal region. However, sources of possible differences between the multijet components of CRO versus SR1 and SR2 include changes in the underlying event populations due to the absence or presence of b -quarks as well as kinematic differences arising from the application of b -tagging, since the b -tagging efficiency depends on the p_T and η of the track-jet. The corrections required to take these differences into account are extracted from the HSB events. In each of the HSB regions with different number of b -tags (HSB0, HSB1, HSB2), a pair of two-dimensional histograms is filled, one of p_T versus η for the leading track-jet, and the other for the subleading track-jet. Subsequently, leading and subleading track jet reweighting maps are created by dividing the HSB1 and HSB2 histograms by the corresponding HSB0 histogram. A Gaussian kernel, similar to that applied in Ref. [59], is used to smooth out statistical fluctuations by taking a weighted sum of neighbouring bins. The weight is inversely proportional to the width of the Gaussian kernel and depends on the statistical

uncertainty of each bin. The result is a reduction of statistical fluctuations, while adding negligible bias to the distributions.

To describe the SR multijet background shapes, the CRO events are reweighted using the maps in bins of track-jet p_T and η extracted from the sideband. The reweighting is performed only for the 2-tag samples, as the modelling of the shape of the multijet background in the 1-tag sideband regions without reweighting is observed to be adequate. Due to the correlations between the kinematic variables of the two leading track-jets used for the reweighting, multiple reweighting iterations are performed, until the track-jet properties, p_T and η , are matched within statistical uncertainties.

The background modelling is validated by using the same method to predict the background in the LSB regions in the low mass sidebands, and then comparing with the data and obtaining good agreement. Agreement is also confirmed in the signal region by integrating over all values of the mass of the X candidate jet, thereby diluting any possible signal contamination to a negligible level.




Fig. 4. The m_{jj} mass distributions in the m_j window of the X candidate jet from 288 GeV to 340 GeV after the likelihood fit for events in (a) the 1-tag signal region (SR1) and (b) the 2-tag signal region (SR2). The highest mass bin includes any overflows. The background expectation is given by the filled histograms and the ratio of the observed data to the background (Data/Bkg) is shown in the lower panel. The uncertainties shown are those after the fit described in the text. One particular example of a possible signal model, namely with $m(X) = 314$ GeV and $m(Y) = 2.3$ TeV, is overlaid with an arbitrary overall normalization, illustrating the corresponding contributions that would be expected in the SR1 and SR2 regions. Panel (c) shows the resultant 95% CL upper limit on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}'bb)$. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

8. Systematic uncertainties

The main systematic uncertainty in the background estimate arises from the potential mis-modelling of the background processes. As described in Section 7, the multijet background shapes in the two signal regions are estimated directly from data using sideband regions. To determine the systematic uncertainty in this method, the multijet background shapes in the HSB1 and HSB2 regions are compared, in each m_j window of the X candidate jet, to those of the reweighted HSB0 multijet distributions. The differences, in bins of m_{jj} , fitted with a line are used as the multijet modelling systematic uncertainties. The largest observed shape difference is found to be approximately 12%, while the smallest is 3%. A normalization uncertainty of 30% is assigned to the small $t\bar{t}$ background, based on the ATLAS $t\bar{t}$ differential cross-section measurement [60]. The same uncertainty is conservatively applied to the small $V+jets$ background component.

The uncertainty in the combined 2015+2016 integrated luminosity is 2.1%. It is derived, following a methodology similar to that detailed in Ref. [61], from a calibration of the luminosity scale

using x - y beam-separation scans performed in August 2015 and May 2016. This uncertainty is applied to the yields of both the signal and the small $t\bar{t}$ and $V+jets$ backgrounds, which are not determined from data.

Additional systematic uncertainties in the signal acceptance arise from the choice of PDF set and the uncertainty in the amount of initial- and final-state radiation. For all the two-dimensional mass grid points, a constant 5% uncertainty is applied and covers both effects.

Uncertainties related to the signal parameterization method are estimated by comparing the mass distributions of generated signal points to those predicted from morphing nearby points in the two-dimensional space of $m(Y)$ versus $m(X)$. The largest observed normalization deviation is $\sim 8\%$, while differences in the signal shape also reach levels up to $\sim 8\%$. Both effects are included as uniform uncorrelated systematic uncertainties.

Systematic uncertainties which account for experimental effects on the signal shape include the large- R jet mass scale and mass resolution, as well as D_2 and the b -tagging. The impact of each of these effects is evaluated by shifting each variable accord-




Fig. 5. The m_{jj} mass distributions in the m_{jj} window of the X candidate jet from 500 GeV to 584 GeV after the likelihood fit for events in (a) the 1-tag signal region (SR1) and (b) the 2-tag signal region (SR2). The highest mass bin includes any overflows. The background expectation is given by the filled histograms and the ratio of the observed data to the background (Data/Bkg) is shown in the lower panel. The uncertainties shown are those after the fit described in the text. One particular example of a possible signal model, namely with $m(X) = 542 \text{ GeV}$ and $m(Y) = 2.9 \text{ TeV}$, is overlaid with an arbitrary overall normalization, illustrating the corresponding contributions that would be expected in the SR1 and SR2 regions. Panel (c) shows the resultant 95% CL upper limit on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}'b\bar{b})$. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)




Fig. 6. The (a) expected and (b) observed 95% CL limits on the production cross-section $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}'b\bar{b})$ (z-axis) in the two-dimensional space of $m(Y)$ versus $m(X)$. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

ing to these systematic uncertainties and then re-performing the signal parameterization. Based on the measurements documented in Refs. [55,62], a 2% uncertainty is assigned for the large- R jets p_T scale, while uncertainties of 20% and 15%, respectively, are assigned for the large- R jet mass resolution and D_2 resolution. Uncertainties in the correction factors for the b -tagging are applied to the simulated event samples by looking at dedicated flavour-enriched samples in data. An additional term is included to extrapolate the measured uncertainties to the high- p_T region of interest. This term is calculated from simulated events by considering variations of the quantities affecting the b -tagging performance such as the impact parameter resolution, percentage of poorly measured tracks, description of the detector material, and track multiplicity per jet. The dominant effect on the uncertainty when extrapolating to high p_T is related to the change in tagging efficiency when smearing the track impact parameters based on the resolution measured in data and simulation. The uncertainty in the b -tagging efficiency is measured as a function of b -jet p_T and η for track-jets with $p_T < 250$ GeV, while for higher p_T values it is extrapolated using simulation [50]. These uncertainties vary between 2% and 8% in the lower p_T range, and rise to approximately 9% for track-jets with $p_T > 400$ GeV.

9. Statistical treatment and results

The signal search in the two-dimensional space of $m(Y)$ versus $m(X)$ is performed by applying a sliding-window technique to the m_f spectrum of the X candidate jet, which divides the data into a series of overlapping m_f ranges. For each m_f window, a binned maximum-likelihood fit is then performed to the resultant m_f distributions in both SR1 and SR2 signal regions simultaneously. A test statistic based on the profile likelihood ratio [63] is used to test hypothesized values of the global signal strength (μ), corresponding to the HVT model. The systematic uncertainties, described previously, are modelled with Gaussian or log-normal constraint terms (nuisance parameters) in the definition of the likelihood function.

Each m_f window of the X candidate jet is fitted independently, but as the mass ranges overlap, the fit results are correlated. In each fit, the normalizations of the multijet backgrounds in the SR1 and SR2 signal regions are treated as free parameters. All of the systematic uncertainties are treated as correlated between the two signal regions.

The data distributions and fit results are shown for three example m_f windows of the X candidate jet in Figs. 3–5. In each case, the left (right) upper plot shows the m_f distribution in the SR1 (SR2) signal region, and the results of the simultaneous fit are superimposed on the plots. Examples of possible signal models are also shown, with arbitrary overall normalization, illustrating the corresponding contributions that would be expected in the SR1 and SR2 regions. The data distributions are well described by the fitted SM background, and there is no significant evidence of a signal. The same conclusion is valid for all m_f windows of the X candidate jet.

The fits to the data are used to set upper limits on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$. Exclusion limits are computed using the CL_s method [64], with a value of μ regarded as excluded at the 95% confidence level (CL) when CL_s is less than 5%. The corresponding limit plots are included in panel (c) of Figs. 3–5.

A summary of the expected and observed 95% CL limits on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$, is given in the two-dimensional plane of $m(Y)$ versus $m(X)$ in Fig. 6. For X mass windows around the V and Higgs boson mass values, the results are found to be compatible with the dedicated ATLAS VH




Fig. 7. Differences between the observed and the expected 95% CL limits on the resonance production cross-section $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$, expressed in terms of multiples of σ , the equivalent Gaussian significance. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

and HH searches reported in Refs. [4] and [9], respectively. To visualize both the magnitude and the sign of discrepancies between the expected and observed limits, Fig. 7 presents the differences between the expected and observed limits, expressed in multiples of σ , the equivalent Gaussian significance. The maximum observed deviation has a local significance of about 2.5σ , corresponding to a global deviation of 1.2σ .

10. Conclusion

A search for new heavy resonances Y decaying into a Higgs boson and a new particle X was carried out using 36.1 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV by ATLAS during the 2015 and 2016 runs of the CERN Large Hadron Collider. The $Y \rightarrow XH \rightarrow q\bar{q}b\bar{b}$ channel was studied using a generic approach in the topological regime where both bosons are highly Lorentz-boosted, and each is reconstructed as a single jet with a large radius parameter. Jet substructure and b -tagging techniques are exploited to tag the X and Higgs bosons and to reduce the dominant multijet background. Values of Y (X) mass in the range of 1 TeV to 4 TeV (50 GeV to 1000 GeV) were considered.

A search for evidence of an excess in the XH mass spectrum was made in a large number of overlapping sliding windows in the mass of the X particle. The data are found to be in agreement with the Standard Model background expectations and only small deviations are observed, with local (global) significance of no more than 2.5σ (1.2σ). Within the framework of a modified Heavy Vector Triplet model, upper limits on the resonance production cross-section $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$ were set at 95% CL in the two-dimensional space of the Y mass versus the X mass.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DRF/IRFU, France; SRNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo

Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT, Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, the Canada Council, CANARIE, CRC, Compute Canada, FQRNT, and the Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex and Idex, ANR, Région Auvergne and Fondation Partager le Savoir, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF, Norway; CERCA Programme Generalitat de Catalunya, Generalitat Valenciana, Spain; the Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [65].

References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, *Phys. Lett. B* 716 (2012) 1, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, *Phys. Lett. B* 716 (2012) 30, arXiv:1207.7235 [hep-ex].
- [3] ATLAS Collaboration, Search for new resonances decaying to a W or Z boson and a Higgs boson in the $\ell^+\ell^-bb$, ℓvbb , and vvb channels with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Lett. B* 765 (2017) 32, arXiv:1607.05621 [hep-ex].
- [4] ATLAS Collaboration, Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $q\bar{q}\ell\ell b\bar{b}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, arXiv:1707.06958 [hep-ex], 2017.
- [5] CMS Collaboration, Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* 77 (2017) 636, arXiv:1707.01303 [hep-ex].
- [6] CMS Collaboration, Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton–proton collisions at $\sqrt{s} = 8$ TeV, *J. High Energy Phys.* 02 (2016) 145, arXiv:1506.01443 [hep-ex].
- [7] CMS Collaboration, Search for massive WH resonances decaying into the ℓvbb final state at $\sqrt{s} = 8$ TeV, *Eur. Phys. J. C* 76 (2016) 237, arXiv:1601.06431 [hep-ex].
- [8] CMS Collaboration, Search for narrow high-mass resonances in proton–proton collisions at $\sqrt{s} = 8$ TeV decaying to a Z and a Higgs boson, *Phys. Lett. B* 748 (2015) 255, arXiv:1502.04994 [hep-ex].
- [9] ATLAS Collaboration, Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* 94 (2016) 052002, arXiv:1606.04782 [hep-ex].
- [10] CMS Collaboration, Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks, *Eur. Phys. J. C* 76 (2016) 371, arXiv:1602.08762 [hep-ex].
- [11] CMS Collaboration, Search for resonant pair production of Higgs bosons decaying to two bottom quark–antiquark pairs in proton–proton collisions at 8 TeV, *Phys. Lett. B* 749 (2015) 560, arXiv:1503.04114 [hep-ex].
- [12] ATLAS Collaboration, Search for new phenomena in dijet events using 37 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV with the ATLAS detector, *Phys. Rev. D* 96 (2017) 052004, arXiv:1703.09127 [hep-ex].
- [13] CMS Collaboration, Search for dijet resonances in proton–proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter and other models, *Phys. Lett. B* 769 (2017) 520, arXiv:1611.03568 [hep-ex].
- [14] CMS Collaboration, Search for low mass vector resonances decaying into quark–antiquark pairs in proton–proton collisions at $\sqrt{s} = 13$ TeV, arXiv:1710.00159 [hep-ex], 2017.
- [15] J. Galloway, A.I. Kagan, A. Martin, A UV complete partially composite-pNGB Higgs, *Phys. Rev. D* 95 (2017) 035038, arXiv:1609.05883 [hep-ph].
- [16] U. Ellwanger, M. Rodriguez-Vazquez, Simultaneous search for extra light and heavy Higgs bosons via cascade decays, arXiv:1707.08522 [hep-ph], 2017.
- [17] K.S. Agashe, et al., LHC signals from cascade decays of warped vector resonances, *J. High Energy Phys.* 05 (2017) 078, arXiv:1612.00047 [hep-ph].
- [18] D. Pappadopulo, A. Thamm, R. Torre, A. Wulzer, Heavy vector triplets: bridging theory and data, *J. High Energy Phys.* 09 (2014) 060, arXiv:1402.4431 [hep-ph].
- [19] J. de Blas, J.M. Lizana, M. Perez-Victoria, Combining searches of Z' and W' bosons, *J. High Energy Phys.* 01 (2013) 166, arXiv:1211.2229 [hep-ph].
- [20] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, *J. Instrum.* 3 (2008) S08003.
- [21] ATLAS Collaboration, ATLAS insertable B-layer technical design report, ATLAS-TDR-19, URL: <https://cds.cern.ch/record/1291633>; ATLAS insertable B-layer technical design report addendum, ATLAS-TDR-19-ADD-1, URL: <https://cds.cern.ch/record/1451888>.
- [22] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, *Eur. Phys. J. C* 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [23] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, *J. High Energy Phys.* 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [24] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, *Comput. Phys. Commun.* 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [25] R.D. Ball, et al., Parton distributions with LHC data, *Nucl. Phys. B* 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [26] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, URL: <https://cds.cern.ch/record/1966419>, 2014.
- [27] S. Frixione, B.R. Webber, Matching NLO QCD computations and parton shower simulations, *J. High Energy Phys.* 06 (2002) 029, arXiv:hep-ph/0204244.
- [28] H.-L. Lai, et al., New parton distributions for collider physics, *Phys. Rev. D* 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [29] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 Physics and Manual, *J. High Energy Phys.* 05 (2006) 026, arXiv:hep-ph/0603175.
- [30] P.Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, *Phys. Rev. D* 82 (2010) 074018, arXiv:1005.3457 [hep-ph].
- [31] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, *J. High Energy Phys.* 07 (2002) 012, arXiv:hep-ph/0201195.
- [32] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, *Comput. Phys. Commun.* 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [33] T. Gleisberg, et al., Event generation with SHERPA 1.1, *J. High Energy Phys.* 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [34] C. Anastasiou, I.J. Dixon, K. Melnikov, F. Petriello, High precision QCD at hadron colliders: electroweak gauge boson rapidity distributions at NNLO, *Phys. Rev. D* 69 (2004) 094008, arXiv:hep-ph/0312266.
- [35] D.J. Lange, The EvtGen particle decay simulation package, *Nucl. Instrum. Methods A* 462 (2001) 152.
- [36] ATLAS Collaboration, Detector level leading track underlying event distributions at 13 TeV measured in ATLAS, ATL-PHYS-PUB-2015-019, URL: <https://cds.cern.ch/record/2037684>, 2015.
- [37] S. Agostinelli, et al., GEANT4: a simulation toolkit, *Nucl. Instrum. Methods A* 506 (2003) 250.
- [38] ATLAS Collaboration, The ATLAS simulation infrastructure, *Eur. Phys. J. C* 70 (2010) 823, arXiv:1005.4568 [hep-ex].
- [39] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, *J. High Energy Phys.* 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [40] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, *Eur. Phys. J. C* 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [41] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, arXiv:1603.02934 [hep-ex], 2016.
- [42] ATLAS Collaboration, Expected performance of boosted Higgs ($\rightarrow b\bar{b}$) boson identification with the ATLAS detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-035, URL: <https://cds.cern.ch/record/2042155>, 2015.
- [43] D. Krohn, J. Thaler, L.-T. Wang, Jet trimming, *J. High Energy Phys.* 02 (2010) 084, arXiv:0912.1342 [hep-ph].
- [44] S. Catani, Y.L. Dokshitzer, M.H. Seymour, B.R. Webber, Longitudinally invariant K_t clustering algorithms for hadron–hadron collisions, *Nucl. Phys. B* 406 (1993) 187.
- [45] ATLAS Collaboration, Jet mass reconstruction with the ATLAS detector in early Run 2 data, ATLAS-CONF-2016-035, URL: <https://cds.cern.ch/record/2200211>, 2016.
- [46] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV, *Eur. Phys. J. C* 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [47] ATLAS Collaboration, Boosted Higgs ($\rightarrow b\bar{b}$) boson identification with the ATLAS detector at $\sqrt{s} = 13$ TeV, ATLAS-CONF-2016-039, URL: <https://cds.cern.ch/record/2206038>, 2016.

- [48] ATLAS Collaboration, Flavor tagging with track-jets in boosted topologies with the ATLAS detector, ATL-PHYS-PUB-2014-013, URL: <https://atlas.web.cern.ch/Atlas/GROUPS/PHYSICS/PUBNOTES/ATL-PHYS-PUB-2014-013>, 2014.
- [49] ATLAS Collaboration, Optimisation of the ATLAS b -tagging performance for the 2016 LHC run, ATL-PHYS-PUB-2016-012, URL: <https://cds.cern.ch/record/2160731>, 2016.
- [50] ATLAS Collaboration, Performance of b -jet identification in the ATLAS experiment, J. Instrum. 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [51] A.J. Larkoski, I. Moult, D. Neill, Power counting to better jet observables, J. High Energy Phys. 12 (2014) 009, arXiv:1409.6298 [hep-ph].
- [52] A.J. Larkoski, I. Moult, D. Neill, Analytic boosted boson discrimination, J. High Energy Phys. 05 (2016) 117, arXiv:1507.03018 [hep-ph].
- [53] ATLAS Collaboration, Performance of top quark and W boson tagging in Run 2 with ATLAS, ATLAS-CONF-2017-064, URL: <https://cds.cern.ch/record/2281054>, 2017.
- [54] ATLAS Collaboration, Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV, Eur. Phys. J. C 76 (2016) 154, arXiv:1510.05821 [hep-ex].
- [55] ATLAS Collaboration, Identification of boosted, hadronically-decaying W and Z bosons in $\sqrt{s} = 13$ TeV Monte Carlo simulations for ATLAS, ATL-PHYS-PUB-2015-033, URL: <https://cds.cern.ch/record/2041461>, 2015.
- [56] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using the 2015 LHC proton–proton collision data, ATLAS-CONF-2016-024, URL: <https://cds.cern.ch/record/2157687>, 2016.
- [57] W. Verkerke, D. Kirkby, The RooFit toolkit for data modeling, arXiv:physics/0306116 [physics.data-an], 2003.
- [58] M. Baak, S. Gadatsch, R. Harrington, W. Verkerke, Interpolation between multi-dimensional histograms using a new non-linear moment morphing method, Nucl. Instrum. Methods A 771 (2015) 39, arXiv:1410.7388 [physics.data-an].
- [59] ATLAS Collaboration, Jet energy measurement and its systematic uncertainty in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Eur. Phys. J. C 75 (2015) 17, arXiv:1406.0076 [hep-ex].
- [60] ATLAS Collaboration, Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s} = 8$ TeV proton–proton collisions using the ATLAS detector, Phys. Rev. D 93 (2016) 032009, arXiv:1510.03818 [hep-ex].
- [61] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 76 (2016) 653, arXiv:1608.03953 [hep-ex].
- [62] ATLAS Collaboration, Performance of jet substructure techniques for large- R jets in proton–proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, J. High Energy Phys. 09 (2013) 076, arXiv:1306.4945 [hep-ex].
- [63] Glen Cowan, Kyle Cranmer, Eilam Gross, Ofer Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an], Erratum: Eur. Phys. J. C 73 (2013) 2501.
- [64] A.L. Read, Presentation of search results: the CL(s) technique, J. Phys. G 28 (2002) 2693.
- [65] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATL-GEN-PUB-2016-002, URL: <https://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

M. Aaboud ^{137d}, G. Aad ⁸⁸, B. Abbott ¹¹⁵, O. Abdinov ^{12,*}, B. Abelsoos ¹¹⁹, S.H. Abidi ¹⁶¹, O.S. AbouZeid ¹³⁹, N.L. Abraham ¹⁵¹, H. Abramowicz ¹⁵⁵, H. Abreu ¹⁵⁴, R. Abreu ¹¹⁸, Y. Abulaiti ^{148a,148b}, B.S. Acharya ^{167a,167b,a}, S. Adachi ¹⁵⁷, L. Adamczyk ^{41a}, J. Adelman ¹¹⁰, M. Adlersberger ¹⁰², T. Adye ¹³³, A.A. Affolder ¹³⁹, Y. Afik ¹⁵⁴, C. Agheorghiesei ^{28c}, J.A. Aguilar-Saavedra ^{128a,128f}, S.P. Ahlen ²⁴, F. Ahmadov ^{68,b}, G. Aielli ^{135a,135b}, S. Akatsuka ⁷¹, H. Akerstedt ^{148a,148b}, T.P.A. Åkesson ⁸⁴, E. Akilli ⁵², A.V. Akimov ⁹⁸, G.L. Alberghi ^{22a,22b}, J. Albert ¹⁷², P. Albicocco ⁵⁰, M.J. Alconada Verzini ⁷⁴, S.C. Alderweireldt ¹⁰⁸, M. Aleksa ³², I.N. Aleksandrov ⁶⁸, C. Alexa ^{28b}, G. Alexander ¹⁵⁵, T. Alexopoulos ¹⁰, M. Alhroob ¹¹⁵, B. Ali ¹³⁰, M. Aliev ^{76a,76b}, G. Alimonti ^{94a}, J. Alison ³³, S.P. Alkire ³⁸, B.M.M. Allbrooke ¹⁵¹, B.W. Allen ¹¹⁸, P.P. Allport ¹⁹, A. Aloisio ^{106a,106b}, A. Alonso ³⁹, F. Alonso ⁷⁴, C. Alpigiani ¹⁴⁰, A.A. Alshehri ⁵⁶, M.I. Alstaty ⁸⁸, B. Alvarez Gonzalez ³², D. Alvarez Piqueras ¹⁷⁰, M.G. Alvaggi ^{106a,106b}, B.T. Amadio ¹⁶, Y. Amaral Coutinho ^{26a}, C. Amelung ²⁵, D. Amidei ⁹², S.P. Amor Dos Santos ^{128a,128c}, S. Amoroso ³², C. Anastopoulos ¹⁴¹, L.S. Ancu ⁵², N. Andari ¹⁹, T. Andeen ¹¹, C.F. Anders ^{60b}, J.K. Anders ⁷⁷, K.J. Anderson ³³, A. Andreazza ^{94a,94b}, V. Andrei ^{60a}, S. Angelidakis ³⁷, I. Angelozzi ¹⁰⁹, A. Angerami ³⁸, A.V. Anisenkov ^{111,c}, N. Anjos ¹³, A. Annovi ^{126a,126b}, C. Antel ^{60a}, M. Antonelli ⁵⁰, A. Antonov ^{100,*}, D.J. Antrim ¹⁶⁶, F. Anulli ^{134a}, M. Aoki ⁶⁹, L. Aperio Bella ³², G. Arabidze ⁹³, Y. Arai ⁶⁹, J.P. Araque ^{128a}, V. Araujo Ferraz ^{26a}, A.T.H. Arce ⁴⁸, R.E. Ardell ⁸⁰, F.A. Arduh ⁷⁴, J-F. Arguin ⁹⁷, S. Argyropoulos ⁶⁶, M. Arik ^{20a}, A.J. Armbruster ³², L.J. Armitage ⁷⁹, O. Arnaez ¹⁶¹, H. Arnold ⁵¹, M. Arratia ³⁰, O. Arslan ²³, A. Artamonov ^{99,*}, G. Artoni ¹²², S. Artz ⁸⁶, S. Asai ¹⁵⁷, N. Asbah ⁴⁵, A. Ashkenazi ¹⁵⁵, L. Asquith ¹⁵¹, K. Assamagan ²⁷, R. Astalos ^{146a}, M. Atkinson ¹⁶⁹, N.B. Atlay ¹⁴³, K. Augsten ¹³⁰, G. Avolio ³², B. Axen ¹⁶, M.K. Ayoub ^{35a}, G. Azuelos ^{97,d}, A.E. Baas ^{60a}, M.J. Baca ¹⁹, H. Bachacou ¹³⁸, K. Bachas ^{76a,76b}, M. Backes ¹²², P. Bagnaia ^{134a,134b}, M. Bahmani ⁴², H. Bahrasemani ¹⁴⁴, J.T. Baines ¹³³, M. Bajic ³⁹, O.K. Baker ¹⁷⁹, P.J. Bakker ¹⁰⁹, E.M. Baldin ^{111,c}, P. Balek ¹⁷⁵, F. Balli ¹³⁸, W.K. Balunas ¹²⁴, E. Banas ⁴², A. Bandyopadhyay ²³, Sw. Banerjee ^{176,e}, A.A.E. Bannoura ¹⁷⁸, L. Barak ¹⁵⁵, E.L. Barberio ⁹¹, D. Barberis ^{53a,53b}, M. Barbero ⁸⁸, T. Barillari ¹⁰³, M-S Barisits ⁶⁵, J.T. Barkeloo ¹¹⁸, T. Barklow ¹⁴⁵, N. Barlow ³⁰, S.L. Barnes ^{36c}, B.M. Barnett ¹³³, R.M. Barnett ¹⁶, Z. Barnovska-Blenessy ^{36a}, A. Baroncelli ^{136a}, G. Barone ²⁵, A.J. Barr ¹²², L. Barranco Navarro ¹⁷⁰, F. Barreiro ⁸⁵, J. Barreiro Guimarães da Costa ^{35a}, R. Bartoldus ¹⁴⁵, A.E. Barton ⁷⁵, P. Bartos ^{146a}, A. Basalaev ¹²⁵, A. Bassalat ^{119,f}, R.L. Bates ⁵⁶, S.J. Batista ¹⁶¹, J.R. Batley ³⁰, M. Battaglia ¹³⁹, M. Bauce ^{134a,134b}, F. Bauer ¹³⁸, K.T. Bauer ¹⁶⁶, H.S. Bawa ^{145,g}, J.B. Beacham ¹¹³, M.D. Beattie ⁷⁵, T. Beau ⁸³, P.H. Beauchemin ¹⁶⁵, P. Bechtle ²³, H.P. Beck ^{18,h}, H.C. Beck ⁵⁷, K. Becker ¹²², M. Becker ⁸⁶, C. Becot ¹¹², A.J. Beddall ^{20e}, A. Beddall ^{20b}, V.A. Bednyakov ⁶⁸, M. Bedognetti ¹⁰⁹, C.P. Bee ¹⁵⁰, T.A. Beermann ³², M. Begalli ^{26a}, M. Begel ²⁷, J.K. Behr ⁴⁵, A.S. Bell ⁸¹, G. Bella ¹⁵⁵, L. Bellagamba ^{22a}, A. Bellerive ³¹, M. Bellomo ¹⁵⁴, K. Belotskiy ¹⁰⁰, O. Beltramello ³², N.L. Belyaev ¹⁰⁰, O. Benary ^{155,*}, D. Benchekroun ^{137a}, M. Bender ¹⁰², N. Benekos ¹⁰, Y. Benhammou ¹⁵⁵,

- E. Benhar Noccioli ¹⁷⁹, J. Benitez ⁶⁶, D.P. Benjamin ⁴⁸, M. Benoit ⁵², J.R. Bensinger ²⁵, S. Bentvelsen ¹⁰⁹,
 L. Beresford ¹²², M. Beretta ⁵⁰, D. Berge ¹⁰⁹, E. Bergeaas Kuutmann ¹⁶⁸, N. Berger ⁵, L.J. Bergsten ²⁵,
 J. Beringer ¹⁶, S. Berlendis ⁵⁸, N.R. Bernard ⁸⁹, G. Bernardi ⁸³, C. Bernius ¹⁴⁵, F.U. Bernlochner ²³, T. Berry ⁸⁰,
 P. Berta ⁸⁶, C. Bertella ^{35a}, G. Bertoli ^{148a, 148b}, I.A. Bertram ⁷⁵, C. Bertsche ⁴⁵, G.J. Besjes ³⁹,
 O. Bessidskaia Bylund ^{148a, 148b}, M. Bessner ⁴⁵, N. Besson ¹³⁸, A. Bethani ⁸⁷, S. Bethke ¹⁰³, A. Betti ²³,
 A.J. Bevan ⁷⁹, J. Beyer ¹⁰³, R.M. Bianchi ¹²⁷, O. Biebel ¹⁰², D. Biedermann ¹⁷, R. Bielski ⁸⁷, K. Bierwagen ⁸⁶,
 N.V. Biesuz ^{126a, 126b}, M. Biglietti ^{136a}, T.R.V. Billoud ⁹⁷, H. Bilokon ⁵⁰, M. Bindi ⁵⁷, A. Bingul ^{20b},
 C. Bini ^{134a, 134b}, S. Biondi ^{22a, 22b}, T. Bisanz ⁵⁷, C. Bittrich ⁴⁷, D.M. Bjergaard ⁴⁸, J.E. Black ¹⁴⁵, K.M. Black ²⁴,
 R.E. Blair ⁶, T. Blazek ^{146a}, I. Bloch ⁴⁵, C. Blocker ²⁵, A. Blue ⁵⁶, U. Blumenschein ⁷⁹, S. Blunier ^{34a},
 G.J. Bobbink ¹⁰⁹, V.S. Bobrovnikov ^{111, c}, S.S. Bocchetta ⁸⁴, A. Bocci ⁴⁸, C. Bock ¹⁰², M. Boehler ⁵¹,
 D. Boerner ¹⁷⁸, D. Bogavac ¹⁰², A.G. Bogdanchikov ¹¹¹, C. Bohm ^{148a}, V. Boisvert ⁸⁰, P. Bokan ^{168, i},
 T. Bold ^{41a}, A.S. Boldyrev ¹⁰¹, A.E. Bolz ^{60b}, M. Bomben ⁸³, M. Bona ⁷⁹, M. Boonekamp ¹³⁸, A. Borisov ¹³²,
 G. Borissov ⁷⁵, J. Bortfeldt ³², D. Bortoletto ¹²², V. Bortolotto ^{62a}, D. Boscherini ^{22a}, M. Bosman ¹³,
 J.D. Bossio Sola ²⁹, J. Boudreau ¹²⁷, E.V. Bouhova-Thacker ⁷⁵, D. Boumediene ³⁷, C. Bourdarios ¹¹⁹,
 S.K. Boutle ⁵⁶, A. Boveia ¹¹³, J. Boyd ³², I.R. Boyko ⁶⁸, A.J. Bozson ⁸⁰, J. Bracinik ¹⁹, A. Brandt ⁸, G. Brandt ⁵⁷,
 O. Brandt ^{60a}, F. Braren ⁴⁵, U. Bratzler ¹⁵⁸, B. Brau ⁸⁹, J.E. Brau ¹¹⁸, W.D. Breaden Madden ⁵⁶,
 K. Brendlinger ⁴⁵, A.J. Brennan ⁹¹, L. Brenner ¹⁰⁹, R. Brenner ¹⁶⁸, S. Bressler ¹⁷⁵, D.L. Briglin ¹⁹,
 T.M. Bristow ⁴⁹, D. Britton ⁵⁶, D. Britzger ⁴⁵, F.M. Brochu ³⁰, I. Brock ²³, R. Brock ⁹³, G. Brooijmans ³⁸,
 T. Brooks ⁸⁰, W.K. Brooks ^{34b}, E. Brost ¹¹⁰, J.H. Broughton ¹⁹, P.A. Bruckman de Renstrom ⁴²,
 D. Bruncko ^{146b}, A. Bruni ^{22a}, G. Bruni ^{22a}, L.S. Bruni ¹⁰⁹, S. Bruno ^{135a, 135b}, BH Brunt ³⁰, M. Bruschi ^{22a},
 N. Bruscino ¹²⁷, P. Bryant ³³, L. Bryngemark ⁴⁵, T. Buanes ¹⁵, Q. Buat ¹⁴⁴, P. Buchholz ¹⁴³, A.G. Buckley ⁵⁶,
 I.A. Budagov ⁶⁸, F. Buehrer ⁵¹, M.K. Bugge ¹²¹, O. Bulekov ¹⁰⁰, D. Bullock ⁸, T.J. Burch ¹¹⁰, S. Burdin ⁷⁷,
 C.D. Burgard ¹⁰⁹, A.M. Burger ⁵, B. Burghgrave ¹¹⁰, K. Burka ⁴², S. Burke ¹³³, I. Burmeister ⁴⁶, J.T.P. Burr ¹²²,
 D. Büscher ⁵¹, V. Büscher ⁸⁶, P. Bussey ⁵⁶, J.M. Butler ²⁴, C.M. Buttar ⁵⁶, J.M. Butterworth ⁸¹, P. Butti ³²,
 W. Buttinger ²⁷, A. Buzatu ¹⁵³, A.R. Buzykaev ^{111, c}, C.-Q. Changqiao ^{36a}, S. Cabrera Urbán ¹⁷⁰,
 D. Caforio ¹³⁰, H. Cai ¹⁶⁹, V.M. Cairo ^{40a, 40b}, O. Cakir ^{4a}, N. Calace ⁵², P. Calafiura ¹⁶, A. Calandri ⁸⁸,
 G. Calderini ⁸³, P. Calfayan ⁶⁴, G. Callea ^{40a, 40b}, L.P. Caloba ^{26a}, S. Calvente Lopez ⁸⁵, D. Calvet ³⁷,
 S. Calvet ³⁷, T.P. Calvet ⁸⁸, R. Camacho Toro ³³, S. Camarda ³², P. Camarri ^{135a, 135b}, D. Cameron ¹²¹,
 R. Caminal Armadans ¹⁶⁹, C. Camincher ⁵⁸, S. Campana ³², M. Campanelli ⁸¹, A. Camplani ^{94a, 94b},
 A. Campoverde ¹⁴³, V. Canale ^{106a, 106b}, M. Cano Bret ^{36c}, J. Cantero ¹¹⁶, T. Cao ¹⁵⁵,
 M.D.M. Capeans Garrido ³², I. Caprini ^{28b}, M. Caprini ^{28b}, M. Capua ^{40a, 40b}, R.M. Carbone ³⁸,
 R. Cardarelli ^{135a}, F. Cardillo ⁵¹, I. Carli ¹³¹, T. Carli ³², G. Carlino ^{106a}, B.T. Carlson ¹²⁷, L. Carminati ^{94a, 94b},
 R.M.D. Carney ^{148a, 148b}, S. Caron ¹⁰⁸, E. Carquin ^{34b}, S. Carrá ^{94a, 94b}, G.D. Carrillo-Montoya ³², D. Casadei ¹⁹,
 M.P. Casado ^{13, j}, A.F. Casha ¹⁶¹, M. Casolino ¹³, D.W. Casper ¹⁶⁶, R. Castelijn ¹⁰⁹, V. Castillo Gimenez ¹⁷⁰,
 N.F. Castro ^{128a, k}, A. Catinaccio ³², J.R. Catmore ¹²¹, A. Cattai ³², J. Caudron ²³, V. Cavaliere ¹⁶⁹,
 E. Cavallaro ¹³, D. Cavalli ^{94a}, M. Cavalli-Sforza ¹³, V. Cavasinni ^{126a, 126b}, E. Celebi ^{20d}, F. Ceradini ^{136a, 136b},
 L. Cerdà Alberich ¹⁷⁰, A.S. Cerqueira ^{26b}, A. Cerri ¹⁵¹, L. Cerrito ^{135a, 135b}, F. Cerutti ¹⁶, A. Cervelli ^{22a, 22b},
 S.A. Cetin ^{20d}, A. Chafaq ^{137a}, D. Chakraborty ¹¹⁰, S.K. Chan ⁵⁹, W.S. Chan ¹⁰⁹, Y.L. Chan ^{62a}, P. Chang ¹⁶⁹,
 J.D. Chapman ³⁰, D.G. Charlton ¹⁹, C.C. Chau ³¹, C.A. Chavez Barajas ¹⁵¹, S. Che ¹¹³, S. Cheatham ^{167a, 167c},
 A. Chegwidden ⁹³, S. Chekanov ⁶, S.V. Chekulaev ^{163a}, G.A. Chelkov ^{68, l}, M.A. Chelstowska ³², C. Chen ^{36a},
 C. Chen ⁶⁷, H. Chen ²⁷, J. Chen ^{36a}, S. Chen ^{35b}, S. Chen ¹⁵⁷, X. Chen ^{35c, m}, Y. Chen ⁷⁰, H.C. Cheng ⁹²,
 H.J. Cheng ^{35a, 35d}, A. Cheplakov ⁶⁸, E. Cheremushkina ¹³², R. Cherkaoui El Moursli ^{137e}, E. Cheu ⁷,
 K. Cheung ⁶³, L. Chevalier ¹³⁸, V. Chiarella ⁵⁰, G. Chiarelli ^{126a, 126b}, G. Chiodini ^{76a}, A.S. Chisholm ³²,
 A. Chitan ^{28b}, Y.H. Chiu ¹⁷², M.V. Chizhov ⁶⁸, K. Choi ⁶⁴, A.R. Chomont ³⁷, S. Chouridou ¹⁵⁶, Y.S. Chow ^{62a},
 V. Christodoulou ⁸¹, M.C. Chu ^{62a}, J. Chudoba ¹²⁹, A.J. Chuinard ⁹⁰, J.J. Chwastowski ⁴², L. Chytka ¹¹⁷,
 A.K. Ciftci ^{4a}, D. Cinca ⁴⁶, V. Cindro ⁷⁸, I.A. Cioara ²³, A. Ciocio ¹⁶, F. Cirotto ^{106a, 106b}, Z.H. Citron ¹⁷⁵,
 M. Citterio ^{94a}, M. Ciubancan ^{28b}, A. Clark ⁵², M.R. Clark ³⁸, P.J. Clark ⁴⁹, R.N. Clarke ¹⁶, C. Clement ^{148a, 148b},
 Y. Coadou ⁸⁸, M. Cobal ^{167a, 167c}, A. Coccaro ⁵², J. Cochran ⁶⁷, L. Colasurdo ¹⁰⁸, B. Cole ³⁸, A.P. Colijn ¹⁰⁹,
 J. Collot ⁵⁸, T. Colombo ¹⁶⁶, P. Conde Muiño ^{128a, 128b}, E. Coniavitis ⁵¹, S.H. Connell ^{147b}, I.A. Connolly ⁸⁷,
 S. Constantinescu ^{28b}, G. Conti ³², F. Conventi ^{106a, n}, M. Cooke ¹⁶, A.M. Cooper-Sarkar ¹²², F. Cormier ¹⁷¹,
 K.J.R. Cormier ¹⁶¹, M. Corradi ^{134a, 134b}, E.E. Corrigan ⁸⁴, F. Corriveau ^{90, o}, A. Cortes-Gonzalez ³²,
 G. Costa ^{94a}, M.J. Costa ¹⁷⁰, D. Costanzo ¹⁴¹, G. Cottin ³⁰, G. Cowan ⁸⁰, B.E. Cox ⁸⁷, K. Cranmer ¹¹²,

- S.J. Crawley 56, R.A. Creager 124, G. Cree 31, S. Crépé-Renaudin 58, F. Crescioli 83, W.A. Cribbs 148a, 148b, M. Cristinziani 23, V. Croft 112, G. Crosetti 40a, 40b, A. Cueto 85, T. Cuhadar Donszelmann 141, A.R. Cukierman 145, J. Cummings 179, M. Curatolo 50, J. Cúth 86, S. Czekierda 42, P. Czodrowski 32, G. D’amen 22a, 22b, S. D’Auria 56, L. D’eramo 83, M. D’Onofrio 77, M.J. Da Cunha Sargedas De Sousa 128a, 128b, C. Da Via 87, W. Dabrowski 41a, T. Dado 146a, T. Dai 92, O. Dale 15, F. Dallaire 97, C. Dallapiccola 89, M. Dam 39, J.R. Dandoy 124, M.F. Daneri 29, N.P. Dang 176, A.C. Daniells 19, N.S. Dann 87, M. Danninger 171, M. Dano Hoffmann 138, V. Dao 150, G. Darbo 53a, S. Darmora 8, J. Dassoulas 3, A. Dattagupta 118, T. Daubney 45, W. Davey 23, C. David 45, T. Davidek 131, D.R. Davis 48, P. Davison 81, E. Dawe 91, I. Dawson 141, K. De 8, R. de Asmundis 106a, A. De Benedetti 115, S. De Castro 22a, 22b, S. De Cecco 83, N. De Groot 108, P. de Jong 109, H. De la Torre 93, F. De Lorenzi 67, A. De Maria 57, D. De Pedis 134a, A. De Salvo 134a, U. De Sanctis 135a, 135b, A. De Santo 151, K. De Vasconcelos Corga 88, J.B. De Vivie De Regie 119, R. Debbe 27, C. Debenedetti 139, D.V. Dedovich 68, N. Dehghanian 3, I. Deigaard 109, M. Del Gaudio 40a, 40b, J. Del Peso 85, D. Delgove 119, F. Deliot 138, C.M. Delitzsch 7, A. Dell’Acqua 32, L. Dell’Asta 24, M. Dell’Orso 126a, 126b, M. Della Pietra 106a, 106b, D. della Volpe 52, M. Delmastro 5, C. Delporte 119, P.A. Delsart 58, D.A. DeMarco 161, S. Demers 179, M. Demichev 68, A. Demilly 83, S.P. Denisov 132, D. Denysiuk 138, D. Derendarz 42, J.E. Derkaoui 137d, F. Derue 83, P. Dervan 77, K. Desch 23, C. Deterre 45, K. Dette 161, M.R. Devesa 29, P.O. Deviveiros 32, A. Dewhurst 133, S. Dhaliwal 25, F.A. Di Bello 52, A. Di Ciaccio 135a, 135b, L. Di Ciaccio 5, W.K. Di Clemente 124, C. Di Donato 106a, 106b, A. Di Girolamo 32, B. Di Girolamo 32, B. Di Micco 136a, 136b, R. Di Nardo 32, K.F. Di Petrillo 59, A. Di Simone 51, R. Di Sipio 161, D. Di Valentino 31, C. Diaconu 88, M. Diamond 161, F.A. Dias 39, M.A. Diaz 34a, E.B. Diehl 92, J. Dietrich 17, S. Díez Cornell 45, A. Dimitrievska 14, J. Dingfelder 23, P. Dita 28b, S. Dita 28b, F. Dittus 32, F. Djama 88, T. Djobava 54b, J.I. Djuvsland 60a, M.A.B. do Vale 26c, M. Dobre 28b, D. Dodsworth 25, C. Doglioni 84, J. Dolejsi 131, Z. Dolezal 131, M. Donadelli 26d, S. Donati 126a, 126b, J. Donini 37, J. Dopke 133, A. Doria 106a, M.T. Dova 74, A.T. Doyle 56, E. Drechsler 57, M. Dris 10, Y. Du 36b, J. Duarte-Campderros 155, F. Dubinin 98, A. Dubreuil 52, E. Duchovni 175, G. Duckeck 102, A. Ducourthial 83, O.A. Duku 97, p, D. Duda 109, A. Dudarev 32, A. Chr. Dudder 86, E.M. Duffield 16, L. Duflot 119, M. Dührssen 32, C. Dulsen 178, M. Dumancic 175, A.E. Dumitriu 28b, A.K. Duncan 56, M. Dunford 60a, A. Duperrin 88, H. Duran Yildiz 4a, M. Düren 55, A. Durglishvili 54b, D. Duschinger 47, B. Dutta 45, D. Duvnjak 1, M. Dyndal 45, B.S. Dziedzic 42, C. Eckardt 45, K.M. Ecker 103, R.C. Edgar 92, T. Eifert 32, G. Eigen 15, K. Einsweiler 16, T. Ekelof 168, M. El Kacimi 137c, R. El Kosseifi 88, V. Ellajosyula 88, M. Ellert 168, S. Elles 5, F. Ellinghaus 178, A.A. Elliot 172, N. Ellis 32, J. Elmsheuser 27, M. Elsing 32, D. Emeliyanov 133, A. Emerman 38, Y. Enari 157, J.S. Ennis 173, M.B. Epland 48, J. Erdmann 46, A. Ereditato 18, M. Ernst 27, S. Errede 169, M. Escalier 119, C. Escobar 170, B. Esposito 50, O. Estrada Pastor 170, A.I. Etienne 138, E. Etzion 155, H. Evans 64, A. Ezhilov 125, M. Ezzi 137e, F. Fabbri 22a, 22b, L. Fabbri 22a, 22b, V. Fabiani 108, G. Facini 81, R.M. Fakhrutdinov 132, S. Falciano 134a, R.J. Falla 81, J. Faltova 32, Y. Fang 35a, M. Fanti 94a, 94b, A. Farbin 8, A. Farilla 136a, E.M. Farina 123a, 123b, T. Farooque 93, S. Farrell 16, S.M. Farrington 173, P. Farthouat 32, F. Fassi 137e, P. Fassnacht 32, D. Fassouliotis 9, M. Faucci Giannelli 49, A. Favareto 53a, 53b, W.J. Fawcett 122, L. Fayard 119, O.L. Fedin 125, q, W. Fedorko 171, S. Feigl 121, L. Feligioni 88, C. Feng 36b, E.J. Feng 32, M. Feng 48, M.J. Fenton 56, A.B. Fenyuk 132, L. Feremenga 8, P. Fernandez Martinez 170, J. Ferrando 45, A. Ferrari 168, P. Ferrari 109, R. Ferrari 123a, D.E. Ferreira de Lima 60b, A. Ferrer 170, D. Ferrere 52, C. Ferretti 92, F. Fiedler 86, A. Filipčič 78, M. Filipuzzi 45, F. Filthaut 108, M. Fincke-Keeler 172, K.D. Finelli 24, M.C.N. Fiolhais 128a, 128c, r, L. Fiorini 170, A. Fischer 2, C. Fischer 13, J. Fischer 178, W.C. Fisher 93, N. Flaschel 45, I. Fleck 143, P. Fleischmann 92, R.R.M. Fletcher 124, T. Flick 178, B.M. Flierl 102, L.R. Flores Castillo 62a, M.J. Flowerdew 103, G.T. Forcolin 87, A. Formica 138, F.A. Förster 13, A. Forti 87, A.G. Foster 19, D. Fournier 119, H. Fox 75, S. Fracchia 141, P. Francavilla 126a, 126b, M. Franchini 22a, 22b, S. Franchino 60a, D. Francis 32, L. Franconi 121, M. Franklin 59, M. Frate 166, M. Fraternali 123a, 123b, D. Freeborn 81, S.M. Fressard-Batraneanu 32, B. Freund 97, D. Froidevaux 32, J.A. Frost 122, C. Fukunaga 158, T. Fusayasu 104, J. Fuster 170, O. Gabizon 154, A. Gabrielli 22a, 22b, A. Gabrielli 16, G.P. Gach 41a, S. Gadatsch 32, S. Gadomski 80, G. Gagliardi 53a, 53b, L.G. Gagnon 97, C. Galea 108, B. Galhardo 128a, 128c, E.J. Gallas 122, B.J. Gallop 133, P. Gallus 130, G. Galster 39, K.K. Gan 113, S. Ganguly 37, Y. Gao 77, Y.S. Gao 145, g, F.M. Garay Walls 34a, C. García 170, J.E. García Navarro 170, J.A. García Pascual 35a, M. Garcia-Sciveres 16, R.W. Gardner 33, N. Garelli 145,

- V. Garonne ¹²¹, A. Gascon Bravo ⁴⁵, K. Gasnikova ⁴⁵, C. Gatti ⁵⁰, A. Gaudiello ^{53a,53b}, G. Gaudio ^{123a}, I.L. Gavrilenko ⁹⁸, C. Gay ¹⁷¹, G. Gaycken ²³, E.N. Gazis ¹⁰, C.N.P. Gee ¹³³, J. Geisen ⁵⁷, M. Geisen ⁸⁶, M.P. Geisler ^{60a}, K. Gellerstedt ^{148a,148b}, C. Gemme ^{53a}, M.H. Genest ⁵⁸, C. Geng ⁹², S. Gentile ^{134a,134b}, C. Gentsos ¹⁵⁶, S. George ⁸⁰, D. Gerbaudo ¹³, G. Geßner ⁴⁶, S. Ghasemi ¹⁴³, M. Ghneimat ²³, B. Giacobbe ^{22a}, S. Giagu ^{134a,134b}, N. Giangiacomi ^{22a,22b}, P. Giannetti ^{126a,126b}, S.M. Gibson ⁸⁰, M. Gignac ¹⁷¹, M. Gilchriese ¹⁶, D. Gillberg ³¹, G. Gilles ¹⁷⁸, D.M. Gingrich ^{3,d}, M.P. Giordani ^{167a,167c}, F.M. Giorgi ^{22a}, P.F. Giraud ¹³⁸, P. Giromini ⁵⁹, G. Giugliarelli ^{167a,167c}, D. Giugni ^{94a}, F. Giulì ¹²², C. Giuliani ¹⁰³, M. Giulini ^{60b}, B.K. Gjelsten ¹²¹, S. Gkaitatzis ¹⁵⁶, I. Gkialas ^{9,s}, E.L. Gkougkousis ¹³, P. Gkountoumis ¹⁰, L.K. Gladilin ¹⁰¹, C. Glasman ⁸⁵, J. Glatzer ¹³, P.C.F. Glaysher ⁴⁵, A. Glazov ⁴⁵, M. Goblirsch-Kolb ²⁵, J. Godlewski ⁴², S. Goldfarb ⁹¹, T. Golling ⁵², D. Golubkov ¹³², A. Gomes ^{128a,128b,128d}, R. Gonçalo ^{128a}, R. Goncalves Gama ^{26a}, J. Goncalves Pinto Firmino Da Costa ¹³⁸, G. Gonella ⁵¹, L. Gonella ¹⁹, A. Gongadze ⁶⁸, J.L. Gonski ⁵⁹, S. González de la Hoz ¹⁷⁰, S. Gonzalez-Sevilla ⁵², L. Goossens ³², P.A. Gorbounov ⁹⁹, H.A. Gordon ²⁷, B. Gorini ³², E. Gorini ^{76a,76b}, A. Gorišek ⁷⁸, A.T. Goshaw ⁴⁸, C. Gössling ⁴⁶, M.I. Gostkin ⁶⁸, C.A. Gottardo ²³, C.R. Goudet ¹¹⁹, D. Goujdami ^{137c}, A.G. Goussiou ¹⁴⁰, N. Govender ^{147b,t}, E. Gozani ¹⁵⁴, I. Grabowska-Bold ^{41a}, P.O.J. Gradin ¹⁶⁸, E.C. Graham ⁷⁷, J. Gramling ¹⁶⁶, E. Gramstad ¹²¹, S. Grancagnolo ¹⁷, V. Gratchev ¹²⁵, P.M. Gravila ^{28f}, C. Gray ⁵⁶, H.M. Gray ¹⁶, Z.D. Greenwood ^{82,u}, C. Grefe ²³, K. Gregersen ⁸¹, I.M. Gregor ⁴⁵, P. Grenier ¹⁴⁵, K. Grevtsov ⁵, J. Griffiths ⁸, A.A. Grillo ¹³⁹, K. Grimm ⁷⁵, S. Grinstein ^{13,v}, Ph. Gris ³⁷, J.-F. Grivaz ¹¹⁹, S. Groh ⁸⁶, E. Gross ¹⁷⁵, J. Grosse-Knetter ⁵⁷, G.C. Grossi ⁸², Z.J. Grout ⁸¹, A. Grummer ¹⁰⁷, L. Guan ⁹², W. Guan ¹⁷⁶, J. Guenther ³², F. Guescini ^{163a}, D. Guest ¹⁶⁶, O. Gueta ¹⁵⁵, B. Gui ¹¹³, E. Guido ^{53a,53b}, T. Guillemain ⁵, S. Guindon ³², U. Gul ⁵⁶, C. Gumpert ³², J. Guo ^{36c}, W. Guo ⁹², Y. Guo ^{36a,w}, R. Gupta ⁴³, S. Gurbuz ^{20a}, G. Gustavino ¹¹⁵, B.J. Gutelman ¹⁵⁴, P. Gutierrez ¹¹⁵, N.G. Gutierrez Ortiz ⁸¹, C. Gutschow ⁸¹, C. Guyot ¹³⁸, M.P. Guzik ^{41a}, C. Gwenlan ¹²², C.B. Gwilliam ⁷⁷, A. Haas ¹¹², C. Haber ¹⁶, H.K. Hadavand ⁸, N. Haddad ^{137e}, A. Hadef ⁸⁸, S. Hageböck ²³, M. Hagihara ¹⁶⁴, H. Hakobyan ^{180,*}, M. Haleem ⁴⁵, J. Haley ¹¹⁶, G. Halladjian ⁹³, G.D. Hallewell ⁸⁸, K. Hamacher ¹⁷⁸, P. Hamal ¹¹⁷, K. Hamano ¹⁷², A. Hamilton ^{147a}, G.N. Hamity ¹⁴¹, P.G. Hamnett ⁴⁵, K. Han ^{36a,x}, L. Han ^{36a}, S. Han ^{35a,35d}, K. Hanagaki ^{69,y}, K. Hanawa ¹⁵⁷, M. Hance ¹³⁹, D.M. Handl ¹⁰², B. Haney ¹²⁴, P. Hanke ^{60a}, J.B. Hansen ³⁹, J.D. Hansen ³⁹, M.C. Hansen ²³, P.H. Hansen ³⁹, K. Hara ¹⁶⁴, A.S. Hard ¹⁷⁶, T. Harenberg ¹⁷⁸, F. Hariri ¹¹⁹, S. Harkusha ⁹⁵, P.F. Harrison ¹⁷³, N.M. Hartmann ¹⁰², Y. Hasegawa ¹⁴², A. Hasib ⁴⁹, S. Hassani ¹³⁸, S. Haug ¹⁸, R. Hauser ⁹³, L. Hauswald ⁴⁷, L.B. Havener ³⁸, M. Havranek ¹³⁰, C.M. Hawkes ¹⁹, R.J. Hawkings ³², D. Hayden ⁹³, C.P. Hays ¹²², J.M. Hays ⁷⁹, H.S. Hayward ⁷⁷, S.J. Haywood ¹³³, T. Heck ⁸⁶, V. Hedberg ⁸⁴, L. Heelan ⁸, S. Heer ²³, K.K. Heidegger ⁵¹, S. Heim ⁴⁵, T. Heim ¹⁶, B. Heinemann ^{45,z}, J.J. Heinrich ¹⁰², L. Heinrich ¹¹², C. Heinz ⁵⁵, J. Hejbal ¹²⁹, L. Helary ³², A. Held ¹⁷¹, S. Hellman ^{148a,148b}, C. Helsens ³², R.C.W. Henderson ⁷⁵, Y. Heng ¹⁷⁶, S. Henkelmann ¹⁷¹, A.M. Henriques Correia ³², S. Henrot-Versille ¹¹⁹, G.H. Herbert ¹⁷, H. Herde ²⁵, V. Herget ¹⁷⁷, Y. Hernández Jiménez ^{147c}, H. Herr ⁸⁶, G. Herten ⁵¹, R. Hertenberger ¹⁰², L. Hervas ³², T.C. Herwig ¹²⁴, G.G. Hesketh ⁸¹, N.P. Hessey ^{163a}, J.W. Hetherly ⁴³, S. Higashino ⁶⁹, E. Higón-Rodriguez ¹⁷⁰, K. Hildebrand ³³, E. Hill ¹⁷², J.C. Hill ³⁰, K.H. Hiller ⁴⁵, S.J. Hillier ¹⁹, M. Hils ⁴⁷, I. Hincliffe ¹⁶, M. Hirose ⁵¹, D. Hirschbuehl ¹⁷⁸, B. Hiti ⁷⁸, O. Hladík ¹²⁹, D.R. Hlaluku ^{147c}, X. Hoad ⁴⁹, J. Hobbs ¹⁵⁰, N. Hod ^{163a}, M.C. Hodgkinson ¹⁴¹, P. Hodgson ¹⁴¹, A. Hoecker ³², M.R. Hoeferkamp ¹⁰⁷, F. Hoenig ¹⁰², D. Hohn ²³, T.R. Holmes ³³, M. Homann ⁴⁶, S. Honda ¹⁶⁴, T. Honda ⁶⁹, T.M. Hong ¹²⁷, B.H. Hooberman ¹⁶⁹, W.H. Hopkins ¹¹⁸, Y. Horii ¹⁰⁵, A.J. Horton ¹⁴⁴, J.-Y. Hostachy ⁵⁸, A. Hostiuc ¹⁴⁰, S. Hou ¹⁵³, A. Hoummada ^{137a}, J. Howarth ⁸⁷, J. Hoya ⁷⁴, M. Hrabovsky ¹¹⁷, J. Hrdinka ³², I. Hristova ¹⁷, J. Hrivnac ¹¹⁹, T. Hrynevich ⁵, A. Hrynevich ⁹⁶, P.J. Hsu ⁶³, S.-C. Hsu ¹⁴⁰, Q. Hu ²⁷, S. Hu ^{36c}, Y. Huang ^{35a}, Z. Hubacek ¹³⁰, F. Hubaut ⁸⁸, F. Huegging ²³, T.B. Huffman ¹²², E.W. Hughes ³⁸, M. Huhtinen ³², R.F.H. Hunter ³¹, P. Huo ¹⁵⁰, N. Huseynov ^{68,b}, J. Huston ⁹³, J. Huth ⁵⁹, R. Hyneman ⁹², G. Iacobucci ⁵², G. Iakovidis ²⁷, I. Ibragimov ¹⁴³, L. Iconomidou-Fayard ¹¹⁹, Z. Idrissi ^{137e}, P. Iengo ³², O. Igolkina ^{109,aa}, T. Iizawa ¹⁷⁴, Y. Ikegami ⁶⁹, M. Ikeno ⁶⁹, Y. Ilchenko ^{11,ab}, D. Iliadis ¹⁵⁶, N. Ilic ¹⁴⁵, F. Iltzsche ⁴⁷, G. Introzzi ^{123a,123b}, P. Ioannou ^{9,*}, M. Iodice ^{136a}, K. Iordanidou ³⁸, V. Ippolito ⁵⁹, M.F. Isacson ¹⁶⁸, N. Ishijima ¹²⁰, M. Ishino ¹⁵⁷, M. Ishitsuka ¹⁵⁹, C. Issever ¹²², S. Istiin ^{20a}, F. Ito ¹⁶⁴, J.M. Iturbe Ponce ^{62a}, R. Iuppa ^{162a,162b}, H. Iwasaki ⁶⁹, J.M. Izen ⁴⁴, V. Izzo ^{106a}, S. Jabbar ³, P. Jackson ¹, R.M. Jacobs ²³, V. Jain ², K.B. Jakobi ⁸⁶, K. Jakobs ⁵¹, S. Jakobsen ⁶⁵, T. Jakoubek ¹²⁹, D.O. Jamin ¹¹⁶, D.K. Jana ⁸², R. Jansky ⁵², J. Janssen ²³, M. Janus ⁵⁷, P.A. Janus ^{41a}, G. Jarlskog ⁸⁴, N. Javadov ^{68,b}, T. Javurek ⁵¹, M. Javurkova ⁵¹, F. Jeanneau ¹³⁸, L. Jeanty ¹⁶,

- J. Jejelava^{54a,ac}, A. Jelinskas¹⁷³, P. Jenni^{51,ad}, C. Jeske¹⁷³, S. Jézéquel⁵, H. Ji¹⁷⁶, J. Jia¹⁵⁰, H. Jiang⁶⁷, Y. Jiang^{36a}, Z. Jiang¹⁴⁵, S. Jiggins⁸¹, J. Jimenez Pena¹⁷⁰, S. Jin^{35b}, A. Jinaru^{28b}, O. Jinnouchi¹⁵⁹, H. Jivan^{147c}, P. Johansson¹⁴¹, K.A. Johns⁷, C.A. Johnson⁶⁴, W.J. Johnson¹⁴⁰, K. Jon-And^{148a,148b}, R.W.L. Jones⁷⁵, S.D. Jones¹⁵¹, S. Jones⁷, T.J. Jones⁷⁷, J. Jongmanns^{60a}, P.M. Jorge^{128a,128b}, J. Jovicevic^{163a}, X. Ju¹⁷⁶, A. Juste Rozas^{13,v}, M.K. Köhler¹⁷⁵, A. Kaczmarska⁴², M. Kado¹¹⁹, H. Kagan¹¹³, M. Kagan¹⁴⁵, S.J. Kahn⁸⁸, T. Kaji¹⁷⁴, E. Kajomovitz¹⁵⁴, C.W. Kalderon⁸⁴, A. Kaluza⁸⁶, S. Kama⁴³, A. Kamenshchikov¹³², N. Kanaya¹⁵⁷, L. Kanjir⁷⁸, V.A. Kantserov¹⁰⁰, J. Kanzaki⁶⁹, B. Kaplan¹¹², L.S. Kaplan¹⁷⁶, D. Kar^{147c}, K. Karakostas¹⁰, N. Karastathis¹⁰, M.J. Kareem^{163b}, E. Karentzos¹⁰, S.N. Karpov⁶⁸, Z.M. Karpova⁶⁸, V. Kartvelishvili⁷⁵, A.N. Karyukhin¹³², K. Kasahara¹⁶⁴, L. Kashif¹⁷⁶, R.D. Kass¹¹³, A. Kastanas¹⁴⁹, Y. Kataoka¹⁵⁷, C. Kato¹⁵⁷, A. Katre⁵², J. Katzy⁴⁵, K. Kawade⁷⁰, K. Kawagoe⁷³, T. Kawamoto¹⁵⁷, G. Kawamura⁵⁷, E.F. Kay⁷⁷, V.F. Kazanin^{111,c}, R. Keeler¹⁷², R. Kehoe⁴³, J.S. Keller³¹, E. Kellermann⁸⁴, J.J. Kempster⁸⁰, J. Kendrick¹⁹, H. Keoshkerian¹⁶¹, O. Kepka¹²⁹, B.P. Kerševan⁷⁸, S. Kersten¹⁷⁸, R.A. Keyes⁹⁰, M. Khader¹⁶⁹, F. Khalil-zada¹², A. Khanov¹¹⁶, A.G. Kharlamov^{111,c}, T. Kharlamova^{111,c}, A. Khodinov¹⁶⁰, T.J. Khoo⁵², V. Khovanskiy^{99,*}, E. Khramov⁶⁸, J. Khubua^{54b,ae}, S. Kido⁷⁰, C.R. Kilby⁸⁰, H.Y. Kim⁸, S.H. Kim¹⁶⁴, Y.K. Kim³³, N. Kimura¹⁵⁶, O.M. Kind¹⁷, B.T. King⁷⁷, D. Kirchmeier⁴⁷, J. Kirk¹³³, A.E. Kiryunin¹⁰³, T. Kishimoto¹⁵⁷, D. Kisielewska^{41a}, V. Kitali⁴⁵, O. Kivernyk⁵, E. Kladiva^{146b}, T. Klapdor-Kleingrothaus⁵¹, M.H. Klein⁹², M. Klein⁷⁷, U. Klein⁷⁷, K. Kleinknecht⁸⁶, P. Klimek¹¹⁰, A. Klimentov²⁷, R. Klingenberg^{46,*}, T. Klingl²³, T. Klioutchnikova³², F.F. Klitzner¹⁰², E.-E. Kluge^{60a}, P. Kluit¹⁰⁹, S. Kluth¹⁰³, E. Knerner⁶⁵, E.B.F.G. Knoops⁸⁸, A. Knue¹⁰³, A. Kobayashi¹⁵⁷, D. Kobayashi⁷³, T. Kobayashi¹⁵⁷, M. Kobel⁴⁷, M. Kocian¹⁴⁵, P. Kodys¹³¹, T. Koffas³¹, E. Koffeman¹⁰⁹, N.M. Köhler¹⁰³, T. Koi¹⁴⁵, M. Kolb^{60b}, I. Koletsou⁵, T. Kondo⁶⁹, N. Kondrashova^{36c}, K. Köneke⁵¹, A.C. König¹⁰⁸, T. Kono^{69,af}, R. Konoplich^{112,ag}, N. Konstantinidis⁸¹, B. Konya⁸⁴, R. Kopeliansky⁶⁴, S. Koperny^{41a}, K. Korcyl⁴², K. Kordas¹⁵⁶, A. Korn⁸¹, I. Korolkov¹³, E.V. Korolkova¹⁴¹, O. Kortner¹⁰³, S. Kortner¹⁰³, T. Kosek¹³¹, V.V. Kostyukhin²³, A. Kotwal⁴⁸, A. Koulouris¹⁰, A. Kourkoumeli-Charalampidi^{123a,123b}, C. Kourkoumelis⁹, E. Kourlitis¹⁴¹, V. Kouskoura²⁷, A.B. Kowalewska⁴², R. Kowalewski¹⁷², T.Z. Kowalski^{41a}, C. Kozakai¹⁵⁷, W. Kozanecki¹³⁸, A.S. Kozhin¹³², V.A. Kramarenko¹⁰¹, G. Kramberger⁷⁸, D. Krasnoperovtsev¹⁰⁰, M.W. Krasny⁸³, A. Krasznahorkay³², D. Krauss¹⁰³, J.A. Kremer^{41a}, J. Kretzschmar⁷⁷, K. Kreutzfeldt⁵⁵, P. Krieger¹⁶¹, K. Krizka¹⁶, K. Kroeninger⁴⁶, H. Kroha¹⁰³, J. Kroll¹²⁹, J. Kroll¹²⁴, J. Kroseberg²³, J. Krstic¹⁴, U. Kruchonak⁶⁸, H. Krüger²³, N. Krumnack⁶⁷, M.C. Kruse⁴⁸, T. Kubota⁹¹, H. Kucuk⁸¹, S. Kuday^{4b}, J.T. Kuechler¹⁷⁸, S. Kuehn³², A. Kugel^{60a}, F. Kuger¹⁷⁷, T. Kuhl⁴⁵, V. Kukhtin⁶⁸, R. Kukla⁸⁸, Y. Kulchitsky⁹⁵, S. Kuleshov^{34b}, Y.P. Kulinich¹⁶⁹, M. Kuna¹¹, T. Kunigo⁷¹, A. Kupco¹²⁹, T. Kupfer⁴⁶, O. Kuprash¹⁵⁵, H. Kurashige⁷⁰, L.L. Kurchaninov^{163a}, Y.A. Kurochkin⁹⁵, M.G. Kurth^{35a,35d}, E.S. Kuwertz¹⁷², M. Kuze¹⁵⁹, J. Kvita¹¹⁷, T. Kwan¹⁷², D. Kyriazopoulos¹⁴¹, A. La Rosa¹⁰³, J.L. La Rosa Navarro^{26d}, L. La Rotonda^{40a,40b}, F. La Ruffa^{40a,40b}, C. Lacasta¹⁷⁰, F. Lacava^{134a,134b}, J. Lacey⁴⁵, D.P.J. Lack⁸⁷, H. Lacker¹⁷, D. Lacour⁸³, E. Ladygin⁶⁸, R. Lafaye⁵, B. Laforge⁸³, T. Lagouri¹⁷⁹, S. Lai⁵⁷, S. Lammers⁶⁴, W. Lampl⁷, E. Lançon²⁷, U. Landgraf⁵¹, M.P.J. Landon⁷⁹, M.C. Lanfermann⁵², V.S. Lang⁴⁵, J.C. Lange¹³, R.J. Langenberg³², A.J. Lankford¹⁶⁶, F. Lanni²⁷, K. Lantzsch²³, A. Lanza^{123a}, A. Lapertosa^{53a,53b}, S. Laplace⁸³, J.F. Laporte¹³⁸, T. Lari^{94a}, F. Lasagni Manghi^{22a,22b}, M. Lassnig³², T.S. Lau^{62a}, P. Laurelli⁵⁰, W. Lavrijzen¹⁶, A.T. Law¹³⁹, P. Laycock⁷⁷, T. Lazovich⁵⁹, M. Lazzaroni^{94a,94b}, B. Le⁹¹, O. Le Dortz⁸³, E. Le Guiriec⁸⁸, E.P. Le Quilleuc¹³⁸, M. LeBlanc⁷, T. LeCompte⁶, F. Ledroit-Guillon⁵⁸, C.A. Lee²⁷, G.R. Lee^{34a}, S.C. Lee¹⁵³, L. Lee⁵⁹, B. Lefebvre⁹⁰, G. Lefebvre⁸³, M. Lefebvre¹⁷², F. Legger¹⁰², C. Leggett¹⁶, G. Lehmann Miotto³², X. Lei⁷, W.A. Leight⁴⁵, M.A.L. Leite^{26d}, R. Leitner¹³¹, D. Lellouch¹⁷⁵, B. Lemmer⁵⁷, K.J.C. Leney⁸¹, T. Lenz²³, B. Lenzi³², R. Leone⁷, S. Leone^{126a,126b}, C. Leonidopoulos⁴⁹, G. Lerner¹⁵¹, C. Leroy⁹⁷, R. Les¹⁶¹, A.A.J. Lesage¹³⁸, C.G. Lester³⁰, M. Levchenko¹²⁵, J. Levêque⁵, D. Levin⁹², L.J. Levinson¹⁷⁵, M. Levy¹⁹, D. Lewis⁷⁹, B. Li^{36a,w}, H. Li¹⁵⁰, L. Li^{36c}, Q. Li^{35a,35d}, Q. Li^{36a}, S. Li⁴⁸, X. Li^{36c}, Y. Li¹⁴³, Z. Liang^{35a}, B. Liberti^{135a}, A. Liblong¹⁶¹, K. Lie^{62c}, W. Liebig¹⁵, A. Limosani¹⁵², C.Y. Lin³⁰, K. Lin⁹³, S.C. Lin¹⁸², T.H. Lin⁸⁶, R.A. Linck⁶⁴, B.E. Lindquist¹⁵⁰, A.E. Lionti⁵², E. Lipeles¹²⁴, A. Lipniacka¹⁵, M. Lisovyi^{60b}, T.M. Liss^{169,ah}, A. Lister¹⁷¹, A.M. Litke¹³⁹, B. Liu⁶⁷, H. Liu⁹², H. Liu²⁷, J.K.K. Liu¹²², J. Liu^{36b}, J.B. Liu^{36a}, K. Liu⁸⁸, L. Liu¹⁶⁹, M. Liu^{36a}, Y.L. Liu^{36a}, Y. Liu^{36a}, M. Livan^{123a,123b}, A. Lleres⁵⁸, J. Llorente Merino^{35a}, S.L. Lloyd⁷⁹, C.Y. Lo^{62b}, F. Lo Sterzo⁴³, E.M. Lobodzinska⁴⁵, P. Loch⁷, F.K. Loebinger⁸⁷, A. Loesle⁵¹, K.M. Loew²⁵, T. Lohse¹⁷, K. Lohwasser¹⁴¹, M. Lokajicek¹²⁹, B.A. Long²⁴,

- J.D. Long ¹⁶⁹, R.E. Long ⁷⁵, L. Longo ^{76a,76b}, K.A. Looper ¹¹³, J.A. Lopez ^{34b}, I. Lopez Paz ¹³, A. Lopez Solis ⁸³,
 J. Lorenz ¹⁰², N. Lorenzo Martinez ⁵, M. Losada ²¹, P.J. Lösel ¹⁰², X. Lou ^{35a}, A. Lounis ¹¹⁹, J. Love ⁶,
 P.A. Love ⁷⁵, H. Lu ^{62a}, N. Lu ⁹², Y.J. Lu ⁶³, H.J. Lubatti ¹⁴⁰, C. Luci ^{134a,134b}, A. Lucotte ⁵⁸, C. Luedtke ⁵¹,
 F. Luehring ⁶⁴, W. Lukas ⁶⁵, L. Luminari ^{134a}, B. Lund-Jensen ¹⁴⁹, M.S. Lutz ⁸⁹, P.M. Luzi ⁸³, D. Lynn ²⁷,
 R. Lysak ¹²⁹, E. Lytken ⁸⁴, F. Lyu ^{35a}, V. Lyubushkin ⁶⁸, H. Ma ²⁷, L.L. Ma ^{36b}, Y. Ma ^{36b}, G. Maccarrone ⁵⁰,
 A. Macchiolo ¹⁰³, C.M. Macdonald ¹⁴¹, B. Maček ⁷⁸, J. Machado Miguens ^{124,128b}, D. Madaffari ¹⁷⁰,
 R. Madar ³⁷, W.F. Mader ⁴⁷, A. Madsen ⁴⁵, N. Madysa ⁴⁷, J. Maeda ⁷⁰, S. Maeland ¹⁵, T. Maeno ²⁷,
 A.S. Maeviskiy ¹⁰¹, V. Magerl ⁵¹, C. Maiani ¹¹⁹, C. Maidantchik ^{26a}, T. Maier ¹⁰², A. Maio ^{128a,128b,128d},
 O. Majersky ^{146a}, S. Majewski ¹¹⁸, Y. Makida ⁶⁹, N. Makovec ¹¹⁹, B. Malaescu ⁸³, Pa. Malecki ⁴²,
 V.P. Maleev ¹²⁵, F. Malek ⁵⁸, U. Mallik ⁶⁶, D. Malon ⁶, C. Malone ³⁰, S. Maltezos ¹⁰, S. Malyukov ³²,
 J. Mamuzic ¹⁷⁰, G. Mancini ⁵⁰, I. Mandić ⁷⁸, J. Maneira ^{128a,128b}, L. Manhaes de Andrade Filho ^{26b},
 J. Manjarres Ramos ⁴⁷, K.H. Mankinen ⁸⁴, A. Mann ¹⁰², A. Manousos ³², B. Mansoulie ¹³⁸, J.D. Mansour ^{35a},
 R. Mantifel ⁹⁰, M. Mantoani ⁵⁷, S. Manzoni ^{94a,94b}, L. Mapelli ³², G. Marceca ²⁹, L. March ⁵²,
 L. Marchese ¹²², G. Marchiori ⁸³, M. Marcisovsky ¹²⁹, C.A. Marin Tobon ³², M. Marjanovic ³⁷,
 D.E. Marley ⁹², F. Marroquim ^{26a}, S.P. Marsden ⁸⁷, Z. Marshall ¹⁶, M.U.F Martensson ¹⁶⁸, S. Marti-Garcia ¹⁷⁰,
 C.B. Martin ¹¹³, T.A. Martin ¹⁷³, V.J. Martin ⁴⁹, B. Martin dit Latour ¹⁵, M. Martinez ^{13,v},
 V.I. Martinez Outschoorn ¹⁶⁹, S. Martin-Haugh ¹³³, V.S. Martoiu ^{28b}, A.C. Martyniuk ⁸¹, A. Marzin ³²,
 L. Masetti ⁸⁶, T. Mashimo ¹⁵⁷, R. Mashinistov ⁹⁸, J. Mäzik ⁸⁷, A.L. Maslennikov ^{111,c}, L.H. Mason ⁹¹,
 L. Massa ^{135a,135b}, P. Mastrandrea ⁵, A. Mastroberardino ^{40a,40b}, T. Masubuchi ¹⁵⁷, P. Mättig ¹⁷⁸,
 J. Maurer ^{28b}, S.J. Maxfield ⁷⁷, D.A. Maximov ^{111,c}, R. Mazini ¹⁵³, I. Maznas ¹⁵⁶, S.M. Mazza ^{94a,94b},
 N.C. Mc Fadden ¹⁰⁷, G. Mc Goldrick ¹⁶¹, S.P. Mc Kee ⁹², A. McCarn ⁹², R.L. McCarthy ¹⁵⁰, T.G. McCarthy ¹⁰³,
 L.I. McClymont ⁸¹, E.F. McDonald ⁹¹, J.A. Mcfayden ³², G. Mchedlidze ⁵⁷, S.J. McMahon ¹³³,
 P.C. McNamara ⁹¹, C.J. McNicol ¹⁷³, R.A. McPherson ^{172,0}, S. Meehan ¹⁴⁰, T.J. Megy ⁵¹, S. Mehlhase ¹⁰²,
 A. Mehta ⁷⁷, T. Meideck ⁵⁸, K. Meier ^{60a}, B. Meirose ⁴⁴, D. Melini ^{170,ai}, B.R. Mellado Garcia ^{147c},
 J.D. Mellenthin ⁵⁷, M. Melo ^{146a}, F. Meloni ¹⁸, A. Melzer ²³, S.B. Menary ⁸⁷, L. Meng ⁷⁷, X.T. Meng ⁹²,
 A. Mengarelli ^{22a,22b}, S. Menke ¹⁰³, E. Meoni ^{40a,40b}, S. Mergelmeyer ¹⁷, C. Merlassino ¹⁸, P. Mermod ⁵²,
 L. Merola ^{106a,106b}, C. Meroni ^{94a}, F.S. Merritt ³³, A. Messina ^{134a,134b}, J. Metcalfe ⁶, A.S. Mete ¹⁶⁶,
 C. Meyer ¹²⁴, J-P. Meyer ¹³⁸, J. Meyer ¹⁰⁹, H. Meyer Zu Theenhausen ^{60a}, F. Miano ¹⁵¹, R.P. Middleton ¹³³,
 S. Miglioranzi ^{53a,53b}, L. Mijović ⁴⁹, G. Mikenberg ¹⁷⁵, M. Mikestikova ¹²⁹, M. Mikuž ⁷⁸, M. Milesi ⁹¹,
 A. Milic ¹⁶¹, D.A. Millar ⁷⁹, D.W. Miller ³³, C. Mills ⁴⁹, A. Milov ¹⁷⁵, D.A. Milstead ^{148a,148b},
 A.A. Minaenko ¹³², Y. Minami ¹⁵⁷, I.A. Minashvili ^{54b}, A.I. Mincer ¹¹², B. Mindur ^{41a}, M. Mineev ⁶⁸,
 Y. Minegishi ¹⁵⁷, Y. Ming ¹⁷⁶, L.M. Mir ¹³, A. Mirto ^{76a,76b}, K.P. Mistry ¹²⁴, T. Mitani ¹⁷⁴, J. Mitrevski ¹⁰²,
 V.A. Mitsou ¹⁷⁰, A. Miucci ¹⁸, P.S. Miyagawa ¹⁴¹, A. Mizukami ⁶⁹, J.U. Mjörnmark ⁸⁴, T. Mkrtchyan ¹⁸⁰,
 M. Mlynarikova ¹³¹, T. Moa ^{148a,148b}, K. Mochizuki ⁹⁷, P. Mogg ⁵¹, S. Mohapatra ³⁸, S. Molander ^{148a,148b},
 R. Moles-Valls ²³, M.C. Mondragon ⁹³, K. Mönig ⁴⁵, J. Monk ³⁹, E. Monnier ⁸⁸, A. Montalbano ¹⁵⁰,
 J. Montejo Berlingen ³², F. Monticelli ⁷⁴, S. Monzani ^{94a,94b}, R.W. Moore ³, N. Morange ¹¹⁹, D. Moreno ²¹,
 M. Moreno Llácer ³², P. Morettini ^{53a}, M. Morgenstern ¹⁰⁹, S. Morgenstern ³², D. Mori ¹⁴⁴, T. Mori ¹⁵⁷,
 M. Morii ⁵⁹, M. Morinaga ¹⁷⁴, V. Morisbak ¹²¹, A.K. Morley ³², G. Mornacchi ³², J.D. Morris ⁷⁹, L. Morvaj ¹⁵⁰,
 P. Moschovakos ¹⁰, M. Mosidze ^{54b}, H.J. Moss ¹⁴¹, J. Moss ^{145,aj}, K. Motohashi ¹⁵⁹, R. Mount ¹⁴⁵,
 E. Mountricha ²⁷, E.J.W. Moyse ⁸⁹, S. Muanza ⁸⁸, F. Mueller ¹⁰³, J. Mueller ¹²⁷, R.S.P. Mueller ¹⁰²,
 D. Muenstermann ⁷⁵, P. Mullen ⁵⁶, G.A. Mullier ¹⁸, F.J. Munoz Sanchez ⁸⁷, W.J. Murray ^{173,133},
 H. Musheghyan ³², M. Muškinja ⁷⁸, C. Mwewa ^{147a}, A.G. Myagkov ^{132,ak}, M. Myska ¹³⁰, B.P. Nachman ¹⁶,
 O. Nackenhorst ⁵², K. Nagai ¹²², R. Nagai ^{69,af}, K. Nagano ⁶⁹, Y. Nagasaka ⁶¹, K. Nagata ¹⁶⁴, M. Nagel ⁵¹,
 E. Nagy ⁸⁸, A.M. Nairz ³², Y. Nakahama ¹⁰⁵, K. Nakamura ⁶⁹, T. Nakamura ¹⁵⁷, I. Nakano ¹¹⁴,
 R.F. Naranjo Garcia ⁴⁵, R. Narayan ¹¹, D.I. Narrias Villar ^{60a}, I. Naryshkin ¹²⁵, T. Naumann ⁴⁵, G. Navarro ²¹,
 R. Nayyar ⁷, H.A. Neal ⁹², P.Yu. Nechaeva ⁹⁸, T.J. Neep ¹³⁸, A. Negri ^{123a,123b}, M. Negrini ^{22a},
 S. Nektarijevic ¹⁰⁸, C. Nellist ⁵⁷, A. Nelson ¹⁶⁶, M.E. Nelson ¹²², S. Nemecek ¹²⁹, P. Nemethy ¹¹²,
 M. Nessi ^{32,al}, M.S. Neubauer ¹⁶⁹, M. Neumann ¹⁷⁸, P.R. Newman ¹⁹, T.Y. Ng ^{62c}, Y.S. Ng ¹⁷,
 T. Nguyen Manh ⁹⁷, R.B. Nickerson ¹²², R. Nicolaïdou ¹³⁸, J. Nielsen ¹³⁹, N. Nikiforou ¹¹,
 V. Nikolaenko ^{132,ak}, I. Nikolic-Audit ⁸³, K. Nikolopoulos ¹⁹, P. Nilsson ²⁷, Y. Ninomiya ⁶⁹, A. Nisati ^{134a},
 N. Nishu ^{36c}, R. Nisius ¹⁰³, I. Nitsche ⁴⁶, T. Nitta ¹⁷⁴, T. Nobe ¹⁵⁷, Y. Noguchi ⁷¹, M. Nomachi ¹²⁰,
 I. Nomidis ³¹, M.A. Nomura ²⁷, T. Nooney ⁷⁹, M. Nordberg ³², N. Norjoharuddeen ¹²², O. Novgorodova ⁴⁷,

- M. Nozaki 69, L. Nozka 117, K. Ntekas 166, E. Nurse 81, F. Nuti 91, K. O’Connor 25, D.C. O’Neil 144,
 A.A. O’Rourke 45, V. O’Shea 56, F.G. Oakham 31,d, H. Oberlack 103, T. Obermann 23, J. Ocariz 83, A. Ochi 70,
 I. Ochoa 38, J.P. Ochoa-Ricoux 34a, S. Oda 73, S. Odaka 69, A. Oh 87, S.H. Oh 48, C.C. Ohm 149, H. Ohman 168,
 H. Oide 53a,53b, H. Okawa 164, Y. Okumura 157, T. Okuyama 69, A. Olariu 28b, L.F. Oleiro Seabra 128a,
 S.A. Olivares Pino 34a, D. Oliveira Damazio 27, M.J.R. Olsson 33, A. Olszewski 42, J. Olszowska 42,
 A. Onofre 128a,128e, K. Onogi 105, P.U.E. Onyisi 11,ab, H. Oppen 121, M.J. Oreglia 33, Y. Oren 155,
 D. Orestano 136a,136b, N. Orlando 62b, R.S. Orr 161, B. Osculati 53a,53b,* R. Ospanov 36a, G. Otero y Garzon 29,
 H. Otono 73, M. Ouchrif 137d, F. Ould-Saada 121, A. Ouraou 138, K.P. Oussoren 109, Q. Ouyang 35a,
 M. Owen 56, R.E. Owen 19, V.E. Ozcan 20a, N. Ozturk 8, K. Pachal 144, A. Pacheco Pages 13,
 L. Pacheco Rodriguez 138, C. Padilla Aranda 13, S. Pagan Griso 16, M. Paganini 179, F. Paige 27, G. Palacino 64,
 S. Palazzo 40a,40b, S. Palestini 32, M. Palka 41b, D. Pallin 37, E. St. Panagiotopoulou 10, I. Panagoulias 10,
 C.E. Pandini 52, J.G. Panduro Vazquez 80, P. Pani 32, S. Panitkin 27, D. Pantea 28b, L. Paolozzi 52,
 Th.D. Papadopoulou 10, K. Papageorgiou 9,s, A. Paramonov 6, D. Paredes Hernandez 179, A.J. Parker 75,
 M.A. Parker 30, K.A. Parker 45, F. Parodi 53a,53b, J.A. Parsons 38, U. Parzefall 51, V.R. Pascuzzi 161,
 J.M. Pasner 139, E. Pasqualucci 134a, S. Passaggio 53a, Fr. Pastore 80, S. Pataraia 86, J.R. Pater 87, T. Pauly 32,
 B. Pearson 103, S. Pedraza Lopez 170, R. Pedro 128a,128b, S.V. Peleganchuk 111,c, O. Penc 129, C. Peng 35a,35d,
 H. Peng 36a, J. Penwell 64, B.S. Peralva 26b, M.M. Perego 138, D.V. Perepelitsa 27, F. Peri 17, L. Perini 94a,94b,
 H. Pernegger 32, S. Perrella 106a,106b, R. Peschke 45, V.D. Peshekhonov 68,* K. Peters 45, R.F.Y. Peters 87,
 B.A. Petersen 32, T.C. Petersen 39, E. Petit 58, A. Petridis 1, C. Petridou 156, P. Petroff 119, E. Petrolo 134a,
 M. Petrov 122, F. Petrucci 136a,136b, N.E. Pettersson 89, A. Peyaud 138, R. Pezoa 34b, F.H. Phillips 93,
 P.W. Phillips 133, G. Piacquadio 150, E. Pianori 173, A. Picazio 89, M.A. Pickering 122, R. Piegala 29,
 J.E. Pilcher 33, A.D. Pilkington 87, M. Pinamonti 135a,135b, J.L. Pinfold 3, H. Pirumov 45, M. Pitt 175,
 L. Plazak 146a, M.-A. Pleier 27, V. Pleskot 86, E. Plotnikova 68, D. Pluth 67, P. Podberezko 111, R. Poettgen 84,
 R. Poggi 123a,123b, L. Poggioli 119, I. Pogrebnyak 93, D. Pohl 23, I. Pokharel 57, G. Polesello 123a, A. Poley 45,
 A. Policicchio 40a,40b, R. Polifka 32, A. Polini 22a, C.S. Pollard 56, V. Polychronakos 27, K. Pommès 32,
 D. Ponomarenko 100, L. Pontecorvo 134a, G.A. Popeneiciu 28d, D.M. Portillo Quintero 83, S. Pospisil 130,
 K. Potamianos 45, I.N. Potrap 68, C.J. Potter 30, H. Potti 11, T. Poulsen 84, J. Poveda 32,
 M.E. Pozo Astigarraga 32, P. Pralavorio 88, A. Pranko 16, S. Prell 67, D. Price 87, M. Primavera 76a, S. Prince 90,
 N. Proklova 100, K. Prokofiev 62c, F. Prokoshin 34b, S. Protopopescu 27, J. Proudfoot 6, M. Przybycien 41a,
 A. Puri 169, P. Puzo 119, J. Qian 92, Y. Qin 87, A. Quadt 57, M. Queitsch-Maitland 45, D. Quilty 56,
 S. Raddum 121, V. Radeka 27, V. Radescu 122, S.K. Radhakrishnan 150, P. Radloff 118, P. Rados 91,
 F. Ragusa 94a,94b, G. Rahal 181, J.A. Raine 87, S. Rajagopalan 27, C. Rangel-Smith 168, T. Rashid 119,
 S. Raspopov 5, M.G. Ratti 94a,94b, D.M. Rauch 45, F. Rauscher 102, S. Rave 86, I. Ravinovich 175,
 J.H. Rawling 87, M. Raymond 32, A.L. Read 121, N.P. Readioff 58, M. Reale 76a,76b, D.M. Rebuzzi 123a,123b
 A. Redelbach 177, G. Redlinger 27, R. Reece 139, R.G. Reed 147c, K. Reeves 44, L. Rehnisch 17, J. Reichert 124,
 A. Reiss 86, C. Rembser 32, H. Ren 35a,35d, M. Rescigno 134a, S. Resconi 94a, E.D. Resseguei 124, S. Rettie 171,
 E. Reynolds 19, O.L. Rezanova 111,c, P. Reznicek 131, R. Rezvani 97, R. Richter 103, S. Richter 81,
 E. Richter-Was 41b, O. Ricken 23, M. Ridel 83, P. Rieck 103, C.J. Riegel 178, J. Rieger 57, O. Rifki 115,
 M. Rijssenbeek 150, A. Rimoldi 123a,123b, M. Rimoldi 18, L. Rinaldi 22a, G. Ripellino 149, B. Ristić 32,
 E. Ritsch 32, I. Riu 13, F. Rizatdinova 116, E. Rizvi 79, C. Rizzi 13, R.T. Roberts 87, S.H. Robertson 90,o,
 A. Robichaud-Veronneau 90, D. Robinson 30, J.E.M. Robinson 45, A. Robson 56, E. Rocco 86, C. Roda 126a,126b,
 Y. Rodina 88,am, S. Rodriguez Bosca 170, A. Rodriguez Perez 13, D. Rodriguez Rodriguez 170, S. Roe 32,
 C.S. Rogan 59, O. Røhne 121, J. Roloff 59, A. Romanouk 100, M. Romano 22a,22b, S.M. Romano Saez 37,
 E. Romero Adam 170, N. Rompotis 77, M. Ronzani 51, L. Roos 83, S. Rosati 134a, K. Rosbach 51, P. Rose 139,
 N.-A. Rosien 57, E. Rossi 106a,106b, L.P. Rossi 53a, J.H.N. Rosten 30, R. Rosten 140, M. Rotaru 28b,
 J. Rothberg 140, D. Rousseau 119, A. Rozanov 88, Y. Rozen 154, X. Ruan 147c, F. Rubbo 145, F. Rühr 51,
 A. Ruiz-Martinez 31, Z. Rurikova 51, N.A. Rusakovich 68, H.L. Russell 90, J.P. Rutherford 7, N. Ruthmann 32,
 E.M. Rüttinger 45, Y.F. Ryabov 125, M. Rybar 169, G. Rybkin 119, S. Ryu 6, A. Ryzhov 132, G.F. Rzechorz 57,
 A.F. Saavedra 152, G. Sabato 109, S. Sacerdoti 29, H.F-W. Sadrozinski 139, R. Sadykov 68, F. Safai Tehrani 134a,
 P. Saha 110, M. Sahinsoy 60a, M. Saimpert 45, M. Saito 157, T. Saito 157, H. Sakamoto 157, Y. Sakurai 174,
 G. Salamanna 136a,136b, J.E. Salazar Loyola 34b, D. Salek 109, P.H. Sales De Bruin 168, D. Salihagic 103,
 A. Salnikov 145, J. Salt 170, D. Salvatore 40a,40b, F. Salvatore 151, A. Salvucci 62a,62b,62c, A. Salzburger 32,

- D. Sammel ⁵¹, D. Sampsonidis ¹⁵⁶, D. Sampsonidou ¹⁵⁶, J. Sánchez ¹⁷⁰, A. Sanchez Pineda ^{167a,167c}, H. Sandaker ¹²¹, R.L. Sandbach ⁷⁹, C.O. Sander ⁴⁵, M. Sandhoff ¹⁷⁸, C. Sandoval ²¹, D.P.C. Sankey ¹³³, M. Sannino ^{53a,53b}, Y. Sano ¹⁰⁵, A. Sansoni ⁵⁰, C. Santoni ³⁷, H. Santos ^{128a}, I. Santoyo Castillo ¹⁵¹, A. Sapronov ⁶⁸, J.G. Saraiva ^{128a,128d}, O. Sasaki ⁶⁹, K. Sato ¹⁶⁴, E. Sauvan ⁵, G. Savage ⁸⁰, P. Savard ^{161,d}, N. Savic ¹⁰³, C. Sawyer ¹³³, L. Sawyer ^{82,u}, C. Sbarra ^{22a}, A. Sbrizzi ^{22a,22b}, T. Scanlon ⁸¹, D.A. Scannicchio ¹⁶⁶, J. Schaarschmidt ¹⁴⁰, P. Schacht ¹⁰³, B.M. Schachtner ¹⁰², D. Schaefer ³³, L. Schaefer ¹²⁴, J. Schaeffer ⁸⁶, S. Schaepe ³², S. Schaetzl ^{60b}, U. Schäfer ⁸⁶, A.C. Schaffer ¹¹⁹, D. Schaile ¹⁰², R.D. Schamberger ¹⁵⁰, V.A. Schegelsky ¹²⁵, D. Scheirich ¹³¹, F. Schenck ¹⁷, M. Schernau ¹⁶⁶, C. Schiavi ^{53a,53b}, S. Schier ¹³⁹, L.K. Schildgen ²³, C. Schillo ⁵¹, M. Schioppa ^{40a,40b}, S. Schlenker ³², K.R. Schmidt-Sommerfeld ¹⁰³, K. Schmieden ³², C. Schmitt ⁸⁶, S. Schmitt ⁴⁵, S. Schmitz ⁸⁶, U. Schnoor ⁵¹, L. Schoeffel ¹³⁸, A. Schoening ^{60b}, B.D. Schoenrock ⁹³, E. Schopf ²³, M. Schott ⁸⁶, J.F.P. Schouwenberg ¹⁰⁸, J. Schovancova ³², S. Schramm ⁵², N. Schuh ⁸⁶, A. Schulte ⁸⁶, M.J. Schultens ²³, H.-C. Schultz-Coulon ^{60a}, M. Schumacher ⁵¹, B.A. Schumm ¹³⁹, Ph. Schune ¹³⁸, A. Schwartzman ¹⁴⁵, T.A. Schwarz ⁹², H. Schweiger ⁸⁷, Ph. Schwemling ¹³⁸, R. Schwienhorst ⁹³, J. Schwindling ¹³⁸, A. Sciandra ²³, G. Sciolla ²⁵, M. Scornajenghi ^{40a,40b}, F. Scuri ^{126a,126b}, F. Scutti ⁹¹, J. Searcy ⁹², P. Seema ²³, S.C. Seidel ¹⁰⁷, A. Seiden ¹³⁹, J.M. Seixas ^{26a}, G. Sekhniaidze ^{106a}, K. Sekhon ⁹², S.J. Sekula ⁴³, N. Semprini-Cesari ^{22a,22b}, S. Senkin ³⁷, C. Serfon ¹²¹, L. Serin ¹¹⁹, L. Serkin ^{167a,167b}, M. Sessa ^{136a,136b}, R. Seuster ¹⁷², H. Severini ¹¹⁵, T. Sfiligoj ⁷⁸, F. Sforza ¹⁶⁵, A. Sfyrla ⁵², E. Shabalina ⁵⁷, N.W. Shaikh ^{148a,148b}, L.Y. Shan ^{35a}, R. Shang ¹⁶⁹, J.T. Shank ²⁴, M. Shapiro ¹⁶, P.B. Shatalov ⁹⁹, K. Shaw ^{167a,167b}, S.M. Shaw ⁸⁷, A. Shcherbakova ^{148a,148b}, C.Y. Shehu ¹⁵¹, Y. Shen ¹¹⁵, N. Sherafati ³¹, A.D. Sherman ²⁴, P. Sherwood ⁸¹, L. Shi ^{153,an}, S. Shimizu ⁷⁰, C.O. Shimmin ¹⁷⁹, M. Shimojima ¹⁰⁴, I.P.J. Shipsey ¹²², S. Shirabe ⁷³, M. Shiyakova ^{68,ao}, J. Shlomi ¹⁷⁵, A. Shmeleva ⁹⁸, D. Shoaleh Saadi ⁹⁷, M.J. Shochet ³³, S. Shojaii ^{94a,94b}, D.R. Shope ¹¹⁵, S. Shrestha ¹¹³, E. Shulga ¹⁰⁰, M.A. Shupe ⁷, P. Sicho ¹²⁹, A.M. Sickles ¹⁶⁹, P.E. Sidebo ¹⁴⁹, E. Sideras Haddad ^{147c}, O. Sidiropoulou ¹⁷⁷, A. Sidoti ^{22a,22b}, F. Siegert ⁴⁷, Dj. Sijacki ¹⁴, J. Silva ^{128a,128d}, S.B. Silverstein ^{148a}, V. Simak ¹³⁰, L. Simic ⁶⁸, S. Simion ¹¹⁹, E. Simioni ⁸⁶, B. Simmons ⁸¹, M. Simon ⁸⁶, P. Sinervo ¹⁶¹, N.B. Sinev ¹¹⁸, M. Sioli ^{22a,22b}, G. Siragusa ¹⁷⁷, I. Siral ⁹², S.Yu. Sivoklokov ¹⁰¹, J. Sjölin ^{148a,148b}, M.B. Skinner ⁷⁵, P. Skubic ¹¹⁵, M. Slater ¹⁹, T. Slavicek ¹³⁰, M. Slawinska ⁴², K. Sliwa ¹⁶⁵, R. Slovak ¹³¹, V. Smakhtin ¹⁷⁵, B.H. Smart ⁵, J. Smiesko ^{146a}, N. Smirnov ¹⁰⁰, S.Yu. Smirnov ¹⁰⁰, Y. Smirnov ¹⁰⁰, L.N. Smirnova ^{101,ap}, O. Smirnova ⁸⁴, J.W. Smith ⁵⁷, M.N.K. Smith ³⁸, R.W. Smith ³⁸, M. Smizanska ⁷⁵, K. Smolek ¹³⁰, A.A. Snesarev ⁹⁸, I.M. Snyder ¹¹⁸, S. Snyder ²⁷, R. Sobie ^{172,0}, F. Socher ⁴⁷, A. Soffer ¹⁵⁵, A. Søgaard ⁴⁹, D.A. Soh ¹⁵³, G. Sokhrannyi ⁷⁸, C.A. Solans Sanchez ³², M. Solar ¹³⁰, E.Yu. Soldatov ¹⁰⁰, U. Soldevila ¹⁷⁰, A.A. Solodkov ¹³², A. Soloshenko ⁶⁸, O.V. Solovyanyov ¹³², V. Solovyev ¹²⁵, P. Sommer ¹⁴¹, H. Son ¹⁶⁵, A. Sopczak ¹³⁰, D. Sosa ^{60b}, C.L. Sotiropoulou ^{126a,126b}, S. Sottocornola ^{123a,123b}, R. Soualah ^{167a,167c}, A.M. Soukharev ^{111,c}, D. South ⁴⁵, B.C. Sowden ⁸⁰, S. Spagnolo ^{76a,76b}, M. Spalla ^{126a,126b}, M. Spangenberg ¹⁷³, F. Spanò ⁸⁰, D. Sperlich ¹⁷, F. Spettel ¹⁰³, T.M. Spieker ^{60a}, R. Spighi ^{22a}, G. Spigo ³², L.A. Spiller ⁹¹, M. Spousta ¹³¹, R.D. St. Denis ^{56,*}, A. Stabile ^{94a}, R. Stamen ^{60a}, S. Stamm ¹⁷, E. Stanecka ⁴², R.W. Stanek ⁶, C. Stanescu ^{136a}, M.M. Stanitzki ⁴⁵, B.S. Stapf ¹⁰⁹, S. Stapnes ¹²¹, E.A. Starchenko ¹³², G.H. Stark ³³, J. Stark ⁵⁸, S.H. Stark ³⁹, P. Staroba ¹²⁹, P. Starovoitov ^{60a}, S. Stärz ³², R. Staszewski ⁴², M. Stegler ⁴⁵, P. Steinberg ²⁷, B. Stelzer ¹⁴⁴, H.J. Stelzer ³², O. Stelzer-Chilton ^{163a}, H. Stenzel ⁵⁵, T.J. Stevenson ⁷⁹, G.A. Stewart ⁵⁶, M.C. Stockton ¹¹⁸, M. Stoebe ⁹⁰, G. Stoica ^{28b}, P. Stolte ⁵⁷, S. Stonjek ¹⁰³, A.R. Stradling ⁸, A. Straessner ⁴⁷, M.E. Stramaglia ¹⁸, J. Strandberg ¹⁴⁹, S. Strandberg ^{148a,148b}, M. Strauss ¹¹⁵, P. Strizenec ^{146b}, R. Ströhmer ¹⁷⁷, D.M. Strom ¹¹⁸, R. Stroynowski ⁴³, A. Strubig ⁴⁹, S.A. Stucci ²⁷, B. Stugu ¹⁵, N.A. Styles ⁴⁵, D. Su ¹⁴⁵, J. Su ¹²⁷, S. Suchek ^{60a}, Y. Sugaya ¹²⁰, M. Suk ¹³⁰, V.V. Sulin ⁹⁸, DMS Sultan ^{162a,162b}, S. Sultansoy ^{4c}, T. Sumida ⁷¹, S. Sun ⁵⁹, X. Sun ³, K. Suruliz ¹⁵¹, C.J.E. Suster ¹⁵², M.R. Sutton ¹⁵¹, S. Suzuki ⁶⁹, M. Svatos ¹²⁹, M. Swiatlowski ³³, S.P. Swift ², I. Sykora ^{146a}, T. Sykora ¹³¹, D. Ta ⁵¹, K. Tackmann ⁴⁵, J. Taenzer ¹⁵⁵, A. Taffard ¹⁶⁶, R. Tafirout ^{163a}, E. Tahirovic ⁷⁹, N. Taiblum ¹⁵⁵, H. Takai ²⁷, R. Takashima ⁷², E.H. Takasugi ¹⁰³, K. Takeda ⁷⁰, T. Takeshita ¹⁴², Y. Takubo ⁶⁹, M. Talby ⁸⁸, A.A. Talyshев ^{111,c}, J. Tanaka ¹⁵⁷, M. Tanaka ¹⁵⁹, R. Tanaka ¹¹⁹, R. Tanioka ⁷⁰, B.B. Tannenwald ¹¹³, S. Tapia Araya ^{34b}, S. Tapprogge ⁸⁶, S. Tarem ¹⁵⁴, G.F. Tartarelli ^{94a}, P. Tas ¹³¹, M. Tasevsky ¹²⁹, T. Tashiro ⁷¹, E. Tassi ^{40a,40b}, A. Tavares Delgado ^{128a,128b}, Y. Tayalati ^{137e}, A.C. Taylor ¹⁰⁷, A.J. Taylor ⁴⁹, G.N. Taylor ⁹¹, P.T.E. Taylor ⁹¹, W. Taylor ^{163b}, P. Teixeira-Dias ⁸⁰, D. Temple ¹⁴⁴, H. Ten Kate ³², P.K. Teng ¹⁵³, J.J. Teoh ¹²⁰, F. Tepel ¹⁷⁸, S. Terada ⁶⁹, K. Terashi ¹⁵⁷, J. Terron ⁸⁵, S. Terzo ¹³, M. Testa ⁵⁰, R.J. Teuscher ^{161,o}, S.J. Thais ¹⁷⁹, T. Theveneaux-Pelzer ⁸⁸, F. Thiele ³⁹,

- J.P. Thomas 19, J. Thomas-Wilske 80, P.D. Thompson 19, A.S. Thompson 56, L.A. Thomsen 179,
 E. Thomson 124, Y. Tian 38, M.J. Tibbetts 16, R.E. Ticse Torres 57, V.O. Tikhomirov 98, aq, Yu.A. Tikhonov 111, c,
 S. Timoshenko 100, P. Tipton 179, S. Tisserant 88, K. Todome 159, S. Todorova-Nova 5, S. Todt 47, J. Tojo 73,
 S. Tokár 146a, K. Tokushuku 69, E. Tolley 113, L. Tomlinson 87, M. Tomoto 105, L. Tompkins 145, ar, K. Toms 107,
 B. Tong 59, P. Tornambe 51, E. Torrence 118, H. Torres 47, E. Torró Pastor 140, J. Toth 88, as, F. Touchard 88,
 D.R. Tovey 141, C.J. Treado 112, T. Trefzger 177, F. Tresoldi 151, A. Tricoli 27, I.M. Trigger 163a,
 S. Trincaz-Duvold 83, M.F. Tripiana 13, W. Trischuk 161, B. Trocmé 58, A. Trofymov 45, C. Troncon 94a,
 M. Trovatelli 172, L. Truong 147b, M. Trzebinski 42, A. Trzupek 42, K.W. Tsang 62a, J.-C.-L. Tseng 122,
 P.V. Tsiareshka 95, N. Tsirintanis 9, S. Tsiskaridze 13, V. Tsiskaridze 51, E.G. Tskhadadze 54a,
 I.I. Tsukerman 99, V. Tsulaia 16, S. Tsuno 69, D. Tsybychev 150, Y. Tu 62b, A. Tudorache 28b, V. Tudorache 28b,
 T.T. Tulbure 28a, A.N. Tuna 59, S. Turchikhin 68, D. Turgeman 175, I. Turk Cakir 4b, at, R. Turra 94a, P.M. Tuts 38,
 G. Ucchielli 22a, 22b, I. Ueda 69, M. Ughetto 148a, 148b, F. Ukegawa 164, G. Unal 32, A. Undrus 27, G. Unel 166,
 F.C. Ungaro 91, Y. Unno 69, K. Uno 157, J. Urban 146b, P. Urquijo 91, P. Urrejola 86, G. Usai 8, J. Usui 69,
 L. Vacavant 88, V. Vacek 130, B. Vachon 90, K.O.H. Vadla 121, A. Vaidya 81, C. Valderanis 102,
 E. Valdes Santurio 148a, 148b, M. Valente 52, S. Valentini 22a, 22b, A. Valero 170, L. Valéry 13, A. Vallier 5,
 J.A. Valls Ferrer 170, W. Van Den Wollenberg 109, H. van der Graaf 109, P. van Gemmeren 6,
 J. Van Nieuwkoop 144, I. van Vulpen 109, M.C. van Woerden 109, M. Vanadia 135a, 135b, W. Vandelli 32,
 A. Vaniachine 160, P. Vankov 109, G. Vardanyan 180, R. Vari 134a, E.W. Varnes 7, C. Varni 53a, 53b, T. Varol 43,
 D. Varouchas 119, A. Vartapetian 8, K.E. Varvell 152, J.G. Vasquez 179, G.A. Vasquez 34b, F. Vazeille 37,
 D. Vazquez Furelos 13, T. Vazquez Schroeder 90, J. Veatch 57, V. Veeraraghavan 7, L.M. Veloce 161,
 F. Veloso 128a, 128c, S. Veneziano 134a, A. Ventura 76a, 76b, M. Venturi 172, N. Venturi 32, V. Vercesi 123a,
 M. Verducci 136a, 136b, W. Verkerke 109, A.T. Vermeulen 109, J.C. Vermeulen 109, M.C. Vetterli 144, d,
 N. Viaux Maira 34b, O. Viazlo 84, I. Vichou 169, *, T. Vickey 141, O.E. Vickey Boeriu 141, G.H.A. Viehhauser 122,
 S. Viel 16, L. Vigani 122, M. Villa 22a, 22b, M. Villaplana Perez 94a, 94b, E. Vilucchi 50, M.G. Vincter 31,
 V.B. Vinogradov 68, A. Vishwakarma 45, C. Vittori 22a, 22b, I. Vivarelli 151, S. Vlachos 10, M. Vogel 178,
 P. Vokac 130, G. Volpi 13, H. von der Schmitt 103, E. von Toerne 23, V. Vorobel 131, K. Vorobev 100,
 M. Vos 170, R. Voss 32, J.H. Vossebeld 77, N. Vranjes 14, M. Vranjes Milosavljevic 14, V. Vrba 130,
 M. Vreeswijk 109, R. Vuillermet 32, I. Vukotic 33, P. Wagner 23, W. Wagner 178, J. Wagner-Kuhr 102,
 H. Wahlberg 74, S. Wahrmund 47, K. Wakamiya 70, J. Walder 75, R. Walker 102, W. Walkowiak 143,
 V. Wallangen 148a, 148b, C. Wang 35b, C. Wang 36b, au, F. Wang 176, H. Wang 16, H. Wang 3, J. Wang 45,
 J. Wang 152, Q. Wang 115, R.-J. Wang 83, R. Wang 6, S.M. Wang 153, T. Wang 38, W. Wang 153, av,
 W. Wang 36a, aw, Z. Wang 36c, C. Wanotayaroj 45, A. Warburton 90, C.P. Ward 30, D.R. Wardrope 81,
 A. Washbrook 49, P.M. Watkins 19, A.T. Watson 19, M.F. Watson 19, G. Watts 140, S. Watts 87, B.M. Waugh 81,
 A.F. Webb 11, S. Webb 86, M.S. Weber 18, S.M. Weber 60a, S.W. Weber 177, S.A. Weber 31, J.S. Webster 6,
 A.R. Weidberg 122, B. Weinert 64, J. Weingarten 57, M. Weirich 86, C. Weiser 51, P.S. Wells 32, T. Wenaus 27,
 T. Wengler 32, S. Wenig 32, N. Wermes 23, M.D. Werner 67, P. Werner 32, M. Wessels 60a, T.D. Weston 18,
 K. Whalen 118, N.L. Whallon 140, A.M. Wharton 75, A.S. White 92, A. White 8, M.J. White 1, R. White 34b,
 D. Whiteson 166, B.W. Whitmore 75, F.J. Wickens 133, W. Wiedenmann 176, M. Wielers 133,
 C. Wiglesworth 39, L.A.M. Wiik-Fuchs 51, A. Wildauer 103, F. Wilk 87, H.G. Wilkens 32, H.H. Williams 124,
 S. Williams 109, C. Willis 93, S. Willocq 89, J.A. Wilson 19, I. Wingerter-Seez 5, E. Winkels 151,
 F. Winkelmeier 118, O.J. Winston 151, B.T. Winter 23, M. Wittgen 145, M. Wobisch 82, u, A. Wolf 86,
 T.M.H. Wolf 109, R. Wolff 88, M.W. Wolter 42, H. Wolters 128a, 128c, V.W.S. Wong 171, N.L. Woods 139,
 S.D. Worm 19, B.K. Wosiek 42, J. Wotschack 32, K.W. Wozniak 42, M. Wu 33, S.L. Wu 176, X. Wu 52, Y. Wu 92,
 T.R. Wyatt 87, B.M. Wynne 49, S. Xella 39, Z. Xi 92, L. Xia 35c, D. Xu 35a, L. Xu 27, T. Xu 138, W. Xu 92,
 B. Yabsley 152, S. Yacoob 147a, D. Yamaguchi 159, Y. Yamaguchi 159, A. Yamamoto 69, S. Yamamoto 157,
 T. Yamanaka 157, F. Yamane 70, M. Yamatani 157, T. Yamazaki 157, Y. Yamazaki 70, Z. Yan 24, H. Yang 36c,
 H. Yang 16, Y. Yang 153, Z. Yang 15, W.-M. Yao 16, Y.C. Yap 45, Y. Yasu 69, E. Yatsenko 5, K.H. Yau Wong 23,
 J. Ye 43, S. Ye 27, I. Yeletskikh 68, E. Yigitbasi 24, E. Yildirim 86, K. Yorita 174, K. Yoshihara 124, C. Young 145,
 C.J.S. Young 32, J. Yu 8, J. Yu 67, S.P.Y. Yuen 23, I. Yusuff 30, ax, B. Zabinski 42, G. Zacharis 10, R. Zaidan 13,
 A.M. Zaitsev 132, ak, N. Zakharchuk 45, J. Zalieckas 15, A. Zaman 150, S. Zambito 59, D. Zanzi 91,
 C. Zeitnitz 178, G. Zemaityte 122, A. Zemla 41a, J.C. Zeng 169, Q. Zeng 145, O. Zenin 132, T. Ženiš 146a,
 D. Zerwas 119, D. Zhang 36b, D. Zhang 92, F. Zhang 176, G. Zhang 36a, aw, H. Zhang 119, J. Zhang 6, L. Zhang 51,

L. Zhang^{36a}, M. Zhang¹⁶⁹, P. Zhang^{35b}, R. Zhang²³, R. Zhang^{36a,au}, X. Zhang^{36b}, Y. Zhang^{35a,35d}, Z. Zhang¹¹⁹, X. Zhao⁴³, Y. Zhao^{36b,x}, Z. Zhao^{36a}, A. Zhemchugov⁶⁸, B. Zhou⁹², C. Zhou¹⁷⁶, L. Zhou⁴³, M. Zhou^{35a,35d}, M. Zhou¹⁵⁰, N. Zhou^{36c}, Y. Zhou⁷, C.G. Zhu^{36b}, H. Zhu^{35a}, J. Zhu⁹², Y. Zhu^{36a}, X. Zhuang^{35a}, K. Zhukov⁹⁸, A. Zibell¹⁷⁷, D. Zieminska⁶⁴, N.I. Zimine⁶⁸, C. Zimmermann⁸⁶, S. Zimmermann⁵¹, Z. Zinonos¹⁰³, M. Zinser⁸⁶, M. Ziolkowski¹⁴³, L. Živković¹⁴, G. Zobernig¹⁷⁶, A. Zoccoli^{22a,22b}, R. Zou³³, M. zur Nedden¹⁷, L. Zwaliński³²

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Physics Department, SUNY Albany, Albany NY, United States

³ Department of Physics, University of Alberta, Edmonton AB, Canada

⁴ ^(a) Department of Physics, Ankara University, Ankara; ^(b) İstanbul Aydin University, İstanbul; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States

⁷ Department of Physics, University of Arizona, Tucson AZ, United States

⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States

⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain

¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States

¹⁷ Department of Physics, Humboldt University, Berlin, Germany

¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

²⁰ ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(d) İstanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(e) Bahçeşehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey

²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia

²² ^(a) INFN Sezione di Bologna; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

²³ Physikalisches Institut, University of Bonn, Bonn, Germany

²⁴ Department of Physics, Boston University, Boston MA, United States

²⁵ Department of Physics, Brandeis University, Waltham MA, United States

²⁶ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; ^(c) Federal University of São João do Rei (UFSJ), São João do Rei; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil

²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States

²⁸ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; ^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; ^(e) University Politehnica Bucharest, Bucharest; ^(f) West University in Timisoara, Timisoara, Romania

²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

³¹ Department of Physics, Carleton University, Ottawa ON, Canada

³² CERN, Geneva, Switzerland

³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States

³⁴ ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

³⁵ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b) Department of Physics, Nanjing University, Jiangsu; ^(c) Physics Department, Tsinghua University, Beijing 100084; ^(d) University of Chinese Academy of Science (UCAS), Beijing, China

³⁶ ^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Anhui; ^(b) School of Physics, Shandong University, Shandong; ^(c) Department of Physics and Astronomy, Key Laboratory for Particle Physics, Astrophysics and Cosmology, Ministry of Education, Shanghai Key Laboratory for Particle Physics and Cosmology, Shanghai Jiao Tong University; Tsung-Dao Lee Institute, China

³⁷ Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France

³⁸ Nevis Laboratory, Columbia University, Irvington NY, United States

³⁹ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark

⁴⁰ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

⁴¹ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland

⁴² Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland

⁴³ Physics Department, Southern Methodist University, Dallas TX, United States

⁴⁴ Physics Department, University of Texas at Dallas, Richardson TX, United States

⁴⁵ DESY, Hamburg and Zeuthen, Germany

⁴⁶ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴⁷ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

⁴⁸ Department of Physics, Duke University, Durham NC, United States

⁴⁹ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁵⁰ INFN e Laboratori Nazionali di Frascati, Frascati, Italy

⁵¹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany

⁵² Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland

⁵³ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy

⁵⁴ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵⁵ II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵⁶ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁷ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

⁵⁸ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France

⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States

⁶⁰ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan

- ⁶² ^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China
- ⁶³ Department of Physics, National Tsing Hua University, Taiwan, Taiwan
- ⁶⁴ Department of Physics, Indiana University, Bloomington IN, United States
- ⁶⁵ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶⁶ University of Iowa, Iowa City IA, United States
- ⁶⁷ Department of Physics and Astronomy, Iowa State University, Ames IA, United States
- ⁶⁸ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁹ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁷⁰ Graduate School of Science, Kobe University, Kobe, Japan
- ⁷¹ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁷² Kyoto University of Education, Kyoto, Japan
- ⁷³ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan
- ⁷⁴ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷⁵ Physics Department, Lancaster University, Lancaster, United Kingdom
- ⁷⁶ ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁷⁷ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- ⁷⁸ Department of Experimental Particle Physics, Jozef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia
- ⁷⁹ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁸⁰ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- ⁸¹ Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁸² Louisiana Tech University, Ruston LA, United States
- ⁸³ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁸⁴ Fysiska institutionen, Lunds universitet, Lund, Sweden
- ⁸⁵ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- ⁸⁶ Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸⁷ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- ⁸⁸ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁸⁹ Department of Physics, University of Massachusetts, Amherst MA, United States
- ⁹⁰ Department of Physics, McGill University, Montreal QC, Canada
- ⁹¹ School of Physics, University of Melbourne, Victoria, Australia
- ⁹² Department of Physics, The University of Michigan, Ann Arbor MI, United States
- ⁹³ Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States
- ⁹⁴ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁹⁵ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
- ⁹⁶ Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus
- ⁹⁷ Group of Particle Physics, University of Montreal, Montreal QC, Canada
- ⁹⁸ P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia
- ⁹⁹ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- ¹⁰⁰ National Research Nuclear University MEPhI, Moscow, Russia
- ¹⁰¹ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- ¹⁰² Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- ¹⁰³ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ¹⁰⁴ Nagasaki Institute of Applied Science, Nagasaki, Japan
- ¹⁰⁵ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- ¹⁰⁶ ^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- ¹⁰⁷ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States
- ¹⁰⁸ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹⁰⁹ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹¹⁰ Department of Physics, Northern Illinois University, DeKalb IL, United States
- ¹¹¹ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- ¹¹² Department of Physics, New York University, New York NY, United States
- ¹¹³ Ohio State University, Columbus OH, United States
- ¹¹⁴ Faculty of Science, Okayama University, Okayama, Japan
- ¹¹⁵ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States
- ¹¹⁶ Department of Physics, Oklahoma State University, Stillwater OK, United States
- ¹¹⁷ Palacky University, RCPTM, Olomouc, Czech Republic
- ¹¹⁸ Center for High Energy Physics, University of Oregon, Eugene OR, United States
- ¹¹⁹ LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France
- ¹²⁰ Graduate School of Science, Osaka University, Osaka, Japan
- ¹²¹ Department of Physics, University of Oslo, Oslo, Norway
- ¹²² Department of Physics, Oxford University, Oxford, United Kingdom
- ¹²³ ^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- ¹²⁴ Department of Physics, University of Pennsylvania, Philadelphia PA, United States
- ¹²⁵ National Research Centre "Kurchatov Institute", B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia
- ¹²⁶ ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ¹²⁷ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States
- ¹²⁸ ^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada; ^(g) Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- ¹²⁹ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- ¹³⁰ Czech Technical University in Prague, Praha, Czech Republic
- ¹³¹ Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic
- ¹³² State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia
- ¹³³ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹³⁴ ^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ¹³⁵ ^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ¹³⁶ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy

- 137 ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; ^(e) Faculté des sciences, Université Mohammed V, Rabat, Morocco
- 138 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- 139 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States
- 140 Department of Physics, University of Washington, Seattle WA, United States
- 141 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- 142 Department of Physics, Shinshu University, Nagano, Japan
- 143 Department Physik, Universität Siegen, Siegen, Germany
- 144 Department of Physics, Simon Fraser University, Burnaby BC, Canada
- 145 SLAC National Accelerator Laboratory, Stanford CA, United States
- 146 ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- 147 ^(a) Department of Physics, University of Cape Town, Cape Town; ^(b) Department of Physics, University of Johannesburg, Johannesburg; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- 148 ^(a) Department of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
- 149 Physics Department, Royal Institute of Technology, Stockholm, Sweden
- 150 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States
- 151 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- 152 School of Physics, University of Sydney, Sydney, Australia
- 153 Institute of Physics, Academia Sinica, Taipei, Taiwan
- 154 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- 155 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- 156 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- 157 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- 158 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- 159 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- 160 Tomsk State University, Tomsk, Russia
- 161 Department of Physics, University of Toronto, Toronto ON, Canada
- 162 ^(a) INFN-TIFPA; ^(b) University of Trento, Trento, Italy
- 163 ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON, Canada
- 164 Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan
- 165 Department of Physics and Astronomy, Tufts University, Medford MA, United States
- 166 Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States
- 167 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- 168 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- 169 Department of Physics, University of Illinois, Urbana IL, United States
- 170 Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Spain
- 171 Department of Physics, University of British Columbia, Vancouver BC, Canada
- 172 Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- 173 Department of Physics, University of Warwick, Coventry, United Kingdom
- 174 Waseda University, Tokyo, Japan
- 175 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- 176 Department of Physics, University of Wisconsin, Madison WI, United States
- 177 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- 178 Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- 179 Department of Physics, Yale University, New Haven CT, United States
- 180 Yerevan Physics Institute, Yerevan, Armenia
- 181 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- 182 Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan

^a Also at Department of Physics, King's College London, London, United Kingdom.

^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

^c Also at Novosibirsk State University, Novosibirsk, Russia.

^d Also at TRIUMF, Vancouver BC, Canada.

^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America.

^f Also at Physics Department, An-Najah National University, Nablus, Palestine.

^g Also at Department of Physics, California State University, Fresno CA, United States of America.

^h Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

ⁱ Also at II Physikalisch Institut, Georg-August-Universität, Göttingen, Germany.

^j Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.

^k Also at Departamento de Física e Astronomia, Faculdade de Ciencias, Universidade do Porto, Portugal.

^l Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.

^m Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.

ⁿ Also at Università di Napoli Parthenope, Napoli, Italy.

^o Also at Institute of Particle Physics (IPP), Canada.

^p Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania.

^q Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.

^r Also at Borough of Manhattan Community College, City University of New York, New York City, United States of America.

^s Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.

^t Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.

^u Also at Louisiana Tech University, Ruston LA, United States of America.

^v Also at Institut Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

^w Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.

^x Also at IAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France.

^y Also at Graduate School of Science, Osaka University, Osaka, Japan.

^z Also at Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany.

- ^{aa} Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.
- ^{ab} Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.
- ^{ac} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
- ^{ad} Also at CERN, Geneva, Switzerland.
- ^{ae} Also at Georgian Technical University (GTU), Tbilisi, Georgia.
- ^{af} Also at Ochanomizu Academic Production, Ochanomizu University, Tokyo, Japan.
- ^{ag} Also at Manhattan College, New York NY, United States of America.
- ^{ah} Also at The City College of New York, New York NY, United States of America.
- ^{ai} Also at Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada, Spain.
- ^{aj} Also at Department of Physics, California State University, Sacramento CA, United States of America.
- ^{ak} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
- ^{al} Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland.
- ^{am} Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain.
- ^{an} Also at School of Physics, Sun Yat-sen University, Guangzhou, China.
- ^{ao} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.
- ^{ap} Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia.
- ^{aq} Also at National Research Nuclear University MEPhI, Moscow, Russia.
- ^{ar} Also at Department of Physics, Stanford University, Stanford CA, United States of America.
- ^{as} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
- ^{at} Also at Giresun University, Faculty of Engineering, Turkey.
- ^{au} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
- ^{av} Also at Department of Physics, Nanjing University, Jiangsu, China.
- ^{aw} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^{ax} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
- * Deceased.