Physics Letters B 713 (2012) 387-407

Contents lists available at SciVerse ScienceDirect

Physics Letters B

www.elsevier.com/locate/physletb



Search for the decay $B_s^0 \rightarrow \mu^+ \mu^-$ with the ATLAS detector $\stackrel{\text{\tiny theta}}{\to}$

ATLAS Collaboration*

ARTICLE INFO

Article history: Received 4 April 2012 Received in revised form 2 June 2012 Accepted 6 June 2012 Available online 12 June 2012

Keywords: B meson Rare decays FCNC ATLAS LHC

Editor: H. Weerts

ABSTRACT

A blind analysis searching for the decay $B_s^0 \rightarrow \mu^+ \mu^-$ has been performed using proton–proton collisions at a centre-of-mass energy of 7 TeV recorded with the ATLAS detector at the LHC. With an integrated luminosity of 2.4 fb⁻¹ no excess of events over the background expectation is found and an upper limit is set on the branching fraction BR($B_s^0 \rightarrow \mu^+ \mu^-$) < 2.2(1.9) × 10⁻⁸ at 95% (90%) confidence level. © 2012 CERN. Published by Elsevier B.V. Open access under CC BY-NC-ND license.

1. Introduction

Flavour changing neutral current processes are highly suppressed in the Standard Model (SM), and therefore their study is of particular interest in the search for new physics. The SM predicts the branching fraction for the decay $B_s^0 \rightarrow \mu^+\mu^-$ to be extremely small: $(3.5\pm0.3)\times10^{-9}$ [1–4]. This process might be substantially enhanced by coupling to non-SM heavy particles, such as those predicted by the Minimal Supersymmetric Standard Model [5–11] and other extensions [12]. Upper limits on this branching fraction, in the range $(0.45-5.1)\times10^{-8}$, have been reported by the D0 [13], CDF [14], CMS [15,16] and LHCb [17,18] Collaborations. This Letter reports the result of a search performed with *pp* collisions corresponding to an integrated luminosity of 2.4 fb⁻¹, collected in the first half of the 2011 data-taking period using the ATLAS detector at the LHC.

The analysis is based on events selected with a di-muon trigger and reconstructed in the ATLAS inner tracking detector and muon spectrometer [19]. Details of the detector, trigger and datasets are discussed in Section 2, together with the preselection criteria.

The $B_s^0 \rightarrow \mu^+ \mu^-$ branching fraction is measured with respect to a prominent reference decay ($B^{\pm} \rightarrow J/\psi K^{\pm}$) in order to minimize systematic uncertainties in the evaluation of the efficiencies and acceptances, while still providing small statistical uncertainties. The branching fraction can be written as

* E-mail address: atlas.publications@cern.ch.

$$BR(B_s^0 \to \mu^+ \mu^-) = BR(B^{\pm} \to J/\psi K^{\pm} \to \mu^+ \mu^- K^{\pm}) \\ \times \frac{f_u}{f_s} \times \frac{N_{\mu^+ \mu^-}}{N_{1/\psi K^{\pm}}} \times \frac{A_{J/\psi K^{\pm}}}{A_{\mu^+ \mu^-}} \frac{\epsilon_{J/\psi K^{\pm}}}{\epsilon_{\mu^+ \mu^-}}, \quad (1)$$

where the right-hand side includes the $B^{\pm} \rightarrow J/\psi K^{\pm} \rightarrow \mu^{+} \mu^{-} K^{\pm}$ branching fraction, the relative production probability of B^{\pm} and B_{s}^{0} f_{u}^{*}/f_{s} taken from previous measurements [20–22], the event yields after background subtraction, and the acceptance and efficiency ratios. The event yields for both signal and reference channels were obtained from signal and sideband (background) regions defined in the invariant-mass spectrum (see Table 1).

The Single Event Sensitivity (SES) corresponds to the $B_s^0 \rightarrow \mu^+\mu^-$ branching fraction which would yield one observed signal event in the data sample:

$$BR(B_s^0 \to \mu^+ \mu^-) = N_{\mu^+ \mu^-} \times SES, \qquad (2)$$

where $N_{\mu^+\mu^-}$ is the number of observed events.

This Letter describes the results of a blind analysis in which the di-muon mass region 5066 to 5666 MeV was removed from the analysis until the procedures for event selection, signal and limit extractions were fully defined. Sections 3.1 to 3.3 discuss the variables used in the event selection, Monte Carlo (MC) tuning and background studies. The final sample of candidates was selected with a multivariate classifier, trained on a fraction of the events from the di-muon invariant-mass sidebands, as discussed in Section 3.4. The relative efficiency and event yields in the reference channel are discussed in Sections 4.1 and 4.2, respectively. The signal extraction is discussed in Section 5 and the corresponding limit on the branching fraction is presented in Section 6.



^{0370-2693 © 2012} CERN, Published by Elsevier B.V. Open access under CC BY-NC-ND license. http://dx.doi.org/10.1016/j.physletb.2012.06.013

According to the SM, the branching fraction $BR(B^0 \rightarrow \mu^+ \mu^-)$ is predicted to be about 30 times smaller than $BR(B_s^0 \rightarrow \mu^+ \mu^-)$ [1,2]. Therefore, despite the increased SES of approximately a factor four due to the absence of the factor f_u/f_s and possible enhancements due to new physics, the sensitivity to this channel is beyond the reach of the current analysis. Hence only a limit on $BR(B_s^0 \rightarrow \mu^+ \mu^-)$ was derived by assuming $BR(B^0 \rightarrow \mu^+ \mu^-)$ to be negligible.

2. ATLAS detector, data and simulation samples

The ATLAS detector¹ consists of three main components: an Inner Detector tracking system (ID) immersed in a 2 T magnetic field, a system of electromagnetic and hadronic calorimeters, and an outer Muon Spectrometer (MS). A full description can be found in [19]. The detector performance characteristics most relevant to this analysis are the vertex-finding and the overall track reconstruction in the ID and MS, together with the ability of the trigger system to record events containing pairs of muons.

The ID provides precise track reconstruction within the pseudorapidity range $|\eta| < 2.5$. It employs a Pixel detector close to the beam pipe, a silicon microstrip detector (SCT) at intermediate radii and a Transition Radiation Tracker (TRT) at outer radii. The innermost Pixel layer is located at a radius of 50.5 mm and plays a key role in precise vertex determination.

The MS comprises separate trigger and high-precision tracking chambers that measure the deflection of muons in a toroidal magnetic field. The precision chambers cover the region $|\eta| < 2.7$ and measure the coordinate in the bending plane. The trigger chambers cover the range $|\eta| < 2.4$ and provide fast coarser measurements in both the bending and non-bending plane.

This analysis is based on a sample of *pp* collisions at $\sqrt{s} =$ 7 TeV, recorded by ATLAS in the period April–August 2011. Trigger and pile-up conditions changed for data taken after this period: the remainder of the 2011 dataset will be included in a future analysis. Data used in the analysis were recorded during stable LHC beam periods. Further data quality requirements were also imposed, notably on the performance of the MS and ID systems. The total integrated luminosity amounts to 2.4 fb⁻¹. This sample has an average of about five primary vertices per event from multiple proton–proton interactions.

A muon trigger [23] was used to select events. In particular, the sample contains events seeded by a Level-1 di-muon trigger which required a transverse momentum $p_T > 4$ GeV for both muon candidates. A full track reconstruction of the muon candidates was performed at the second and third trigger levels, where additional cuts on the di-muon invariant mass $m_{\mu^+\mu^-}$ were applied, loosely selecting events compatible with J/ψ (2500 to 4300 MeV) or B_s^0 (4000 to 8500 MeV) decays into a muon pair.

Events containing candidates for $B_s^0 \rightarrow \mu^+\mu^-$, $B^{\pm} \rightarrow J/\psi K^{\pm} \rightarrow \mu^+\mu^- K^{\pm}$ and, as discussed in Sections 3.2 and 3.3, $B_s^0 \rightarrow J/\psi \phi \rightarrow \mu^+\mu^- K^+ K^-$ were retained for this analysis. After cutting on the mass of the intermediate resonances (1009 MeV $\leq m_{\phi} \leq 1031$ MeV, 2915 MeV $\leq m_{J/\psi} \leq 3175$ MeV) a preselection was applied, based on track properties and the quality of the reconstructed *B* decay vertex. All charged particle tracks reconstructed in the ID were required to have at least one Pixel, six SCT and eight TRT hits. Tracks were required to have $|\eta| < 2.5$ and Table 1

Definition of the signal and sideband regions used in this analysis.

Channel	Signal region	Sideband regions
$B^0_s o \mu^+ \mu^-$	[5066, 5666] MeV	[4766, 5066] MeV
\mathbf{p}^+ , $\mathbf{L}/\mathcal{L}\mathbf{\mu}^+$	[E190 E290] May	[5666, 5966] MeV
$B^- \rightarrow J/\psi K^-$	[5180, 5580] Mev	[5430, 5630] MeV

 $p_{\rm T} > 4$ GeV (> 2.5 GeV) for muon (kaon) candidates. No particle identification was used to distinguish K^{\pm} and π^{\pm} candidates. ID tracks that were matched to reconstructed MS tracks were selected as candidate muons. Decay vertices were formed by combining two, three or four tracks, according to the specific decay process [24]. All *B*-meson properties were computed based on the result of the fit of the tracks to the *B* decay vertex. In order to reject fake track combinations, the fit χ^2 per degree of freedom was required to be less than 2.0 (85% efficient) for $B_s^0 \rightarrow \mu^+\mu^-$ and less than 6.0 (99.5% efficient) for the other channels. All reconstructed *B* candidates were required to satisfy $p_{\rm T}^B > 8.0$ GeV and $|\eta^B| < 2.5$ in order to define our efficiencies and acceptances within a fiducial phase-space volume with as little as possible reliance on MC extrapolations. Signal and sideband regions were defined according to Table 1.

The primary vertex position was obtained from a fit of charged tracks not used in the decay vertex and constrained to the interaction region of the colliding beams. If multiple candidate primary vertices were present, the one closest in *z* to the decay vertex was chosen. After preselection, approximately $2 \times 10^5 B_s^0 \rightarrow \mu^+\mu^-$ and $1.4 \times 10^5 B^\pm \rightarrow J/\psi K^\pm$ candidates were obtained in the signal regions.

Samples of Monte Carlo (MC) events were used for the extraction of acceptance and efficiency ratios. MC samples were produced for the signal channel $B_s^0 \rightarrow \mu^+\mu^-$, the reference channel $B^\pm \rightarrow J/\psi K^\pm (J/\psi \rightarrow \mu^+\mu^-)$ and the control channel $B_s^0 \rightarrow J/\psi \phi$ ($\phi \rightarrow K^+K^-$). These samples were generated with PYTHIA 6.4 [25] using the 2010 ATLAS [24,26] tune. MC events were filtered before detector simulation to ensure the presence of at least one decay of interest, with *B* decay products all satisfying $|\eta| < 2.5$ and $p_T > 2.5(0.5)$ GeV for muons (kaons). An additional sample was generated with a fictitious value of the B_s^0 mass (6500 MeV) and the same parameters as the standard $B_s^0 \rightarrow \mu^+\mu^-$ sample, allowing a check of the full analysis on a signal-free region before unblinding. The ATLAS detector and its response were simulated using GEANT4 [27]. Additional *pp* interactions in the same and nearby bunch crossings (pile-up) were included in the simulation.

3. Event selection

This section describes the expected background composition, the discriminating variables used as input to the multivariate classifier, the tuning of the simulation for the determination of the signal efficiency, the data samples used to estimate the background rejection and the optimization procedure. The signal efficiency was determined from MC samples, re-weighted to account for differences between data and MC simulation of the *B*-meson kinematics. The rejection power was tested using a sub-sample of background events from the sidebands in the di-muon mass spectrum.

3.1. Background composition

Two categories of background were considered: a continuum with a smooth dependence on the di-muon invariant mass, and sources of resonant contributions from mis-reconstructed decays.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point. The *z*-axis is along the beam pipe, the *x*-axis points to the centre of the LHC ring and the *y*-axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity η is defined as $\eta = -\ln[\tan(\theta/2)]$ where θ is the polar angle.

Comparisons of data and MC have shown that the combinatorial background from $b\bar{b} \rightarrow \mu^+\mu^- X$ decays provides a reasonable description for the distributions of the discriminating variables for the events found in the sidebands. The $b\bar{b} \rightarrow \mu^+\mu^- X$ MC sample used is equivalent to about 12 pb⁻¹ of integrated luminosity. Such studies support the procedure of modeling the continuum background through interpolation of the di-muon yield in the sidebands, but do not reach a sufficient statistical precision. Half of the data events in the sidebands (those with odd event numbers) were used to optimize the selection procedure. The remaining events were used for the measurement of the background and for interpolation to the signal region.

Resonant background is due to *B* decay candidates containing either one or two hadrons erroneously identified as muons. Misidentification may be due to punch-through of a hadron to the MS or to decays in flight where the muon carries most of the hadron momentum. In either case the hadron *fakes* the muon signature for the purpose of this analysis. Single-fake events are due to, e.g. $B_s^0 \rightarrow K^+\mu^-\nu$, the charged *K* meson being mis-identified as a muon. Double-fake events are due to two-body hadronic *B* decays $(B \rightarrow hh)$, e.g. $B_s^0 \rightarrow K^+\pi^-$, where both hadrons are mis-identified as muons. MC studies have shown that double-fake events are the main source of resonant background after the selection criteria used in this analysis. The main contribution is from $B_s^0 \rightarrow K^+K^-$, followed by $B^0 \rightarrow \pi^+\pi^-$ and $B^0 \rightarrow K^{\pm}\pi^{\mp}$ [20,28].

The simulation determined the probability for a hadron to be misidentified as a muon to be equal to 2(4)% for π^{\pm} (K^{\pm}), with a relative uncertainty of 20%, validated against control samples in data [29]. The value for charged *K* mesons was averaged over K^+ and K^- and was found consistent with the preliminary results of data-driven studies based on the decay $D^* \rightarrow D^0 \pi \rightarrow K \pi \pi$.

The expected event yield for $B \rightarrow hh$ was obtained from an estimation of the integrated luminosity, acceptance and efficiency. This constitutes a nearly irreducible background in this analysis, due to its resemblance to the actual signal.

3.2. Discriminating variables

Table 2 describes the discriminating variables used in the multivariate classifier. The $B_s^0 \rightarrow \mu^+ \mu^-$ signal is characterized by the separation between the production (primary) and decay (secondary) vertices, as well as the two-body decay topology. These variables exploit such features to discriminate against potential backgrounds: pairs of prompt charged tracks (e.g. L_{xy} , *ct* significance, χ^2_{xy}), as well as pairs of displaced muons originating from $b\bar{b} \rightarrow \mu^+\mu^- X$ processes (e.g. d_0^{max} , d_0^{min}), secondary vertices with additional particles in the final state (e.g. α_{2D} , ΔR , D_{xy}^{min} , D_z^{min}) and non- $b\bar{b}$ processes (e.g. $I_{0.7}$, $p_{\rm T}^{\rm R}$, $p_{\rm I}^{\text{max}}$, $p_{\rm I}^{\text{min}}$).

Fig. 1 shows how the discriminating variables are distributed for signal and background. Among the discriminating variables, isolation ($I_{0,7}$) is expected to have the largest pile-up dependence. In order to minimize this dependence, the definition of $I_{0,7}$ was restricted to only include tracks originating from the primary vertex associated with the *B* decay. This specification makes the selection independent of pile-up, as shown in Fig. 2, where the efficiency of the selection for $B^{\pm} \rightarrow J/\psi K^{\pm}$ is shown for events with different numbers of reconstructed primary vertices, both in sidebandsubtracted data and MC.

The variable $I_{0.7}$ might also be subject to differences between B_s^0 and B^{\pm} in the distributions of the surrounding hadrons, e.g. with harder p_T spectra for kaons produced in association with the B_s^0 in the *b*-quark fragmentation. As predicted by MC, significant differences were observed between $B^{\pm} \rightarrow J/\psi K^{\pm}$ and the control channel $B_s^0 \rightarrow J/\psi \phi$ in the $I_{0.7}$ distribution from data. Within sta-

Table 2

List of the discriminating variables used in this analysis to separate $B_s^0 \rightarrow \mu^+ \mu^$ signal from backgrounds. These variables are based on properties of the decay products, of the reconstructed primary (\vec{x}_{PV}) and secondary (\vec{x}_{SV}) vertices (separated by $\Delta \vec{x} = \vec{x}_{SV} - \vec{x}_{PV}$), the *B*-meson momentum \vec{p}^B and the properties of additional tracks from the underlying event. Variables are listed in order of relevance as ranked by the multivariate classifier used in the final signal/background separation as discussed in Section 3.4.2.

Variable	Description
$ lpha_{2D} $ pointing angle	Absolute value of the angle in the transverse plane
	between $\Delta ec{x}$ and $ec{p}^B$
ΔR	Angle $\sqrt{(\Delta \phi)^2 + (\Delta \eta)^2}$ between $\Delta \vec{x}$ and \vec{p}^B
L_{xy}	Scalar product in the transverse plane of $(\Delta \vec{x} \cdot \vec{p}^B) / \vec{p}_T^B $
ct significance	Proper decay length $ct = L_{xy} \times m_B / p_T^B$ divided by its uncertainty
χ^2_{xy}, χ^2_z	Vertex separation significance $\Delta \vec{x}^T = (\sigma_{\Delta \vec{x}}^2)^{-1} \cdot \Delta \vec{x}$ in (x, y) and z , respectively
$I_{0.7}$ isolation	Ratio of $ \vec{p}_{T}^{B} $ to the sum of $ \vec{p}_{T}^{B} $ and the transverse
	momenta of all tracks with $p_{\rm T} > 0.5$ GeV within a cone
	$\Delta R < 0.7$ from the <i>B</i> direction, excluding <i>B</i> decay
	products
$ d_0^{\max} , d_0^{\min} $	Absolute values of the maximum and minimum impact
	parameter in the transverse plane of the B decay
	products relative to the primary vertex
$ D_{xy}^{\min} , D_z^{\min} $	Absolute values of the minimum distance of closest
-	approach in the xy plane (or along z) of tracks in the
	event to the B vertex
p_{T}^B	B transverse momentum
$p_1^{\text{max}}, p_1^{\text{min}}$	Maximum and minimum momentum of the two muon
6 6	candidates along the B direction

tistical uncertainties, the $I_{0.7}$ distribution from the MC simulation of the control channel $B_s^0 \rightarrow J/\psi\phi$ was verified to be consistent with the corresponding sideband-subtracted signal in data.

3.3. MC re-weighting and comparison to data

Monte Carlo samples were produced for the signal, reference and control channels, with specific requirements on the *B*-meson decay products as described above in Section 2. In order to ensure that the data are reproduced as closely as possible, the simulation was tuned by an iterative re-weighting procedure: a generatorlevel (GL) re-weighting based on simulation, followed by a datadriven (DD) re-weighting.

For the GL re-weighting, additional MC samples were generated without selection on the final states and over a wider range in the *b*-quark kinematics: $|\eta^b| < 4$ and $p_T^b > 2.5$ GeV. These samples allowed a binned (p_T^B, η^B) map of the efficiencies of the generator-level selections to be derived for both the signal and the reference MC. The inverse of such efficiencies was then used to weight events individually, thus correcting the GL biases. These corrections were applied independently to the simulated reference and signal channel samples to correct for the biases in the relative B_s^0/B^{\pm} acceptance induced by the generator-level selection. Possible residual biases were found to be negligible within the fiducial region $|\eta^B| < 2.5$ and $p_T^B > 8.0$ GeV.

Residual (p_T^B, η^B) differences between data and MC were observed after GL re-weighting. These were addressed with the DD re-weighting procedure, based on the comparison of MC events to the large sample of $B^{\pm} \rightarrow J/\psi K^{\pm}$ decays in collision data. In order not to correlate the re-weighting procedure with the yield measurement, only candidates with odd event numbers in the ATLAS dataset were used in this procedure, while the remaining sample was used for the yield measurement.

DD weights were determined by an iterative method, comparing re-weighted MC events with sideband-subtracted $B^{\pm} \rightarrow J/\psi K^{\pm}$ events in data. The procedure was applied separately to the *B*-meson variables $p_{\rm T}^{B}$ and η^{B} due to the limited num-



Fig. 1. Signal (filled histogram) and sideband (empty histogram) distributions for the selection variables described in Table 2. The $B_s^0 \rightarrow \mu^+\mu^-$ signal (normalized to the background histogram) is from simulation and the background is from data in the invariant-mass sidebands.



Fig. 2. Efficiency of the cut $l_{0,7} > 0.83$ as a function of the primary vertex multiplicity for $B^{\pm} \rightarrow J/\psi K^{\pm}$ candidate events from data (filled symbols) and MC simulation (empty symbols). The triangles show the efficiency when including all the tracks in the event, while circles show the same efficiency with the isolation definition used in this analysis.

ber of reconstructed $B^{\pm} \rightarrow J/\psi K^{\pm}$ events in data, deriving the weights:

$$W_{ij}(p_{\rm T}^B, \eta^B) = w_i(p_{\rm T}^B) \times w_j(\eta^B)$$
(3)

where *W* represents the final DD weights, the indices *i* and *j* refer to bins in p_T^B and η^B , and $w_k = N_k^{data}/N_k^{MC}$ is the data-to-MC ratio of the normalized number of entries for each variable. The convergence and the consistency of the procedure, together with the factorization assumption of Eq. (3), were tested with additional MC samples, where intentionally distorted (p_T^B, η^B) spectra were found to converge to the expected distributions. Effects related to the finite resolution in the measured variables were estimated to be smaller than 1% of the bin content and are therefore negligible when compared to statistical uncertainties.

Generator-level biases were addressed by applying the GL reweighting before the DD re-weighting, and by verifying that this correction yields compatible (p_T^B, η^B) spectra for $B_s^0 \rightarrow \mu^+\mu^-$ and $B^{\pm} \rightarrow J/\psi K^{\pm}$ MC samples. Finally, the full re-weighting procedure was applied to $B_s^0 \rightarrow J/\psi \phi$ decays, verifying within statistical uncertainty the consistency of the weights with those from $B^{\pm} \rightarrow J/\psi K^{\pm}$.

Distributions from $B^{\pm} \rightarrow J/\psi K^{\pm}$ in MC simulation and data were compared, after sideband-background subtraction, for all discriminating variables listed in Table 2 and for variables used in the preselection. Agreement between MC and data was found for most of the variables. Fig. 3 shows comparisons for L_{xy} and $I_{0.7}$. Systematic effects associated with the residual data-MC differences are discussed in Section 4. The uncertainties on the GL × DD weights are dominated by systematic uncertainties obtained from the comparison between data and MC. They were propagated through the analysis and included among the systematic uncertainties in the signal extraction, as discussed in Section 5.

3.4. Selection optimization

The optimization of the event selection was performed by maximizing the estimator:

$$\mathcal{P} = \frac{\epsilon_{\rm sig}}{\frac{a}{2} + \sqrt{N_{\rm bkg}}},\tag{4}$$

where $\epsilon_{sig} = A_{\mu^+\mu^-} \epsilon_{\mu^+\mu^-}$ and N_{bkg} are the signal acceptance times efficiency relative to the simulated phase space of the sam-



Fig. 3. Examples of sideband-subtracted data-re-weighted MC comparisons using $B^{\pm} \rightarrow J/\psi K^{\pm}$ decays for two of the most powerful separation variables: (a) L_{xy} and (b) $I_{0,7}$. Uncertainties are statistical only. The lower graph in each case shows the data/MC ratio.

Table 3

Optimal selection variable cuts for the four-variables scan, and resulting analysis performance in terms of signal acceptance times efficiency (ϵ_{sig}), background yield in the signal region (N_{bkg}) and the estimator \mathcal{P} .

-	0					
$ \alpha_{2D} $	ct	I _{0.7}	Δm	ϵ_{sig}	N _{bkg}	\mathcal{P}
< 0.03	> 0.3 mm	> 0.83	$\pm 105 \text{ MeV}$	0.040	9 ± 2	0.010

ples in Section 3.3 (corresponding to the signal efficiency defined for $|\eta^B| < 2.5$ and $p_T^B > 8.0$ GeV) and the background yield for a given set of cuts. The extraction of N_{bkg} is performed by sideband interpolation as described in Section 5. The coefficient *a* was determined by the confidence level (CL) sought in the analysis, with a = 2 for a 95% CL limit. This quantity is specifically designed to optimize the performance of a frequentist limit determination in a counting analysis [30].

First, a simplified optimization procedure was performed on a small set of variables that includes: $|\alpha_{2D}|$, $I_{0.7}$, ct, and width $\pm \Delta m$ of the search window centred around the B_s^0 mass (rounded to 5366 MeV). A four-dimensional scan was performed on the four variables, using odd-numbered events in the sidebands. The optimal selection cuts are shown in Table 3, where the signal efficiency $\mathcal{A}_{\mu^+\mu^-}\epsilon_{\mu^+\mu^-}$, the background estimated from sidebands interpolation and the value of \mathcal{P} are also given. This selection serves as a benchmark for the optimization of the multivariate analysis described in Section 3.4.2.



Fig. 4. Mean and RMS (error bars) of the BDT output in bins of di-muon invariant mass, for background events in the region 5900 to 7000 MeV, with the 6200 to 6800 MeV region not used in the training of the classifier. The BDT used is the one trained for the search of the fictitious 6500 MeV signal.

3.4.1. Categories of invariant-mass resolution

The ability to resolve a small $B_s^0 \rightarrow \mu^+ \mu^-$ signal from the continuum background depends on the width Δm of the search region and is therefore affected by the resolution. The latter varies considerably over different sub-samples of muon pairs measured by ATLAS, due to the increase in multiple scattering and the decrease of the magnetic field integral at large values of $|\eta|$. The nonresonant background invariant-mass distribution was observed to be relatively independent of η . As a consequence, different massresolution categories correspond to different signal-to-background conditions.

In the statistical analysis, regions of different mass resolution and hence signal-to-background ratio were separated in order to optimize them independently. The sample was separated into three categories, defined by the larger pseudorapidity value $|\eta|_{\text{max}}$ of the two muons in each event. The three categories were defined by the intervals $|\eta|_{\text{max}} = 0-1$, 1-1.5 and 1.5-2.5. The corresponding average values of the mass resolution are approximately 60, 80 and 110 MeV, respectively. The relative population of each interval, in $B_s^0 \rightarrow \mu^+\mu^-$ signal MC, amounts to 51%, 24% and 25%.

The same classification, based on $|\eta|_{\text{max}}$, was used for the reference channel $B^{\pm} \rightarrow J/\psi K^{\pm}$, and separate values of the acceptance-times-efficiency ratio were obtained for each category, as discussed in Section 4.1.

3.4.2. Multivariate selection

The selection with optimal cuts was used to validate the multivariate analysis tool used for the final results. The TMVA package [31] implementation of Boosted Decision Trees (BDT) was found to have the best performance and was selected for this analysis. As a first step, it was verified that for fixed values of Δm , the optimal BDT corresponds to selections in the variables α_{2D} , *ct* and $I_{0.7}$ directly comparable to those obtained with the cuts shown in Table 3. Next, the discriminating variables of Table 2 were introduced one-by-one into the BDT, verifying that the multivariate optimization increased the signal efficiency and the value of \mathcal{P} . With the BDT approach the \mathcal{P} estimator improved from $\mathcal{P} = 0.010$ found in the simplified optimization to $\mathcal{P} = 0.016$.

In order to avoid biases in the background interpolation, the BDT selection should be insensitive to the mass of the muon pair. The BDT inputs have no correlation with the invariant mass.

Table 4

BDT output and Δm cuts for each mass-resolution category, optimized according to the method described in the text.

$ \eta _{\max}$ range	0-1.0	1.0-1.5	1.5-2.5
Invariant-mass window [MeV]	±116	±133	±171
BDT output threshold	0.234	0,245	0,270

Residual correlations in the BDT output were studied through the search for a fictitious decay $X \rightarrow \mu^+\mu^-$ with $m_X = 6500$ MeV. A Monte Carlo sample was used to provide reference signal events, while data in the mass intervals 5900 to 6200 MeV and 6800 to 7000 MeV were used as background. The BDT training and selection optimization were consistently performed on odd-numbered events. Fig. 4 shows the BDT output as a function of the di-muon mass, over the sideband regions and the fictitious signal region (6200 to 6800 MeV), which was not used in the optimization. No significant mass dependence was observed.

The optimization of the multivariate analysis was performed in the six-dimensional space of Δm and the BDT output cuts for each of the mass-resolution categories. The independence of the BDT output on $m_{\mu^+\mu^-}$ and the complementarity of the samples allow the factorization of the individual cut efficiencies. Each efficiency curve was interpolated with analytical models, allowing the numerical maximization of \mathcal{P} and yielding the optimal cuts reported in Table 4.

4. Single event sensitivity ingredients

4.1. Relative acceptance and efficiency

The ratio of the acceptance times efficiency products for the charged and neutral decays

$$R_{A\epsilon} = (A_{J/\psi K} \epsilon_{J/\psi K}) / (A_{\mu^+\mu^-} \epsilon_{\mu^+\mu^-})$$

is required for the determination of the SES (Eq. (1)). The same BDT, trained on the B_s^0 signal MC sample and di-muon data sidebands, was used to select both decay modes.

The uncertainty on $R_{A\epsilon}$ is affected by differences between data and MC in the distributions of the discriminating variables. Such differences are reduced by the data-driven corrections applied to the MC *B*-meson kinematics. Furthermore, only deviations that act incoherently between the signal and the reference channel contribute to the uncertainty on $R_{A\epsilon}$. These effects were studied by observing the change in the relative efficiency of the BDT selection when the simulated events were re-weighted by the datato-MC ratio of the distributions of the most sensitive variables in $B^{\pm} \rightarrow J/\psi K^{\pm}$ events. The procedure was performed with the cut on the BDT output fixed at the optimal value for each of the three event categories. Conservatively, the corresponding variations in $R_{A\epsilon}$ were combined linearly and taken as systematic uncertainties.

Due to large correlations between L_{xy} , χ^2_{xy} and ct-significance, correcting for the differences in L_{xy} between data and simulation was found to also effectively remove differences in the other two variables. Therefore only L_{xy} was considered, since it induced the largest deviation in R_{Ae} . Differences in the η and $p_{\rm T}$ distributions of the final state particles, the hit multiplicity in the Pixel detector, and the multiplicity of reconstructed primary vertices were included in the systematic uncertainty evaluation.

Fig. 5 shows the distribution of the BDT output for MC samples of $B_s^0 \rightarrow \mu^+ \mu^-$ and $B^{\pm} \rightarrow J/\psi K^{\pm}$ decays, with a signal-background comparison for $B_s^0 \rightarrow \mu^+ \mu^-$ and a sideband-subtracted data-MC comparison for $B^{\pm} \rightarrow J/\psi K^{\pm}$. As shown in

BDT Output

-0.29

-0.3

-0.31



Fig. 5. Distributions of the response of the BDT classifier. Top: $B_s^0 \to \mu^+ \mu^- \text{ MC}$ sample (squares) and data sidebands (circles); bottom: $B^{\pm} \to J/\psi K^{\pm}$ events from tuned MC samples (triangles) and sideband-subtracted data (stars).

Table 5

Values of the acceptance-times-efficiency ratio $R_{A\epsilon}$ between reference and search channel, shown separately for the different categories in mass resolution.

$ \eta _{\rm max}$ range	$R^i_{A\epsilon}$	Δ % stat.	Δ % syst.
0-1.0	0.274	3.1	3.1
1.0-1.5	0.202	4.8	5.5
1.5-2.5	0.143	5.3	5.9

Table 4, the selection required the BDT output to exceed 0.23–0.27, depending on the mass-resolution category. The systematic uncertainties induce a fractional change in the number of events passing the BDT cut varying between 10% and 20% depending on the category. This change is highly correlated between the two channels: the corresponding variation on the efficiency ratio is 0.6%, which was taken as a systematic uncertainty and is smaller than the $\pm 2.3\%$ error due to the finite MC statistics.

The value of $R_{A\epsilon}$ and its systematic uncertainties (shown in Table 5) were derived separately in the three mass-resolution categories. The MC-based efficiency was compared with that from $B^{\pm} \rightarrow J/\psi K^{\pm}$ data, computing the efficiency of the BDT cut relative to the preselection. The results are of similar precision and fully consistent: 0.258 \pm 0.013(stat) for the data and 0.234 \pm 0.014(stat) \pm 0.011(syst) for MC.

Additional smaller contributions to the uncertainty on $R_{A\epsilon}$ are due to the data–MC discrepancy in vertex reconstruction efficiency (±2%) [24], the uncertainty on the absolute K^{\pm} reconstruction efficiency as derived from simulation of the $B^{\pm} \rightarrow J/\psi K^{\pm}$ reference



Fig. 6. $J/\psi K^{\pm}$ mass distribution for all the B^{\pm} candidates from even-numbered events passing all the selection cuts, merged for illustration purposes. Curves in the plot correspond to the various fit components: two Gaussians with a common mean for the main peak, a single Gaussian with higher mean for the $B^{\pm} \rightarrow J/\psi \pi^{\pm}$ decay, a falling exponential for the continuum background and an exponential function multiplying a complementary error function for the partially reconstructed decays.

e (5							
			~					

Table

Event yield for even-numbered	candidates ir	i the	reference	channel.
-------------------------------	---------------	-------	-----------	----------

$ \eta _{\rm max}$ range	0-1.0	1.0-1.5	1.5–2.5
$B^{\pm} ightarrow J/\psi K^{\pm} ightarrow \mu^{+} \mu^{-} K^{\pm}$	4300	1410	1130
statistical uncertainty	$\pm 1.6\%$	$\pm 2.8\%$	$\pm 3.0\%$
systematic uncertainty	$\pm 2.9\%$	$\pm 7.4\%$	$\pm 14.1\%$

channel (\pm 5%) and asymmetry differences in detector response to K^+ and K^- mesons (\pm 1%).

4.2. $B^{\pm} \rightarrow J/\psi K^{\pm}$ event yield

The reference channel yield $N_{J/\psi K^{\pm}}$ was determined from a binned likelihood fit to the invariant-mass distribution of the $\mu^+\mu^-K^{\pm}$ system, performed in the mass range 4930–5630 MeV. To avoid any bias induced by the DD re-weighting of the MC samples discussed in Section 3.3, only even-numbered events were used in the extraction of the $B^{\pm} \rightarrow J/\psi K^{\pm}$ event yield. The B^{\pm} signal was modelled with two Gaussian distributions of equal mean value. The background was modelled with the sum of: (a) an exponential function for the continuum combinatorial background; (b) an exponential function multiplied by a complementary error function describing the low-mass (m < 5200 MeV) contribution for partially reconstructed decays (such as $B \rightarrow J/\psi K^*$, $B \rightarrow J/\psi K(1270)$ and $B \rightarrow \chi_c K$); and (c) a Gaussian function for the background from $B^{\pm} \rightarrow J/\psi \pi^{\pm}$. Fig. 6 shows the invariant-mass distribution and the result of the fit for the selected data sample.

All parameters describing the signal and background were determined from the fit, with the exception of the mass and the width of the last component (c), which were obtained from simulation. The fit was performed for each of the three categories of mass resolution.

Systematic uncertainties affecting the extracted reference yield were estimated by varying the fit model: use of different bin sizes (10 or 25 MeV and unbinned), different models for signal and continuum background, inclusion of event-wise di-muon mass resolution. The resulting B^{\pm} yields are given with their statistical and systematic uncertainties in Table 6.

5. Inputs to the limit extraction

The evaluation of the SES requires as input the combined branching fraction for the reference channel $B^{\pm} \rightarrow J/\psi K^{\pm} \rightarrow \mu^{+}\mu^{-}K^{\pm}$, which is $(6.01 \pm 0.21) \times 10^{-5}$ [20]. The relative production rate of B_s^0 relative to $B^{\pm} f_s/f_u$ is 0.267 ± 0.021 [22], assuming $f_u = f_d$ (following Ref. [21]) and no kinematic dependence of f_s/f_u . The ratio of acceptance-times-efficiency is discussed in Section 4 and presented in Table 5. The branching fractions uncertainties, those on f_u/f_s , together with those mentioned in the last paragraph of Section 4.1, were treated coherently in the three categories of mass resolution.

In each mass-resolution category the $B_s^0 \rightarrow \mu^+ \mu^-$ signal yield $N_{\mu^+\mu^-}$ was obtained from the number of events observed in the search window, the number of background events in the sidebands, and the small amount of resonant background discussed in Section 3.1. The expected ratio of the background events in the sidebands to those in the search window is described by the parameter R_i^{bkg} , which depends on the width of the invariant-mass interval and on the fraction of events from the sidebands used for the interpolation. The former varies according to the massresolution category, and the latter is equal to 50%, corresponding to the even-numbered events in the data collection. Uncertainties in the mass dependence of the continuum background produced a ±4% systematic error in the value of R_i^{bkg} , evaluated by studying the variation of R_i^{bkg} for different BDT output cuts and background interpolation models. The systematic variation accounts also for additional background components in the low mass sidebands (e.g. partially reconstructed *B* decays). This uncertainty was treated coherently in the three mass-resolution categories.

The values of the SES are given in Table 7 which also shows the values of the parameters $R_i^{\rm bkg}$, the background counts in the sidebands,² the resonant background, and finally the observed number of events in the search region, as found after unblinding. Fig. 7 shows the invariant-mass distribution of the selected candidates in data, for the three mass categories, together with the signal projections as obtained from MC assuming ${\rm BR}(B_s^0 \to \mu^+ \mu^-) = 3.5 \times 10^{-8}$ (i.e. approximately 10 times the SM expectation).

6. Branching fraction limits

The upper limit on the $B_s^0 \rightarrow \mu^+ \mu^-$ branching fraction was obtained by means of an implementation [32] of the CL_s method [33]. The extraction was based on the likelihood:

$$\mathcal{L} = \text{Gauss}(\epsilon_{\text{obs}} | \epsilon, \sigma_{\epsilon}) \times \text{Gauss}(R_{\text{obs}}^{\text{bkg}} | R^{\text{bkg}}, \sigma_{R^{\text{bkg}}})$$

$$\times \prod_{i=1}^{N_{\text{bin}}} \text{Poisson}(N_{i}^{\text{obs}} | \epsilon \epsilon_{i} \text{BR} + N_{i}^{\text{bkg}} + N_{i}^{B \to h\hbar})$$

$$\times \text{Poisson}(N_{\text{obs},i}^{\text{bkg}} | R^{\text{bkg}} R_{i}^{\text{bkg}} N_{i}^{\text{bkg}})$$

$$\times \text{Gauss}(\epsilon_{\text{obs},i} | \epsilon_{i}, \sigma_{\epsilon_{i}}).$$

For each mass-resolution category, the likelihood contains Poisson distributions for the event counts in the search and sideband regions and a Gaussian distribution for the relative efficiency ϵ_i . Two additional Gaussians describe the coherent systematic uncertainties in R^{bkg} and in the SES. The mean of the Poisson distribution in the search region is equal to the sum of the B_s^0 branching frac-



Fig. 7. Invariant-mass distribution of candidates in data. For each mass-resolution category (top to bottom) each plot shows the invariant-mass distribution for the selected candidates in data (dots), the signal (continuous line) as predicted by MC assuming $BR(B_s^0 \rightarrow \mu^+ \mu^-) = 3.5 \times 10^{-8}$, and two dashed vertical lines corresponding to the optimized Δm cut. The grey areas correspond to the sidebands used in the analysis.

tion (scaled by the normalization and relative efficiency parameters), the continuum background and the resonant background. The mean of the Poisson distribution in the sidebands is equal to the background scaled by R^{bkg} . The parameters σ_{ϵ} (σ_{ϵ_i}), $\sigma_{R^{\text{bkg}}}$ ($\sigma_{R^{\text{bkg}}_{\epsilon}}$) account for the correlated (uncorrelated) uncertainties in the SES and the background scaling factor. In this analysis the uncertainties on $R^{\text{bkg}}_{\epsilon}$ are negligible, with $R^{\text{bkg}} = 1.00 \pm 0.04$. All input parameters are summarized in Table 7.

The expected limits were obtained by setting the counts in the search region equal to the interpolated background plus the

 $^{^2}$ For comparison, the number of odd-numbered events observed in the sidebands, which is expected to be biased due to the use of the same sample in selection optimization and BDT training, was found to be equal to one event in each of the three mass-resolution categories.

Table 7

Single event sensitivity and event counts in the three mass-resolution categories. The second and third lines report how the SES = $(\epsilon \epsilon_i)^{-1}$ was split between a coefficient common to all bins, and the per-bin component. The table does not include the additional common uncertainties corresponding the sources mentioned in the last paragraph of Section 4.1 (±5.5% in $R_{A_e}^i$) and to the parameterization of the mass dependence of the continuum background (±4% in R_i^{bkg}).

$ \eta _{\max}$ range	0-1.0	1,0–1,5	1.5–2.5
$SES = (\epsilon \epsilon_i)^{-1} [10^{-8}]$	0.71	1.6	1.4
$\epsilon = (f_s/f_u)/\operatorname{BR}(B^{\pm} \to J/\psi K^{\pm} \to \mu^+ \mu^- K^{\pm})$ [10 ³]		4.45 ± 0.38	
$\epsilon_i = N_i^{B^{\pm} \to J/\psi K^{\pm}} / R_{A\epsilon}^i [10^4]$	3.14 ± 0.17	1.40 ± 0.15	1.58 ± 0.26
bkg. scaling factor $R_i^{\rm bkg}$	1.29	1.14	0.88
sideband count $N_{obs,i}^{bkg}$ (even numbered events)	5	0	2
expected resonant bkg. $N_i^{B \rightarrow hh}$	0.10	0.06	0.08
search region count $N_i^{\rm obs}$	2	1	0



Fig. 8. Observed CL_s (circles) as a function of BR($B_s^0 \rightarrow \mu^+\mu^-$). The 95% CL limit is indicated by the horizontal (red) line. The dark (green) and light (yellow) bands correspond to $\pm 1\sigma$ and $\pm 2\sigma$ fluctuations on the expectation (dashed line), based on the number of observed events in the signal and sideband regions.

small resonant background, before the unblinding of the signal region. A median expected limit of $2.3^{+1.0}_{-0.5} \times 10^{-8}$ at 95% CL was obtained, where the range encloses 68% of the background-only pseudo-experiments.

For comparison the mass-resolution categories were merged and the selection optimization was performed on the merged sample. In this case eight events were found in the sidebands, resulting in a branching fraction limit of $2.9^{+1.3}_{-0.8} \times 10^{-8}$ at 95% CL. This test confirms the expectation of a more sensitive analysis when separate mass-resolution categories are used.

The background counts found in odd-numbered events were used to assess the magnitude of the bias that would be caused by using the same sample for selection optimization and the estimation of N^{bkg} . The expected limit obtained using the same sample for optimization and signal extraction is 1.7×10^{-8} , about 30% smaller than the limit presented in this Letter, for which independent samples were used for optimization and for signal extraction. The observed bias is consistent with simulation-based assessments of this effect.

Fig. 8 shows the behaviour of the observed CL_s for different tested values of the $B_s^0 \rightarrow \mu^+\mu^-$ branching fraction, computed with 300000 toy MC simulations per point. The observed limit is $< 2.2(1.9) \times 10^{-8}$ at 95% (90%) CL. The *p*-values for the background-only hypothesis and for background plus SM prediction [1,2] are 44% and 35%, respectively.

Despite the difference between the total numbers of observed and interpolated background events (equal to 3 and 6.5, respectively), the interplay of the event counts observed in the three mass-resolution categories produced an observed CL_s limit close to the expected value.

7. Conclusions

A limit on the branching fraction $BR(B_s^0 \rightarrow \mu^+\mu^-)$ is set using 2.4 fb⁻¹ of integrated luminosity collected in 2011 by the ATLAS detector. The process $B^{\pm} \rightarrow J/\psi K^{\pm}$, with $J/\psi \rightarrow \mu^+\mu^-$, is used as a reference channel for the normalization of integrated luminosity, acceptance and efficiency. The final selection is based on a multivariate analysis performed on three categories of events determined according to their mass resolution, yielding a limit of $BR(B_s^0 \rightarrow \mu^+\mu^-) < 2.2(1.9) \times 10^{-8}$ at 95% (90%) CL.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPg and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET and ERC, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNAS, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT, Greece; ISF, MINERVA, GIF, DIP and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; RCN, Norway; MNiSW, Poland; GRICES and FCT, Portugal; MERYS (MECTS), Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MVZT, Slovenia; DST/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom: DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Open access

This article is published Open Access at sciencedirect.com. It is distributed under the terms of the Creative Commons Attribution License 3.0, which permits unrestricted use, distribution, and reproduction in any medium, provided the original authors and source are credited.

References

- [1] A.J. Buras, G. Isidori, P. Paradisi, Phys. Lett. B 694 (2011) 402.
- [2] A.J. Buras, Acta Phys. Polon. B 41 (2010) 2487.
- [3] UTfit Collaboration, M. Bona, et al., PoS (EPS-HEP2011) (2011) 185.
- [4] CKMfitter Collaboration, J. Charles, et al., Eur. Phys. J. C 41 (2005) 1.
- [5] L.J. Hall, R. Rattazzi, U. Sarid, Phys. Rev. D 50 (1994) 7048.
- [6] C. Hamzaoui, M. Pospelov, M. Toharia, Phys. Rev. D 59 (1999) 095005.
- [7] K.S. Babu, C.F. Kolda, Phys. Rev. Lett. 84 (2000) 228.
- [8] S. Choudhury, A.S. Cornell, N. Gaur, G.C. Joshi, Int. J. Mod. Phys. A 21 (2006) 2617.
- [9] J. Parry, Nucl. Phys. B 760 (2007) 38.
- [10] J.R. Ellis, K.A. Olive, Y. Santoso, V.C. Spanos, JHEP 0605 (2006) 063.
- [11] J.R. Ellis, J.S. Lee, A. Pilaftsis, Phys. Rev. D 76 (2007) 115011.
- [12] S. Davidson, S. Descotes-Genon, JHEP 1011 (2010) 073.
- [13] D0 Collaboration, V. Abazov, et al., Phys. Lett. B 693 (2010) 539.
- [14] CDF Collaboration, T. Aaltonen, et al., Phys. Rev. Lett. 107 (2011) 239903.
- [15] CMS Collaboration, Phys. Rev. Lett. 107 (2011) 191802.
- [16] CMS Collaboration, Search for $B_s^0 \to \mu\mu$ and $B^0 \to \mu\mu$ decays, arXiv:1203. 3976.
- [17] LHCb Collaboration, R. Aaij, et al., Phys. Lett. B 708 (2012) 55.
- [18] LHCb Collaboration, R. Aaij, et al., Strong constraints on the rare decays $B_s^0 \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow \mu^+\mu^-$, arXiv:1203.4493.

- [19] ATLAS Collaboration, JINST 3 (2008) S08003.
- [20] Particle Data Group, K. Nakamura, et al., J. Phys. G 37 (7A) (2010) 075021.
- [21] Heavy Flavor Averaging Group, D. Asner, et al., Averages of *b*-hadron, *c*-hadron, and τ -lepton properties, arXiv:1010.1589.
- [22] LHCb Collaboration, R. Aaij, et al., Phys. Rev. D 85 (2012) 032008.
- [23] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1849.
- [24] ATLAS Collaboration, New J. Phys. 13 (2011) 053033.
- [25] T. Sjostrand, S. Mrenna, P.Z. Skands, JHEP 0605 (2006) 026.
- [26] A. Buckley, ATLAS Monte Carlo generator tunes to LHC data, in: Nuclear Science Symposium Conference Record (NSS/MIC), 2010 IEEE, 2010, pp. 167– 173.
- [27] GEANT4 Collaboration, S. Agostinelli, et al., Nucl. Instrum. Meth. A 506 (2003) 250303.
- [28] CDF Collaboration, T. Aaltonen, et al., Evidence for the charmless annihilation decay mode $B_s^0 \rightarrow \pi^+\pi^-$, arXiv:1111.0485.
- [29] ATLAS Collaboration, Muon reconstruction performance, ATLAS-CONF-2010-064.
- [30] G. Punzi, Sensitivity of searches for new signals and its optimization, arXiv: physics/0308063.
- [31] A. Hoecker, P. Speckmayer, J. Stelzer, J. Therhaag, E. von Toerne, H. Voss, PoS ACAT (2007) 040.
- [32] T. Junk, Nucl. Instrum. Meth. A 434 (1999) 435.
- [33] A.L. Read, J. Phys. G 28 (2002) 2693.

ATLAS Collaboration

G. Aad ⁴⁸, B. Abbott ¹¹¹, J. Abdallah ¹¹, S. Abdel Khalek ¹¹⁵, A.A. Abdelalim ⁴⁹, O. Abdinov ¹⁰, B. Abi ¹¹², M. Abolins ⁸⁸, O.S. AbouZeid ¹⁵⁸, H. Abramowicz ¹⁵³, H. Abreu ¹³⁶, E. Acerbi ^{89a,89b}, B.S. Acharya ^{164a,164b}, L. Adamczyk³⁷, D.L. Adams²⁴, T.N. Addy⁵⁶, J. Adelman¹⁷⁶, S. Adomeit⁹⁸, P. Adragna⁷⁵, T. Adye¹²⁹, S. Aefsky²², J.A. Aguilar-Saavedra^{124b,a}, M. Aharrouche⁸¹, S.P. Ahlen²¹, F. Ahles⁴⁸, A. Ahmad¹⁴⁸, M. Ahsan⁴⁰, G. Aielli^{133a,133b}, T. Akdogan^{18a}, T.P.A. Åkesson⁷⁹, G. Akimoto¹⁵⁵, A.V. Akimov⁹⁴, A. Akiyama⁶⁶, M.S. Alam¹, M.A. Alam⁷⁶, J. Albert¹⁶⁹, S. Albrand⁵⁵, M. Aleksa²⁹, I.N. Aleksandrov⁶⁴, F. Alessandria^{89a}, C. Alexa^{25a}, G. Alexander¹⁵³, G. Alexandre⁴⁹, T. Alexopoulos⁹, M. Alhroob^{164a,164c}, M. Aliev¹⁵, G. Alimonti^{89a}, J. Alison¹²⁰, B.M.M. Allbrooke¹⁷, P.P. Allport⁷³, S.E. Allwood-Spiers⁵³, J. Almond⁸², A. Aloisio^{102a,102b}, R. Alon¹⁷², A. Alonso⁷⁹, B. Alvarez Gonzalez⁸⁸, M.G. Alviggi^{102a,102b}, K. Amako⁶⁵, C. Amelung²², V.V. Ammosov¹²⁸, A. Amorim^{124a,b}, N. Amram¹⁵³, C. Anastopoulos²⁹, L.S. Ancu¹⁶, N. Andari¹¹⁵, T. Andeen³⁴, C.F. Anders²⁰, G. Anders^{58a}, K.J. Anderson³⁰, A. Andreazza^{89a,89b}, V. Andrei^{58a}, X.S. Anduaga⁷⁰, A. Angerami³⁴, F. Anghinolfi²⁹, A. Anisenkov¹⁰⁷, N. Anjos^{124a}, A. Annovi⁴⁷, A. Antonaki⁸, M. Antonelli⁴⁷, A. Antonov⁹⁶, J. Antos^{144b}, F. Anulli^{132a}, S. Aoun⁸³, L. Aperio Bella⁴, R. Apolle^{118,c}, G. Arabidze⁸⁸, I. Aracena¹⁴³, Y. Arai⁶⁵, A.T.H. Arce⁴⁴, S. Arfaoui¹⁴⁸, J.-F. Arguin¹⁴, E. Arik^{18a,*}, M. Arik^{18a}, A.J. Armbruster⁸⁷, O. Arnaez⁸¹, V. Arnal⁸⁰, C. Arnault¹¹⁵, A. Artamonov⁹⁵, G. Artoni^{132a,132b}, D. Arutinov²⁰, S. Asai¹⁵⁵, R. Asfandiyarov¹⁷³, S. Ask²⁷, B. Åsman^{146a,146b}, L. Asquith⁵, K. Assamagan²⁴, A. Astbury¹⁶⁹, B. Aubert⁴, E. Auge¹¹⁵, K. Augsten¹²⁷, M. Aurousseau^{145a}, G. Avolio¹⁶³, R. Avramidou⁹, D. Axen¹⁶⁸, G. Azuelos^{93,d}, Y. Azuma¹⁵⁵, M.A. Baak²⁹, G. Baccaglioni^{89a}, C. Bacci^{134a,134b}, A.M. Bach¹⁴, H. Bachacou¹³⁶, K. Bachas²⁹, M. Backes⁴⁹, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{132a,132b}, S. Bahinipati², K. Bachas²⁹, G. Baccaglioni¹⁵⁸, R. Avramidou¹¹⁶, S. Bahinipati², K. Bachas²⁹, M. Backes⁴⁹, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{132a,132b}, S. Bahinipati², K. Bachas²⁹, M. Backes⁴⁹, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{132a,132b}, S. Bahinipati², K. Bachas¹⁵, K. Bachas¹⁵, K. Bachas¹⁵, K. Bachas¹⁵, K. Bachas²⁶, K. Bachas¹⁵, K. Bachas²⁹, M. Backes¹⁵, M.Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{132a,132b}, S. Bahinipati², K. Bachas¹⁵, K. Bachas¹⁵, K. Bachas¹⁵, K. Bachas¹⁵, K. Bachas¹⁵, K. Bachas²⁶, K. Bachas¹⁵, K. Bachas¹⁵, K. Bachas¹⁵, K. Bachas²⁶, K. Bachas²⁶, K. Bachas²⁶, K. Bachas²⁷, K. Bachas²⁸, K. Bachas²⁹, K. Bachas²⁹, K. Bachas²⁹, K. Bachas²⁹, K. Bachas²⁹, K. Bachas²⁰, K. Bachas²⁰, K. Bachas²⁰, K. Bachas²⁰, K. Bachas²¹, K. Bachas²¹, K. Bachas²¹, K. Bachas²¹, K. Bachas²², K. Bachas²², K. Bachas²², K. Bachas²³, K. Bachas²⁴, K. Bachas²⁶, K. Bachas²⁶, K. Bachas²⁶, K. Bachas²⁷, K. Bachas²⁷, K. Bachas²⁸, K. Bachas²⁸, K. Bachas²⁸, K. Bachas²⁸, K. Bachas²⁹, K. Bachas²⁸, K. Bachas²⁹, K. Ba K. Bachas²⁹, M. Backes⁴⁹, M. Backhaus²⁰, E. Badescu^{25a}, P. Bagnaia^{132a,132b}, S. Bahinipati², Y. Bai^{32a}, D.C. Bailey¹⁵⁸, T. Bain¹⁵⁸, J.T. Baines¹²⁹, O.K. Baker¹⁷⁶, M.D. Baker²⁴, S. Baker⁷⁷, E. Banas³⁸, P. Banerjee⁹³, Sw. Banerjee¹⁷³, D. Banfi²⁹, A. Bangert¹⁵⁰, V. Bansal¹⁶⁹, H.S. Bansil¹⁷, L. Barak¹⁷², S.P. Baranov⁹⁴, A. Barbaro Galtieri¹⁴, T. Barber⁴⁸, E.L. Barberio⁸⁶, D. Barberis^{50a,50b}, M. Barbero²⁰, D.Y. Bardin⁶⁴, T. Barillari⁹⁹, M. Barisonzi¹⁷⁵, T. Barklow¹⁴³, N. Barlow²⁷, B.M. Barnett¹²⁹, R.M. Barnett¹⁴, A. Baroncelli^{134a}, G. Barone⁴⁹, A.J. Barr¹¹⁸, F. Barreiro⁸⁰, J. Barreiro Guimarães da Costa⁵⁷, P. Barrillon¹¹⁵, R. Bartoldus¹⁴³, A.E. Barton⁷¹, V. Bartsch¹⁴⁹, R.L. Bates⁵³, L. Batkova^{144a}, J.R. Batley²⁷, A. Battaglia¹⁶, M. Battistin²⁹, F. Bauer¹³⁶, H.S. Bawa^{143,e}, S. Beale⁹⁸, T. Beau⁷⁸, P.H. Beauchemin¹⁶¹, R. Beccherle^{50a}, P. Bechtle²⁰, H.P. Beck¹⁶, S. Becker⁹⁸, M. Beckingham¹³⁸, K.H. Becks¹⁷⁵, A.J. Beddall^{18c}, A. Beddall^{18c}, S. Bedikian¹⁷⁶, V.A. Bednyakov⁶⁴, C.P. Bee⁸³ M. Begel²⁴ S. Behar Harnaz¹⁵², PK. Behera⁶² M. Beimforde⁹⁹ C. Belanger-Champagne⁸ C.P. Bee⁸³, M. Begel²⁴, S. Behar Harpaz¹⁵², P.K. Behera⁶², M. Beimforde⁹⁹, C. Belanger-Champagne⁸⁵, P.J. Bell⁴⁹, W.H. Bell⁴⁹, G. Bella¹⁵³, L. Bellagamba^{19a}, F. Bellina²⁹, M. Bellomo²⁹, A. Belloni⁵⁷, O. Beloborodova^{107,f}, K. Belotskiy⁹⁶, O. Beltramello²⁹, O. Benary¹⁵³, D. Benchekroun^{135a}, K. Bendtz^{146a,146b}, N. Benekos¹⁶⁵, Y. Benhammou¹⁵³, E. Benhar Noccioli⁴⁹, J.A. Benitez Garcia^{159b}, D.P. Benjamin⁴⁴, M. Benoit¹¹⁵, J.R. Bensinger²², K. Benslama¹³⁰, S. Bentvelsen¹⁰⁵, D. Berge²⁹,

E. Bergeaas Kuutmann⁴¹, N. Berger⁴, F. Berghaus¹⁶⁹, E. Berglund¹⁰⁵, J. Beringer¹⁴, P. Bernat⁷⁷, R. Bernhard⁴⁸, C. Bernius²⁴, T. Berry⁷⁶, C. Bertella⁸³, A. Bertin^{19a,19b}, F. Bertolucci^{122a,122b}, M.I. Besana ^{89a,89b}, N. Besson ¹³⁶, S. Bethke ⁹⁹, W. Bhimji ⁴⁵, R.M. Bianchi ²⁹, M. Bianco ^{72a,72b}, O. Biebel ⁹⁸, S.P. Bieniek ⁷⁷, K. Bierwagen ⁵⁴, J. Biesiada ¹⁴, M. Biglietti ^{134a}, H. Bilokon ⁴⁷, M. Bindi ^{19a,19b}, S. Binet ¹¹⁵, A. Bingul ^{18c}, C. Bini ^{132a,132b}, C. Biscarat ¹⁷⁸, U. Bitenc ⁴⁸, K.M. Black ²¹, R.E. Blair ⁵, J.-B. Blanchard ¹³⁶, G. Blanchot ²⁹, T. Blazek ^{144a}, C. Blocker ²², J. Blocki ³⁸, A. Blondel ⁴⁹, W. Blum ⁸¹, U. Blumenschein ⁵⁴, G.J. Bobbink ¹⁰⁵, V.B. Bobrovnikov ¹⁰⁷, S.S. Bocchetta ⁷⁹, A. Bocci ⁴⁴, C.R. Boddy ¹¹⁸, M. Boehler ⁴¹, J. Boek ¹⁷⁵, N. Boelaert ³⁵, J.A. Bogaerts ²⁹, A. Bogdanchikov ¹⁰⁷, A. Bogouch ^{90,*}, C. Bohm ^{146a}, J. Bohm ¹²⁵, V. Boisvert ⁷⁶, T. Bold ³⁷, V. Boldea ^{25a}, N.M. Bolnet ¹³⁶, M. Bomben ⁷⁸, M. Bona ⁷⁵, M. Bondioli ¹⁶³, M. Boonekamp ¹³⁶, C.N. Booth ¹³⁹, S. Bordoni ⁷⁸, C. Borer ¹⁶, A. Borisov ¹²⁸, G. Borissov ⁷¹, I. Borjanovic ^{12a}, M. Borri ⁸², S. Borroni ⁸⁷, V. Bortolotto ^{134a,134b}, K. Bos ¹⁰⁵, D. Boscherini ^{19a}, M. Bosman ¹¹, M. Borri ⁸², S. Borroni ⁸⁷, V. Bortolotto ^{134a,134b}, K. Bos ¹⁰⁵, D. Boscherini ^{19a}, M. Bosman ¹¹, H. Boterenbrood ¹⁰⁵, D. Botterill ¹²⁹, J. Bouchami ⁹³, J. Boudreau ¹²³, E.V. Bouhova-Thacker ⁷¹, D. Boumediene ³³, C. Bourdarios ¹¹⁵, N. Bousson ⁸³, A. Boveia ³⁰, J. Boyd ²⁹, I.R. Boyko ⁶⁴, N.I. Bozhko ¹²⁸, I. Bozovic-Jelisavcic ^{12b}, J. Bracinik ¹⁷, P. Branchini ^{134a}, A. Brandt ⁷, G. Brandt ¹¹⁸, O. Brandt ⁵⁴, U. Bratzler ¹⁵⁶, B. Brau ⁸⁴, J.E. Brau ¹¹⁴, H.M. Braun ¹⁷⁵, B. Brelier ¹⁵⁸, J. Bremer ²⁹, K. Brendlinger ¹²⁰, R. Brenner ¹⁶⁶, S. Bressler ¹⁷², D. Britton ⁵³, F.M. Brochu ²⁷, I. Brock ²⁰, R. Brock ⁸⁸, E. Brodet ¹⁵³, F. Broggi ^{89a}, C. Bromberg ⁸⁸, J. Bronner ⁹⁹, G. Brooijmans ³⁴, W.K. Brooks ^{31b}, G. Brown ⁸², H. Brown ⁷, P.A. Bruckman de Renstrom ³⁸, D. Bruncko ^{144b}, R. Bruneliere ⁴⁸, S. Brunet ⁶⁰, A. Bruni ^{19a}, G. Bruni ^{19a}, M. Bruschi ^{19a}, T. Buanes ¹³, Q. Buat ⁵⁵, F. Bucci ⁴⁹, J. Buchanan ¹¹⁸, P. Buchholz ¹⁴¹, R.M. Buckingham ¹¹⁸, A.G. Buckley ⁴⁵, S.I. Buda ^{25a}, I.A. Budagov ⁶⁴, B. Budick ¹⁰⁸, V. Büscher ⁸¹, L. Bugge ¹¹⁷, O. Bulekov ⁹⁶, A.C. Bundock ⁷³, M. Bunse ⁴², T. Buran ¹¹⁷, H. Burckhart ²⁹, S. Burdin ⁷³, T. Burgess ¹³, S. Burke ¹²⁹, E. Busato ³³, P. Bussey ⁵³, C.P. Buszello ¹⁶⁶, B. Butler ¹⁴³, J.M. Butler ²¹, C.M. Buttar ⁵³, J.M. Butterworth ⁷⁷, W. Buttinger ²⁷, S. Cabrera Urbán ¹⁶⁷, D. Caforio ^{19a,19b}, O. Cakir ^{3a}, P. Calafiura ¹⁴, G. Calderini ⁷⁸, P. Calfayan ⁹⁸, R. Calkins ¹⁰⁶, L.P. Caloba ^{23a}, R. Caloi ^{132a,132b}, D. Calvet ³³, S. Calvet ³³, R. Camacho Toro ³³, P. Camarri ^{133a,133b}, D. Cameron ¹¹⁷, L.M. Caminada ¹⁴, S. Campana ²⁹, M. Campanelli ⁷⁷, P. Camarri ^{133a,133b}, D. Cameron ¹¹⁷, L.M. Caminada ¹⁴, S. Campana ²⁹, M. Campanelli ⁷⁷, V. Canale ^{102a,102b}, F. Canelli ^{30,g}, A. Canepa ^{159a}, J. Cantero ⁸⁰, L. Capasso ^{102a,102b}, M.D.M. Capeans Garrido²⁹, I. Caprini^{25a}, M. Caprini^{25a}, D. Capriotti⁹⁹, M. Capua^{36a,36b}, R. Caputo⁸¹, R. Cardarelli^{133a}, T. Carli²⁹, G. Carlino^{102a}, L. Carminati^{89a,89b}, B. Caron⁸⁵, S. Caron¹⁰⁴, E. Carquin^{31b}, G.D. Carrillo Montoya¹⁷³, A.A. Carter⁷⁵, J.R. Carter²⁷, J. Carvalho^{124a,h}, D. Casadei¹⁰⁸, M.P. Casado¹¹, M. Cascella^{122a,122b}, C. Caso^{50a,50b,*}, A.M. Castaneda Hernandez^{173,i}, E. Castaneda-Miranda¹⁷³, V. Castillo Gimenez¹⁶⁷, N.F. Castro^{124a}, G. Cataldi^{72a}, P. Catastini⁵⁷, A. Catinaccio²⁹, J.R. Catmore²⁹, A. Cattai ²⁹, G. Cattani ^{133a,133b}, S. Caughron ⁸⁸, P. Cavalleri ⁷⁸, D. Cavalli ^{89a}, M. Cavalli-Sforza ¹¹, V. Cavasinni ^{122a,122b}, F. Ceradini ^{134a,134b}, A.S. Cerqueira ^{23b}, A. Cerri ²⁹, L. Cerrito ⁷⁵, F. Cerutti ⁴⁷, S.A. Cetin^{18b}, A. Chafaq^{135a}, D. Chakraborty¹⁰⁶, I. Chalupkova¹²⁶, K. Chan², B. Chapleau⁸⁵, J.D. Chapman²⁷, J.W. Chapman⁸⁷, E. Chareyre⁷⁸, D.G. Charlton¹⁷, V. Chavda⁸², C.A. Chavez Barajas²⁹, S. Cheatham⁸⁵, S. Chekanov⁵, S.V. Chekulaev^{159a}, G.A. Chelkov⁶⁴, M.A. Chelstowska¹⁰⁴, C. Chen⁶³, H. Chen²⁴, S. Chen^{32c}, X. Chen¹⁷³, A. Cheplakov⁶⁴, R. Cherkaoui El Moursli^{135e}, V. Chernyatin²⁴, E. Cheu⁶, S.L. Cheung¹⁵⁸, L. Chevalier¹³⁶, G. Chiefari^{102a,102b}, L. Chikovani^{51a}, J.T. Childers²⁹, A. Chilingarov ⁷¹, G. Chiodini ^{72a}, A.S. Chisholm ¹⁷, R.T. Chislett ⁷⁷, M.V. Chizhov ⁶⁴, G. Choudalakis ³⁰,
S. Chouridou ¹³⁷, I.A. Christidi ⁷⁷, A. Christov ⁴⁸, D. Chromek-Burckhart ²⁹, M.L. Chu ¹⁵¹, J. Chudoba ¹²⁵,
G. Ciapetti ^{132a,132b}, A.K. Ciftci ^{3a}, R. Ciftci ^{3a}, D. Cinca ³³, V. Cindro ⁷⁴, C. Ciocca ^{19a}, A. Ciocio ¹⁴,
M. Cirilli ⁸⁷, M. Citterio ^{89a}, M. Ciubancan ^{25a}, A. Clark ⁴⁹, P.J. Clark ⁴⁵, W. Cleland ¹²³, J.C. Clemens ⁸³,
B. Clement ⁵⁵, C. Clement ^{146a,146b}, Y. Coadou ⁸³, M. Cobal ^{164a,164c}, A. Coccaro ¹³⁸, J. Cochran ⁶³, P. Coe ¹¹⁸,
J.G. Cogan ¹⁴³, J. Coggeshall ¹⁶⁵, E. Cogneras ¹⁷⁸, J. Colas ⁴, A.P. Colijn ¹⁰⁵, N.J. Collins ¹⁷, C. Collins-Tooth ⁵³, J. Collot ⁵⁵, G. Colon ⁸⁴, P. Conde Muiño ^{124a}, E. Coniavitis ¹¹⁸, M.C. Conidi ¹¹, S.M. Consonni ^{89a,89b}, V. Consorti ⁴⁸, S. Constantinescu ^{25a}, C. Conta ^{119a,119b}, G. Conti ⁵⁷, F. Conventi ^{102a,j}, M. Cooke ¹⁴, B.D. Cooper ⁷⁷, A.M. Cooper-Sarkar ¹¹⁸, K. Copic ¹⁴, T. Cornelissen ¹⁷⁵, M. Corradi ^{19a}, F. Corriveau ^{85,k}, A. Cortes-Gonzalez ¹⁶⁵, G. Cortiana ⁹⁹, G. Costa ^{89a}, M.J. Costa ¹⁶⁷, D. Costanzo ¹³⁹, T. Costin ³⁰, D. Côté ²⁹, L. Courneyea ¹⁶⁹, G. Cowan ⁷⁶, C. Cowden ²⁷, B.E. Cox ⁸², K. Cranmer ¹⁰⁸, F. Crescioli ^{122a,122b}, M. Cristinziani²⁰, G. Crosetti ^{36a, 36b}, R. Crupi ^{72a, 72b}, S. Crépé-Renaudin ⁵⁵, C.-M. Cuciuc ^{25a}, C. Cuenca Almenar ¹⁷⁶, T. Cuhadar Donszelmann ¹³⁹, M. Curatolo ⁴⁷, C.J. Curtis ¹⁷, C. Cuthbert ¹⁵⁰, P. Cwetanski⁶⁰, H. Czirr¹⁴¹, P. Czodrowski⁴³, Z. Czyczula¹⁷⁶, S. D'Auria⁵³, M. D'Onofrio⁷³,

A. D'Orazio ^{132a,132b}, C. Da Via⁸², W. Dabrowski³⁷, A. Dafinca¹¹⁸, T. Dai⁸⁷, C. Dallapiccola⁸⁴, M. Dam³⁵, M. Dameri ^{50a,50b}, D.S. Damiani ¹³⁷, H.O. Danielsson²⁹, V. Dao⁴⁹, G. Darbo ^{50a}, G.L. Darlea^{25b}, W. Davey²⁰, T. Davidek¹²⁶, N. Davidson⁸⁶, R. Davidson⁷¹, E. Davies^{118,c}, M. Davies⁹³, A.R. Davison⁷⁷, Y. Davygora ^{58a}, E. Dawe¹⁴², I. Dawson¹³⁹, R.K. Daya-Ishmukhametova²², K. De⁷, R. de Asmundis^{102a}, S. De Castro ^{19a,19b}, S. De Cecco⁷⁸, J. de Graat⁹⁸, N. De Groot¹⁰⁴, P. de Jong¹⁰⁵, C. De La Taille¹¹⁵, H. De la Torre⁸⁰, F. De Lorenzi⁶³, L. de Mora⁷¹, L. De Nooij¹⁰⁵, D. De Pedis^{132a}, A. De Salvo^{132a}, U. De Sanctis^{164a,164c}, A. De Santo¹⁴⁹, J.B. De Vivie De Regie¹¹⁵, G. De Zorzi^{132a,132b}, W.J. Dearnaley⁷¹, R. Debbe²⁴, C. Debenedetti⁴⁵, B. Dechenaux⁵⁵, D.V. Dedovich⁶⁴, J. Degenhardt¹²⁰, C. Del Papa^{164a,164c}, J. Del Prete^{122a,122b}, T. Delemontex⁵⁵, M. Deliyergiyev⁷⁴, A. Dell'Acqua²⁹, L. Dell'Asta²¹, M. Della Pietra^{102a,j}, D. della Volne^{102a,102b}, M. Delmastro⁴, P.A. Delsart⁵⁵, C. Deluca¹⁴⁸, S. Demers¹⁷⁶, P. R. Debbe²⁴, C. Debenedetti¹⁴³, B. Dechenaux³⁵, D.V. Dedovich⁴⁴, J. Degenhardt¹²⁰, C. Del Papa ^{1044,1044}, J. Del Peso⁸⁰, T. Del Prete^{1224,122b}, T. Delemontex⁵⁵, M. Deliyergiyev⁷⁴, A. Dell'Acqua²⁹, L. Dell'Asta²¹, M. Della Pietra^{102a,j}, D. della Volpe^{102,102b}, M. Delmastro⁴, P.A. Delsart⁵⁵, C. Deluca¹⁴⁸, S. Demers¹⁷⁶, M. Demichev⁶⁴, B. Demirkoz^{11,1}, J. Deng¹⁶³, S.P. Denisov¹²⁸, D. Derendarz³⁸, J.E. Derkaoui¹³⁵⁴, F. Derue⁷⁸, P. Dervan⁷³, K. Desch²⁰, E. Devetak¹⁴⁸, P.O. Deviveiros¹⁰⁵, A. Dewhurst¹²⁹, B. DeWilde¹⁴⁸, S. Dhaliwal¹⁵⁸, R. Dhullipudi^{24,m}, A. Di Ciaccio^{1334,133b}, L. Di Ciaccio⁴⁷, A. Di Girolamo²⁹, B. Di Girolamo²⁹, S. Di Luise^{1344,134b}, A. Di Mattia¹⁷³, B. Di Micco²⁹, R. Di Nardo⁴⁷, A. Di Simone^{1334,133b}, R. Di Sipio^{194,19b}, M.A. Dia^{31a}, F. Diblen^{18c}, E.B. Diehl⁸⁷, J. Dietrich⁴¹, T.A. Dietzsch^{58a}, S. Diglio⁸⁶, K. Dindar Yagci³⁹, J. Dingfelder²⁰, C. Dionisi^{1324,132b}, P. Dita^{25a}, S. Dita^{25a}, F. Dittus²⁹, F. Djama⁸³, T. Djobava^{51b}, M.A.B. do Vale^{23c}, A. Do Valle Wemans^{124,an}, T.K.O. Doan⁴, M. Dobs⁸⁵, R. Dobinson^{29,*}, D. Dobos²⁹, E. Dobson^{29,0}, J. Dodd³⁴, C. Doglioni⁴⁹, T. Dohrety⁵³, Y. Doi^{65,*}, J. Doleji¹²⁶, I. Dolenc⁷⁴, Z. Dolezal¹²⁶, B.A. Dolgoshein^{96,*}, T. Dohmae¹⁵⁵, M. Donadelli²³⁴, M. Donega¹²⁰, J. Donini³³, J. Dopke²⁹, A. Doria¹⁰²⁴, A. Dos Anjos¹⁷³, A. Dotti^{1224,122b}, M.T. Dova⁷⁰, A.D. Doxiadis¹⁰⁵, A.T. Doyle⁵³, M. Diris⁹, J. Dubtert⁹⁹, S. Dube¹⁴, E. Duchoni¹⁷², G. Duckeck⁹⁸, A. Dudarev²⁹, F. Dudziak⁶³, M. Dihrssen²⁹, I.P. Dytak²⁹, M. Düren⁵², J. Ebke⁹⁸, S. Eckweiler⁸¹, K. Edmonds⁸¹, C.A. Edwards⁷⁶, N.C. Edwards⁵³, W. Ehrenfeld⁴¹, T. Eifert¹⁴³, G. Eigen¹³, K. Einsweiler¹⁴, E. Eisenhandler⁷⁵, T. Ekelo¹⁶⁶, M. El Kacimi¹³⁵, C. Butrefield⁴¹, T. Eifert¹⁴³, G. Eigen¹³, K. Eilis²⁵, N. Ellis²⁹, J. Elmsheuser⁹⁸, M. Elsing²⁹, D. Emeliyanov¹²⁹, R. Engelmann¹⁴⁸, A. Engl⁹⁸, B. Epp⁶¹, A. D. L. Fedin¹²¹, W. Fedorko⁸⁸, M. Fehling-Kaschek⁴⁸, L. Feligioni⁸³, D. Fellmann⁵, C. Feng^{32d}, E.J. Feng³⁰, A.B. Fenyuk¹²⁸, J. Ferencei^{144b}, W. Fernando⁵, S. Ferrag⁵³, J. Ferrando⁵³, V. Ferrara⁴¹, A. Ferrari¹⁶⁶, P. Ferrari¹⁰⁵, R. Ferrari^{119a}, D.E. Ferreira de Lima⁵³, A. Ferrer¹⁶⁷, D. Ferrere⁴⁹, C. Ferretti⁸⁷, A. Ferretto Parodi^{50a,50b}, M. Fiascaris³⁰, F. Fiedler⁸¹, A. Filipčič⁷⁴, F. Filthaut¹⁰⁴, M. Fincke-Keeler¹⁶⁹, M.C.N. Fiolhais^{124a,h}, L. Fiorini¹⁶⁷, A. Firan³⁹, G. Fischer⁴¹, M.J. Fisher¹⁰⁹, M. Flechl⁴⁸, I. Fleck¹⁴¹, J. Fleckner⁸¹, P. Fleischmann¹⁷⁴, S. Fleischmann¹⁷⁵, T. Flick¹⁷⁵, A. Floderus⁷⁹, L.R. Flores Castillo¹⁷³, M.J. Flowerdew⁹⁹, T. Fonseca Martin¹⁶, A. Formica¹³⁶, A. Forti⁸², D. Fortin^{159a}, D. Fournier¹¹⁵, H. Fox⁷¹, P. Francavilla¹¹, S. Franchino^{119a,119b}, D. Francis²⁹, T. Frank¹⁷², M. Franklin⁵⁷, S. Franz²⁹, M. Fraternali^{119a,119b}, S. Fratina¹²⁰, S.T. French²⁷, C. Friedrich⁴¹, F. Friedrich⁴³, R. Froeschl²⁹, D. Froidevaux²⁹, J.A. Frost²⁷, C. Fukunaga¹⁵⁶, E. Fullana Torregrosa²⁹, B.G. Fulsom¹⁴³, J. Fuster¹⁶⁷, C. Gabaldon²⁹, O. Gabizon¹⁷², T. Gadfort²⁴, S. Gadomski⁴⁹, G. Gagliardi^{50a,50b}, P. Gagnon⁶⁰, C. Galea⁹⁸, E.J. Gallas¹¹⁸, V. Gallo¹⁶, B.J. Gallop¹²⁹, P. Gallus¹²⁵, K.K. Gan¹⁰⁹, Y.S. Gao^{143,e}, A. Gaponenko¹⁴, F. Garberson¹⁷⁶, M. Garcia-Sciveres¹⁴, C. Garcia¹⁶⁷, J.E. García Navarro¹⁶⁷, R.W. Gardner³⁰, N. Garelli²⁹, G. Gay¹⁶⁸, C. Gay¹⁶⁸, C. Gay¹⁶⁸, C. Gaudio^{119a}, B. Gaur¹⁴¹, L. Gauthier¹³⁶, P. Gauzzi^{132a,132b}, I.L. Gavrilenko⁹⁴, C. Gay¹⁶⁸, G. Gaycken²⁰, E.N. Gazis⁹, P. Ge^{32d}, Z. Gecse¹⁶⁸, C.N.P. Gee¹²⁹, D.A.A. Geerts¹⁰⁵, Ch. Geich-Gimbel²⁰, K. Gellestedt^{146a,146b}, C. Gemme^{50a}, A. Gershon¹⁵³, C. Geweniger^{58a}, H. Ghazlane^{135b}, N. Ghodbane³³, B. Giacobbe^{19a}, S. Giagu^{132a,132b}, V. Giakoumopoulou⁸, V. Giangiobbe¹¹, F. Gianotti²⁹, B. Gibbard²⁴, A. Gibson¹⁵⁸, S.M. Gibson²⁹, O.L. Fedin¹²¹, W. Fedorko⁸⁸, M. Fehling-Kaschek⁴⁸, L. Feligioni⁸³, D. Fellmann⁵, C. Feng^{32d}, E.J. Feng³⁰, D. Gillberg²⁸, A.R. Gillman¹²⁹, D.M. Gingrich^{2,d}, J. Ginzburg¹⁵³, N. Giokaris⁸, M.P. Giordani^{164c},

R. Giordano ^{102a,102b}, F.M. Giorgi ¹⁵, P. Giovannini ⁹⁹, P.F. Giraud ¹³⁶, D. Giugni ^{89a}, M. Giunta ⁹³, P. Giusti ^{19a}, B.K. Gjelsten ¹¹⁷, L.K. Gladilin ⁹⁷, C. Glasman ⁸⁰, J. Glatzer ⁴⁸, A. Glazov ⁴¹, K.W. Glitza ¹⁷⁵, G.L. Glonti ⁶⁴, J.R. Goddard ⁷⁵, J. Godfrey ¹⁴², J. Godlewski ²⁹, M. Goebel ⁴¹, T. Göpfert ⁴³, C. Goeringer ⁸¹, C. Gössling ⁴², T. Göttfert ⁹⁹, S. Goldfarb ⁸⁷, T. Golling ¹⁷⁶, A. Gomes ^{124a,b}, L.S. Gomez Fajardo ⁴¹, R. Gonçalo ⁷⁶, J. Gonzalez Pinto Firmino Da Costa ⁴¹, L. Gonella ²⁰, S. Gonzalez ¹⁷³, S. Gonzalez de la Hoz ¹⁶⁷, G. Gonzalez Parra ¹¹, M.L. Gonzalez Silva ²⁶, S. Gonzalez-Sevilla ⁴⁹, L. Gondard ¹⁴⁸, L. Gonzalez ¹⁷⁵, S. Gonzalez ¹⁷⁵, G. Gonzalez Parra ¹¹, M.L. Gonzalez Silva ²⁶, S. Gonzalez-Sevilla ⁴⁹, S. Gonzalez ¹⁷⁵, S. Gonzalez ¹⁷⁶, S. Gonzalez ¹⁷⁵, S. Gonzalez ¹⁷⁵ R. Gonçalo ⁷⁰, J. Goncalves Pinto Firmino Da Costa ⁷¹, L. Gonella²⁰, S. Gonzalez ¹⁷³, S. González de la Hoz¹⁶⁷, G. Gonzalez Parra¹¹, M.L. Gonzalez Silva²⁶, S. Gonzalez-Sevilla⁴⁹, J.J. Goodson ¹⁴⁸, L. Goossens ²⁹, P.A. Gorbounov ⁹⁵, H.A. Gordon ²⁴, I. Gorelov ¹⁰³, G. Gorfine ¹⁷⁵, B. Gorini ²⁹, E. Gorini ^{72a,72b}, A. Gorišek ⁷⁴, E. Gornicki ³⁸, B. Gosdzik ⁴¹, A.T. Goshaw ⁵, M. Gosselink ¹⁰⁵, M.I. Gostkin ⁶⁴, I. Gough Eschrich ¹⁶³, M. Gouighri ^{135a}, D. Goujdami ^{135c}, M.P. Goulette ⁴⁹, A.G. Goussiou ¹³⁸, C. Goy ⁴, S. Gozpinar ²², I. Grabowska-Bold ³⁷, P. Grafström ²⁹, K.-J. Grahn ⁴¹, F. Grancagnolo ^{72a}, S. Grancagnolo ¹⁵, V. Grassi ¹⁴⁸, V. Gratchev ¹²¹, N. Grau ³⁴, H.M. Gray ²⁹, J.A. Gray ¹⁴⁸, E. Graziani ^{134a}, O.G. Grebenyuk ¹²¹, T. Greenshaw ⁷³, Z.D. Greenwood ^{24,m}, K. Gregersen ³⁵, I.M. Gregor ⁴¹, P. Grenier ¹⁴³, J. Griffiths ¹³⁸, N. Grigalashvili ⁶⁴, A.A. Grillo ¹³⁷, S. Grinstein ¹¹, VV. Grishkevich ⁹⁷, J.-F. Grivaz ¹¹⁵, E. Gross ¹⁷², J. Grosse-Knetter ⁵⁴, J. Groth-Jensen ¹⁷², K. Grybel ¹⁴¹, D. Guest ¹⁷⁶, C. Guicheney ³³, A. Guida ^{72a,72b}, S. Guindon ⁵⁴, H. Guler ^{85,p}, J. Gunther ¹²⁵, B. Guo ¹⁵⁸, J. Guo ³⁴, V.N. Gushchin ¹²⁸, P. Gutierrez ¹¹¹, N. Guttman ¹⁵³, O. Gutzwiller ¹⁷³, C. Guyot ¹³⁶, C. Gwenlan ¹¹⁸, C.B. Gwilliam ⁷³, A. Haas ¹⁴³, S. Haas ²⁹, C. Haber ¹⁴, H.K. Hadavand ³⁹, D.R. Hadley ¹⁷, P. Haefner ⁹⁹, F. Hahn ²⁹, S. Haider ²⁹, Z. Hajduk ³⁸, H. Hakobyan ¹⁷⁷, D. Hall ¹¹⁸, J. Haller ⁵⁴, K. Hamagaki ¹¹⁶, K. Hanawa ¹⁶⁰, M. Hance ¹⁴, C. Handel ⁸¹, P. Hanke ^{58a}, J.R. Hansen ³⁵, J.B. Hansen ³⁵, J.D. Hansen ³⁵, P.H. Hansen ³⁵, P. Hansson ¹⁴³, K. Hara ¹⁶⁰, G.A. Hare ¹³⁷, T. Harenberg ¹⁷⁵, S. Harkusha ⁹⁰, D. Harper ⁸⁷, R.D. Harrington ⁴⁵, O.M. Harris ¹³⁸, K. Harrison ¹⁷, J. Hartert ⁴⁸, F. Hartjes ¹⁰⁵, T. Haruyama ⁶⁵, A. Harvey ⁵⁶, S. Hasegawa ¹⁰¹, Y. Hasegawa ¹⁴⁰, S. Hassani ¹³⁶, M. Hauschild ²⁹, R. A.M. Henriques Correia²⁹, S. Henrot-Versille¹¹⁵, F. Henry-Couannier⁸³, C. Hensel⁵⁴, T. Henß¹⁷⁵,
G.M. Hernandez⁷, Y. Hernández Jiménez¹⁶⁷, R. Herrberg¹⁵, G. Herten⁴⁸, R. Hertenberger⁹⁸, L. Hervas²⁹,
G.G. Hesketh⁷⁷, N.P. Hessey¹⁰⁵, E. Higón-Rodriguez¹⁶⁷, J.C. Hill²⁷, K.H. Hiller⁴¹, S. Hillert²⁰,
S.J. Hillier¹⁷, I. Hinchliffe¹⁴, E. Hines¹²⁰, M. Hirose¹¹⁶, F. Hirsch⁴², D. Hirschbuehl¹⁷⁵, J. Hobbs¹⁴⁸,
N. Hod¹⁵³, M.C. Hodgkinson¹³⁹, P. Hodgson¹³⁹, A. Hoecker²⁹, M.R. Hoeferkamp¹⁰³, J. Hoffman³⁹,
D. Hoffmann⁸³, M. Hohlfeld⁸¹, M. Holder¹⁴¹, S.O. Holmgren^{146a}, T. Holy¹²⁷, J.L. Holzbauer⁸⁸,
T.M. Hong¹²⁰, L. Hooft van Huysduynen¹⁰⁸, C. Horn¹⁴³, S. Horner⁴⁸, J.-Y. Hostachy⁵⁵, S. Hou¹⁵¹,
A. Hoummada^{135a}, J. Howarth⁸², I. Hristova¹⁵, J. Hrivnac¹¹⁵, I. Hruska¹²⁵, T. Hryn'ova⁴, P.J. Hsu⁸¹,
S.-C. Hsu¹⁴, Z. Hubacek¹²⁷, F. Hubaut⁸³, F. Huegging²⁰, A. Huettmann⁴¹, T.B. Huffman¹¹⁸,
E.W. Hughes³⁴, G. Hughes⁷¹, M. Huhtinen²⁹, M. Hurwitz¹⁴, U. Huseman⁴¹, N. Huseynov^{64,r},
J. Huston⁸⁸, J. Huth⁵⁷, G. Iacobucci⁴⁹, G. Iakovidis⁹, M. Ibbotson⁸², I. Ibragimov¹⁴¹,
L. Iconomidou-Fayard¹¹⁵, J. Idarraga¹¹⁵, P. lengo^{102a}, O. Igonkina¹⁰⁵, Y. Ikegami⁶⁵, M. Ikeno⁶⁵,
D. Iliadis¹⁵⁴, N. Ilic¹⁵⁸, T. Ince²⁰, J. Inigo-Golfin²⁹, P. Ioannou⁸, M. Iodice^{134a}, K. Iordanidou⁸,
V. Ippolito^{132a,132b}, A. Irles Quiles¹⁶⁷, C. Isaksson¹⁶⁶, A. Ishikawa⁶⁶, M. Ishino⁶⁷, R. Ishmukhametov³⁹,
C. Issever¹¹⁸, S. Istin^{18a}, A.V. Ivashin¹²⁸, W. Iwanski³⁸, H. Iwasaki⁶⁵, J.M. Izen⁴⁰, V. Izzo^{102a},
B. Jackson¹²⁰, J.N. Jackson⁷³, P. Jackson¹⁴³, M.R. Jaekel²⁹, V. Jain⁶⁰, K. Jakobs⁴⁸, S. Jakobsen³⁵,
J. Jakubek¹²⁷, D.K. Jana¹¹¹, E. Jansen⁷⁷, H. Jansen²⁹, A. Jantsch⁹⁹, M. Janus⁴⁸, G. Jarlskog⁷⁹, L. Jeanty⁵⁷,
J. Jen-L Y. Jiang ⁵²⁶, M. Jimenez Belenguer ¹¹, S. Jin ⁵²⁴, O. Jinnouchi ¹⁵⁷, M.D. Joergensen ⁵⁵, D. Joffe ⁵⁵, L.G. Johansen ¹³, M. Johansen ^{146a,146b}, K.E. Johansson ^{146a}, P. Johansson ¹³⁹, S. Johnert ⁴¹, K.A. Johns ⁶, K. Jon-And ^{146a,146b}, G. Jones ¹¹⁸, R.W.L. Jones ⁷¹, T.J. Jones ⁷³, C. Joram ²⁹, P.M. Jorge ^{124a}, K.D. Joshi ⁸², J. Jovicevic ¹⁴⁷, T. Jovin ^{12b}, X. Ju ¹⁷³, C.A. Jung ⁴², R.M. Jungst ²⁹, V. Juranek ¹²⁵, P. Jussel ⁶¹, A. Juste Rozas ¹¹, S. Kabana ¹⁶, M. Kaci ¹⁶⁷, A. Kaczmarska ³⁸, P. Kadlecik ³⁵, M. Kado ¹¹⁵, H. Kagan ¹⁰⁹, M. Kagan ⁵⁷, E. Kajomovitz ¹⁵², S. Kalinin ¹⁷⁵, L.V. Kalinovskaya ⁶⁴, S. Kama ³⁹, N. Kanaya ¹⁵⁵, M. Kaneda ²⁹, S. Kaneti ²⁷, T. Kanno ¹⁵⁷, V.A. Kantserov ⁹⁶, J. Kanzaki ⁶⁵, B. Kaplan ¹⁷⁶, A. Kapliy ³⁰, J. Kaplon ²⁹, D. Kar ⁵³,

M. Karagounis²⁰, K. Karakostas⁹, M. Karnevskiy⁴¹, V. Kartvelishvili⁷¹, A.N. Karyukhin¹²⁸, L. Kashif¹⁷³, G. Kasieczka^{58b}, R.D. Kass¹⁰⁹, A. Kastanas¹³, M. Kataoka⁴, Y. Kataoka¹⁵⁵, E. Katsoufis⁹, J. Katzy⁴¹, V. Kaushik⁶, K. Kawagoe⁶⁹, T. Kawamoto¹⁵⁵, G. Kawamura⁸¹, M.S. Kayl¹⁰⁵, V.A. Kazanin¹⁰⁷, M.Y. Kazarinov⁶⁴, R. Keeler¹⁶⁹, R. Kehoe³⁹, M. Keil⁵⁴, G.D. Kekelidze⁶⁴, J.S. Keller¹³⁸, J. Kennedy⁹⁸, M. Kenyon⁵³, O. Kepka¹²⁵, N. Kerschen²⁹, B.P. Kerševan⁷⁴, S. Kersten¹⁷⁵, K. Kessoku¹⁵⁵, J. Keung¹⁵⁸, F. Khalil-zada¹⁰, H. Khandanyan¹⁶⁵, A. Khanov¹¹², D. Kharchenko⁶⁴, A. Khodinov⁹⁶, A. Khomich^{58a}, T. Kawamota¹⁷⁵, K. Kessoku¹⁵⁵, F. Khalil-zada¹⁰, H. Khandanyan¹⁶⁵, A. Khanov¹¹², D. Kharchenko⁶⁴, A. Khodinov⁹⁶, A. Khomich^{58a}, M.Y. Kazarinov⁶⁴, R. Kerler¹⁵⁰, R. Kehne²⁹, M. Kell⁵⁴, G.D. Kekrlidze⁶⁴, J.S. Keller¹²⁸, J. Kennedy⁹⁸, M. Kennody⁹⁷, O. Kepka¹²⁵, J. Kennedy⁹⁷, P. B. Kersvan¹⁴, S. Kersen¹⁷⁵, J. Kessoku¹⁵⁵, J. Kennedy⁹⁸, R. Khoro⁵⁶, D. Kharchenko⁶⁴, A. Khodinov⁹⁶, A. Khomoti⁷⁵, J. Khoroshilov¹⁹⁷, V. Khovanskiy⁹⁷, E. Khramov⁶⁷, J. Khorna⁵⁰, S.B. King¹¹⁸, J. Kint¹²⁹, A. Khoroshilov¹⁹⁷, V. Khovanskiy⁹⁷, E. Khramov⁶⁷, J. Khing¹⁹⁸, S.B. King¹¹⁸, J. Kint¹²⁹, A.E. Kiryunin³⁹, T. Kishimoto⁶⁶, D. Kisielewska³⁷, T. Kirtelmann¹²⁹, A.M. Kive¹¹²⁸, S.B. King¹¹⁸, J. Kint¹²⁹, J. Klint¹²⁰, J. Klint¹²⁷, J. Klint¹²⁸, J. Klint¹²⁹, J. Klont¹³⁰, K. Kook¹³⁴, J. Kook¹³⁶, K. Korel¹³⁴, K. Kook¹³⁶, K. Korel³⁵, K. Korel³⁷, J. Kool¹³⁵, T. Kool³⁶⁴, J. Kobleva³⁸⁴, J. Kool¹⁴⁷, K. Kook¹³⁶, K. Korel¹⁴³, K. Kook¹³⁶, K. Korel¹⁴⁵, J. Kool¹³⁷, J. Kool¹¹⁷, K. Kolark¹³⁷, J. Koorl¹⁰⁷, J. Korls¹³⁶, J. Koorl¹³⁷, J. Korark¹³⁶, K. Korol¹⁴⁷, J. Korl¹³⁷, K. Korol¹⁴⁷, K. Koorl¹⁴⁷, K. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Korol¹⁴⁹, J. Korotk¹³⁷, J. Korotk¹³⁷, J. Koorl¹³⁷, K. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Korotk¹⁴⁷, K. Koroth¹⁴⁸, K. Korol¹⁴⁸, K. Korol¹⁴⁸, K. Korol¹⁴⁹, J. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Korotk¹⁴⁷, K. Korotk¹⁴⁷, K. Koroth¹⁴⁸, K. Korol¹⁴⁸, K. Korol¹⁴⁸, K. Korol¹⁴⁸, K. Korol¹⁴⁹, J. Koroth¹⁴⁹, K. Korol¹⁴⁷, K. Korol¹⁴⁷, K. Koroth¹⁴⁹, K. Koroth¹⁴⁹

L. Magnoni²⁹, E. Magradze⁵⁴, K. Mahboubi⁴⁸, S. Mahmoud⁷³, G. Mahout¹⁷, C. Maiani^{132a,132b}, C. Maidantchik^{23a}, A. Maio^{124a,b}, S. Majewski²⁴, Y. Makida⁶⁵, N. Makovec¹¹⁵, P. Mal¹³⁶, B. Malaescu²⁹, Pa. Malecki ³⁸, P. Malecki ³⁸, V.P. Maleev ¹²¹, F. Malek ⁵⁵, U. Mallik ⁶², D. Malon ⁵, C. Malone ¹⁴³, S. Maltezos ⁹, V. Malyshev ¹⁰⁷, S. Malyukov ²⁹, R. Mameghani ⁹⁸, J. Mamuzic ^{12b}, A. Manabe ⁶⁵, L. Mandelli ^{89a}, I. Mandić ⁷⁴, R. Mandrysch ¹⁵, J. Maneira ^{124a}, P.S. Mangeard ⁸⁸, L. Manhaes de Andrade Filho ^{23a}, A. Mann ⁵⁴, P.M. Manning ¹³⁷, A. Manousakis-Katsikakis ⁸, L. Manhaes de Andrade Filho^{23a}, A. Mann⁵⁴, P.M. Manning¹³⁷, A. Manousakis-Katsikakis⁸, B. Mansoulie¹³⁶, A. Mapelli²⁹, L. Mapelli²⁹, L. March⁸⁰, J.F. Marchand²⁸, F. Marchese^{133a,133b}, G. Marchiori⁷⁸, M. Marcisovsky¹²⁵, C.P. Marino¹⁶⁹, F. Marroquim^{23a}, Z. Marshall²⁹, E.K. Martens¹⁵⁸, S. Marti-Garcia¹⁶⁷, B. Martin²⁹, B. Martin⁸⁸, J.P. Martin⁹³, T.A. Martin¹⁷, V.J. Martin⁴⁵, B. Martin dit Latour⁴⁹, S. Martin-Haugh¹⁴⁹, M. Martinez¹¹, V. Martinez Outschoorn⁵⁷, A.C. Martyniuk¹⁶⁹, M. Marx⁸², F. Marzano^{132a}, A. Marzin¹¹¹, L. Masetti⁸¹, T. Mashimo¹⁵⁵, R. Mashinistov⁹⁴, J. Masik⁸², A.L. Maslennikov¹⁰⁷, I. Massa^{19a,19b}, G. Massaro¹⁰⁵, N. Massol⁴, P. Mastrandrea^{132a,132b}, A. Mastroberardino^{36a,36b}, T. Masubuchi¹⁵⁵, P. Matricon¹¹⁵, H. Matsunaga¹⁵⁵, T. Matsushita⁶⁶, C. Mattravers^{118,c}, J. Maurer⁸³, S.J. Maxfield⁷³, A. Mayne¹³⁹, R. Mazini¹⁵¹, M. Mazur²⁰, L. Mazzaferro^{133a,133b}, M. Mazzanti^{89a}, S.P. Mc Kee⁸⁷, A. McCarn¹⁶⁵, R.L. McCarthy¹⁴⁸, T.G. McCarthy²⁸, N.A. McCubbin¹²⁹, K.W. McFarlane⁵⁶, J.A. McPherson^{169,k}, A. Meade⁸⁴, J. Mechnich¹⁰⁵, M. Mechtel¹⁷⁵, M. Medinnis⁴¹, R. Meera-Lebbai¹¹¹, T. Meguro¹¹⁶, R. Mehdiyev⁹³, S. Mehlhase³⁵, A. Mehta⁷³, K. Meier^{58a}, B. Meirose⁷⁹, C. Melachrinos³⁰, B.R. Mellado Garcia¹⁷³, F. Meloni^{89a,89b}, L. Mendoza Navas¹⁶², Z. Meng^{151,u}, A. Mengarelli^{19a,19b}, S. Menke⁹⁹, E. Meoni¹¹, K.M. Mercurio⁵⁷. K. Meier ^{38a}, B. Meirose ⁷⁹, C. Melachrinos ³⁰, B.R. Mellado Garcia ¹⁷⁵, F. Meloni ^{89a}, ⁶⁹⁵, L. Mendoza Navas ¹⁶², Z. Meng ^{151,u}, A. Mengarelli ^{19a,19b}, S. Menke ⁹⁹, E. Meoni ¹¹, K.M. Mercurio ⁵⁷, P. Mermod ⁴⁹, L. Merola ^{102a,102b}, C. Meroni ^{89a}, F.S. Merritt ³⁰, H. Merritt ¹⁰⁹, A. Messina ^{29,y}, J. Metcalfe ¹⁰³, A.S. Mete ⁶³, C. Meyer ⁸¹, C. Meyer ³⁰, J.-P. Meyer ¹³⁶, J. Meyer ¹⁷⁴, J. Meyer ⁵⁴, T.C. Meyer ²⁹, W.T. Meyer ⁶³, J. Miao ^{32d}, S. Michal ²⁹, L. Micu ^{25a}, R.P. Middleton ¹²⁹, S. Migas ⁷³, L. Mijović ⁴¹, G. Mikenberg ¹⁷², M. Mikestikova ¹²⁵, M. Mikuž ⁷⁴, D.W. Miller ³⁰, R.J. Miller ⁸⁸, W.J. Mills ¹⁶⁸, C. Mills ⁵⁷, A. Milov ¹⁷², D.A. Milstead ^{146a,146b}, D. Milstein ¹⁷², A.A. Minaenko ¹²⁸, M. Miñano Moya ¹⁶⁷, I.A. Minashvili ⁶⁴, A.I. Mincer ¹⁰⁸, B. Mindur ³⁷, M. Mineev ⁶⁴, Y. Ming ¹⁷³, L.M. Miraho Moya ¹³⁷, I.A. Minashvin ¹⁴, A.I. Mincel ¹³⁷, B. Mindul ¹⁴, M. Mineev ¹⁴, Y. Ming ¹⁴⁷, L.M. Mir ¹¹, G. Mirabelli ^{132a}, A. Misiejuk ⁷⁶, J. Mitrevski ¹³⁷, V.A. Mitsou ¹⁶⁷, S. Mitsui ⁶⁵, P.S. Miyagawa ¹³⁹, K. Miyazaki ⁶⁶, J.U. Mjörnmark ⁷⁹, T. Moa ^{146a,146b}, S. Moed ⁵⁷, V. Moeller ²⁷, K. Mönig ⁴¹, N. Möser ²⁰, S. Mohapatra ¹⁴⁸, W. Mohr ⁴⁸, R. Moles-Valls ¹⁶⁷, J. Molina-Perez ²⁹, J. Monk ⁷⁷, E. Monnier ⁸³, S. Montesano ^{89a,89b}, F. Monticelli ⁷⁰, S. Monzani ^{19a,19b}, R.W. Moore ², G.F. Moorhead ⁸⁶, C. Mora Herrera ⁴⁹, A. Moraes ⁵³, N. Morange ¹³⁶, J. Morel ⁵⁴, G. Morello ^{36a,36b}, D. Moreno ⁸¹, M. Moreno Llácer ¹⁶⁷, P. Morettini ^{50a}, M. Morgenstern ⁴³, M. Morii ⁵⁷, J. Morin ⁷⁵, A.K. Morley ²⁹, G. Mornacchi ²⁹, J.D. Morris ⁷⁵, L. Morvaj ¹⁰¹, H.G. Moser ⁹⁹, M. Mosidze ^{51b}, J. Moss ¹⁰⁹, R. Mount ¹⁴³, G. Mornacchi²⁹, J.D. Morris⁷⁹, L. Morvaj¹⁰¹, H.G. Moser³⁹, M. Mosidze³¹⁰, J. Moss¹⁰⁵, K. Mount¹⁴³, E. Mountricha^{9,z}, S.V. Mouraviev⁹⁴, E.J.W. Moyse⁸⁴, F. Mueller^{58a}, J. Mueller¹²³, K. Mueller²⁰, T.A. Müller⁹⁸, T. Mueller⁸¹, D. Muenstermann²⁹, Y. Munwes¹⁵³, W.J. Murray¹²⁹, I. Mussche¹⁰⁵, E. Musto^{102a,102b}, A.G. Myagkov¹²⁸, M. Myska¹²⁵, J. Nadal¹¹, K. Nagai¹⁶⁰, K. Nagano⁶⁵, A. Nagarkar¹⁰⁹, Y. Nagasaka⁵⁹, M. Nagel⁹⁹, A.M. Nairz²⁹, Y. Nakahama²⁹, K. Nakamura¹⁵⁵, T. Nakamura¹⁵⁵, I. Nakano¹¹⁰, G. Nanava²⁰, A. Napier¹⁶¹, R. Narayan^{58b}, M. Nash^{77,c}, T. Nattermann²⁰, T. Naumann⁴¹, G. Navarro¹⁶², H.A. Neal⁸⁷, P.Yu. Nechaeva⁹⁴, T.J. Neep⁸², A. Negri^{119a,119b}, G. Negri²⁹, S. Nektarijevic⁴⁹, A. Nelson¹⁶³, T.K. Nelson¹⁴³, S. Nemecek¹²⁵, P. Nemethy¹⁰⁸, A.A. Nepomuceno^{23a}, M. Nessi^{29,aa}, M.S. Neubauar¹⁶⁵, A. Neusiedl⁸¹, R.M. Neves¹⁰⁸, R. Nevski²⁴, R.R. Neumann¹⁷, V. Nguwen Thi Hong¹³⁶ A. Nelson ¹⁶³, T.K. Nelson ¹⁴³, S. Nemecek ¹²⁵, P. Nemethy ¹⁰⁸, A.A. Nepomuceno ^{23a}, M. Nessi ^{29,aa}, M.S. Neubauer ¹⁶⁵, A. Neusiedl ⁸¹, R.M. Neves ¹⁰⁸, P. Nevski ²⁴, P.R. Newman ¹⁷, V. Nguyen Thi Hong ¹³⁶, R.B. Nickerson ¹¹⁸, R. Nicolaidou ¹³⁶, L. Nicolas ¹³⁹, B. Nicquevert ²⁹, F. Niedercorn ¹¹⁵, J. Nielsen ¹³⁷, N. Nikiforou ³⁴, A. Nikiforov ¹⁵, V. Nikolaenko ¹²⁸, I. Nikolic-Audit ⁷⁸, K. Nikolics ⁴⁹, K. Nikolopoulos ²⁴, H. Nilsen ⁴⁸, P. Nilsson ⁷, Y. Ninomiya ¹⁵⁵, A. Nisati ^{132a}, T. Nishiyama ⁶⁶, R. Nisius ⁹⁹, L. Nodulman ⁵, M. Nomachi ¹¹⁶, I. Nomidis ¹⁵⁴, M. Nordberg ²⁹, P.R. Norton ¹²⁹, J. Novakova ¹²⁶, M. Nozaki ⁶⁵, L. Nozka ¹¹³, I.M. Nugent ^{159a}, A.-E. Nuncio-Quiroz ²⁰, G. Nunes Hanninger ⁸⁶, T. Nunnemann ⁹⁸, E. Nurse ⁷⁷, B.J. O'Brien ⁴⁵, S.W. O'Neale ^{17,*}, D.C. O'Neil ¹⁴², V. O'Shea ⁵³, L.B. Oakes ⁹⁸, F.G. Oakham ^{28,d}, H. Oberlack ⁹⁹, J. Ocariz ⁷⁸, A. Ochi ⁶⁶, S. Oda ¹⁵⁵, S. Odaka ⁶⁵, J. Odier ⁸³, H. Ogren ⁶⁰, A. Oh ⁸², S.H. Oh ⁴⁴, C.C. Ohm ^{146a, 146b}, T. Ohshima ¹⁰¹, S. Okada ⁶⁶, H. Okawa ¹⁶³, Y. Okumura ¹⁰¹, T. Okuyama ¹⁵⁵, A. Olariu ^{25a}, A.G. Olchevski ⁶⁴, S.A. Olivares Pino ^{31a}, M. Oliveira ^{124a,h}, D. Oliveira Damazio ²⁴, E. Oliver Garcia ¹⁶⁷, D. Olivito ¹²⁰, A. Olszewski ³⁸, J. Olszowska ³⁸, A. Onofre ^{124a,ab}, P.U.E. Onyisi ³⁰, C.J. Oram ^{159a}, M.J. Oreglia ³⁰, Y. Oren ¹⁵³, D. Orestano ^{134a, 134b}, N. Orlando ^{72a,72b}, I. Orlov ¹⁰⁷,

C. Oropeza Barrera⁵³, R.S. Orr¹⁵⁸, B. Osculati^{50a,50b}, R. Ospanov¹²⁰, C. Osuna¹¹, G. Otero y Garzon²⁶, J.P. Ottersbach¹⁰⁵, M. Ouchrif^{135d}, E.A. Ouellette¹⁶⁹, F. Ould-Saada¹¹⁷, A. Ouraou¹³⁶, Q. Ouyang^{32a}, C. Oropeza Barrera^{3,7}, K.S. OFT^{10,8}, B. Osculal^{1,50,30,8}, K. Ospanov^{1,8,9}, C. Osuna^{1,7}, G. Otero y Garzon^{10,5}, J.P. Ottersbach¹⁰⁵, M. Ouchrif^{135d}, E.A. Ouellette¹⁶⁹, F. Ould-Saada¹¹⁷, A. Ouraou¹³⁶, Q. Ouyang^{32a}, A. Ovcharova¹⁴, M. Owen⁸², S. Owen¹³⁹, V.E. Ozcan^{18a}, N. Ozturk⁷, A. Pacheco Pages¹¹, C. Padilla Aranda¹¹, S. Pagan Griso¹⁴, E. Paganis¹³⁹, F. Paige²⁴, P. Pais⁸⁴, K. Pajchel¹¹⁷, G. Palacino^{159b}, C.P. Paleari⁶, S. Palestini²⁹, D. Pallin³³, A. Palma^{124a}, J.D. Palmer¹⁷, Y.B. Pan¹⁷³, E. Panagiotopoulou⁹, N. Panikashvili⁸⁷, S. Panitkin²⁴, D. Pantea^{25a}, A. Papadelis^{146a}, Th.D. Papadopoulou⁹, A. Paramonov⁵, D. Paredes Hernandez³³, W. Park^{24,ac}, M.A. Parker²⁷, F. Parodi^{50a,50b}, J.A. Parsons³⁴, U. Parzefall⁴⁸, S. Pashapour⁵⁴, E. Pasqualucci^{132a}, S. Passaggio^{50a}, A. Passeri^{134a}, F. Pastore^{134a,134b}, Fr. Pastore⁷⁶, G. Pásztor^{49,ad}, S. Pataraia¹⁷⁵, N. Patel¹⁵⁰, J.R. Pater⁸², S. Patricelli^{102a,102b}, T. Pauly²⁹, M. Pecsy^{144a}, M.I. Pedraza Morales¹⁷³, S.V. Peleganchuk¹⁰⁷, D. Pelikan¹⁶⁶, H. Peng^{32b}, B. Penning³⁰, A. Penson³⁴, J. Penwell⁶⁰, M. Perantoni^{23a}, K. Perez^{34,ae}, T. Perez Cavalcanti⁴¹, E. Perez Codina^{159a}, M.T. Pérez García-Estañ¹⁶⁷, V. Perez Reale³⁴, L. Perini^{89a,89b}, H. Pernegger²⁹, R. Perrino^{72a}, P. Perrodo⁴, S. Persembe^{3a}, V.D. Peshekhonov⁶⁴, K. Peters²⁹, B.A. Petersen²⁹, J. Petersen²⁹, T.C. Petersen³⁵, E. Petit⁴, A. Petridis¹⁵⁴, C. Petridou¹⁵⁴, E. Petrolo^{132a}, F. Petrucci^{134a,134b}, D. Petschull⁴¹, M. Petteni¹⁴², R. Pezoa^{31b}, A. Pha⁸⁶, P.W. Phillips¹²⁹, G. Piacquadio²⁹, A. Dicazio⁴⁹, E. Piccaro⁷⁵, M. Piccinini^{19a,19b}, S.M. Piec⁴¹, R. Piegaia²⁶, D.T. Pignotti¹⁰⁹, J.E. Pilcher³⁰, A.D. Pilkington⁸², J. Pin^{124a,b}, M. Pinamonti^{164a,164c}, A. Pinder¹¹⁸, J.L. Pinfold², B. Pinto^{124a}, C. Pizio^{89a,89b}, M. Plamondon¹⁶⁹, M.-A. Pleier²⁴, E. Plotnikova⁶⁴, A. Poblaguev²⁴, S. Poddar^{58a}, F. Podlyski J. Proudfoot ⁵, X. Prudent ⁴³, M. Przybycien ³⁷, H. Przysiezniak ⁴, S. Psoroulas ²⁰, E. Ptacek ¹¹⁴, E. Pueschel ⁸⁴, J. Purdham ⁸⁷, M. Purohit ^{24,ac}, P. Puzo ¹¹⁵, Y. Pylypchenko ⁶², J. Qian ⁸⁷, Z. Qin ⁴¹, A. Quadt ⁵⁴, D.R. Quarrie ¹⁴, W.B. Quayle ¹⁷³, F. Quinonez ^{31a}, M. Raas ¹⁰⁴, V. Radescu ⁴¹, P. Radloff ¹¹⁴, T. Rador ^{18a}, F. Ragusa ^{89a,89b}, G. Rahal ¹⁷⁸, A.M. Rahimi ¹⁰⁹, D. Rahm ²⁴, S. Rajagopalan ²⁴, I. Radof ¹⁶⁴, F. Ragusa ⁶⁵⁴, ⁶⁵⁵, G. Kanal ¹⁷⁵, A.M. Ramm ¹⁶⁵, D. Ramm ¹⁷⁵, S. Rajagopalar¹⁷,
M. Rammensee ⁴⁸, M. Rammes ¹⁴¹, A.S. Randle-Conde ³⁹, K. Randrianarivony ²⁸, F. Rauscher ⁹⁸,
T.C. Rave ⁴⁸, M. Raymond ²⁹, A.L. Read ¹¹⁷, D.M. Rebuzzi ^{119a,119b}, A. Redelbach ¹⁷⁴, G. Redlinger ²⁴,
R. Reece ¹²⁰, K. Reeves ⁴⁰, E. Reinherz-Aronis ¹⁵³, A. Reinsch ¹¹⁴, I. Reisinger ⁴², C. Rembser ²⁹, Z.L. Ren ¹⁵¹,
A. Renaud ¹¹⁵, M. Rescigno ^{132a}, S. Resconi ^{89a}, B. Resende ¹³⁶, P. Reznicek ⁹⁸, R. Rezvani ¹⁵⁸, R. Richter ⁹⁹,
E. Richter-Was ^{4,af}, M. Ridel ⁷⁸, M. Rijpstra ¹⁰⁵, M. Rijssenbeek ¹⁴⁸, A. Rimoldi ^{119a,119b}, L. Rinaldi ^{19a},
R.R. Rios ³⁹, I. Riu ¹¹, G. Rivoltella ^{89a,89b}, F. Rizatdinova ¹¹², E. Rizvi ⁷⁵, S.H. Robertson ^{85,k}, A. Robichaud-Veronneau ¹¹⁸, D. Robinson ²⁷, J.E.M. Robinson ⁷⁷, A. Robson ⁵³, J.G. Rocha de Lima ¹⁰⁶, C. Roda ^{122a, 122b}, D. Roda Dos Santos ²⁹, A. Roe ⁵⁴, S. Roe ²⁹, O. Røhne ¹¹⁷, S. Rolli ¹⁶¹, A. Romaniouk ⁹⁶, M. Romano ^{19a, 19b}, G. Romeo ²⁶, E. Romero Adam ¹⁶⁷, L. Roos ⁷⁸, E. Ros ¹⁶⁷, S. Rosati ^{132a}, K. Rosbach ⁴⁹, M. Romano ^{19a,19b}, G. Romeo²⁶, E. Romero Adam ¹⁶⁷, L. Roos⁷⁸, E. Ros¹⁶⁷, S. Rosati ^{132a}, K. Rosbach⁴⁹, A. Rose¹⁴⁹, M. Rose⁷⁶, G.A. Rosenbaum¹⁵⁸, E.I. Rosenberg⁶³, P.L. Rosendahl¹³, O. Rosenthal¹⁴¹, L. Rosselet⁴⁹, V. Rossetti ¹¹, E. Rossi ^{132a,132b}, L.P. Rossi ^{50a}, M. Rotaru^{25a}, I. Roth¹⁷², J. Rothberg¹³⁸, D. Rousseau¹¹⁵, C.R. Royon¹³⁶, A. Rozanov⁸³, Y. Rozen¹⁵², X. Ruan^{32a,ag}, F. Rubbo¹¹, I. Rubinskiy⁴¹, B. Ruckert⁹⁸, N. Ruckstuhl¹⁰⁵, V.I. Rud⁹⁷, C. Rudolph⁴³, G. Rudolph⁶¹, F. Rühr⁶, F. Ruggieri ^{134a,134b}, A. Ruiz-Martinez⁶³, L. Rumyantsev⁶⁴, K. Runge⁴⁸, Z. Rurikova⁴⁸, N.A. Rusakovich⁶⁴, J.P. Rutherfoord⁶, C. Ruwiedel¹⁴, P. Ruzicka¹²⁵, Y.F. Ryabov¹²¹, P. Ryan⁸⁸, M. Rybar¹²⁶, G. Rybkin¹¹⁵, N.C. Ryder¹¹⁸, A.F. Saavedra¹⁵⁰, I. Sadeh¹⁵³, H.F.-W. Sadrozinski¹³⁷, R. Sadykov⁶⁴, F. Safai Tehrani^{132a}, H. Sakamoto¹⁵⁵, G. Salamanna⁷⁵, A. Salamon^{133a}, M. Saleem¹¹¹, D. Salek²⁹, D. Salihagic⁹⁹, A. Salnikov¹⁴³, J. Salt¹⁶⁷, B.M. Salvachua Ferrando⁵, D. Salvatore^{36a,36b}, F. Salvatore¹⁴⁹, A. Salvucci¹⁰⁴, A. Salzburger²⁹, D. Sampsonidis¹⁵⁴, B.H. Samset¹¹⁷, A. Sanchez^{102a,102b}, V. Sanchez Martinez¹⁶⁷, H. Sandaker¹³, H.G. Sander⁸¹, M.P. Sanders⁹⁸, M. Sandhoff¹⁷⁵, T. Sandoval²⁷, C. Santoval¹⁶², R. Sandstroem⁹⁹, D.P.C. Sankey¹²⁹, A. Sansoni⁴⁷, C. Santamarina Rios⁸⁵, C. Santoni³³, R. Santonico^{133a,133b}, H. Santos^{124a}, J.G. Saraiva^{124a}, T. Sarangi¹⁷³, E. Sarkisyan-Grinbaum⁷, F. Sarri^{122a,122b}, G. Sartisohn¹⁷⁵, O. Sasaki⁶⁵, N. Sasao⁶⁷, I. Satsounkevitch⁹⁰, G. Sauvage⁴, E. Sauvan⁴, J.B. Sauvan¹¹⁵, P. Savard^{158,d}, V. Savinov¹²³, D.O. Savu²⁹, L. Sawyer^{24,m}, D.H. Saxon⁵³, J. Saxon¹²⁰, C. Sbarra^{19a}, A. Sbrizzi^{19a,19b}, O. Scallon⁹³,

403

D.A. Scannicchio¹⁶³, M. Scarcella¹⁵⁰, J. Schaarschmidt¹¹⁵, P. Schacht⁹⁹, D. Schaefer¹²⁰, U. Schäfer⁸¹, D.A. Scannicchio¹⁰⁵, M. Scarcella¹⁵⁶, J. Schaarschmidt¹¹⁵, P. Schacht⁵⁵, D. Schaeter¹²⁶, U. Schaeter⁵⁷, S. Schaepe²⁰, S. Schaetzel^{58b}, A.C. Schaffer¹¹⁵, D. Schaile⁹⁸, R.D. Schamberger¹⁴⁸, A.G. Schamov¹⁰⁷, V. Scharf^{58a}, V.A. Schegelsky¹²¹, D. Scheirich⁸⁷, M. Schernau¹⁶³, M.I. Scherzer³⁴, C. Schiavi^{50a,50b}, J. Schieck⁹⁸, M. Schioppa^{36a,36b}, S. Schlenker²⁹, E. Schmidt⁴⁸, K. Schmieden²⁰, C. Schmitt⁸¹, S. Schmitt^{58b}, M. Schmitz²⁰, A. Schöning^{58b}, M. Schott²⁹, D. Schouten^{159a}, J. Schovancova¹²⁵, M. Schram⁸⁵, C. Schroeder⁸¹, N. Schroer^{58c}, M.J. Schultens²⁰, J. Schultes¹⁷⁵, H.-C. Schultz-Coulon^{58a}, H. Schulz¹⁵, J.W. Schumacher²⁰, M. Schumacher⁴⁸, B.A. Schumm¹³⁷, Ph. Schune¹³⁶, C. Schwanenberger⁸², A. Schwartzman¹⁴³, Ph. Schwemling⁷⁸, R. Schwienhorst⁸⁸, R. Schwierz⁴³, J. Schwindling¹³⁶, T. Schwindt²⁰, M. Schwoerer⁴, G. Sciolla²², W.G. Scott¹²⁹, J. Searcy¹¹⁴, G. Sedov⁴¹, E. Sedykh¹²¹, S.C. Seidel¹⁰³, A. Seiden¹³⁷, F. Seifert⁴³, J.M. Seixas^{23a}, G. Sekhniaidze^{102a}, E. Sedykh ¹²¹, S.C. Seidel ¹⁰³, A. Seiden ¹³⁷, F. Seifert ⁴³, J.M. Seixas ^{23a}, G. Sekhniaidze ^{102a},
S.J. Sekula ³⁹, K.E. Selbach ⁴⁵, D.M. Seliverstov ¹²¹, B. Sellden ^{146a}, G. Sellers ⁷³, M. Seman ^{144b},
N. Semprini-Cesari ^{19a, 19b}, C. Serfon ⁹⁸, L. Serin ¹¹⁵, L. Serkin ⁵⁴, R. Seuster ⁹⁹, H. Severini ¹¹¹, A. Sfyrla ²⁹,
E. Shabalina ⁵⁴, M. Shamim ¹¹⁴, L.Y. Shan ^{32a}, J.T. Shank ²¹, Q.T. Shao ⁸⁶, M. Shapiro ¹⁴, P.B. Shatalov ⁹⁵,
K. Shaw ^{164a, 164c}, D. Sherman ¹⁷⁶, P. Sherwood ⁷⁷, A. Shibata ¹⁰⁸, H. Shichi ¹⁰¹, S. Shimizu ²⁹,
M. Shimojima ¹⁰⁰, T. Shin ⁵⁶, M. Shiyakova ⁶⁴, A. Shmeleva ⁹⁴, M.J. Shochet ³⁰, D. Short ¹¹⁸, S. Shrestha ⁶³,
E. Shulga ⁹⁶, M.A. Shupe ⁶, P. Sicho ¹²⁵, A. Sidoti ^{132a}, F. Siegert ⁴⁸, Dj. Sijacki ^{12a}, O. Silbert ¹⁷², J. Silva ^{124a},
Y. Silver ¹⁵³, D. Silverstein ¹⁴³, S.B. Silverstein ^{146a}, V. Simak ¹²⁷, O. Simard ¹³⁶, Lj. Simic ^{12a}, S. Simion ¹¹⁵,
B. Simmons ⁷⁷, R. Simoniello ^{89a, 89b}, M. Simonyan ³⁵, P. Sinervo ¹⁵⁸, N.B. Sinev ¹¹⁴, V. Sipica ¹⁴¹,
G. Siragusa ¹⁷⁴, A. Sircar ²⁴, A.N. Sisakyan ⁶⁴, S.Yu. Sivoklokov ⁹⁷, J. Sjölin ^{146a, 146b}, T.B. Sjursen ¹³,
L.A. Skinnari ¹⁴, H.P. Skottowe ⁵⁷, K. Skovpen ¹⁰⁷, P. Skubic ¹¹¹, M. Slater ¹⁷, T. Slavicek ¹²⁷, K. Sliwa ¹⁶¹,
V. Smakhtin ¹⁷², B.H. Smart ⁴⁵, S.Yu. Smirnov ⁹⁶, Y. Smirnov ⁹⁶, L.N. Smirnova ⁹⁷, O. Smirnova ⁷⁹,
B.C. Smith ⁵⁷, D. Smith ¹⁴³, K.M. Smith ⁵³, M. Smizanska ⁷¹, K. Smolek ¹²⁷, A.A. Snesarev ⁹⁴, S.W. Snow ⁸²,
L. Snow ¹¹¹, S. Snyder ²⁴, R. Sobje ^{169,k}, L. Sodomka ¹²⁷, A. Soffer ¹⁵³, C.A. Solans ¹⁶⁷, M. Solar ¹²⁷, L. Solc ¹²⁷ J. Snow ¹¹¹, S. Snyder ²⁴, R. Sobie ^{169, k}, J. Sodomka ¹²⁷, A. Soffer ¹⁵³, C.A. Solans ¹⁶⁷, M. Solar ¹²⁷, J. Solc ¹²⁷, E. Soldatov ⁹⁶, U. Soldevila ¹⁶⁷, E. Solfaroli Camillocci ^{132a, 132b}, A.A. Solodkov ¹²⁸, O.V. Solovyanov ¹²⁸, N. Soni², V. Sopko¹²⁷, B. Sopko¹²⁷, M. Sosebee⁷, R. Soualah^{164a,164c}, A. Soukharev¹⁰⁷, S. Spagnolo^{72a,72b}, F. Spanò⁷⁶, R. Spighi^{19a}, G. Spigo²⁹, F. Spila^{132a,132b}, R. Spiwoks²⁹, M. Spousta¹²⁶, T. Spreitzer ¹⁵⁸, B. Spurlock ⁷, R.D. St. Denis ⁵³, J. Stahlman ¹²⁰, R. Stamen ^{58a}, E. Stanecka ³⁸, R.W. Stanek ⁵, C. Stanescu ^{134a}, M. Stanescu-Bellu ⁴¹, S. Stapnes ¹¹⁷, E.A. Starchenko ¹²⁸, J. Stark ⁵⁵, P. Staroba ¹²⁵, P. Starovoitov ⁴¹, A. Staude ⁹⁸, P. Stavina ^{144a}, G. Steele ⁵³, P. Steinbach ⁴³, P. Steinberg ²⁴, I. Stekl ¹²⁷, P. Starovoitov⁴¹, A. Staude⁹⁸, P. Stavina^{144a}, G. Steele⁵³, P. Steinbach⁴³, P. Steinberg²⁴, I. Stekl¹²⁷, B. Stelzer¹⁴², H.J. Stelzer⁸⁸, O. Stelzer-Chilton^{159a}, H. Stenzel⁵², S. Stern⁹⁹, G.A. Stewart²⁹, J.A. Stillings²⁰, M.C. Stockton⁸⁵, K. Stoerig⁴⁸, G. Stoicea^{25a}, S. Stonjek⁹⁹, P. Strachota¹²⁶, A.R. Stradling⁷, A. Straessner⁴³, J. Strandberg¹⁴⁷, S. Strandberg^{146a,146b}, A. Strandlie¹¹⁷, M. Strang¹⁰⁹, E. Strauss¹⁴³, M. Strauss¹¹¹, P. Strizenec^{144b}, R. Ströhmer¹⁷⁴, D.M. Strom¹¹⁴, J.A. Strong^{76,*}, R. Stroynowski³⁹, J. Strube¹²⁹, B. Stugu¹³, I. Stumer^{24,*}, J. Stupak¹⁴⁸, P. Sturm¹⁷⁵, N.A. Styles⁴¹, D.A. Soh^{151,w}, D. Su¹⁴³, HS. Subramania², A. Succurro¹¹, Y. Sugaya¹¹⁶, C. Suhr¹⁰⁶, K. Suita⁶⁶, M. Suk¹²⁶, V.V. Sulin⁹⁴, S. Sultansoy^{3d}, T. Sumida⁶⁷, X. Sun⁵⁵, J.E. Sundermann⁴⁸, K. Suruliz¹³⁹, G. Susinno^{36a,36b}, M.R. Sutton¹⁴⁹, Y. Suzuki⁶⁵, Y. Suzuki⁶⁶, M. Svatos¹²⁵, S. Swedish¹⁶⁸, I. Sykora^{144a}, T. Sykora¹²⁶, J. Sánchez¹⁶⁷, D. Ta¹⁰⁵, K. Tackmann⁴¹, A. Taffard¹⁶³, R. Tafirout^{159a}, N. Taiblum¹⁵³, Y. Takahashi¹⁰¹, H. Takai²⁴, R. Takashima⁶⁸, H. Takeda⁶⁶, T. Takeshita¹⁴⁰, Y. Takubo⁶⁵, M. Talby⁸³, A. Talyshev^{107,f}, M.C. Tamsett²⁴, J. Tanaka¹⁵⁵, R. Tanaka¹¹⁵, S. Tanaka¹³¹, S. Tanaka⁶⁵, A.J. Tanasijczuk¹⁴², K. Tani⁶⁶, N. Tannoury⁸³, S. Tapprogge⁸¹, D. Tardif¹⁵⁸, S. Tarem¹⁵², F. Tarrade²⁸, G.F. Tartarelli^{89a}, P. Tas¹²⁶, M. Tasevsky¹²⁵, E. Tassi^{36a,36b}, M. Tatarkhanov¹⁴, Y. Tayalati^{135d}, C. Taylor⁷⁷, F.E. Taylor⁹², G.N. Taylor^{159b}, M. Teinturier¹¹⁵, M. Teixeira Dias Castanheira⁷⁵, P. Teixeira-Dias⁷⁶, M. Tasevsky ¹²⁵, E. Tassi ^{36a, 36b}, M. Tatarkhanov ¹⁴, Y. Tayalati ^{135d}, C. Taylor ⁷⁷, F.E. Taylor ⁹², G.N. Taylor ⁸⁶, W. Taylor ^{159b}, M. Teinturier ¹¹⁵, M. Teixeira Dias Castanheira ⁷⁵, P. Teixeira-Dias ⁷⁶, K.K. Temming ⁴⁸, H. Ten Kate ²⁹, P.K. Teng ¹⁵¹, S. Terada ⁶⁵, K. Terashi ¹⁵⁵, J. Terron ⁸⁰, M. Testa ⁴⁷, R.J. Teuscher ^{158,k}, J. Therhaag ²⁰, T. Theveneaux-Pelzer ⁷⁸, M. Thioye ¹⁷⁶, S. Thoma ⁴⁸, J.P. Thomas ¹⁷, E.N. Thompson ³⁴, P.D. Thompson ¹⁷, P.D. Thompson ¹⁵⁸, A.S. Thompson ⁵³, L.A. Thomsen ³⁵, E. Thomson ¹²⁰, M. Thomson ²⁷, R.P. Thun ⁸⁷, F. Tian ³⁴, M.J. Tibbetts ¹⁴, T. Tic ¹²⁵, V.O. Tikhomirov ⁹⁴, Y.A. Tikhonov ^{107, f}, S. Timoshenko ⁹⁶, P. Tipton ¹⁷⁶, F.J. Tique Aires Viegas ²⁹, S. Tisserant ⁸³, T. Todorov ⁴, S. Todorova-Nova ¹⁶¹, B. Toggerson ¹⁶³, J. Tojo ⁶⁹, S. Tokár ^{144a}, K. Tokunaga ⁶⁶, K. Tokushuku ⁶⁵, K. Tollefson ⁸⁸, M. Tomoto ¹⁰¹, L. Tompkins ³⁰, K. Toms ¹⁰³, A. Tonoyan ¹³, C. Topfel ¹⁶, N.D. Topilin ⁶⁴, I. Torchiani ²⁹, E. Torrence ¹¹⁴, H. Torres ⁷⁸, E. Torró Pastor ¹⁶⁷, J. Toth ^{83,ad}, F. Touchard ⁸³, D.R. Tovey ¹³⁹, T. Trefzger ¹⁷⁴, L. Tremblet ²⁹, A. Tricoli ²⁹, I.M. Trigger ^{159a}, S. Trincaz-Duvoid ⁷⁸, M.F. Tripiana ⁷⁰,

W. Trischuk ¹⁵⁸, B. Trocmé ⁵⁵, C. Troncon ^{89a}, M. Trottier-McDonald ¹⁴², M. Trzebinski ³⁸, A. Trzupek ³⁸, C. Tsarouchas ²⁹, J.C.-L. Tseng ¹¹⁸, M. Tsiakiris ¹⁰⁵, P.V. Tsiareshka ⁹⁰, D. Tsionou ^{4,ah}, G. Tsipolitis ⁹, V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ^{51a}, I.I. Tsukerman ⁹⁵, V. Tsulaia ¹⁴, J.-W. Tsung ²⁰, S. Tsuno ⁶⁵, D. Tsybychev ¹⁴⁸, A. Tua ¹³⁹, A. Tudorache ^{25a}, V. Tudorache ^{25a}, J.M. Tuggle ³⁰, M. Turala ³⁸, D. Turecek ¹²⁷, I. Turk Cakir ^{3e}, E. Turlay ¹⁰⁵, R. Turra ^{89a,89b}, P.M. Tuts ³⁴, A. Tykhonov ⁷⁴, M. Tylmad ^{146a,146b}, M. Tyndel ¹²⁹, G. Tzanakos ⁸, K. Uchida ²⁰, I. Ueda ¹⁵⁵, R. Ueno ²⁸, M. Ugland ¹³, M. Uhlenbrock ²⁰, M. Uhrmacher ⁵⁴, F. Ukegawa ¹⁶⁰, G. Unal ²⁹, A. Undrus ²⁴, G. Unel ¹⁶³, Y. Unno ⁶⁵, D. Urbaniec ³⁴, G. Usai ⁷, M. Uslenghi ^{119a,119b}, L. Vacavant ⁸³, V. Vacek ¹²⁷, B. Vachon ⁸⁵, S. Vahsen ¹⁴, J. Valenta ¹²⁵, P. Valente ^{132a}, S. Valentinetti ^{19a,19b}, S. Valkar ¹²⁶, E. Valladolid Gallego ¹⁶⁷, S. Vallecorsa ¹⁵², J.A. Valls Ferrer ¹⁶⁷, H. van der Graaf ¹⁰⁵, E. van der Kraaij ¹⁰⁵, R. Van Der Leeuw ¹⁰⁵, E. van der Poel ¹⁰⁵, D. van der Ster ²⁹. N. van Eldik ²⁹. P. van Gemmeren ⁵. I. van Yulpen ¹⁰⁵. M. Vanadia ⁹⁹. W. Vandelli ²⁹. P. Valente ^{132a}, S. Valentinetti ^{19a,190}, S. Valkar^{12b}, E. Valladolid Gallego ¹⁶⁷, S. Vallecorsa ¹³², J.A. Valls Ferrer ¹⁶⁷, H. van der Graaf ¹⁰⁵, E. van der Kraaij ¹⁰⁵, R. Van Der Leeuw ¹⁰⁵, E. van der Poel ¹⁰⁵, D. van der Ster ²⁹, N. van Eldik ²⁹, P. van Germmern ⁵, I. van Vulpen ¹⁰⁵, M. Vanadia ⁹⁹, W. Vandelli ²⁹, A. Vaniachine ⁵, P. Vankov ⁴¹, F. Vannucci ⁷⁸, R. Vari ^{132a}, T. Varol ⁸⁴, D. Varouchas ¹⁴, A. Vartapetian ⁷, K.E. Varvell ¹⁵⁰, V.I. Vassilakopoulos ⁵⁶, F. Vazeille ³³, T. Vazquez Schroeder ⁵⁴, G. Vegni ^{89a,89b}, J.J. Veillet ¹¹⁵, F. Veloso ^{124a}, R. Veness ²⁹, S. Veneziano ^{132a}, A. Ventura ^{72a,72b}, D. Ventura ⁸⁴, M. Venturi ¹³⁸, N. Vertersi ^{119a}, M. Verkerke ¹⁰⁵, J.C. Vermeulen ¹⁰⁵, A. Vest⁴³, M.C. Vetterli ^{142d}, I. Vichou ¹⁶⁵, T. Vickey ^{145b,ar}, O.E. Vickey Boeriu ^{145b}, G.H.A. Viehhauser ¹¹⁸, S. Viel ¹⁶⁸, M. Villa ^{19a,19b}, M. Villaplana Perez ¹⁶⁷, E. Vilucchi ⁴⁷, M.G. Vincter ²⁸, E. Vinek ²⁹, V.B. Vinogradov ⁶⁴, M. Virchaux ^{136,*}, J. Virzi ¹⁴, O. Vitells ¹⁷², M. Viti ⁴¹, I. Vivarelli ⁴⁸, F. Vives Vaque ², S. Vlachos ⁹, D. Vladoiu ⁹⁸, M. Vlasak ¹²⁷, A. Vogel ²⁰, P. Vokac ¹²⁷, G. Volpi ⁴⁷, M. Volpi ⁸⁶, G. Volpini ^{89a}, H. von der Schmitt ⁹⁹, J. von Loeben ⁹⁹, H. von Radziewski ⁴⁸, E. von Toerne ²⁰, V. Vorobel ¹²⁶, V. Vorwerk ¹¹, M. Vos ¹⁶⁷, R. Voss ²⁹, T.T. Voss ¹⁷⁵, J.H. Vossebeld ⁷³, N. Vranjes ¹³⁶. M. Vranjes ¹¹⁶⁰, J. Walkowika ¹⁴¹, R. Wall ¹⁷⁶, P. Waller ⁷³, C. Wang ⁴⁴, H. Wang ¹⁷³, J. Walger ⁷¹, R. Walker ⁹⁸, W. Walkowika ¹⁴¹, R. Wall ¹⁷⁶, P. Waller ⁷³, C. Wang ⁴⁴, H. Wang ¹⁷³, J. Watson ¹⁵⁵, M. Watson ¹⁷⁵, S. Wattr ⁸², A.T. Waugh ¹⁵⁰, B.M. Waugh ⁷⁷, M. Weber ¹²⁹, M. Sweber ¹⁶, P. Weber ⁵⁴, A.R. Weidberg ¹¹⁸, P. Weigell ⁹⁹, J. Weingarten ⁵⁴, C. Weiser ⁴⁸, H. Wang ¹⁵³, M. Watson ¹⁷⁷, J. Watson ¹⁵⁵, M. H. Watson ¹⁷⁵, S. Wattr ⁸², A.T. Waugh ¹⁵⁵, B.M. Waugh ⁷⁷, M. Weber ¹²⁹, M. I. Wingerter-Seez⁴, S. Winkelmann⁴⁸, F. Winklmeier²⁹, M. Wittgen¹⁴³, M.W. Wolter³⁸, H. Wolters^{124a, h}, I. Wingerter-Seez⁴, S. Winkelmann⁴⁸, F. Winklmeier²⁹, M. Wittgen¹⁴³, M.W. Wolter³⁸, H. Wolters^{124a} W.C. Wong⁴⁰, G. Wooden⁸⁷, B.K. Wosiek³⁸, J. Wotschack²⁹, M.J. Woudstra⁸², K.W. Wozniak³⁸, K. Wraight⁵³, C. Wright⁵³, M. Wright⁵³, B. Wrona⁷³, S.L. Wu¹⁷³, X. Wu⁴⁹, Y. Wu^{32b,ak}, E. Wulf³⁴, B.M. Wynne⁴⁵, S. Xella³⁵, M. Xiao¹³⁶, S. Xie⁴⁸, C. Xu^{32b,z}, D. Xu¹³⁹, B. Yabsley¹⁵⁰, S. Yacoob^{145b}, M. Yamada⁶⁵, H. Yamaguchi¹⁵⁵, A. Yamamoto⁶⁵, K. Yamamoto⁶³, S. Yamamoto¹⁵⁵, T. Yamamura¹⁵⁵, T. Yamanaka¹⁵⁵, J. Yamaoka⁴⁴, T. Yamazaki¹⁵⁵, Y. Yamazaki⁶⁶, Z. Yan²¹, H. Yang⁸⁷, U.K. Yang⁸², Y. Yang⁶⁰, Z. Yang^{146a,146b}, S. Yanush⁹¹, L. Yao^{32a}, Y. Yao¹⁴, Y. Yasu⁶⁵, G.V. Ybeles Smit¹³⁰, J. Ye³⁹, S. Ye²⁴, M. Yilmaz^{3c}, R. Yoosoofmiya¹²³, K. Yorita¹⁷¹, R. Yoshida⁵, C. Young¹⁴³, C.J. Young¹¹⁸, S. Youssef²¹, D. Yu²⁴, J. Yu⁷, J. Yu¹¹², L. Yuan⁶⁶, A. Yurkewicz¹⁰⁶, B. Zabinski³⁸, R. Zaidan⁶², A.M. Zaitsev¹²⁸, Z. Zajacova²⁹, L. Zanello^{132a,132b}, A. Zaytsev¹⁰⁷, C. Zeitnitz¹⁷⁵, M. Zeman¹²⁵, A. Zemla³⁸, C. Zendler²⁰, O. Zenin¹²⁸, T. Ženiš^{144a}, Z. Zinonos^{122a,122b}, S. Zenz¹⁴, D. Zerwas¹¹⁵, G. Zevi della Porta⁵⁷, Z. Zhan^{32d}, D. Zhang^{32b,aj}, H. Zhang⁸⁸, J. Zhang⁵, X. Zhang^{32d}, Z. Zhang¹¹⁵, L. Zhao¹⁰⁸, T. Zhao¹³⁸, Z. Zhao^{32b}, A. Zhemchugov⁶⁴, J. Zhong¹¹⁸, B. Zhou⁸⁷, N. Zhou¹⁶³, Y. Zhou¹⁵¹, C.G. Zhu^{32d}, H. Zhu⁴¹, J. Zhu⁸⁷, Y. Zhu^{32b}, X. Zhuang⁹⁸, V. Zhuravlov⁹⁹, D. Zieminska⁶⁰, R. Zimmermann²⁰, S. Zimmermann²⁰, S. Zimmermann⁴⁸, M. Ziolkowski¹⁴¹, R. Zitoun⁴, R. Zimmermann²⁰, S. Zimmermann²⁰, S. Zimmermann⁴⁸, M. Ziolkowski¹⁴¹, R. Zitoun⁴, L. Živković³⁴, V.V. Zmouchko^{128,*}, G. Zobernig¹⁷³, A. Zoccoli^{19a,19b}, M. zur Nedden¹⁵, V. Zutshi ¹⁰⁶, L. Zwalinski ²⁹

¹ University at Albany, Albany, NY, United States

² Department of Physics, University of Alberta, Edmonton, AB, Canada

³ (a) Department of Physics, Ankara University, Ankara: (b) Department of Physics, Dumlupinar University, Kutahva: (c) Department of Physics, Gazi University, Ankara: (d) Division of Physics, TOBB University of Economics and Technology, Ankara; ^(e) Turkish Atomic Energy Authority, Ankara, Turkey

⁴ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁵ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States

⁶ Department of Physics, University of Arizona, Tucson, AZ, United States

⁷ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States

⁸ Physics Department, University of Athens, Athens, Greece

⁹ Physics Department, National Technical University of Athens, Zografou, Greece

¹⁰ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹¹ Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona and ICREA, Barcelona, Spain

¹² ^(a) Institute of Physics, University of Belgrade, Belgrade; ^(b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

¹³ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁴ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States

¹⁵ Department of Physics, Humboldt University, Berlin, Germany

¹⁶ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁷ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

18 (a) Department of Physics, Bogazici University, Istanbul; (b) Division of Physics, Dogus University, Istanbul; (c) Department of Physics Engineering, Gaziantep University, Gaziantep; (d) Department of Physics, Istanbul Technical University, Istanbul, Turkey

¹⁹ ^(a)INFN Sezione di Bologna; ^(b) Dipartimento di Fisica, Università di Bologna, Bologna, Italy

²⁰ Physikalisches Institut, University of Bonn, Bonn, Germany

²¹ Department of Physics, Boston University, Boston, MA, United States

²² Department of Physics, Brandeis University, Waltham, MA, United States

²³ (a) Universidade Federal da Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(b) Federal University of Juiz de Fora; ^(c) Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei; ^(d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil

²⁴ Physics Department, Brookhaven National Laboratory, Upton, NY, United States

25 (a) National Institute of Physics and Nuclear Engineering, Bucharest; (b) University Politehnica Bucharest, Bucharest; (c) West University in Timisoara, Timisoara, Romania

²⁶ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina

²⁷ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom

²⁸ Department of Physics, Carleton University, Ottawa, ON, Canada

²⁹ CERN, Geneva, Switzerland

³⁰ Enrico Fermi Institute, University of Chicago, Chicago, II, United States
 ³¹ (^a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile

32 (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Modern Physics, University of Science and Technology of China, Anhui;

^(c) Department of Physics, Nanjing University, Jiangsu; ^(d) School of Physics, Shandong University, Shandong, China ³³ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Aubiere Cedex, France

³⁴ Nevis Laboratory, Columbia University, Irvington, NY, United States

³⁵ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark

³⁶ ^(a) INFN Gruppo Collegato di Cosenza; ^(b) Dipartimento di Fisica, Università della Calabria, Arcavata di Rende, Italy

³⁷ AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland
 ³⁸ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland

³⁹ Physics Department, Southern Methodist University, Dallas, TX, United States

⁴⁰ Physics Department, University of Texas at Dallas, Richardson, TX, United States

⁴¹ DESY, Hamburg and Zeuthen, Germany

⁴² Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany

⁴³ Institut für Kern- und Teilchenphysik, Technical University Dresden, Dresden, Germany

⁴⁴ Department of Physics, Duke University, Durham, NC, United States

⁴⁵ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

⁴⁶ Fachhochschule Wiener Neustadt, Johannes Gutenbergstrasse 3 2700 Wiener Neustadt, Austria

⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy

⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg i.Br., Germany

⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland

⁵⁰ ^(a) INFN Sezione di Genova; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy

⁵¹ (a) E. Andronikashvili Institute of Physics, Tbilisi State University, Tbilisi; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia

⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

⁵³ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany

⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France ⁵⁶ Department of Physics, Hampton University, Hampton, VA, United States

⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States

58 (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg;

^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan ⁶⁰ Department of Physics, Indiana University, Bloomington, IN, United States

⁶¹ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria

⁶² University of Iowa, Iowa City, IA, United States

63 Department of Physics and Astronomy, Iowa State University, Ames, IA, United States

⁶⁴ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia

⁶⁵ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

⁶⁶ Graduate School of Science, Kobe University, Kobe, Japan

⁶⁷ Faculty of Science, Kyoto University, Kyoto, Japan

68 Kyoto University of Education, Kyoto, Japan

⁶⁹ Department of Physics, Kyushu University, Fukuoka, Japan

⁷⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina

⁷¹ Physics Department, Lancaster University, Lancaster, United Kingdom

⁷² ^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy

73 Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom

⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia

- ⁷⁵ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- ⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- ⁷⁷ Department of Physics and Astronomy, University College London, London, United Kingdom
- ⁷⁸ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁷⁹ Fysiska Institutionen, Lunds Universitet, Lund, Sweden
- ⁸⁰ Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain
- ⁸¹ Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸² School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- 83 CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁸⁴ Department of Physics, University of Massachusetts, Amherst, MA, United States
- ⁸⁵ Department of Physics, McGill University, Montreal, QC, Canada
- ⁸⁶ School of Physics, University of Melbourne, Victoria, Australia
- ⁸⁷ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
- ⁸⁸ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
- ⁸⁹ ^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁹⁰ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
- ⁹¹ National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
- ⁹² Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
- ⁹³ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
- ⁹⁴ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
- ⁹⁵ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- ⁹⁶ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
- ⁹⁷ Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia
- 98 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- ⁹⁹ Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ¹⁰⁰ Nagasaki Institute of Applied Science, Nagasaki, Japan
- ¹⁰¹ Graduate School of Science, Nagoya University, Nagoya, Japan
- ¹⁰² ^(a) INFN Sezione di Napoli: ^(b) Dipartimento di Scienze Fisiche, Università di Napoli, Napoli, Italy
- ¹⁰³ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
- ¹⁰⁴ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- ¹⁰⁵ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹⁰⁶ Department of Physics, Northern Illinois University, DeKalb, IL, United States
- ¹⁰⁷ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- ¹⁰⁸ Department of Physics, New York University, New York, NY, United States
- ¹⁰⁹ Ohio State University, Columbus, OH, United States
- ¹¹⁰ Faculty of Science, Okayama University, Okayama, Japan
- ¹¹¹ Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
- ¹¹² Department of Physics, Oklahoma State University, Stillwater, OK, United States
- ¹¹³ Palacký University, RCPTM, Olomouc, Czech Republic
- ¹¹⁴ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
- ¹¹⁵ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
- ¹¹⁶ Graduate School of Science, Osaka University, Osaka, Japan
- ¹¹⁷ Department of Physics, University of Oslo, Oslo, Norway
- ¹¹⁸ Department of Physics, Oxford University, Oxford, United Kingdom
- ¹¹⁹ ^(d) INFN Sezione di Pavia: ^(b) Dipartimento di Fisica. Università di Pavia. Pavia. Italy
- ¹²⁰ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
- ¹²¹ Petersburg Nuclear Physics Institute, Gatchina, Russia
- ¹²² ^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ¹²³ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States
- 124 (a) Laboratorio de Instrumentacao e Fisica Experimental de Particulas LIP, Lisboa, Portugal; (b) Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada,
- Granada, Spain
- ¹²⁵ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- ¹²⁶ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- ¹²⁷ Czech Technical University in Prague, Praha, Czech Republic
- ¹²⁸ State Research Center Institute for High Energy Physics, Protvino, Russia
- ¹²⁹ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹³⁰ Physics Department, University of Regina, Regina, SK, Canada
- ¹³¹ Ritsumeikan University, Kusatsu, Shiga, Japan
- ¹³² ^(a) INFN Sezione di Roma I; ^(b) Dipartimento di Fisica, Università La Sapienza, Roma, Italy
- ¹³³ ^(d)INFN Sezione di Roma Tor Vergata; ^(b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ¹³⁴ ^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Fisica, Università Roma Tre, Roma, Italy
- 135 (a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies Université Hassan II, Casablanca; (b) Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda;
- (e) Faculté des Sciences, Université Mohammed V-Agdal, Rabat, Morocco
- 136 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat a l'Energie Atomique), Gif-sur-Yvette, France
- ¹³⁷ Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
- ¹³⁸ Department of Physics, University of Washington, Seattle, WA, United States
- ¹³⁹ Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- ¹⁴⁰ Department of Physics, Shinshu University, Nagano, Japan
- ¹⁴¹ Fachbereich Physik, Universität Siegen, Siegen, Germany
- ¹⁴² Department of Physics, Simon Fraser University, Burnaby, BC, Canada
- ¹⁴³ SLAC National Accelerator Laboratory, Stanford, CA, United States
- 144 (a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; (b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- ^(a) School of Physics, Note, Stork Repaire ^(b) School of Physics, University of Johannesburg, Johannesburg; ^(b) School of Physics, University of the Witwatersrand, Johannesburg, South Africa ^(b) Chool of Physics, Stockholm University; ^(b) The Oskar Klein Centre, Stockholm, Sweden
- ¹⁴⁷ Physics Department, Royal Institute of Technology, Stockholm, Sweden
- 148 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
- ¹⁴⁹ Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom

¹⁵⁰ School of Physics, University of Sydney, Sydney, Australia

- ¹⁵¹ Institute of Physics, Academia Sinica, Taipei, Taiwan
- ¹⁵² Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- ¹⁵³ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- ¹⁵⁴ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- ¹⁵⁵ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- ¹⁵⁶ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- ¹⁵⁷ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- ¹⁵⁸ Department of Physics, University of Toronto, Toronto, ON, Canada
 ¹⁵⁹ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
- ¹⁶⁰ Institute of Pure and Applied Sciences, University of Tsukuba, 1-1-1 Tennodai, Tsukuba, Ibaraki 305-8571, Japan
- ¹⁶¹ Science and Technology Center, Tufts University, Medford, MA, United States
- ¹⁶² Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- ¹⁶³ Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
- ¹⁶⁴ ⁽ⁱⁱⁱ⁾ INFN Gruppo Collegato di Udine; ⁽ⁱⁱⁱ⁾ ICTP, Trieste; ⁽ⁱⁱⁱ⁾ Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
 ¹⁶⁵ Department of Physics, University of Illinois, Urbana, IL, United States
- ¹⁶⁶ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- 167 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica
- de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- ¹⁶⁸ Department of Physics, University of British Columbia, Vancouver, BC, Canada
- ¹⁶⁹ Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
- ¹⁷⁰ Department of Physics, University of Warwick, Coventry, United Kingdom
- ¹⁷¹ Waseda University, Tokyo, Japan
- ¹⁷² Department of Particle Physics. The Weizmann Institute of Science, Rehovot, Israel
- ¹⁷³ Department of Physics, University of Wisconsin, Madison, WI, United States
- ¹⁷⁴ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- ¹⁷⁵ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁷⁶ Department of Physics, Yale University, New Haven, CT, United States
- ¹⁷⁷ Yerevan Physics Institute, Yerevan, Armenia
- ¹⁷⁸ Domaine scientifique de la Doua, Centre de Calcul CNRS/IN2P3, Villeurbanne Cedex, France
- ^a Also at Laboratorio de Instrumentacao e Fisica Experimental de Particulas LIP, Lisboa, Portugal.
- Also at Faculdade de Ciencias and CFNUL, Universidade de Lisboa, Lisboa, Portugal,
- Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.
- Also at TRIUMF, Vancouver, BC, Canada.
- Also at Department of Physics, California State University, Fresno, CA, United States.
- f Also at Novosibirsk State University, Novosibirsk, Russia,
- g Also at Fermilab, Batavia, IL, United States.
- ^h Also at Department of Physics, University of Coimbra, Coimbra, Portugal.
- Also at Department of Physics, UASLP, San Luis Potosi, Mexico,
- Also at Università di Napoli Parthenope, Napoli, Italy.
- k Also at Institute of Particle Physics (IPP), Canada.
- Also at Department of Physics, Middle East Technical University, Ankara, Turkey.
- m Also at Louisiana Tech University, Ruston, LA, United States.
- Also at Dep, Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal,
- Also at Department of Physics and Astronomy, University College London, London, United Kingdom.
- Also at Group of Particle Physics, University of Montreal, Montreal, QC, Canada.
- Also at Department of Physics, University of Cape Town, Cape Town, South Africa.
- Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
- Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany,
- Also at Manhattan College, New York, NY, United States.
- Also at School of Physics, Shandong University, Shandong, China.
- Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.
- Also at School of Physics and Engineering, Sun Yat-sen University, Guanzhou, China.
- Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
- Also at Dipartimento di Fisica, Università La Sapienza, Roma, Italy.
- Also at DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat a l'Energie Atomique), Gif-sur-Yvette, France.
- aa Also at Section de Physique, Université de Genève, Geneva, Switzerland.
- ab Also at Departamento de Fisica, Universidade de Minho, Braga, Portugal.
- ac Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States,
- ad Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary,
- ae Also at California Institute of Technology, Pasadena, CA, United States.
- Also at Institute of Physics, Jagiellonian University, Krakow, Poland. af
- ag Also at LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France.
- ^{ah} Also at Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom.
- ai Also at Department of Physics, Oxford University, Oxford, United Kingdom.
- aj Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ak Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.
- Deceased.