

Search for new resonances in $W\gamma$ and $Z\gamma$ final states in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector



ATLAS Collaboration*

ARTICLE INFO

Article history:

Received 30 July 2014

Received in revised form 22 September 2014

Accepted 1 October 2014

Available online 6 October 2014

Editor: W.-D. Schlatter

ABSTRACT

This Letter presents a search for new resonances decaying to final states with a vector boson produced in association with a high transverse momentum photon, $V\gamma$, with $V = W(\rightarrow \ell\nu)$ or $Z(\rightarrow \ell^+\ell^-)$, where $\ell = e$ or μ . The measurements use 20.3 fb^{-1} of proton–proton collision data at a center-of-mass energy of $\sqrt{s} = 8$ TeV recorded with the ATLAS detector. No deviations from the Standard Model expectations are found, and production cross section limits are set at 95% confidence level. Masses of the hypothetical a_T and ω_T states of a benchmark Low Scale Technicolor model are excluded in the ranges [275, 960] GeV and [200, 700] \cup [750, 890] GeV, respectively. Limits at 95% confidence level on the production cross section of a singlet scalar resonance decaying to $Z\gamma$ final states have also been obtained for masses below 1180 GeV.

Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/3.0/>). Funded by SCOAP³.

1. Introduction

The search for diboson resonances is an essential step in exploring the source of Electroweak Symmetry Breaking (EWSB). The observation of a Higgs boson decaying to $\gamma\gamma$, ZZ and W^+W^- final states, reported by the ATLAS and CMS Collaborations [1,2], represents a milestone in particle physics history. However, the precise nature of the observed Higgs boson is not well known, and a dynamical mechanism of EWSB and fermion mass generation may yet involve a variety of heavy bosons of spin-0 or spin-1.

This Letter presents a search for narrow scalar and vector heavy resonances decaying to $W\gamma$ or $Z\gamma$ final states, where the W and Z bosons decay to leptons (e or μ). The existence of a new vector or scalar resonance coupling to a boson pair $W\gamma$ or $Z\gamma$ is predicted by many physics scenarios, including various new physics models with scalar particles [3,4] and vector particles [5].

The Low Scale Technicolor (LSTC) [5] model is used as a benchmark model for the search for spin-1 resonances decaying to $W\gamma$ and $Z\gamma$ final states explored in this paper. The discovery of a Higgs boson, with its parameters in agreement with the Standard Model (SM) predictions, does not exclude the full phase space of the LSTC model, and the basic phenomenology would remain valid for a Technicolor model with a light composite Higgs boson. To minimize the model dependence of the search results, the signal cross section is measured within a well defined fiducial region. The pre-

dicted new bound states of the lightest doublet of technifermions, the technimesons a_T , ω_T , ρ_T and π_T , generate a new phenomenology. The mass splittings between the technimesons are set to be as follows: $m_{\rho_T} = m_{\omega_T}$, $m_{a_T} \approx 1.1 \times m_{\rho_T}$ and $m_{\rho_T} - m_{\pi_T} = m_W$ [6]. The decays of technimesons to technipions are therefore kinematically forbidden. The technimesons mostly decay to pairs of electroweak gauge bosons, the most abundant decay channels being $\omega_T \rightarrow Z\gamma$, $a_T \rightarrow W\gamma$ and $\rho_T \rightarrow WZ$, $W\gamma$. These technimeson resonances are expected to be narrow, with typical values $\Gamma(a_T, \omega_T, \rho_T) \approx 1$ GeV.

A phenomenological model describing a singlet scalar particle ϕ [7,8] is chosen as another benchmark in the search for spin-0 resonances decaying to $Z\gamma$. The neutral scalar could be composite, produced by a hypothetical new strong interaction. It could be the pseudo-Goldstone boson playing an important role in the dynamical EWSB. This low energy effective model is independent of the underlying dynamical details and its Lagrangian can be written as follows:

$$\mathcal{L}_{\text{eff}} = c_g \frac{4\pi\alpha_s}{\Lambda} \phi G_{\mu\nu}^a G^{a\mu\nu} + c_W \frac{4\pi\alpha_{em}}{\Lambda \cdot \sin^2\theta_W} \phi W_{\mu\nu}^a W^{a\mu\nu} + c_B \frac{4\pi\alpha_{em}}{\Lambda \cdot \cos^2\theta_W} \phi B_{\mu\nu} B^{\mu\nu}. \quad (1)$$

Here α_s and α_{em} are, respectively, the couplings of the strong and electromagnetic interactions, Λ is the cutoff scale and θ_W is the Weinberg angle. Moreover, c_g , c_W and c_B are the coupling coefficients between the scalar field ϕ and the gluon field strength $G_{\mu\nu}^a$, the $SU(2)$ field strength $W_{\mu\nu}^a$ and the $U(1)$ field strength $B_{\mu\nu}$, respectively. The scalar field ϕ interacts directly with the

* E-mail address: atlas.publications@cern.ch.

gauge boson pairs via the dimension-5 operators rather than via the loop-induced processes, and could lead to enhanced production and branching ratio to $Z\gamma$ if Λ is in the TeV scale. No SM Yukawa interaction of ϕ with fermions is allowed so that there is no decay to $b\bar{b}$ or $t\bar{t}$ final states. The WW and ZZ decays of ϕ are suppressed compared with the SM Higgs boson.

Previous limits on new resonances decaying to $W\gamma$ and $Z\gamma$ final states from $p\bar{p}$ and pp production have been obtained at the Tevatron by the D0 Collaboration [9] and at the Large Hadron Collider (LHC) by the ATLAS Collaboration [10]. At ATLAS, the production of a_T and ω_T for masses below 703 GeV and 494 GeV, respectively, was excluded within the LSTC benchmark parameters. The most stringent limits on LSTC have been set by the CMS [11] Collaboration, excluding the production of ρ_T for masses below $m_{\rho_T} < 1.14$ TeV, but using a slightly different choice of parameters.

2. ATLAS detector and data sample

The ATLAS detector [12] is composed of an inner tracker detector (ID) surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic (EM) and hadronic calorimeters (HC), and a muon spectrometer (MS) immersed in the magnetic field produced by a system of superconducting toroids. The ID consists of three subsystems: the pixel and silicon microstrip detectors cover the pseudorapidity¹ range $|\eta| < 2.5$, while the transition radiation tracker, made of straw tubes, has an acceptance range of $|\eta| < 2.0$. The calorimeter system covers the range $|\eta| < 4.9$. The highly segmented electromagnetic calorimeter plays a crucial role in electron and photon identification. It is composed of lead absorbers with Liquid Argon (LAr) as the active material and spans $|\eta| < 3.2$. In the region $|\eta| < 1.8$, a pre-sampler detector using a thin layer of LAr is used to correct for the energy lost by electrons and photons upstream of the calorimeter. The hadronic tile calorimeter ($|\eta| < 1.7$) is a steel/scintillating-tile detector and is located directly outside the envelope of the barrel electromagnetic calorimeter. The end-caps and forward calorimeters use LAr as the active material, with copper (EM) and tungsten (HC) as absorber materials. The MS is composed of three large superconducting air-core toroid magnets of eight coils each, a system of three stations of high precision tracking chambers in the range $|\eta| < 2.7$, and a muon trigger system which covers $|\eta| < 2.4$. The precision measurement is ensured by monitored drift tubes and, at large pseudorapidities ($|\eta| > 2$), for the innermost layer, by cathode strip chambers. The muon trigger system is composed of resistive plate chambers in the barrel region ($|\eta| < 1.05$), and thin gap chambers in the end-cap ($1.05 < |\eta| < 2.4$).

The ATLAS trigger system has three distinct levels, L1, L2 and the event filter, where each trigger level refines the decisions made at the previous level. The data used for the present analysis were collected in 2012 from pp collisions at a center-of-mass energy of 8 TeV at the LHC. The total integrated luminosity is 20.3 fb^{-1} with an uncertainty of 2.8% [13]. Events are selected by triggers requiring at least one identified electron or muon. The transverse energy (E_T) threshold for the single-lepton trigger is 24 GeV. The lepton trigger efficiencies are measured using Z boson candidates as a function of the transverse momentum p_T and η . The trigger

efficiencies for the leptons are approximately 70% for muons with $|\eta| < 1.05$, 90% for muons in the range $1.05 < |\eta| < 2.4$ [14], and 95% for electrons in the range $|\eta| < 2.4$.

3. Signal and background simulated samples

Monte Carlo (MC) event samples, including a full simulation [15] of the ATLAS detector with GEANT4 [16], are used to compare the data to the signal and background expectations. All MC samples are simulated with additional pp interactions (pile-up) in the same and neighboring bunch crossings.

The production and decay of neutral ($\omega_T \rightarrow Z\gamma$) and charged technimesons ($a_T \rightarrow W\gamma$) in the LSTC model are handled by the PYTHIA6.426 generator [17]. The following parameters are used in the event generation: number of technicolors $N_{TC} = 4$; techniquark charges $Q_U = 1$ and $Q_D = 0$ for the $Z\gamma$ final state and $Q_U = 1/2$ and $Q_D = -1/2$ for the $W\gamma$ final state. With this parameterization of the techniquark charges, the dominant contribution to the $W\gamma$ final state is from a_T decay. By removing the ρ_T contribution, the model dependence that could result from having two nearby peaks in the benchmark signal is further reduced. The sine of the mixing angle between the technipions and the electroweak gauge boson longitudinal component is set to 1/3. As stated in the introduction, the mass splittings between the technimesons are set to: $m_{\rho_T} = m_{\omega_T} = m_{a_T}/1.1$, and $m_{\rho_T} - m_{\pi_T} = m_W$.

Simulations of the signals for singlet scalar particles are generated using MADGRAPH5 [18] interfaced to PYTHIA8 [19] for parton shower and fragmentation processes. The generation uses the leading-order (LO) parton distribution function (PDF) set MSTW2008LO [20]. Since the kinematic distribution of the $Z\gamma$ decay of a scalar boson is determined by its spin and CP properties in the narrow-width approximation, the gluon-gluon fusion production and the decay are simulated by using the SM Higgs process in MADGRAPH5, fixing the resonance width to 5.75 MeV.

The cross section of the singlet scalar process $gg \rightarrow \phi \rightarrow Z\gamma$ is calculated by choosing two sets of coupling parameters in Eq. (1). In the parameter set (a), the coupling coefficients are set to $c_g = c_W = -c_B = 1/4\pi$, as suggested by Naive Dimensional Analysis (NDA) [21]. Here, the relative phases are chosen to enhance the $Z\gamma$ coupling. If a large new color number $N'_c = 4$ of the underlying strong dynamics is considered in NDA [22,23], and larger couplings with the electroweak gauge bosons are assumed [8], then larger values of the coefficients can also be possible, depending on the underlying theory. Thus another parameter set (b) is selected as follows: $c_g = 1/2\pi$, $c_W = -c_B = 1/\pi$. In both parameterizations, the $Z\gamma$ decay rate is dominant over the $\gamma\gamma$ decay rate. The underlying dynamics scale is set to be $\Lambda = 6$ TeV, motivated by the Higgs boson couplings measurements [24,25]. The width of the singlet scalar for each of set (a) and (b) is well below the experimental resolution over the full mass range studied.

The main background processes, SM $pp \rightarrow \ell^+\ell^-\gamma$ and $pp \rightarrow \ell\nu\gamma$ production, are modeled using the SHERPA (1.4.1) generator [26]. An invariant mass cut of $m(\ell^+\ell^-) > 40$ GeV is applied at the generator level when simulating the $pp \rightarrow \ell^+\ell^-\gamma$ process. The CT10 [27] PDF is used for samples generated with SHERPA. In the $W\gamma$ analysis, the $Z(\ell^+\ell^-)$ and $Z(\tau^+\tau^-)$ backgrounds are modelled with PYTHIA8. The final state radiation of photons from charged leptons is treated in PYTHIA8 using PHOTOS. TAUOLA (1.20) [28] is used to model τ lepton decays. Events with one or more hard photons at the generator level ($p_T > 10$ GeV) in $Z(\ell^+\ell^-)$ and $Z(\tau^+\tau^-)$ MC simulations are removed, in order to avoid overlaps with $Z\gamma$ MC samples. In the $Z\gamma$ analysis, $Z(\ell^+\ell^-)$ and $Z(\tau^+\tau^-)$ MC samples are used to cross check the data-driven $Z +$ jet background estimation.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the center of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse (x, y) plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. The distance ΔR in the η - ϕ space is defined as $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

The PowHEG [29] generator is used to simulate $t\bar{t}$ production, and is interfaced to PyTHIA8 for parton showering and fragmentation. The single top quark, WW , WZ and ZZ processes are modelled by MC@NLO (4.02) [30,31], interfaced to HERWIG (6.520) [32] for parton showering and fragmentation processes and to JIMMY (4.30) [33] for underlying event simulation. The LO MRST2007 [34] PDF set is used to simulate the $Z(\ell^+\ell^-)$ backgrounds, and the CT10 PDF set is used in simulating $t\bar{t}$, single top quark, WW , WZ and ZZ production.

4. Physics object reconstruction and selection

The W and Z bosons are reconstructed from their leptonic decays and are required in addition to an isolated high E_T photon. Furthermore, collision events are selected by requiring a reconstructed vertex with at least three charged particle tracks with $p_T > 0.4$ GeV. In events with more than one candidate vertex, the one with the highest sum of the p_T^2 of associated tracks is chosen.

An electron candidate is obtained from an energy cluster in the EM calorimeter associated with a reconstructed track in the ID. The transverse energy of electrons is required to be greater than 25 GeV. The electron cluster must lie within the overall fiducial acceptance of the EM calorimeters and the ID. In the $W\gamma$ final states, the electrons found in the transition region between the barrel and end-cap EM calorimeters are removed in order to improve the E_T^{miss} resolution. The acceptance requirements are $|\eta| < 1.37$ or $1.52 < |\eta| < 2.47$ for $W\gamma$ events and $|\eta| < 2.47$ for $Z\gamma$ events. At the electron track's closest approach to the primary vertex, the ratio of the transverse impact parameter d_0 to its uncertainty (the d_0 significance) must be smaller than 6.5, and the longitudinal impact parameter $|z_0|$ must be less than 10 mm. Tight electron identification, as defined in Ref. [35], is used in the $W(e)\gamma$ analysis, whereas loose identification [35] is used to select electrons in the $Z(e^+e^-)\gamma$ analysis. In order to reduce the background due to a jet misidentified as an electron, a calorimeter-based isolation requirement is applied to the electron candidate. The normalized calorimetric isolation ($R_{\text{calo}}^{\text{iso}}$) for electrons must satisfy $R_{\text{calo}}^{\text{iso}} < 0.20$. It is computed as the sum of the positive-energy topological clusters with a reconstructed barycenter falling in a cone of $\Delta R < 0.2$ around the candidate electron cluster divided by the electron E_T . The energy deposited by the electron is subtracted.

In both $W\gamma$ and $Z\gamma$ analyses, muon candidates are identified by associating complete tracks or track segments in the MS to tracks in the ID [36]. Each of these muon candidates corresponds to a combined ID and MS track originating from the primary vertex with transverse momentum $p_T > 25$ GeV and $|\eta| < 2.4$. In the $Z\gamma$ analysis, muon candidates can also be formed from tracks reconstructed either in the ID or in the MS. This allows one to increase the signal efficiency by extending the muon $|\eta|$ acceptance up to 2.7. In the central barrel region $|\eta| < 0.1$, which lacks MS coverage, ID tracks are identified as muons based on the associated energy deposits in the calorimeter. These muons are required to have a calorimeter energy deposit consistent with that of a minimum ionizing particle. Muons are required to be isolated by imposing $R_{\text{track}}^{\text{iso}} < 0.3$ (0.15 for muons without an ID track), where $R_{\text{track}}^{\text{iso}}$ is the sum of the p_T of the tracks in a $\Delta R = 0.2$ cone around the muon direction, excluding the track of the muon, divided by the muon p_T . The d_0 significance must be smaller than 3.5, and $|z_0|$ must be less than 10 mm.

Overlap removal is applied to electrons and muons that satisfy all selection criteria and share the same ID track, in order to avoid double counting. In particular, if the muon is identified by the MS, then the electron candidate is discarded, otherwise the muon candidate is rejected.

Photon candidate reconstruction relies on clustered energy deposits in the EM calorimeter with $E_T > 40$ GeV in the range $|\eta| < 2.37$ (excluding the calorimeter transition region $1.37 < |\eta| < 1.52$). Clusters without matching tracks are directly classified as unconverted photon candidates. Clusters that are matched to tracks which originate from reconstructed conversion vertices in the ID or to tracks consistent with coming from a conversion are considered as converted photon candidates. Both unconverted and converted candidates are used in the present analysis. Tight requirements on the shower shapes [35] are applied to suppress the background from multiple showers produced in meson (e.g. π^0 , η) decays. To further reduce this background, a photon isolation requirement $E_T^{\text{iso}} < 4$ GeV is applied. The isolation variable E_T^{iso} is the total transverse energy recorded in the calorimeters within a cone of $\Delta R = 0.4$ around the photon position excluding the energy deposit of the photon itself. The value of E_T^{iso} is corrected for leakage from the photon energy cluster core into the isolation cone and for contributions from the underlying event and pile-up [35,37].

Jets are reconstructed from calibrated topological clusters built from energy deposits [12] in the calorimeter using the anti- k_t jet clustering algorithm [38] with radius parameter $R = 0.4$. The selected jets are required to have $p_T > 25$ GeV with $|\eta| < 4.5$, and to be well separated from the lepton and photon candidates ($\Delta R(e/\mu/\gamma, \text{jet}) > 0.3$).

The $W\gamma$ final state has missing transverse momentum, E_T^{miss} [39], due to the undetected neutrino from the W boson decay. Its magnitude and direction are measured from the vector sum of the transverse momentum vectors associated with clusters of energy reconstructed in the calorimeters with $|\eta| < 4.9$. A correction is applied to the energy of those clusters that are associated with a reconstructed physical object (jet, electron, τ -lepton, photon). Reconstructed muons are also included in the sum, and any calorimeter energy deposits associated with them are excluded to avoid double counting.

5. $W\gamma$ and $Z\gamma$ event selection

The $\ell\nu\gamma$ candidate events are selected by requiring exactly one lepton with $p_T > 25$ GeV, at least one photon with $E_T^\gamma > 40$ GeV and E_T^{miss} above 35 GeV. In addition, the transverse mass² of the lepton- E_T^{miss} system is required to be greater than 40 GeV. A Z -veto requirement is applied in the electron channel of the $W\gamma$ analysis by requiring that the electron-photon invariant mass be not within 15 GeV of the Z boson mass. This is used to suppress the background where one of the electrons from the Z boson decay is mis-identified as a photon.

The $\ell^+\ell^-\gamma$ candidates are selected by requiring two oppositely charged same-flavor leptons with an invariant mass between 65 and 115 GeV, and at least one photon with $E_T^\gamma > 40$ GeV. For $\mu^+\mu^-\gamma$, at least one of the two muons must be reconstructed both in the ID and the MS. If more than one Z candidate is found in the same event, the one with mass closest to the Z mass is retained.

In both the $W\gamma$ and $Z\gamma$ analyses, a selection requirement $\Delta R(\ell, \gamma) > 0.7$ is applied to suppress the contributions from photons radiated from the selected leptons. If more than one photon passes all of the selection criteria, the one with the highest p_T is selected.

² The transverse mass is defined as $m_T = \sqrt{2p_T(\ell) \cdot E_T^{\text{miss}} \cdot (1 - \cos \Delta\phi)}$, where $\Delta\phi$ is the azimuthal separation between the directions of the lepton and the missing transverse momentum vector.

Table 1

Total number of events passing the $W/Z\gamma$ selection requirements in the data, and expected number of SM background events in the $e\nu\gamma$, $\mu\nu\gamma$, $e^+e^-\gamma$ and $\mu^+\mu^-\gamma$ final states. The first uncertainty is statistical and, when present, the second uncertainty shows an estimate of the systematic effects. The systematic uncertainty is only presented for $W + \text{jets}$ and $\gamma + \text{jets}$ background in $W\gamma$ analysis, and for $Z + \text{jets}$ background in $Z\gamma$ analysis, since the uncertainty on these background estimates dominates the uncertainty of the total background estimate. The “other backgrounds” include contributions from single top, WW and WZ production.

Background	$e\nu\gamma$	$\mu\nu\gamma$	$e^+e^-\gamma$	$\mu^+\mu^-\gamma$
$W(\ell\nu)\gamma$	6100 ± 50	8710 ± 150	—	—
$Z(\ell\ell)\gamma$	1160 ± 40	1100 ± 40	1770 ± 20	2170 ± 30
$Z(\ell\ell) + \text{jets}$			$180 \pm 90 \pm 70$	$160 \pm 90 \pm 50$
$W(\ell\nu) + \text{jets}$	$790 \pm 50 \pm 330$	$1110 \pm 70 \pm 310$	—	—
$\gamma + \text{jets}$	$870 \pm 60 \pm 300$	$1460 \pm 110 \pm 510$	—	—
$t\bar{t}$	700 ± 20	1310 ± 20	4 ± 1	5 ± 1
Other backgrounds	160 ± 10	310 ± 11	2.4 ± 0.3	1.7 ± 0.2
Total expected	$9780 \pm 80 \pm 450$	$14000 \pm 130 \pm 620$	$1960 \pm 90 \pm 80$	$2340 \pm 90 \pm 50$
Total observed	10437	14082	2086	2429




Fig. 1. Three-body transverse mass distribution for the $e\nu\gamma$ (a) and $\mu\nu\gamma$ (b) final states. The background-only fit to the data and the one standard deviation uncertainty band are shown. The significance (see text for details) as a function of $m_T^{e\nu\gamma}$ in the lower panel includes only statistical uncertainties. The expected signal for a resonance mass of 600 GeV is superimposed.

6. Analysis strategy

A search for a signal is performed with an unbinned maximum likelihood fit of the mass spectra of the $\ell\nu\gamma$ and $\ell^+\ell^-\gamma$ systems. In order to select and validate the probability density function used to model the background shape, a study of the background composition is also performed. In the final results, the background normalization and shape are extracted by performing a signal-plus-background maximum likelihood fit directly to the data spectrum.

7. Study of the background composition

The composition of the backgrounds affecting the $\ell\nu\gamma$ and $\ell^+\ell^-\gamma$ searches are studied by using a combination of simulation and data-driven methods. The dominant contribution is the SM $V\gamma$ production, then come other processes, like $V + \text{jets}$, $\gamma + \text{jets}$, $t\bar{t}$ and other diboson final states, such as WW and WZ . The SM $V\gamma$ backgrounds are estimated using SHERPA MC samples. A control region is defined to validate the MC modeling. The events in the control regions are selected by imposing the nominal event selection criteria, except that the photon E_T^γ is required to be between 15 and 40 GeV. The comparison of the relevant kinematic distributions, such as the transverse momenta of the leptons and photons and the transverse missing energy corresponding to the undetected neutrino, in the control regions shows that the $V\gamma$ background is well modeled by the MC simulation.

The backgrounds estimated from data are $Z/W + \text{jets}$ and $\gamma + \text{jets}$ in the $\ell\nu\gamma$ final state, and $Z + \text{jets}$ in the $\ell^+\ell^-\gamma$ final state. The data-driven backgrounds are estimated by using a two-dimensional sideband method, as described in Ref. [40]. The remaining backgrounds, i.e. $t\bar{t}$, single top, WW , WZ , and ZZ are estimated with MC simulations.

The background prediction obtained in all four final states is shown in Table 1. The distribution of the $W\gamma$ system three-body transverse mass³ for the selected $W\gamma$ events is shown in Fig. 1, while Fig. 2 presents the $Z\gamma$ invariant mass distribution. Here, data are compared to the sum of the SM expected backgrounds and show fair agreement. The significance, shown as a function of the mass in the lower panels, only includes statistical uncertainties and is defined as the z-value between the data points and the fit expectation, which is the deviation at the right of the mean of a Gaussian distribution, expressed in units of standard deviations, as described in Ref. [41]. The event rate in the high mass region has a significance below three standard deviations, and is attributed to a statistical fluctuation.

³ The $W\gamma$ system three-body transverse mass is defined as:

$$(m_T^{e\nu\gamma})^2 = \left(\sqrt{m_{\ell\gamma}^2 + |\vec{p}_T(\gamma) + \vec{p}_T(\ell)|^2} + E_T^{\text{miss}} \right)^2 - |\vec{p}_T(\gamma) + \vec{p}_T(\ell) + \vec{E}_T^{\text{miss}}|^2. \quad (2)$$




Fig. 2. Three-body invariant mass distribution for (a) the $e^+e^-\gamma$ and (b) $\mu^+\mu^-\gamma$ final states. The background-only fit to the data and the one standard deviation uncertainty band are shown. The significance (see text for details) as a function of $m^{e^+e^-\gamma}$ in the lower panel includes only statistical uncertainties. The expected signal for a resonance mass of 500 GeV is superimposed.

8. Fit model and statistical methods

The signal and background parameterizations have been chosen to best describe the mass distribution shapes of, respectively, fully simulated MC samples and a mixture of MC samples and data-driven estimates. The fit to data takes into account all systematic uncertainties, discussed in Section 8.4.

8.1. Background modeling

All the mass distributions, shown in Figs. 1 and 2, have a broad maximum in the low mass region due to the kinematic cuts used. The shape of the SM background is thus parameterized only for masses larger than 180 GeV.

A probability density function is chosen to describe the expected SM background mass distribution for the range, between 180 GeV and 1.6 TeV. The variation of the background composition, within systematic uncertainties, presented in Section 7 is also taken into account in evaluating the background parametrization systematics. For both the $W\gamma$ and $Z\gamma$ final states, the probability density function best describing the SM background distribution, in the chosen range, is found to be the sum of two exponentials. The impact of the choice of the background model on the final result has been studied, as discussed in Section 8.4.

The results of the unbinned fit to the data can be seen as the solid curve on each of the mass spectra in Figs. 1 and 2. A good description of data is found, and the Pearson's χ^2 per degree of freedom obtained for the background-only fit is close to unity for all distributions.

8.2. Signal modeling

The parameterizations of the signal shapes have been obtained from the benchmark signal MC samples. For all $W/Z\gamma$ spin-1 and $Z\gamma$ spin-0 resonances considered, the signal mass distribution is described by the sum of a Crystal-Ball function (CB) [42–44], which reproduces the core mass resolution plus a non-Gaussian tail for low mass values, and a small wider Gaussian component that takes into account outliers in the mass distribution. The mean value of the CB and the Gaussian are chosen to be the same.

For simulated events, the mean fitted mass is found to be within 2 GeV of the generated resonance mass for the $Z\gamma$ final state. At the reconstruction level, the full width at half maximum of the $Z\gamma$ signal grows approximately linearly from 7 GeV

to 38 GeV in the electron channel, and from 7 GeV to 100 GeV in the muon channel, for masses generated between 200 GeV and 1.6 TeV. The full width at half maximum of the $W\gamma$ transverse mass also grows approximately linearly, and goes from 50 GeV to 100 GeV in the electron channel, and from 45 GeV to 190 GeV in the muon channel, for masses generated between 200 GeV and 1.6 TeV. These widths are completely dominated by reconstruction effects, since we assume the hypothetical signals to be narrow.

8.3. Statistical method

The search is conducted by performing a scan of the $m_{Z\gamma}$ and $m_{W\gamma}^T$ distributions using a probability density function describing both the background shape and a signal peak at a given mass. The step size used in the scan is 20 GeV for the $W\gamma$ channel and 10 GeV for the $Z\gamma$ channel. The difference in the scan step takes into account the different resolutions of a hypothetical peak in the two channels. The scan starts at a signal mass of 275 GeV for the $W\gamma$ final state, and of 200 GeV for the $Z\gamma$ final state, and goes up to 1600 GeV. Each fit is performed in a mass range of [180, 1600] GeV for both $Z\gamma$ and $W\gamma$ final states, in order to ensure that there are enough events in the sidebands of a hypothetical signal peak.

The background normalization and the two exponential coefficients of the SM background probability density function are free to vary in the fit. The parameters of the signal probability density functions are fixed to their nominal values from fits to the MC signal model, except for the normalization of the signal and for the nuisance parameters that account for the systematic uncertainties on the signal event rate and resolution, described below. The systematic uncertainty related to the choice of parameterization for the background, on the other hand, has been estimated by testing different parameterizations and verifying that the extracted background and signal yields do not vary significantly, and was found to be negligible with respect to the other systematic and statistical uncertainties considered.

The signal yield, N_S , depends on the parameter of interest of the fit, i.e. the signal fiducial cross section σ_{Fid} at a given signal mass, as follows:

$$N_S = \sigma_{\text{Fid}} \cdot \epsilon_{\text{Reco}} \cdot \int \mathcal{L} dt, \quad (3)$$

where the factor ϵ_{Reco} is the signal reconstruction efficiency, defined as the number of reconstructed signal events passing the full

Table 2

Definition of the fiducial region at the particle generator level. Here p_T^ν is the transverse momentum of the neutrino from the W boson decay; N_ℓ is the number of leptons per event; ϵ_h^p is the photon isolation fraction.

Cuts	$\ell\nu\gamma$	$\ell^+\ell^-\gamma$
Lepton	$p_T^\ell > 25 \text{ GeV}$ $ \eta_\ell < 2.47$ $N_\ell = 1$ $p_T^\nu > 35 \text{ GeV}$	$p_T^\ell > 25 \text{ GeV}$ $ \eta_\ell < 2.47$ $N_{\ell^+} = 1, N_{\ell^-} = 1$ –
Boson	$m_T^W > 40 \text{ GeV}$	$65 < m^2 < 115 \text{ GeV}$
Photon	$E_T^\gamma > 40 \text{ GeV}$ $ \eta^\gamma < 2.37, \Delta R(\ell, \gamma) > 0.7$ $\epsilon_h^p < 0.5$	

event selection divided by the number of events generated in the fiducial region defined in Table 2. The signal reconstruction efficiency has been estimated by using signal MC simulated samples, and accounts for effects due to the detector resolution on the lepton and photon transverse momentum and energies, and on the missing transverse energy. The parameter ϵ_h^p in the table is defined at particle level as the sum of the energy carried by final state particles in a $\Delta R = 0.4$ cone around the photon direction (not including the photon) divided by the energy carried by the photon. To account for the effect of final-state QED radiation, the energy of the generated lepton at particle level is defined as the energy of the lepton after radiation plus the energy of all radiated photons within a $\Delta R = 0.1$ cone around the lepton direction. The σ_{Fid} parameter is the same for both muon and electron channels in each final state, and is thus determined by simultaneously performing the fit in the two channels, so that the results obtained are less sensitive to statistical fluctuations.

In order to test different hypothetical values of the parameter of interest, the test statistic based on the Profile Likelihood Ratio $\lambda(\sigma_{\text{Fid}}; \theta)$ is used, where θ is the vector of nuisance parameters, defined in Ref. [45]. It is defined from the likelihood describing the probability density function of $m_T^{\ell\nu\gamma}$ and $m^{\ell^+\ell^-\gamma}$ under a signal-plus-background hypothesis and is a function of the parameter of interest and of the nuisance parameters related to the systematic uncertainties. The statistical tests are then performed on the $m_T^{\ell\nu\gamma}$ and $m^{\ell^+\ell^-\gamma}$ distributions combining the muon and electron channels in each final state.

The probability of the background-only hypothesis, or local p_0 -value, is obtained by using a frequentist approach. The latter gives the probability that the background fluctuates to the observation or above. If no hint for a new physics signal is found, the data is interpreted by using a modified frequentist approach (CL_s) [46] for setting limits. A fiducial cross section is claimed to be excluded at 95% CL when CL_s is less than 0.05.

8.4. Systematic uncertainties

Systematic uncertainties on the signal resonances are taken into account as nuisance parameters in the likelihood function used for the full signal and background model. Two different effects are evaluated for each source of systematic uncertainty, one for the signal event rate and one for the resolution of the signal. The rest of the parameters are kept fixed to their nominal value in the fit. Each systematic effect is investigated by propagating the corresponding uncertainty to the signal sample. These are computed separately for each of the simulated resonance mass points. The systematic uncertainties are summarized below for $m_{\omega_T} = 500 \text{ GeV}$ in the $Z\gamma$ channel and $m_{a_T} = 600 \text{ GeV}$ in the $W\gamma$ channel.

For the photon, systematic effects due to isolation, identification, energy resolution and energy scale are considered. The sys-

tematic uncertainties due to the photon reconstruction and identification are dominant. The total effect on the signal event rate is estimated to be 3.4% in all of the channels, and contributes up to 3 GeV, depending on the final state and channel, to the systematic uncertainty on the signal peak width.

The systematic effects due to the electron energy resolution and electron energy scale [47] are treated as fully correlated with the photon energy scale and resolution in the final states containing electrons ($e^+e^-\gamma$ and $e\nu\gamma$). The effects of the muon energy scale and muon energy resolution, lepton identification and trigger efficiency are also investigated. The total effect of the lepton reconstruction and identification on the signal event rate reaches 1.5% in the electron channels, and 1% in the muon channels. The effect on the peak width due to lepton reconstruction and identification amounts to 0.3 GeV or less.

Systematic effects due to the jet energy scale and resolution and the calibration of the missing transverse energy only have an impact on the $W\gamma$ final state. These are found to cause uncertainties in the event rate of about 0.9% and on the peak width of up to 0.2 GeV. The jet energy scale and resolution effects on the $Z\gamma$ final state are negligible.

Finally a systematic uncertainty on the resonance production rate due to the 2.8% uncertainty on the integrated luminosity [13] is considered.

The total systematic uncertainty on the event rate is found to be approximately 5%, adding all independent contributions in quadrature, for all the mass points in the two channels. The systematic uncertainty on the peak width is found to be approximately 1.5 (0.5) GeV for the $Z\gamma$ final state at $m_{\omega_T} = 500 \text{ GeV}$ in the electron (muon) channel, and 2.8 (1.1) GeV at $m_{a_T} = 600 \text{ GeV}$ in the $W\gamma$ final state, in the electron (muon) channel.

Since the SM backgrounds are determined using a fit to the data, uncertainties on the detector resolution and physics object reconstruction or identification have a negligible effect on the total background yield extraction. However, a systematic effect from the background modeling is investigated. The method considered consists of generating background-only “Asimov” datasets⁴ [45], and fitting them with the signal and background model in order to estimate the bias introduced on the fitted signal yield (“spurious signal”). In the $Z\gamma$ low mass region, it is found that the spurious signal reaches 25% of the statistical uncertainty on the total background yield, in the rest of the regions of all $Z\gamma$ and $W\gamma$ final states the spurious signal is below 10% and has a negligible impact. For these regions an additional systematic uncertainty is assigned, associating a nuisance parameter to the amount of spurious signal estimated in the above described procedure.

9. Results

The two largest deviations from the background-only configuration are observed, in the spin-1 search, at 1350 GeV for the $W\gamma$ final state, and at 350 GeV and 700 GeV for the $Z\gamma$ final state. Similarly, in the spin-0 search, the largest deviation is close to 350 GeV. The p_0 -values are estimated to be greater than 0.01 in all cases, corresponding in all cases to a local significance below approximately 2.5σ . These small excesses, also visible in the mass spectra in Figs. 1 and 2, are at the level expected due to statistical fluctuations. No evidence of a new physics signal is found in the $W\gamma$ and $Z\gamma$ final states when analyzing the totality of the 8 TeV data collected by ATLAS in the mass ranges considered.

Therefore, 95% CL limits are set on the production of LSTC technimesons and composite scalars decaying to $W\gamma$ and $Z\gamma$ final

⁴ An Asimov dataset is defined as being a single representative dataset replacing the ensemble of simulated datasets.




Fig. 3. Observed limits in the fiducial region in the: $W\gamma$ final state as a function of m_{a_T} (a), $Z\gamma$ final state as a function of m_{ω_T} (b) and $Z\gamma$ final state as a function of m_ϕ (c) obtained using the full 8 TeV ATLAS dataset. The black line is the observed limit. The dashed black line is the expected limit, the yellow and green bands are the one and two σ uncertainties on the expectation. The red lines in (a) and (b) are the theoretical cross sections for the LSTC benchmark models considered. The blue line and magenta line in (c) show the theoretical cross sections for the benchmark composite scalar model with the parameter set (a) and (b), respectively. (For interpretation of the references to color in this figure legend, the reader is referred to the web version of this article.)

states. Fig. 3 shows the observed and expected limits in the fiducial region obtained for an LSTC $a_T \rightarrow W\gamma$ (a), $\omega_T \rightarrow Z\gamma$ (b), and for a composite scalar $\phi \rightarrow Z\gamma$ (c). Using 20.3 fb^{-1} of 8 TeV data, the LSTC benchmark model is excluded at 95% CL in the range $[275, 960] \text{ GeV}$ for $W\gamma$, and $[200, 700] \cup [750, 890] \text{ GeV}$ for $Z\gamma$. In the spin-0 searches, no sensitivity is reached for the composite scalar model with the parameter set (a), whereas composite scalar models with the parameter set (b) are excluded at 95% CL in most of the mass range $[200, 1180] \text{ GeV}$.

10. Conclusions

This paper describes the results of searches with the ATLAS detector for LSTC technimesons and composite scalar particles decaying to $V\gamma$ final states. The observed data prove to be consistent with the SM background expectations. Using the LSTC benchmark model, the production of a_T is excluded up to $m_{a_T} = 960 \text{ GeV}$ in the $W\gamma$ mode and the production of ω_T is excluded in most of the mass range below 890 GeV in the $Z\gamma$ channel. Using the benchmark composite scalar model, the production of ϕ is excluded in most of the mass range below 1180 GeV for coupling scenario (b) described in text. The limits on the LSTC benchmark are more stringent than the previous results obtained at ATLAS and documented in Ref. [40].

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; ISF, MINERVA, GIF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the

Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

References

- [1] ATLAS Collaboration, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214.
- [2] CMS Collaboration, Phys. Lett. B 716 (2012) 30, arXiv:1207.7235.
- [3] B.C. Allanach, J.P. Skirrall, K. Sridhar, J. High Energy Phys. 0711 (2007) 089, arXiv:0705.1953.
- [4] A. Freitas, P. Schwaller, J. High Energy Phys. 1101 (2011) 022, arXiv:1010.2528.
- [5] K.D. Lane, E. Eichten, Phys. Lett. B 222 (1989) 274.
- [6] K.D. Lane, E. Eichten, Phys. Lett. B 669 (2008) 235, arXiv:0706.2339.
- [7] I. Low, J. Lykken, G. Shaughnessy, Phys. Rev. D 84 (2011) 035027, arXiv: 1105.4587.
- [8] R. Barbieri, R. Torre, Phys. Lett. B 695 (2011) 259, arXiv:1008.5302.
- [9] D0 Collaboration, Phys. Rev. D 85 (2012) 052001, arXiv:1111.3684.
- [10] ATLAS Collaboration, Phys. Rev. D 87 (2013) 112003, arXiv:1302.1283.
- [11] CMS Collaboration, Phys. Lett. B (2014), submitted for publication, arXiv: 1407.3476.
- [12] ATLAS Collaboration, J. Instrum. 3 (2008) S08003.
- [13] ATLAS Collaboration, Eur. Phys. J. C 73 (2013) 2518, arXiv:1302.4393.
- [14] ATLAS Collaboration, arXiv:1408.3179.
- [15] ATLAS Collaboration, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568.
- [16] S. Agostinelli, et al., Nucl. Instrum. Methods Phys. Res., Sect. A, Accel. Spectrom. Detect. Assoc. Equip. 506 (2003) 250.
- [17] T. Sjöstrand, S. Mrenna, P. Skands, J. High Energy Phys. 0605 (2006) 026, arXiv: hep-ph/0603175.
- [18] J. Alwall, M. Herquet, F. Maltoni, O. Mattelaer, T. Stelzer, J. High Energy Phys. 1106 (2011) 128, arXiv:1106.0522.
- [19] T. Sjöstrand, S. Mrenna, P. Skands, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820.
- [20] A.D. Martin, W. Stirling, R. Thorne, G. Watt, Eur. Phys. J. C 63 (2009) 189, arXiv:0901.0002.
- [21] A.G. Cohen, D.B. Kaplan, A.E. Nelson, Phys. Lett. B 412 (1997) 301, arXiv: hep-ph/9706275.
- [22] B. Holdom, Phys. Rev. D 56 (1997) 7461, arXiv:hep-ph/9706527.
- [23] H. Georgi, Phys. Lett. B 298 (1993) 187, arXiv:hep-ph/9207278.
- [24] M. Montull, F. Riva, E. Salvioni, R. Torre, Phys. Rev. D 88 (2013) 095006, arXiv: 1308.0559.
- [25] G. Panico, M. Redi, A. Tesi, A. Wulzer, J. High Energy Phys. 1303 (2013) 051, arXiv:1210.7114.
- [26] T. Gleisberg, et al., J. High Energy Phys. 0402 (2004) 056, arXiv:hep-ph/ 0311263.
- [27] H.-L. Lai, et al., Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241.
- [28] N. Davidson, G. Nanava, T. Przedzinski, E. Richter-Was, Z. Was, Comput. Phys. Commun. 183 (2012) 821, arXiv:1002.0543.
- [29] S. Frixione, P. Nason, C. Oleari, J. High Energy Phys. 0711 (2007) 070, arXiv: 0709.2092.
- [30] S. Frixione, B.R. Webber, J. High Energy Phys. 0206 (2002) 029, arXiv:hep-ph/ 0204244.
- [31] S. Frixione, F. Stoeckli, P. Torrielli, B.R. Webber, J. High Energy Phys. 1101 (2011) 053, arXiv:1010.0568.
- [32] G. Corcella, et al., J. High Energy Phys. 0101 (2001) 010, arXiv:hep-ph/ 0011363.
- [33] J.M. Butterworth, J.R. Forshaw, M.H. Seymour, Z. Phys. C 72 (1996) 637, arXiv:hep-ph/9601371.
- [34] A. Sherstnev, R.S. Thorne, Eur. Phys. J. C 55 (2008) 553, arXiv:0711.2473.
- [35] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1909, arXiv:1110.3174.
- [36] ATLAS Collaboration, J. High Energy Phys. 1012 (2010) 060, arXiv:1010.2130.
- [37] ATLAS Collaboration, ATLAS-CONF-2012-123, <http://cdsweb.cern.ch/record/1473426>.
- [38] M. Cacciari, G.P. Salam, G. Soyez, J. High Energy Phys. 0804 (2008) 063, arXiv:0802.1189.
- [39] ATLAS Collaboration, Eur. Phys. J. C 72 (2012) 1844, arXiv:1108.5602.
- [40] ATLAS Collaboration, Phys. Rev. D 87 (2013) 112003, arXiv:1302.1283.
- [41] G. Choudalakis, D. Casadei, Eur. Phys. J. Plus 127 (2012) 25, arXiv:1111.2062.
- [42] T. Skwarnicki, PhD thesis, DESY-F31-86-02, 1986.
- [43] M. Oreglia, PhD thesis, SLAC-R-0236, 1980.
- [44] J. Gaiser, PhD thesis, SLAC-R-0255, 1982.
- [45] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Eur. Phys. J. C 71 (2011) 1554, arXiv: 1007.1727.
- [46] A.I. Read, J. Phys. G 28 (2002) 2693.
- [47] ATLAS Collaboration, CERN-PH-EP-2014-153, arXiv:1407.5063.

ATLAS Collaboration

- G. Aad ⁸⁴, B. Abbott ¹¹², J. Abdallah ¹⁵², S. Abdel Khalek ¹¹⁶, O. Abdinov ¹¹, R. Aben ¹⁰⁶, B. Abi ¹¹³, M. Abolins ⁸⁹, O.S. AbouZeid ¹⁵⁹, H. Abramowicz ¹⁵⁴, H. Abreu ¹⁵³, R. Abreu ³⁰, Y. Abulaiti ^{147a,147b}, B.S. Acharya ^{165a,165b,a}, L. Adamczyk ^{38a}, D.L. Adams ²⁵, J. Adelman ¹⁷⁷, S. Adomeit ⁹⁹, T. Adye ¹³⁰, T. Agatonovic-Jovin ^{13a}, J.A. Aguilar-Saavedra ^{125a,125f}, M. Agustoni ¹⁷, S.P. Ahlen ²², F. Ahmadov ^{64,b}, G. Aielli ^{134a,134b}, H. Akerstedt ^{147a,147b}, T.P.A. Åkesson ⁸⁰, G. Akimoto ¹⁵⁶, A.V. Akimov ⁹⁵, G.L. Alberghi ^{20a,20b}, J. Albert ¹⁷⁰, S. Albrand ⁵⁵, M.J. Alconada Verzini ⁷⁰, M. Aleksa ³⁰, I.N. Aleksandrov ⁶⁴, C. Alexa ^{26a}, G. Alexander ¹⁵⁴, G. Alexandre ⁴⁹, T. Alexopoulos ¹⁰, M. Alhroob ^{165a,165c}, G. Alimonti ^{90a}, L. Alio ⁸⁴, J. Alison ³¹, B.M.M. Allbrooke ¹⁸, L.J. Allison ⁷¹, P.P. Allport ⁷³, J. Almond ⁸³, A. Aloisio ^{103a,103b}, A. Alonso ³⁶, F. Alonso ⁷⁰, C. Alpigiani ⁷⁵, A. Altheimer ³⁵, B. Alvarez Gonzalez ⁸⁹, M.G. Alviggi ^{103a,103b}, K. Amako ⁶⁵, Y. Amaral Coutinho ^{24a}, C. Amelung ²³, D. Amidei ⁸⁸, S.P. Amor Dos Santos ^{125a,125c}, A. Amorim ^{125a,125b}, S. Amoroso ⁴⁸, N. Amram ¹⁵⁴, G. Amundsen ²³, C. Anastopoulos ¹⁴⁰, L.S. Ancu ⁴⁹, N. Andari ³⁰, T. Andeen ³⁵, C.F. Anders ^{58b}, G. Anders ³⁰, K.J. Anderson ³¹, A. Andreazza ^{90a,90b}, V. Andrei ^{58a}, X.S. Anduaga ⁷⁰, S. Angelidakis ⁹, I. Angelozzi ¹⁰⁶, P. Anger ⁴⁴, A. Angerami ³⁵, F. Anghinolfi ³⁰, A.V. Anisenkov ¹⁰⁸, N. Anjos ^{125a}, A. Annovi ⁴⁷, A. Antonaki ⁹, M. Antonelli ⁴⁷, A. Antonov ⁹⁷, J. Antos ^{145b}, F. Anulli ^{133a}, M. Aoki ⁶⁵, L. Aperio Bella ¹⁸, R. Apolle ^{119,c}, G. Arabidze ⁸⁹, I. Aracena ¹⁴⁴, Y. Arai ⁶⁵, J.P. Araque ^{125a}, A.T.H. Arce ⁴⁵, J-F. Arguin ⁹⁴, S. Argyropoulos ⁴², M. Arik ^{19a}, A.J. Armbruster ³⁰, O. Arnaez ³⁰, V. Arnal ⁸¹, H. Arnold ⁴⁸, M. Arratia ²⁸, O. Arslan ²¹, A. Artamonov ⁹⁶, G. Artoni ²³, S. Asai ¹⁵⁶, N. Asbah ⁴², A. Ashkenazi ¹⁵⁴, B. Åsman ^{147a,147b}, L. Asquith ⁶, K. Assamagan ²⁵, R. Astalos ^{145a}, M. Atkinson ¹⁶⁶, N.B. Atlay ¹⁴², B. Auerbach ⁶, K. Augsten ¹²⁷, M. Auroousseau ^{146b}, G. Avolio ³⁰, G. Azuelos ^{94,d}, Y. Azuma ¹⁵⁶, M.A. Baak ³⁰, A. Baas ^{58a}, C. Bacci ^{135a,135b}, H. Bachacou ¹³⁷, K. Bachas ¹⁵⁵, M. Backes ³⁰, M. Backhaus ³⁰, J. Backus Mayes ¹⁴⁴, E. Badescu ^{26a}, P. Bagiacchi ^{133a,133b}, P. Bagnaia ^{133a,133b}, Y. Bai ^{33a}, T. Bain ³⁵, J.T. Baines ¹³⁰, O.K. Baker ¹⁷⁷, P. Balek ¹²⁸, F. Balli ¹³⁷, E. Banas ³⁹, Sw. Banerjee ¹⁷⁴, A.A.E. Bannoura ¹⁷⁶, V. Bansal ¹⁷⁰, H.S. Bansil ¹⁸, L. Barak ¹⁷³, S.P. Baranov ⁹⁵, E.L. Barberio ⁸⁷, D. Barberis ^{50a,50b}, M. Barbero ⁸⁴, T. Barillari ¹⁰⁰, M. Barisonzi ¹⁷⁶, T. Barklow ¹⁴⁴,

- N. Barlow²⁸, B.M. Barnett¹³⁰, R.M. Barnett¹⁵, Z. Barnovska⁵, A. Baroncelli^{135a}, G. Barone⁴⁹, A.J. Barr¹¹⁹, F. Barreiro⁸¹, J. Barreiro Guimaraes da Costa⁵⁷, R. Bartoldus¹⁴⁴, A.E. Barton⁷¹, P. Bartos^{145a}, V. Bartsch¹⁵⁰, A. Bassalat¹¹⁶, A. Basye¹⁶⁶, R.L. Bates⁵³, J.R. Batley²⁸, M. Battaglia¹³⁸, M. Battistin³⁰, F. Bauer¹³⁷, H.S. Bawa^{144,e}, M.D. Beattie⁷¹, T. Beau⁷⁹, P.H. Beauchemin¹⁶², R. Beccherle^{123a,123b}, P. Bechtle²¹, H.P. Beck¹⁷, K. Becker¹⁷⁶, S. Becker⁹⁹, M. Beckingham¹⁷¹, C. Becot¹¹⁶, A.J. Beddall^{19c}, A. Beddall^{19c}, S. Bedikian¹⁷⁷, V.A. Bednyakov⁶⁴, C.P. Bee¹⁴⁹, L.J. Beemster¹⁰⁶, T.A. Beermann¹⁷⁶, M. Begel²⁵, K. Behr¹¹⁹, C. Belanger-Champagne⁸⁶, P.J. Bell⁴⁹, W.H. Bell⁴⁹, G. Bella¹⁵⁴, L. Bellagamba^{20a}, A. Bellerive²⁹, M. Bellomo⁸⁵, K. Belotskiy⁹⁷, O. Beltramello³⁰, O. Benary¹⁵⁴, D. Benchekroun^{136a}, K. Bendtz^{147a,147b}, N. Benekos¹⁶⁶, Y. Benhammou¹⁵⁴, E. Benhar Noccioli⁴⁹, J.A. Benitez Garcia^{160b}, D.P. Benjamin⁴⁵, J.R. Bensinger²³, K. Benslama¹³¹, S. Bentvelsen¹⁰⁶, D. Berge¹⁰⁶, E. Bergeaas Kuutmann¹⁶, N. Berger⁵, F. Berghaus¹⁷⁰, J. Beringer¹⁵, C. Bernard²², P. Bernat⁷⁷, C. Bernius⁷⁸, F.U. Bernlochner¹⁷⁰, T. Berry⁷⁶, P. Berta¹²⁸, C. Bertella⁸⁴, G. Bertoli^{147a,147b}, F. Bertolucci^{123a,123b}, C. Bertsche¹¹², D. Bertsche¹¹², M.I. Besana^{90a}, G.J. Besjes¹⁰⁵, O. Bessidskaia^{147a,147b}, M. Bessner⁴², N. Besson¹³⁷, C. Betancourt⁴⁸, S. Bethke¹⁰⁰, W. Bhimji⁴⁶, R.M. Bianchi¹²⁴, L. Bianchini²³, M. Bianco³⁰, O. Biebel⁹⁹, S.P. Bieniek⁷⁷, K. Bierwagen⁵⁴, J. Biesiada¹⁵, M. Biglietti^{135a}, J. Bilbao De Mendizabal⁴⁹, H. Bilokon⁴⁷, M. Bindi⁵⁴, S. Binet¹¹⁶, A. Bingul^{19c}, C. Bini^{133a,133b}, C.W. Black¹⁵¹, J.E. Black¹⁴⁴, K.M. Black²², D. Blackburn¹³⁹, R.E. Blair⁶, J.-B. Blanchard¹³⁷, T. Blazek^{145a}, I. Bloch⁴², C. Blocker²³, W. Blum^{82,*}, U. Blumenschein⁵⁴, G.J. Bobbink¹⁰⁶, V.S. Bobrovnikov¹⁰⁸, S.S. Bocchetta⁸⁰, A. Bocci⁴⁵, C. Bock⁹⁹, C.R. Boddy¹¹⁹, M. Boehler⁴⁸, T.T. Boek¹⁷⁶, J.A. Bogaerts³⁰, A.G. Bogdanchikov¹⁰⁸, A. Bogouch^{91,*}, C. Bohm^{147a}, J. Bohm¹²⁶, V. Boisvert⁷⁶, T. Bold^{38a}, V. Boldea^{26a}, A.S. Boldyrev⁹⁸, M. Bomben⁷⁹, M. Bona⁷⁵, M. Boonekamp¹³⁷, A. Borisov¹²⁹, G. Borissov⁷¹, M. Borri⁸³, S. Borroni⁴², J. Bortfeldt⁹⁹, V. Bortolotto^{135a,135b}, K. Bos¹⁰⁶, D. Boscherini^{20a}, M. Bosman¹², H. Boterenbrood¹⁰⁶, J. Boudreau¹²⁴, J. Bouffard², E.V. Bouhova-Thacker⁷¹, D. Boumediene³⁴, C. Bourdarios¹¹⁶, N. Bousson¹¹³, S. Boutouil^{136d}, A. Boveia³¹, J. Boyd³⁰, I.R. Boyko⁶⁴, J. Bracinik¹⁸, A. Brandt⁸, G. Brandt¹⁵, O. Brandt^{58a}, U. Bratzler¹⁵⁷, B. Brau⁸⁵, J.E. Brau¹¹⁵, H.M. Braun^{176,*}, S.F. Brazzale^{165a,165c}, B. Brelier¹⁵⁹, K. Brendlinger¹²¹, A.J. Brennan⁸⁷, R. Brenner¹⁶⁷, S. Bressler¹⁷³, K. Bristow^{146c}, T.M. Bristow⁴⁶, D. Britton⁵³, F.M. Brochu²⁸, I. Brock²¹, R. Brock⁸⁹, C. Bromberg⁸⁹, J. Bronner¹⁰⁰, G. Brooijmans³⁵, T. Brooks⁷⁶, W.K. Brooks^{32b}, J. Brosamer¹⁵, E. Brost¹¹⁵, J. Brown⁵⁵, P.A. Bruckman de Renstrom³⁹, D. Bruncko^{145b}, R. Bruneliere⁴⁸, S. Brunet⁶⁰, A. Bruni^{20a}, G. Bruni^{20a}, M. Bruschi^{20a}, L. Bryngemark⁸⁰, T. Buanes¹⁴, Q. Buat¹⁴³, F. Bucci⁴⁹, P. Buchholz¹⁴², R.M. Buckingham¹¹⁹, A.G. Buckley⁵³, S.I. Buda^{26a}, I.A. Budagov⁶⁴, F. Buehrer⁴⁸, L. Bugge¹¹⁸, M.K. Bugge¹¹⁸, O. Bulekov⁹⁷, A.C. Bundock⁷³, H. Burckhart³⁰, S. Burdin⁷³, B. Burgrave¹⁰⁷, S. Burke¹³⁰, I. Burmeister⁴³, E. Busato³⁴, D. Büscher⁴⁸, V. Büscher⁸², P. Bussey⁵³, C.P. Buszello¹⁶⁷, B. Butler⁵⁷, J.M. Butler²², A.I. Butt³, C.M. Buttar⁵³, J.M. Butterworth⁷⁷, P. Butti¹⁰⁶, W. Buttlinger²⁸, A. Buzatu⁵³, M. Byszewski¹⁰, S. Cabrera Urbán¹⁶⁸, D. Caforio^{20a,20b}, O. Cakir^{4a}, P. Calafiura¹⁵, A. Calandri¹³⁷, G. Calderini⁷⁹, P. Calfayan⁹⁹, R. Calkins¹⁰⁷, L.P. Caloba^{24a}, D. Calvet³⁴, S. Calvet³⁴, R. Camacho Toro⁴⁹, S. Camarda⁴², D. Cameron¹¹⁸, L.M. Caminada¹⁵, R. Caminal Armadans¹², S. Campana³⁰, M. Campanelli⁷⁷, A. Campoverde¹⁴⁹, V. Canale^{103a,103b}, A. Canepa^{160a}, M. Cano Bret⁷⁵, J. Cantero⁸¹, R. Cantrill^{125a}, T. Cao⁴⁰, M.D.M. Capeans Garrido³⁰, I. Caprini^{26a}, M. Caprini^{26a}, M. Capua^{37a,37b}, R. Caputo⁸², R. Cardarelli^{134a}, T. Carli³⁰, G. Carlino^{103a}, L. Carminati^{90a,90b}, S. Caron¹⁰⁵, E. Carquin^{32a}, G.D. Carrillo-Montoya^{146c}, J.R. Carter²⁸, J. Carvalho^{125a,125c}, D. Casadei⁷⁷, M.P. Casado¹², M. Casolino¹², E. Castaneda-Miranda^{146b}, A. Castelli¹⁰⁶, V. Castillo Gimenez¹⁶⁸, N.F. Castro^{125a}, P. Catastini⁵⁷, A. Catinaccio³⁰, J.R. Catmore¹¹⁸, A. Cattai³⁰, G. Cattani^{134a,134b}, V. Cavalieri¹⁶⁶, D. Cavalli^{90a}, M. Cavalli-Sforza¹², V. Cavasinni^{123a,123b}, F. Ceradini^{135a,135b}, B. Cerio⁴⁵, K. Cerny¹²⁸, A.S. Cerqueira^{24b}, A. Cerri¹⁵⁰, L. Cerrito⁷⁵, F. Cerutti¹⁵, M. Cerv³⁰, A. Cervelli¹⁷, S.A. Cetin^{19b}, A. Chafaq^{136a}, D. Chakraborty¹⁰⁷, I. Chalupkova¹²⁸, P. Chang¹⁶⁶, B. Chapleau⁸⁶, J.D. Chapman²⁸, D. Charfeddine¹¹⁶, D.G. Charlton¹⁸, C.C. Chau¹⁵⁹, C.A. Chavez Barajas¹⁵⁰, S. Cheatham⁸⁶, A. Chegwidden⁸⁹, S. Chekanov⁶, S.V. Chekulaev^{160a}, G.A. Chelkov^{64,f}, M.A. Chelstowska⁸⁸, C. Chen⁶³, H. Chen²⁵, K. Chen¹⁴⁹, L. Chen^{33d,g}, S. Chen^{33c}, X. Chen^{146c}, Y. Chen⁶⁶, Y. Chen³⁵, H.C. Cheng⁸⁸, Y. Cheng³¹, A. Cheplakov⁶⁴, R. Cherkaoui El Moursli^{136e}, V. Chernyatin^{25,*}, E. Cheu⁷, L. Chevalier¹³⁷, V. Chiarella⁴⁷, G. Chiefari^{103a,103b}, J.T. Childers⁶, A. Chilingarov⁷¹, G. Chiodini^{72a}, A.S. Chisholm¹⁸, R.T. Chislett⁷⁷,

- A. Chitan^{26a}, M.V. Chizhov⁶⁴, S. Chouridou⁹, B.K.B. Chow⁹⁹, D. Chromek-Burckhart³⁰, M.L. Chu¹⁵², J. Chudoba¹²⁶, J.J. Chwastowski³⁹, L. Chytka¹¹⁴, G. Ciapetti^{133a,133b}, A.K. Ciftci^{4a}, R. Ciftci^{4a}, D. Cinca⁵³, V. Cindro⁷⁴, A. Ciocio¹⁵, P. Cirkovic^{13b}, Z.H. Citron¹⁷³, M. Citterio^{90a}, M. Ciubancan^{26a}, A. Clark⁴⁹, P.J. Clark⁴⁶, R.N. Clarke¹⁵, W. Cleland¹²⁴, J.C. Clemens⁸⁴, C. Clement^{147a,147b}, Y. Coadou⁸⁴, M. Cobal^{165a,165c}, A. Coccaro¹³⁹, J. Cochran⁶³, L. Coffey²³, J.G. Cogan¹⁴⁴, J. Coggleshall¹⁶⁶, B. Cole³⁵, S. Cole¹⁰⁷, A.P. Colijn¹⁰⁶, J. Collot⁵⁵, T. Colombo^{58c}, G. Colon⁸⁵, G. Compostella¹⁰⁰, P. Conde Muiño^{125a,125b}, E. Coniavitis⁴⁸, M.C. Conidi¹², S.H. Connell^{146b}, I.A. Connolly⁷⁶, S.M. Consonni^{90a,90b}, V. Consorti⁴⁸, S. Constantinescu^{26a}, C. Conta^{120a,120b}, G. Conti⁵⁷, F. Conventi^{103a,h}, M. Cooke¹⁵, B.D. Cooper⁷⁷, A.M. Cooper-Sarkar¹¹⁹, N.J. Cooper-Smith⁷⁶, K. Copic¹⁵, T. Cornelissen¹⁷⁶, M. Corradi^{20a}, F. Corriveau^{86,i}, A. Corso-Radu¹⁶⁴, A. Cortes-Gonzalez¹², G. Cortiana¹⁰⁰, G. Costa^{90a}, M.J. Costa¹⁶⁸, D. Costanzo¹⁴⁰, D. Côté⁸, G. Cottin²⁸, G. Cowan⁷⁶, B.E. Cox⁸³, K. Cranmer¹⁰⁹, G. Cree²⁹, S. Crépé-Renaudin⁵⁵, F. Crescioli⁷⁹, W.A. Cribbs^{147a,147b}, M. Crispin Ortuzar¹¹⁹, M. Cristinziani²¹, V. Croft¹⁰⁵, G. Crosetti^{37a,37b}, C.-M. Cuciuc^{26a}, T. Cuhadar Donszelmann¹⁴⁰, J. Cummings¹⁷⁷, M. Curatolo⁴⁷, C. Cuthbert¹⁵¹, H. Czirr¹⁴², P. Czodrowski³, Z. Czyczula¹⁷⁷, S. D'Auria⁵³, M. D'Onofrio⁷³, M.J. Da Cunha Sargedas De Sousa^{125a,125b}, C. Da Via⁸³, W. Dabrowski^{38a}, A. Dafinca¹¹⁹, T. Dai⁸⁸, O. Dale¹⁴, F. Dallaire⁹⁴, C. Dallapiccola⁸⁵, M. Dam³⁶, A.C. Daniells¹⁸, M. Dano Hoffmann¹³⁷, V. Dao⁴⁸, G. Darbo^{50a}, S. Darmora⁸, J.A. Dassoulas⁴², A. Dattagupta⁶⁰, W. Davey²¹, C. David¹⁷⁰, T. Davidek¹²⁸, E. Davies^{119,c}, M. Davies¹⁵⁴, O. Davignon⁷⁹, A.R. Davison⁷⁷, P. Davison⁷⁷, Y. Davygora^{58a}, E. Dawe¹⁴³, I. Dawson¹⁴⁰, R.K. Daya-Ishmukhametova⁸⁵, K. De⁸, R. de Asmundis^{103a}, S. De Castro^{20a,20b}, S. De Cecco⁷⁹, N. De Groot¹⁰⁵, P. de Jong¹⁰⁶, H. De la Torre⁸¹, F. De Lorenzi⁶³, L. De Nooij¹⁰⁶, D. De Pedis^{133a}, A. De Salvo^{133a}, U. De Sanctis¹⁵⁰, A. De Santo¹⁵⁰, J.B. De Vivie De Regie¹¹⁶, W.J. Dearnaley⁷¹, R. Debbe²⁵, C. Debenedetti¹³⁸, B. Dechenaux⁵⁵, D.V. Dedovich⁶⁴, I. Deigaard¹⁰⁶, J. Del Peso⁸¹, T. Del Prete^{123a,123b}, F. Deliot¹³⁷, C.M. Delitzsch⁴⁹, M. Deliyergiyev⁷⁴, A. Dell'Acqua³⁰, L. Dell'Asta²², M. Dell'Orso^{123a,123b}, M. Della Pietra^{103a,h}, D. della Volpe⁴⁹, M. Delmastro⁵, P.A. Delsart⁵⁵, C. Deluca¹⁰⁶, S. Demers¹⁷⁷, M. Demichev⁶⁴, A. Demilly⁷⁹, S.P. Denisov¹²⁹, D. Derendarz³⁹, J.E. Derkaoui^{136d}, F. Derue⁷⁹, P. Dervan⁷³, K. Desch²¹, C. Deterre⁴², P.O. Deviveiros¹⁰⁶, A. Dewhurst¹³⁰, S. Dhaliwal¹⁰⁶, A. Di Ciaccio^{134a,134b}, L. Di Ciaccio⁵, A. Di Domenico^{133a,133b}, C. Di Donato^{103a,103b}, A. Di Girolamo³⁰, B. Di Girolamo³⁰, A. Di Mattia¹⁵³, B. Di Micco^{135a,135b}, R. Di Nardo⁴⁷, A. Di Simone⁴⁸, R. Di Sipio^{20a,20b}, D. Di Valentino²⁹, F.A. Dias⁴⁶, M.A. Diaz^{32a}, E.B. Diehl⁸⁸, J. Dietrich⁴², T.A. Dietzsch^{58a}, S. Diglio⁸⁴, A. Dimitrievska^{13a}, J. Dingfelder²¹, C. Dionisi^{133a,133b}, P. Dita^{26a}, S. Dita^{26a}, F. Dittus³⁰, F. Djama⁸⁴, T. Djobava^{51b}, M.A.B. do Vale^{24c}, A. Do Valle Wemans^{125a,125g}, D. Dobos³⁰, C. Doglioni⁴⁹, T. Doherty⁵³, T. Dohmae¹⁵⁶, J. Dolejsi¹²⁸, Z. Dolezal¹²⁸, B.A. Dolgoshein^{97,*}, M. Donadelli^{24d}, S. Donati^{123a,123b}, P. Dondero^{120a,120b}, J. Donini³⁴, J. Dopke¹³⁰, A. Doria^{103a}, M.T. Dova⁷⁰, A.T. Doyle⁵³, M. Dris¹⁰, J. Dubbert⁸⁸, S. Dube¹⁵, E. Dubreuil³⁴, E. Duchovni¹⁷³, G. Duckeck⁹⁹, O.A. Ducu^{26a}, D. Duda¹⁷⁶, A. Dudarev³⁰, F. Dudziak⁶³, L. Duflot¹¹⁶, L. Duguid⁷⁶, M. Dürrssen³⁰, M. Dunford^{58a}, H. Duran Yildiz^{4a}, M. Düren⁵², A. Durglishvili^{51b}, M. Dwuznik^{38a}, M. Dyndal^{38a}, J. Ebke⁹⁹, W. Edson², N.C. Edwards⁴⁶, W. Ehrenfeld²¹, T. Eifert¹⁴⁴, G. Eigen¹⁴, K. Einsweiler¹⁵, T. Ekelof¹⁶⁷, M. El Kacimi^{136c}, M. Ellert¹⁶⁷, S. Elles⁵, F. Ellinghaus⁸², N. Ellis³⁰, J. Elmsheuser⁹⁹, M. Elsing³⁰, D. Emeliyanov¹³⁰, Y. Enari¹⁵⁶, O.C. Endner⁸², M. Endo¹¹⁷, R. Engelmann¹⁴⁹, J. Erdmann¹⁷⁷, A. Ereditato¹⁷, D. Eriksson^{147a}, G. Ernis¹⁷⁶, J. Ernst², M. Ernst²⁵, J. Ernwein¹³⁷, D. Errede¹⁶⁶, S. Errede¹⁶⁶, E. Ertel⁸², M. Escalier¹¹⁶, H. Esch⁴³, C. Escobar¹²⁴, B. Esposito⁴⁷, A.I. Etienne¹³⁷, E. Etzion¹⁵⁴, H. Evans⁶⁰, A. Ezhilov¹²², L. Fabbri^{20a,20b}, G. Facini³¹, R.M. Fakhrutdinov¹²⁹, S. Falciano^{133a}, R.J. Falla⁷⁷, J. Faltova¹²⁸, Y. Fang^{33a}, M. Fanti^{90a,90b}, A. Farbin⁸, A. Farilla^{135a}, T. Farooque¹², S. Farrell¹⁵, S.M. Farrington¹⁷¹, P. Farthouat³⁰, F. Fassi^{136e}, P. Fassnacht³⁰, D. Fassouliotis⁹, A. Favareto^{50a,50b}, L. Fayard¹¹⁶, P. Federic^{145a}, O.L. Fedin^{122,j}, W. Fedorko¹⁶⁹, M. Fehling-Kaschek⁴⁸, S. Feigl³⁰, L. Feligioni⁸⁴, C. Feng^{33d}, E.J. Feng⁶, H. Feng⁸⁸, A.B. Fenyuk¹²⁹, S. Fernandez Perez³⁰, S. Ferrag⁵³, J. Ferrando⁵³, A. Ferrari¹⁶⁷, P. Ferrari¹⁰⁶, R. Ferrari^{120a}, D.E. Ferreira de Lima⁵³, A. Ferrer¹⁶⁸, D. Ferrere⁴⁹, C. Ferretti⁸⁸, A. Ferretto Parodi^{50a,50b}, M. Fiascaris³¹, F. Fiedler⁸², A. Filipčič⁷⁴, M. Filipuzzi⁴², F. Filthaut¹⁰⁵, M. Fincke-Keeler¹⁷⁰, K.D. Finelli¹⁵¹, M.C.N. Fiolhais^{125a,125c}, L. Fiorini¹⁶⁸, A. Firan⁴⁰, A. Fischer², J. Fischer¹⁷⁶, W.C. Fisher⁸⁹, E.A. Fitzgerald²³, M. Flechl⁴⁸, I. Fleck¹⁴², P. Fleischmann⁸⁸, S. Fleischmann¹⁷⁶, G.T. Fletcher¹⁴⁰, G. Fletcher⁷⁵, T. Flick¹⁷⁶, A. Floderus⁸⁰, L.R. Flores Castillo^{174,k}, A.C. Florez Bustos^{160b},

- M.J. Flowerdew 100, A. Formica 137, A. Forti 83, D. Fortin 160a, D. Fournier 116, H. Fox 71, S. Fracchia 12, P. Francavilla 79, M. Franchini 20a, 20b, S. Franchino 30, D. Francis 30, L. Franconi 118, M. Franklin 57, S. Franz 61, M. Fraternali 120a, 120b, S.T. French 28, C. Friedrich 42, F. Friedrich 44, D. Froidevaux 30, J.A. Frost 28, C. Fukunaga 157, E. Fullana Torregrosa 82, B.G. Fulson 144, J. Fuster 168, C. Gabaldon 55, O. Gabizon 173, A. Gabrielli 20a, 20b, A. Gabrielli 133a, 133b, S. Gadatsch 106, S. Gadomski 49, G. Gagliardi 50a, 50b, P. Gagnon 60, C. Galea 105, B. Galhardo 125a, 125c, E.J. Gallas 119, V. Gallo 17, B.J. Gallop 130, P. Gallus 127, G. Galster 36, K.K. Gan 110, J. Gao 33b, g, Y.S. Gao 144, e, F.M. Garay Walls 46, F. Garberson 177, C. García 168, J.E. García Navarro 168, M. Garcia-Sciveres 15, R.W. Gardner 31, N. Garelli 144, V. Garonne 30, C. Gatti 47, G. Gaudio 120a, B. Gaur 142, L. Gauthier 94, P. Gauzzi 133a, 133b, I.L. Gavrilenko 95, C. Gay 169, G. Gaycken 21, E.N. Gazis 10, P. Ge 33d, Z. Gecse 169, C.N.P. Gee 130, D.A.A. Geerts 106, Ch. Geich-Gimbel 21, K. Gellerstedt 147a, 147b, C. Gemme 50a, A. Gemmell 53, M.H. Genest 55, S. Gentile 133a, 133b, M. George 54, S. George 76, D. Gerbaudo 164, A. Gershon 154, H. Ghazlane 136b, N. Ghodbane 34, B. Giacobbe 20a, S. Giagu 133a, 133b, V. Giangiobbe 12, P. Giannetti 123a, 123b, F. Gianotti 30, B. Gibbard 25, S.M. Gibson 76, M. Gilchriese 15, T.P.S. Gillam 28, D. Gillberg 30, G. Gilles 34, D.M. Gingrich 3, d, N. Giokaris 9, M.P. Giordani 165a, 165c, R. Giordano 103a, 103b, F.M. Giorgi 20a, F.M. Giorgi 16, P.F. Giraud 137, D. Giugni 90a, C. Giuliani 48, M. Giulini 58b, B.K. Gjelsten 118, S. Gkaitatzis 155, I. Gkialas 155, l, L.K. Gladilin 98, C. Glasman 81, J. Glatzer 30, P.C.F. Glaysher 46, A. Glazov 42, G.L. Glonti 64, M. Goblirsch-Kolb 100, J.R. Goddard 75, J. Godlewski 30, C. Goeringer 82, S. Goldfarb 88, T. Golling 177, D. Golubkov 129, A. Gomes 125a, 125b, 125d, L.S. Gomez Fajardo 42, R. Gonçalo 125a, J. Goncalves Pinto Firmino Da Costa 137, L. Gonella 21, S. González de la Hoz 168, G. Gonzalez Parra 12, S. Gonzalez-Sevilla 49, L. Goossens 30, P.A. Gorbounov 96, H.A. Gordon 25, I. Gorelov 104, B. Gorini 30, E. Gorini 72a, 72b, A. Gorišek 74, E. Gornicki 39, A.T. Goshaw 6, C. Gössling 43, M.I. Gostkin 64, M. Gouighri 136a, D. Goujdami 136c, M.P. Goulette 49, A.G. Goussiou 139, C. Goy 5, S. Gozpinar 23, H.M.X. Grabas 137, L. Gruber 54, I. Grabowska-Bold 38a, P. Grafström 20a, 20b, K-J. Grahn 42, J. Gramling 49, E. Gramstad 118, S. Grancagnolo 16, V. Grassi 149, V. Gratchev 122, H.M. Gray 30, E. Graziani 135a, O.G. Grebenyuk 122, Z.D. Greenwood 78, m, K. Gregersen 77, I.M. Gregor 42, P. Grenier 144, J. Griffiths 8, A.A. Grillo 138, K. Grimm 71, S. Grinstein 12, n, Ph. Gris 34, Y.V. Grishkevich 98, J.-F. Grivaz 116, J.P. Grohs 44, A. Grohsjean 42, E. Gross 173, J. Grosse-Knetter 54, G.C. Grossi 134a, 134b, J. Groth-Jensen 173, Z.J. Grout 150, L. Guan 33b, F. Guescini 49, D. Guest 177, O. Gueta 154, C. Guicheney 34, E. Guido 50a, 50b, T. Guillemin 116, S. Guindon 2, U. Gul 53, C. Gumpert 44, J. Gunther 127, J. Guo 35, S. Gupta 119, P. Gutierrez 112, N.G. Gutierrez Ortiz 53, C. Gutschow 77, N. Guttman 154, C. Guyot 137, C. Gwenlan 119, C.B. Gwilliam 73, A. Haas 109, C. Haber 15, H.K. Hadavand 8, N. Haddad 136e, P. Haefner 21, S. Hageböck 21, Z. Hajduk 39, H. Hakobyan 178, M. Haleem 42, D. Hall 119, G. Halladjian 89, K. Hamacher 176, P. Hamal 114, K. Hamano 170, M. Hamer 54, A. Hamilton 146a, S. Hamilton 162, G.N. Hamity 146c, P.G. Hamnett 42, L. Han 33b, K. Hanagaki 117, K. Hanawa 156, M. Hance 15, P. Hanke 58a, R. Hanna 137, J.B. Hansen 36, J.D. Hansen 36, P.H. Hansen 36, K. Hara 161, A.S. Hard 174, T. Harenberg 176, F. Hariri 116, S. Harkusha 91, D. Harper 88, R.D. Harrington 46, O.M. Harris 139, P.F. Harrison 171, F. Hartjes 106, M. Hasegawa 66, S. Hasegawa 102, Y. Hasegawa 141, A. Hasib 112, S. Hassani 137, S. Haug 17, M. Hauschild 30, R. Hauser 89, M. Havranek 126, C.M. Hawkes 18, R.J. Hawkings 30, A.D. Hawkins 80, T. Hayashi 161, D. Hayden 89, C.P. Hays 119, H.S. Hayward 73, S.J. Haywood 130, S.J. Head 18, T. Heck 82, V. Hedberg 80, L. Heelan 8, S. Heim 121, T. Heim 176, B. Heinemann 15, L. Heinrich 109, J. Hejbal 126, L. Helary 22, C. Heller 99, M. Heller 30, S. Hellman 147a, 147b, D. Hellmich 21, C. Helsens 30, J. Henderson 119, R.C.W. Henderson 71, Y. Heng 174, C. Hengler 42, A. Henrichs 177, A.M. Henriques Correia 30, S. Henrot-Versille 116, C. Hensel 54, G.H. Herbert 16, Y. Hernández Jiménez 168, R. Herrberg-Schubert 16, G. Herten 48, R. Hertenberger 99, L. Hervas 30, G.G. Hesketh 77, N.P. Hessey 106, R. Hickling 75, E. Higón-Rodríguez 168, E. Hill 170, J.C. Hill 28, K.H. Hiller 42, S. Hillert 21, S.J. Hillier 18, I. Hinchliffe 15, E. Hines 121, M. Hirose 158, D. Hirschbuehl 176, J. Hobbs 149, N. Hod 106, M.C. Hodgkinson 140, P. Hodgson 140, A. Hoecker 30, M.R. Hoeferkamp 104, F. Hoenig 99, J. Hoffman 40, D. Hoffmann 84, J.I. Hofmann 58a, M. Hohlfeld 82, T.R. Holmes 15, T.M. Hong 121, L. Hooft van Huysduynen 109, W.H. Hopkins 115, Y. Horii 102, J-Y. Hostachy 55, S. Hou 152, A. Hoummada 136a, J. Howard 119, J. Howarth 42, M. Hrabovsky 114, I. Hristova 16, J. Hrivnac 116, T. Hryna'ova 5, C. Hsu 146c, P.J. Hsu 82, S.-C. Hsu 139, D. Hu 35, X. Hu 25, Y. Huang 42, Z. Hubacek 30, F. Hubaut 84, F. Huegging 21, T.B. Huffman 119, E.W. Hughes 35, G. Hughes 71, M. Huhtinen 30,

- T.A. Hülsing ⁸², M. Hurwitz ¹⁵, N. Huseynov ^{64,b}, J. Huston ⁸⁹, J. Huth ⁵⁷, G. Iacobucci ⁴⁹, G. Iakovidis ¹⁰, I. Ibragimov ¹⁴², L. Iconomidou-Fayard ¹¹⁶, E. Ideal ¹⁷⁷, P. Iengo ^{103a}, O. Igolkina ¹⁰⁶, T. Iizawa ¹⁷², Y. Ikegami ⁶⁵, K. Ikematsu ¹⁴², M. Ikeno ⁶⁵, Y. Ilchenko ^{31,o}, D. Iliadis ¹⁵⁵, N. Illic ¹⁵⁹, Y. Inamaru ⁶⁶, T. Ince ¹⁰⁰, P. Ioannou ⁹, M. Iodice ^{135a}, K. Iordanidou ⁹, V. Ippolito ⁵⁷, A. Irles Quiles ¹⁶⁸, C. Isaksson ¹⁶⁷, M. Ishino ⁶⁷, M. Ishitsuka ¹⁵⁸, R. Ishmukhametov ¹¹⁰, C. Issever ¹¹⁹, S. Istiin ^{19a}, J.M. Iturbe Ponce ⁸³, R. Iuppa ^{134a,134b}, J. Ivarsson ⁸⁰, W. Iwanski ³⁹, H. Iwasaki ⁶⁵, J.M. Izen ⁴¹, V. Izzo ^{103a}, B. Jackson ¹²¹, M. Jackson ⁷³, P. Jackson ¹, M.R. Jaekel ³⁰, V. Jain ², K. Jakobs ⁴⁸, S. Jakobsen ³⁰, T. Jakoubek ¹²⁶, J. Jakubek ¹²⁷, D.O. Jamin ¹⁵², D.K. Jana ⁷⁸, E. Jansen ⁷⁷, H. Jansen ³⁰, J. Janssen ²¹, M. Janus ¹⁷¹, G. Jarlskog ⁸⁰, N. Javadov ^{64,b}, T. Javurek ⁴⁸, L. Jeanty ¹⁵, J. Jejelava ^{51a,p}, G.-Y. Jeng ¹⁵¹, D. Jennens ⁸⁷, P. Jenni ^{48,q}, J. Jentzsch ⁴³, C. Jeske ¹⁷¹, S. Jézéquel ⁵, H. Ji ¹⁷⁴, J. Jia ¹⁴⁹, Y. Jiang ^{33b}, M. Jimenez Belenguer ⁴², S. Jin ^{33a}, A. Jinaru ^{26a}, O. Jinnouchi ¹⁵⁸, M.D. Joergensen ³⁶, K.E. Johansson ^{147a,147b}, P. Johansson ¹⁴⁰, K.A. Johns ⁷, K. Jon-And ^{147a,147b}, G. Jones ¹⁷¹, R.W.L. Jones ⁷¹, T.J. Jones ⁷³, J. Jongmanns ^{58a}, P.M. Jorge ^{125a,125b}, K.D. Joshi ⁸³, J. Jovicevic ¹⁴⁸, X. Ju ¹⁷⁴, C.A. Jung ⁴³, R.M. Jungst ³⁰, P. Jussel ⁶¹, A. Juste Rozas ^{12,n}, M. Kaci ¹⁶⁸, A. Kaczmarzka ³⁹, M. Kado ¹¹⁶, H. Kagan ¹¹⁰, M. Kagan ¹⁴⁴, E. Kajomovitz ⁴⁵, C.W. Kalderon ¹¹⁹, S. Kama ⁴⁰, A. Kamenshchikov ¹²⁹, N. Kanaya ¹⁵⁶, M. Kaneda ³⁰, S. Kaneti ²⁸, V.A. Kantserov ⁹⁷, J. Kanzaki ⁶⁵, B. Kaplan ¹⁰⁹, A. Kapliy ³¹, D. Kar ⁵³, K. Karakostas ¹⁰, N. Karastathis ¹⁰, M.J. Kareem ⁵⁴, M. Karnevskiy ⁸², S.N. Karpov ⁶⁴, Z.M. Karpova ⁶⁴, K. Karthik ¹⁰⁹, V. Kartvelishvili ⁷¹, A.N. Karyukhin ¹²⁹, L. Kashif ¹⁷⁴, G. Kasieczka ^{58b}, R.D. Kass ¹¹⁰, A. Kastanas ¹⁴, Y. Kataoka ¹⁵⁶, A. Katre ⁴⁹, J. Katzy ⁴², V. Kaushik ⁷, K. Kawagoe ⁶⁹, T. Kawamoto ¹⁵⁶, G. Kawamura ⁵⁴, S. Kazama ¹⁵⁶, V.F. Kazanin ¹⁰⁸, M.Y. Kazarinov ⁶⁴, R. Keeler ¹⁷⁰, R. Kehoe ⁴⁰, M. Keil ⁵⁴, J.S. Keller ⁴², J.J. Kempster ⁷⁶, H. Keoshkerian ⁵, O. Kepka ¹²⁶, B.P. Kerševan ⁷⁴, S. Kersten ¹⁷⁶, K. Kessoku ¹⁵⁶, J. Keung ¹⁵⁹, F. Khalil-zada ¹¹, H. Khandanyan ^{147a,147b}, A. Khanov ¹¹³, A. Khodinov ⁹⁷, A. Khomich ^{58a}, T.J. Khoo ²⁸, G. Khoriauli ²¹, A. Khoroshilov ¹⁷⁶, V. Khovanskij ⁹⁶, E. Khramov ⁶⁴, J. Khubua ^{51b}, H.Y. Kim ⁸, H. Kim ^{147a,147b}, S.H. Kim ¹⁶¹, N. Kimura ¹⁷², O. Kind ¹⁶, B.T. King ⁷³, M. King ¹⁶⁸, R.S.B. King ¹¹⁹, S.B. King ¹⁶⁹, J. Kirk ¹³⁰, A.E. Kiryunin ¹⁰⁰, T. Kishimoto ⁶⁶, D. Kisielewska ^{38a}, F. Kiss ⁴⁸, T. Kittelmann ¹²⁴, K. Kiuchi ¹⁶¹, E. Kladiva ^{145b}, M. Klein ⁷³, U. Klein ⁷³, K. Kleinknecht ⁸², P. Klimek ^{147a,147b}, A. Klimentov ²⁵, R. Klingenberg ⁴³, J.A. Klinger ⁸³, T. Klioutchnikova ³⁰, P.F. Klok ¹⁰⁵, E.-E. Kluge ^{58a}, P. Kluit ¹⁰⁶, S. Kluth ¹⁰⁰, E. Knerner ⁶¹, E.B.F.G. Knoops ⁸⁴, A. Knue ⁵³, D. Kobayashi ¹⁵⁸, T. Kobayashi ¹⁵⁶, M. Kobel ⁴⁴, M. Kocian ¹⁴⁴, P. Kodys ¹²⁸, P. Koevesarki ²¹, T. Koffas ²⁹, E. Koffeman ¹⁰⁶, L.A. Kogan ¹¹⁹, S. Kohlmann ¹⁷⁶, Z. Kohout ¹²⁷, T. Kohriki ⁶⁵, T. Koi ¹⁴⁴, H. Kolanoski ¹⁶, I. Koletsou ⁵, J. Koll ⁸⁹, A.A. Komar ^{95,*}, Y. Komori ¹⁵⁶, T. Kondo ⁶⁵, N. Kondrashova ⁴², K. Köneke ⁴⁸, A.C. König ¹⁰⁵, S. König ⁸², T. Kono ^{65,r}, R. Konoplich ^{109,s}, N. Konstantinidis ⁷⁷, R. Kopeliansky ¹⁵³, S. Koperny ^{38a}, L. Köpke ⁸², A.K. Kopp ⁴⁸, K. Korcyl ³⁹, K. Kordas ¹⁵⁵, A. Korn ⁷⁷, A.A. Korol ^{108,t}, I. Korolkov ¹², E.V. Korolkova ¹⁴⁰, V.A. Korotkov ¹²⁹, O. Kortner ¹⁰⁰, S. Kortner ¹⁰⁰, V.V. Kostyukhin ²¹, V.M. Kotov ⁶⁴, A. Kotwal ⁴⁵, C. Kourkoumelis ⁹, V. Kouskoura ¹⁵⁵, A. Koutsman ^{160a}, R. Kowalewski ¹⁷⁰, T.Z. Kowalski ^{38a}, W. Kozanecki ¹³⁷, A.S. Kozhin ¹²⁹, V. Kral ¹²⁷, V.A. Kramarenko ⁹⁸, G. Kramberger ⁷⁴, D. Krasnopevtsev ⁹⁷, M.W. Krasny ⁷⁹, A. Krasznahorkay ³⁰, J.K. Kraus ²¹, A. Kravchenko ²⁵, S. Kreiss ¹⁰⁹, M. Kretz ^{58c}, J. Kretzschmar ⁷³, K. Kreutzfeldt ⁵², P. Krieger ¹⁵⁹, K. Kroeninger ⁵⁴, H. Kroha ¹⁰⁰, J. Kroll ¹²¹, J. Kroeseberg ²¹, J. Krstic ^{13a}, U. Kruchonak ⁶⁴, H. Krüger ²¹, T. Kruker ¹⁷, N. Krumnack ⁶³, Z.V. Krumshteyn ⁶⁴, A. Kruse ¹⁷⁴, M.C. Kruse ⁴⁵, M. Kruskal ²², T. Kubota ⁸⁷, S. Kuday ^{4a}, S. Kuehn ⁴⁸, A. Kugel ^{58c}, A. Kuhl ¹³⁸, T. Kuhl ⁴², V. Kukhtin ⁶⁴, Y. Kulchitsky ⁹¹, S. Kuleshov ^{32b}, M. Kuna ^{133a,133b}, J. Kunkle ¹²¹, A. Kupco ¹²⁶, H. Kurashige ⁶⁶, Y.A. Kurochkin ⁹¹, R. Kurumida ⁶⁶, V. Kus ¹²⁶, E.S. Kuwertz ¹⁴⁸, M. Kuze ¹⁵⁸, J. Kvita ¹¹⁴, A. La Rosa ⁴⁹, L. La Rotonda ^{37a,37b}, C. Lacasta ¹⁶⁸, F. Lacava ^{133a,133b}, J. Lacey ²⁹, H. Lacker ¹⁶, D. Lacour ⁷⁹, V.R. Lacuesta ¹⁶⁸, E. Ladygin ⁶⁴, R. Lafaye ⁵, B. Laforge ⁷⁹, T. Lagouri ¹⁷⁷, S. Lal ⁴⁸, H. Laier ^{58a}, L. Lambourne ⁷⁷, S. Lammers ⁶⁰, C.L. Lampen ⁷, W. Lampl ⁷, E. Lançon ¹³⁷, U. Landgraf ⁴⁸, M.P.J. Landon ⁷⁵, V.S. Lang ^{58a}, A.J. Lankford ¹⁶⁴, F. Lanni ²⁵, K. Lantzsch ³⁰, S. Laplace ⁷⁹, C. Lapoire ²¹, J.F. Laporte ¹³⁷, T. Lari ^{90a}, F. Lasagni Manghi ^{20a,20b}, M. Lassnig ³⁰, P. Laurelli ⁴⁷, W. Lavrijsen ¹⁵, A.T. Law ¹³⁸, P. Laycock ⁷³, O. Le Dortz ⁷⁹, E. Le Guirriec ⁸⁴, E. Le Menedeu ¹², T. LeCompte ⁶, F. Ledroit-Guillon ⁵⁵, C.A. Lee ¹⁵², H. Lee ¹⁰⁶, J.S.H. Lee ¹¹⁷, S.C. Lee ¹⁵², L. Lee ¹, G. Lefebvre ⁷⁹, M. Lefebvre ¹⁷⁰, F. Legger ⁹⁹, C. Leggett ¹⁵, A. Lehan ⁷³, M. Lehmann Miotto ³⁰, X. Lei ⁷, W.A. Leight ²⁹, A. Leisos ¹⁵⁵, A.G. Leister ¹⁷⁷, M.A.L. Leite ^{24d}, R. Leitner ¹²⁸, D. Lellouch ¹⁷³, B. Lemmer ⁵⁴, K.J.C. Leney ⁷⁷, T. Lenz ²¹, G. Lenzen ¹⁷⁶, B. Lenzi ³⁰, R. Leone ⁷, S. Leone ^{123a,123b}, C. Leonidopoulos ⁴⁶,

- S. Leontsinis ¹⁰, C. Leroy ⁹⁴, C.G. Lester ²⁸, C.M. Lester ¹²¹, M. Levchenko ¹²², J. Levêque ⁵, D. Levin ⁸⁸, L.J. Levinson ¹⁷³, M. Levy ¹⁸, A. Lewis ¹¹⁹, G.H. Lewis ¹⁰⁹, A.M. Leyko ²¹, M. Leyton ⁴¹, B. Li ^{33b,u}, B. Li ⁸⁴, H. Li ¹⁴⁹, H.L. Li ³¹, L. Li ⁴⁵, L. Li ^{33e}, S. Li ⁴⁵, Y. Li ^{33c,v}, Z. Liang ¹³⁸, H. Liao ³⁴, B. Liberti ^{134a}, P. Lichard ³⁰, K. Lie ¹⁶⁶, J. Liebal ²¹, W. Liebig ¹⁴, C. Limbach ²¹, A. Limosani ⁸⁷, S.C. Lin ^{152,w}, T.H. Lin ⁸², F. Linde ¹⁰⁶, B.E. Lindquist ¹⁴⁹, J.T. Linnemann ⁸⁹, E. Lipeles ¹²¹, A. Lipniacka ¹⁴, M. Lisovyi ⁴², T.M. Liss ¹⁶⁶, D. Lissauer ²⁵, A. Lister ¹⁶⁹, A.M. Litke ¹³⁸, B. Liu ¹⁵², D. Liu ¹⁵², J.B. Liu ^{33b}, K. Liu ^{33b,x}, L. Liu ⁸⁸, M. Liu ⁴⁵, M. Liu ^{33b}, Y. Liu ^{33b}, M. Livan ^{120a,120b}, S.S.A. Livermore ¹¹⁹, A. Lleres ⁵⁵, J. Llorente Merino ⁸¹, S.L. Lloyd ⁷⁵, F. Lo Sterzo ¹⁵², E. Lobodzinska ⁴², P. Loch ⁷, W.S. Lockman ¹³⁸, T. Loddenkoetter ²¹, F.K. Loebinger ⁸³, A.E. Loevschall-Jensen ³⁶, A. Loginov ¹⁷⁷, T. Lohse ¹⁶, K. Lohwasser ⁴², M. Lokajicek ¹²⁶, V.P. Lombardo ⁵, B.A. Long ²², J.D. Long ⁸⁸, R.E. Long ⁷¹, L. Lopes ^{125a}, D. Lopez Mateos ⁵⁷, B. Lopez Paredes ¹⁴⁰, I. Lopez Paz ¹², J. Lorenz ⁹⁹, N. Lorenzo Martinez ⁶⁰, M. Losada ¹⁶³, P. Loscutoff ¹⁵, X. Lou ⁴¹, A. Lounis ¹¹⁶, J. Love ⁶, P.A. Love ⁷¹, A.J. Lowe ^{144,e}, F. Lu ^{33a}, N. Lu ⁸⁸, H.J. Lubatti ¹³⁹, C. Luci ^{133a,133b}, A. Lucotte ⁵⁵, F. Luehring ⁶⁰, W. Lukas ⁶¹, L. Luminari ^{133a}, O. Lundberg ^{147a,147b}, B. Lund-Jensen ¹⁴⁸, M. Lungwitz ⁸², D. Lynn ²⁵, R. Lysak ¹²⁶, E. Lytken ⁸⁰, H. Ma ²⁵, L.L. Ma ^{33d}, G. Maccarrone ⁴⁷, A. Macchiolo ¹⁰⁰, J. Machado Miguens ^{125a,125b}, D. Macina ³⁰, D. Madaffari ⁸⁴, R. Madar ⁴⁸, H.J. Maddocks ⁷¹, W.F. Mader ⁴⁴, A. Madsen ¹⁶⁷, M. Maeno ⁸, T. Maeno ²⁵, A. Maevskiy ⁹⁸, E. Magradze ⁵⁴, K. Mahboubi ⁴⁸, J. Mahlstedt ¹⁰⁶, S. Mahmoud ⁷³, C. Maiani ¹³⁷, C. Maidantchik ^{24a}, A.A. Maier ¹⁰⁰, A. Maio ^{125a,125b,125d}, S. Majewski ¹¹⁵, Y. Makida ⁶⁵, N. Makovec ¹¹⁶, P. Mal ^{137,y}, B. Malaescu ⁷⁹, Pa. Malecki ³⁹, V.P. Maleev ¹²², F. Malek ⁵⁵, U. Mallik ⁶², D. Malon ⁶, C. Malone ¹⁴⁴, S. Maltezos ¹⁰, V.M. Malyshev ¹⁰⁸, S. Malyukov ³⁰, J. Mamuzic ^{13b}, B. Mandelli ³⁰, L. Mandelli ^{90a}, I. Mandić ⁷⁴, R. Mandrysch ⁶², J. Maneira ^{125a,125b}, A. Manfredini ¹⁰⁰, L. Manhaes de Andrade Filho ^{24b}, J.A. Manjarres Ramos ^{160b}, A. Mann ⁹⁹, P.M. Manning ¹³⁸, A. Manousakis-Katsikakis ⁹, B. Mansoulie ¹³⁷, R. Mantifel ⁸⁶, L. Mapelli ³⁰, L. March ¹⁶⁸, J.F. Marchand ²⁹, G. Marchiori ⁷⁹, M. Marcisovsky ¹²⁶, C.P. Marino ¹⁷⁰, M. Marjanovic ^{13a}, C.N. Marques ^{125a}, F. Marroquim ^{24a}, S.P. Marsden ⁸³, Z. Marshall ¹⁵, L.F. Marti ¹⁷, S. Marti-Garcia ¹⁶⁸, B. Martin ³⁰, B. Martin ⁸⁹, T.A. Martin ¹⁷¹, V.J. Martin ⁴⁶, B. Martin dit Latour ¹⁴, H. Martinez ¹³⁷, M. Martinez ^{12,n}, S. Martin-Haugh ¹³⁰, A.C. Martyniuk ⁷⁷, M. Marx ¹³⁹, F. Marzano ^{133a}, A. Marzin ³⁰, L. Masetti ⁸², T. Mashimo ¹⁵⁶, R. Mashinistov ⁹⁵, J. Masik ⁸³, A.L. Maslennikov ¹⁰⁸, I. Massa ^{20a,20b}, L. Massa ^{20a,20b}, N. Massol ⁵, P. Mastrandrea ¹⁴⁹, A. Mastroberardino ^{37a,37b}, T. Masubuchi ¹⁵⁶, P. Mättig ¹⁷⁶, J. Mattmann ⁸², J. Maurer ^{26a}, S.J. Maxfield ⁷³, D.A. Maximov ^{108,t}, R. Mazini ¹⁵², L. Mazzaferro ^{134a,134b}, G. Mc Goldrick ¹⁵⁹, S.P. Mc Kee ⁸⁸, A. McCarn ⁸⁸, R.L. McCarthy ¹⁴⁹, T.G. McCarthy ²⁹, N.A. McCubbin ¹³⁰, K.W. McFarlane ^{56,*}, J.A. McFayden ⁷⁷, G. Mchedlidze ⁵⁴, S.J. McMahon ¹³⁰, R.A. McPherson ^{170,i}, J. Mechnich ¹⁰⁶, M. Medinnis ⁴², S. Meehan ³¹, S. Mehlhase ⁹⁹, A. Mehta ⁷³, K. Meier ^{58a}, C. Meineck ⁹⁹, B. Meirose ⁸⁰, C. Melachrinos ³¹, B.R. Mellado Garcia ^{146c}, F. Meloni ¹⁷, A. Mengarelli ^{20a,20b}, S. Menke ¹⁰⁰, E. Meoni ¹⁶², K.M. Mercurio ⁵⁷, S. Mergelmeyer ²¹, N. Meric ¹³⁷, P. Mermod ⁴⁹, L. Merola ^{103a,103b}, C. Meroni ^{90a}, F.S. Merritt ³¹, H. Merritt ¹¹⁰, A. Messina ^{30,z}, J. Metcalfe ²⁵, A.S. Mete ¹⁶⁴, C. Meyer ⁸², C. Meyer ¹²¹, J-P. Meyer ¹³⁷, J. Meyer ³⁰, R.P. Middleton ¹³⁰, S. Migas ⁷³, L. Mijović ²¹, G. Mikenberg ¹⁷³, M. Mikestikova ¹²⁶, M. Mikuž ⁷⁴, A. Milic ³⁰, D.W. Miller ³¹, C. Mills ⁴⁶, A. Milov ¹⁷³, D.A. Milstead ^{147a,147b}, D. Milstein ¹⁷³, A.A. Minaenko ¹²⁹, I.A. Minashvili ⁶⁴, A.I. Mincer ¹⁰⁹, B. Mindur ^{38a}, M. Mineev ⁶⁴, Y. Ming ¹⁷⁴, L.M. Mir ¹², G. Mirabelli ^{133a}, T. Mitani ¹⁷², J. Mitrevski ⁹⁹, V.A. Mitsou ¹⁶⁸, S. Mitsui ⁶⁵, A. Miucci ⁴⁹, P.S. Miyagawa ¹⁴⁰, J.U. Mjörnmark ⁸⁰, T. Moa ^{147a,147b}, K. Mochizuki ⁸⁴, S. Mohapatra ³⁵, W. Mohr ⁴⁸, S. Molander ^{147a,147b}, R. Moles-Valls ¹⁶⁸, K. Mönig ⁴², C. Monini ⁵⁵, J. Monk ³⁶, E. Monnier ⁸⁴, J. Montejo Berlingen ¹², F. Monticelli ⁷⁰, S. Monzani ^{133a,133b}, R.W. Moore ³, N. Morange ⁶², D. Moreno ⁸², M. Moreno Llácer ⁵⁴, P. Morettini ^{50a}, M. Morgenstern ⁴⁴, M. Morii ⁵⁷, S. Moritz ⁸², A.K. Morley ¹⁴⁸, G. Mornacchi ³⁰, J.D. Morris ⁷⁵, L. Morvaj ¹⁰², H.G. Moser ¹⁰⁰, M. Mosidze ^{51b}, J. Moss ¹¹⁰, K. Motohashi ¹⁵⁸, R. Mount ¹⁴⁴, E. Mountricha ²⁵, S.V. Mouraviev ^{95,*}, E.J.W. Moyse ⁸⁵, S. Muanza ⁸⁴, R.D. Mudd ¹⁸, F. Mueller ^{58a}, J. Mueller ¹²⁴, K. Mueller ²¹, T. Mueller ²⁸, T. Mueller ⁸², D. Muenstermann ⁴⁹, Y. Munwes ¹⁵⁴, J.A. Murillo Quijada ¹⁸, W.J. Murray ^{171,130}, H. Musheghyan ⁵⁴, E. Musto ¹⁵³, A.G. Myagkov ^{129,aa}, M. Myska ¹²⁷, O. Nackenhorst ⁵⁴, J. Nadal ⁵⁴, K. Nagai ⁶¹, R. Nagai ¹⁵⁸, Y. Nagai ⁸⁴, K. Nagano ⁶⁵, A. Nagarkar ¹¹⁰, Y. Nagasaka ⁵⁹, M. Nagel ¹⁰⁰, A.M. Nairz ³⁰, Y. Nakahama ³⁰, K. Nakamura ⁶⁵, T. Nakamura ¹⁵⁶, I. Nakano ¹¹¹, H. Namasivayam ⁴¹, G. Nanava ²¹, R. Narayan ^{58b}, T. Nattermann ²¹, T. Naumann ⁴², G. Navarro ¹⁶³, R. Nayyar ⁷, H.A. Neal ⁸⁸, P.Yu. Nechaeva ⁹⁵, T.J. Neep ⁸³, P.D. Nef ¹⁴⁴, A. Negri ^{120a,120b}, G. Negri ³⁰, M. Negrini ^{20a}, S. Nektarijevic ⁴⁹, A. Nelson ¹⁶⁴, T.K. Nelson ¹⁴⁴,

- S. Nemecek ¹²⁶, P. Nemethy ¹⁰⁹, A.A. Nepomuceno ^{24a}, M. Nessi ^{30,ab}, M.S. Neubauer ¹⁶⁶, M. Neumann ¹⁷⁶, R.M. Neves ¹⁰⁹, P. Nevski ²⁵, P.R. Newman ¹⁸, D.H. Nguyen ⁶, R.B. Nickerson ¹¹⁹, R. Nicolaïdou ¹³⁷, B. Nicquevert ³⁰, J. Nielsen ¹³⁸, N. Nikiforou ³⁵, A. Nikiforov ¹⁶, V. Nikolaenko ^{129,aa}, I. Nikolic-Audit ⁷⁹, K. Nikolics ⁴⁹, K. Nikolopoulos ¹⁸, P. Nilsson ⁸, Y. Ninomiya ¹⁵⁶, A. Nisati ^{133a}, R. Nisius ¹⁰⁰, T. Nobe ¹⁵⁸, L. Nodulman ⁶, M. Nomachi ¹¹⁷, I. Nomidis ²⁹, S. Norberg ¹¹², M. Nordberg ³⁰, O. Novgorodova ⁴⁴, S. Nowak ¹⁰⁰, M. Nozaki ⁶⁵, L. Nozka ¹¹⁴, K. Ntekas ¹⁰, G. Nunes Hanninger ⁸⁷, T. Nunnemann ⁹⁹, E. Nurse ⁷⁷, F. Nuti ⁸⁷, B.J. O'Brien ⁴⁶, F. O'grady ⁷, D.C. O'Neil ¹⁴³, V. O'Shea ⁵³, F.G. Oakham ^{29,d}, H. Oberlack ¹⁰⁰, T. Obermann ²¹, J. Ocariz ⁷⁹, A. Ochi ⁶⁶, M.I. Ochoa ⁷⁷, S. Oda ⁶⁹, S. Odaka ⁶⁵, H. Ogren ⁶⁰, A. Oh ⁸³, S.H. Oh ⁴⁵, C.C. Ohm ¹⁵, H. Ohman ¹⁶⁷, W. Okamura ¹¹⁷, H. Okawa ²⁵, Y. Okumura ³¹, T. Okuyama ¹⁵⁶, A. Olariu ^{26a}, A.G. Olchevski ⁶⁴, S.A. Olivares Pino ⁴⁶, D. Oliveira Damazio [,], E. Oliver Garcia ¹⁶⁸, A. Olszewski ³⁹, J. Olszowska ³⁹, A. Onofre ^{125a,125e}, P.U.E. Onyisi ^{31,o}, C.J. Oram ^{160a}, M.J. Oreglia ³¹, Y. Oren ¹⁵⁴, D. Orestano ^{135a,135b}, N. Orlando ^{72a,72b}, C. Oropeza Barrera ⁵³, R.S. Orr ¹⁵⁹, B. Osculati ^{50a,50b}, R. Ospanov ¹²¹, G. Otero y Garzon ²⁷, H. Otono ⁶⁹, M. Ouchrif ^{136d}, E.A. Ouellette ¹⁷⁰, F. Ould-Saada ¹¹⁸, A. Ouraou ¹³⁷, K.P. Oussoren ¹⁰⁶, Q. Ouyang ^{33a}, A. Ovcharova ¹⁵, M. Owen ⁸³, V.E. Ozcan ^{19a}, N. Ozturk ⁸, K. Pachal ¹¹⁹, A. Pacheco Pages ¹², C. Padilla Aranda ¹², M. Pagáčová ⁴⁸, S. Pagan Griso ¹⁵, E. Paganis ¹⁴⁰, C. Pahl ¹⁰⁰, F. Paige ²⁵, P. Pais ⁸⁵, K. Pajchel ¹¹⁸, G. Palacino ^{160b}, S. Palestini ³⁰, M. Palka ^{38b}, D. Pallin ³⁴, A. Palma ^{125a,125b}, J.D. Palmer ¹⁸, Y.B. Pan ¹⁷⁴, E. Panagiotopoulou ¹⁰, J.G. Panduro Vazquez ⁷⁶, P. Pani ¹⁰⁶, N. Panikashvili ⁸⁸, S. Panitkin ²⁵, D. Pantea ^{26a}, L. Paolozzi ^{134a,134b}, Th.D. Papadopoulou ¹⁰, K. Papageorgiou ^{155,l}, A. Paramonov ⁶, D. Paredes Hernandez ³⁴, M.A. Parker ²⁸, F. Parodi ^{50a,50b}, J.A. Parsons ³⁵, U. Parzefall ⁴⁸, E. Pasqualucci ^{133a}, S. Passaggio ^{50a}, A. Passeri ^{135a}, F. Pastore ^{135a,135b,*}, Fr. Pastore ⁷⁶, G. Pásztor ²⁹, S. Pataraia ¹⁷⁶, N.D. Patel ¹⁵¹, J.R. Pater ⁸³, S. Patricelli ^{103a,103b}, T. Pauly ³⁰, J. Pearce ¹⁷⁰, L.E. Pedersen ³⁶, M. Pedersen ¹¹⁸, S. Pedraza Lopez ¹⁶⁸, R. Pedro ^{125a,125b}, S.V. Peleganchuk ¹⁰⁸, D. Pelikan ¹⁶⁷, H. Peng ^{33b}, B. Penning ³¹, J. Penwell ⁶⁰, D.V. Perepelitsa ²⁵, E. Perez Codina ^{160a}, M.T. Pérez García-Estañ ¹⁶⁸, V. Perez Reale ³⁵, L. Perini ^{90a,90b}, H. Pernegger ³⁰, S. Perrella ^{103a,103b}, R. Perrino ^{72a}, R. Peschke ⁴², V.D. Peshekhonov ⁶⁴, K. Peters ³⁰, R.F.Y. Peters ⁸³, B.A. Petersen ³⁰, T.C. Petersen ³⁶, E. Petit ⁴², A. Petridis ^{147a,147b}, C. Petridou ¹⁵⁵, E. Petrolo ^{133a}, F. Petrucci ^{135a,135b}, N.E. Pettersson ¹⁵⁸, R. Pezoa ^{32b}, P.W. Phillips ¹³⁰, G. Piacquadio ¹⁴⁴, E. Pianori ¹⁷¹, A. Picazio ⁴⁹, E. Piccaro ⁷⁵, M. Piccinini ^{20a,20b}, R. Piegai ²⁷, D.T. Pignotti ¹¹⁰, J.E. Pilcher ³¹, A.D. Pilkington ⁷⁷, J. Pina ^{125a,125b,125d}, M. Pinamonti ^{165a,165c,ac}, A. Pinder ¹¹⁹, J.L. Pinfold ³, A. Pingel ³⁶, B. Pinto ^{125a}, S. Pires ⁷⁹, M. Pitt ¹⁷³, C. Pizio ^{90a,90b}, L. Plazak ^{145a}, M.-A. Pleier ²⁵, V. Pleskot ¹²⁸, E. Plotnikova ⁶⁴, P. Pluciński ^{147a,147b}, S. Poddar ^{58a}, F. Podlaski ³⁴, R. Poettgen ⁸², L. Poggioli ¹¹⁶, D. Pohl ²¹, M. Pohl ⁴⁹, G. Polesello ^{120a}, A. Policicchio ^{37a,37b}, R. Polifka ¹⁵⁹, A. Polini ^{20a}, C.S. Pollard ⁴⁵, V. Polychronakos ²⁵, K. Pommès ³⁰, L. Pontecorvo ^{133a}, B.G. Pope ⁸⁹, G.A. Popeneiciu ^{26b}, D.S. Popovic ^{13a}, A. Poppleton ³⁰, X. Portell Bueso ¹², S. Pospisil ¹²⁷, K. Potamianos ¹⁵, I.N. Potrap ⁶⁴, C.J. Potter ¹⁵⁰, C.T. Potter ¹¹⁵, G. Poulard ³⁰, J. Poveda ⁶⁰, V. Pozdnyakov ⁶⁴, P. Pralavorio ⁸⁴, A. Pranko ¹⁵, S. Prasad ³⁰, R. Pravahan ⁸, S. Prell ⁶³, D. Price ⁸³, J. Price ⁷³, L.E. Price ⁶, D. Prieur ¹²⁴, M. Primavera ^{72a}, M. Proissl ⁴⁶, K. Prokofiev ⁴⁷, F. Prokoshin ^{32b}, E. Protopapadaki ¹³⁷, S. Protopopescu ²⁵, J. Proudfoot ⁶, M. Przybycien ^{38a}, H. Przysiezniak ⁵, E. Ptacek ¹¹⁵, D. Puddu ^{135a,135b}, E. Pueschel ⁸⁵, D. Puldon ¹⁴⁹, M. Purohit ^{25,ad}, P. Puzo ¹¹⁶, J. Qian ⁸⁸, G. Qin ⁵³, Y. Qin ⁸³, A. Quadt ⁵⁴, D.R. Quarrie ¹⁵, W.B. Quayle ^{165a,165b}, M. Queitsch-Maitland ⁸³, D. Quilty ⁵³, A. Qureshi ^{160b}, V. Radeka ²⁵, V. Radescu ⁴², S.K. Radhakrishnan ¹⁴⁹, P. Radloff ¹¹⁵, P. Rados ⁸⁷, F. Ragusa ^{90a,90b}, G. Rahal ¹⁷⁹, S. Rajagopalan ²⁵, M. Rammensee ³⁰, A.S. Randle-Conde ⁴⁰, C. Rangel-Smith ¹⁶⁷, K. Rao ¹⁶⁴, F. Rauscher ⁹⁹, T.C. Rave ⁴⁸, T. Ravenscroft ⁵³, M. Raymond ³⁰, A.L. Read ¹¹⁸, N.P. Readioff ⁷³, D.M. Rebuzzi ^{120a,120b}, A. Redelbach ¹⁷⁵, G. Redlinger ²⁵, R. Reece ¹³⁸, K. Reeves ⁴¹, L. Rehnisch ¹⁶, H. Reisin ²⁷, M. Relich ¹⁶⁴, C. Rembser ³⁰, H. Ren ^{33a}, Z.L. Ren ¹⁵², A. Renaud ¹¹⁶, M. Rescigno ^{133a}, S. Resconi ^{90a}, O.L. Rezanova ^{108,t}, P. Reznicek ¹²⁸, R. Rezvani ⁹⁴, R. Richter ¹⁰⁰, M. Ridel ⁷⁹, P. Rieck ¹⁶, J. Rieger ⁵⁴, M. Rijssenbeek ¹⁴⁹, A. Rimoldi ^{120a,120b}, L. Rinaldi ^{20a}, E. Ritsch ⁶¹, I. Riu ¹², F. Rizatdinova ¹¹³, E. Rizvi ⁷⁵, S.H. Robertson ^{86,i}, A. Robichaud-Veronneau ⁸⁶, D. Robinson ²⁸, J.E.M. Robinson ⁸³, A. Robson ⁵³, C. Roda ^{123a,123b}, L. Rodrigues ³⁰, S. Roe ³⁰, O. Röhne ¹¹⁸, S. Rolli ¹⁶², A. Romaniouk ⁹⁷, M. Romano ^{20a,20b}, E. Romero Adam ¹⁶⁸, N. Rompotis ¹³⁹, M. Ronzani ⁴⁸, L. Roos ⁷⁹, E. Ros ¹⁶⁸, S. Rosati ^{133a}, K. Rosbach ⁴⁹, M. Rose ⁷⁶, P. Rose ¹³⁸, P.L. Rosendahl ¹⁴, O. Rosenthal ¹⁴², V. Rossetti ^{147a,147b}, E. Rossi ^{103a,103b}, L.P. Rossi ^{50a}, R. Rosten ¹³⁹, M. Rotaru ^{26a}, I. Roth ¹⁷³, J. Rothberg ¹³⁹, D. Rousseau ¹¹⁶,

- C.R. Royon ¹³⁷, A. Rozanov ⁸⁴, Y. Rozen ¹⁵³, X. Ruan ^{146c}, F. Rubbo ¹², I. Rubinskiy ⁴², V.I. Rud ⁹⁸,
 C. Rudolph ⁴⁴, M.S. Rudolph ¹⁵⁹, F. Rühr ⁴⁸, A. Ruiz-Martinez ³⁰, Z. Rurikova ⁴⁸, N.A. Rusakovich ⁶⁴,
 A. Ruschke ⁹⁹, J.P. Rutherford ⁷, N. Ruthmann ⁴⁸, Y.F. Ryabov ¹²², M. Rybar ¹²⁸, G. Rybkin ¹¹⁶,
 N.C. Ryder ¹¹⁹, A.F. Saavedra ¹⁵¹, S. Sacerdoti ²⁷, A. Saddique ³, I. Sadegh ¹⁵⁴, H.F-W. Sadrozinski ¹³⁸,
 R. Sadykov ⁶⁴, F. Safai Tehrani ^{133a}, H. Sakamoto ¹⁵⁶, Y. Sakurai ¹⁷², G. Salamanna ^{135a,135b},
 A. Salamon ^{134a}, M. Saleem ¹¹², D. Salek ¹⁰⁶, P.H. Sales De Bruin ¹³⁹, D. Salihagic ¹⁰⁰, A. Salnikov ¹⁴⁴,
 J. Salt ¹⁶⁸, D. Salvatore ^{37a,37b}, F. Salvatore ¹⁵⁰, A. Salvucci ¹⁰⁵, A. Salzburger ³⁰, D. Sampsonidis ¹⁵⁵,
 A. Sanchez ^{103a,103b}, J. Sánchez ¹⁶⁸, V. Sanchez Martinez ¹⁶⁸, H. Sandaker ¹⁴, R.L. Sandbach ⁷⁵,
 H.G. Sander ⁸², M.P. Sanders ⁹⁹, M. Sandhoff ¹⁷⁶, T. Sandoval ²⁸, C. Sandoval ¹⁶³, R. Sandstroem ¹⁰⁰,
 D.P.C. Sankey ¹³⁰, A. Sansoni ⁴⁷, C. Santoni ³⁴, R. Santonico ^{134a,134b}, H. Santos ^{125a}, I. Santoyo Castillo ¹⁵⁰,
 K. Sapp ¹²⁴, A. Sapronov ⁶⁴, J.G. Saraiva ^{125a,125d}, B. Sarrazin ²¹, G. Sartisohn ¹⁷⁶, O. Sasaki ⁶⁵, Y. Sasaki ¹⁵⁶,
 G. Sauvage ^{5,*}, E. Sauvan ⁵, P. Savard ^{159,d}, D.O. Savu ³⁰, C. Sawyer ¹¹⁹, L. Sawyer ^{78,m}, D.H. Saxon ⁵³,
 J. Saxon ¹²¹, C. Sbarra ^{20a}, A. Sbrizzi ^{20a,20b}, T. Scanlon ⁷⁷, D.A. Scannicchio ¹⁶⁴, M. Scarcella ¹⁵¹,
 V. Scarfone ^{37a,37b}, J. Schaarschmidt ¹⁷³, P. Schacht ¹⁰⁰, D. Schaefer ³⁰, R. Schaefer ⁴², S. Schaepe ²¹,
 S. Schaetzl ^{58b}, U. Schäfer ⁸², A.C. Schaffer ¹¹⁶, D. Schaile ⁹⁹, R.D. Schamberger ¹⁴⁹, V. Scharf ^{58a},
 V.A. Schegelsky ¹²², D. Scheirich ¹²⁸, M. Schernau ¹⁶⁴, M.I. Scherzer ³⁵, C. Schiavi ^{50a,50b}, J. Schieck ⁹⁹,
 C. Schillo ⁴⁸, M. Schioppa ^{37a,37b}, S. Schlenker ³⁰, E. Schmidt ⁴⁸, K. Schmieden ³⁰, C. Schmitt ⁸²,
 S. Schmitt ^{58b}, B. Schneider ¹⁷, Y.J. Schnellbach ⁷³, U. Schnoor ⁴⁴, L. Schoeffel ¹³⁷, A. Schoening ^{58b},
 B.D. Schoenrock ⁸⁹, A.L.S. Schorlemmer ⁵⁴, M. Schott ⁸², D. Schouten ^{160a}, J. Schovancova ²⁵,
 S. Schramm ¹⁵⁹, M. Schreyer ¹⁷⁵, C. Schroeder ⁸², N. Schuh ⁸², M.J. Schultens ²¹, H.-C. Schultz-Coulon ^{58a},
 H. Schulz ¹⁶, M. Schumacher ⁴⁸, B.A. Schumm ¹³⁸, Ph. Schune ¹³⁷, C. Schwanenberger ⁸³,
 A. Schwartzman ¹⁴⁴, T.A. Schwarz ⁸⁸, Ph. Schwegler ¹⁰⁰, Ph. Schwemling ¹³⁷, R. Schwienhorst ⁸⁹,
 J. Schwindling ¹³⁷, T. Schwindt ²¹, M. Schwoerer ⁵, F.G. Sciacca ¹⁷, E. Scifo ¹¹⁶, G. Sciolla ²³, W.G. Scott ¹³⁰,
 F. Scuri ^{123a,123b}, F. Scutti ²¹, J. Searcy ⁸⁸, G. Sedov ⁴², E. Sedykh ¹²², S.C. Seidel ¹⁰⁴, A. Seiden ¹³⁸,
 F. Seifert ¹²⁷, J.M. Seixas ^{24a}, G. Sekhniaidze ^{103a}, S.J. Sekula ⁴⁰, K.E. Selbach ⁴⁶, D.M. Seliverstov ^{122,*},
 G. Sellers ⁷³, N. Semprini-Cesari ^{20a,20b}, C. Serfon ³⁰, L. Serin ¹¹⁶, L. Serkin ⁵⁴, T. Serre ⁸⁴, R. Seuster ^{160a},
 H. Severini ¹¹², T. Sfiligoj ⁷⁴, F. Sforza ¹⁰⁰, A. Sfyrla ³⁰, E. Shabalina ⁵⁴, M. Shamim ¹¹⁵, L.Y. Shan ^{33a},
 R. Shang ¹⁶⁶, J.T. Shank ²², M. Shapiro ¹⁵, P.B. Shatalov ⁹⁶, K. Shaw ^{165a,165b}, C.Y. Shehu ¹⁵⁰, P. Sherwood ⁷⁷,
 L. Shi ^{152,ae}, S. Shimizu ⁶⁶, C.O. Shimmin ¹⁶⁴, M. Shimojima ¹⁰¹, M. Shiyakova ⁶⁴, A. Shmeleva ⁹⁵,
 M.J. Shochet ³¹, D. Short ¹¹⁹, S. Shrestha ⁶³, E. Shulga ⁹⁷, M.A. Shupe ⁷, S. Shushkevich ⁴², P. Sicho ¹²⁶,
 O. Sidiropoulou ¹⁵⁵, D. Sidorov ¹¹³, A. Sidoti ^{133a}, F. Siegert ⁴⁴, Dj. Sijacki ^{13a}, J. Silva ^{125a,125d}, Y. Silver ¹⁵⁴,
 D. Silverstein ¹⁴⁴, S.B. Silverstein ^{147a}, V. Simak ¹²⁷, O. Simard ⁵, Lj. Simic ^{13a}, S. Simion ¹¹⁶, E. Simioni ⁸²,
 B. Simmons ⁷⁷, R. Simonello ^{90a,90b}, M. Simonyan ³⁶, P. Sinervo ¹⁵⁹, N.B. Sinev ¹¹⁵, V. Sipica ¹⁴²,
 G. Siragusa ¹⁷⁵, A. Sircar ⁷⁸, A.N. Sisakyan ^{64,*}, S.Yu. Sivoklokov ⁹⁸, J. Sjölin ^{147a,147b}, T.B. Sjursen ¹⁴,
 H.P. Skottowe ⁵⁷, K.Yu. Skovpen ¹⁰⁸, P. Skubic ¹¹², M. Slater ¹⁸, T. Slavicek ¹²⁷, K. Sliwa ¹⁶², V. Smakhtin ¹⁷³,
 B.H. Smart ⁴⁶, L. Smestad ¹⁴, S.Yu. Smirnov ⁹⁷, Y. Smirnov ⁹⁷, L.N. Smirnova ^{98,af}, O. Smirnova ⁸⁰,
 K.M. Smith ⁵³, M. Smizanska ⁷¹, K. Smolek ¹²⁷, A.A. Snesarev ⁹⁵, G. Snidero ⁷⁵, S. Snyder ²⁵, R. Sobie ^{170,i},
 F. Socher ⁴⁴, A. Soffer ¹⁵⁴, D.A. Soh ^{152,ae}, C.A. Solans ³⁰, M. Solar ¹²⁷, J. Solc ¹²⁷, E.Yu. Soldatov ⁹⁷,
 U. Soldevila ¹⁶⁸, A.A. Solodkov ¹²⁹, A. Soloshenko ⁶⁴, O.V. Solovyanov ¹²⁹, V. Solovyev ¹²², P. Sommer ⁴⁸,
 H.Y. Song ^{33b}, N. Soni ¹, A. Sood ¹⁵, A. Sopczak ¹²⁷, B. Sopko ¹²⁷, V. Sopko ¹²⁷, V. Sorin ¹², M. Sosebee ⁸,
 R. Soualah ^{165a,165c}, P. Soueid ⁹⁴, A.M. Soukharev ¹⁰⁸, D. South ⁴², S. Spagnolo ^{72a,72b}, F. Spanò ⁷⁶,
 W.R. Spearman ⁵⁷, F. Spettel ¹⁰⁰, R. Spighi ^{20a}, G. Spigo ³⁰, L.A. Spiller ⁸⁷, M. Spousta ¹²⁸, T. Spreitzer ¹⁵⁹,
 B. Spurlock ⁸, R.D. St. Denis ^{53,*}, S. Staerz ⁴⁴, J. Stahlman ¹²¹, R. Stamen ^{58a}, S. Stamm ¹⁶, E. Stanecka ³⁹,
 R.W. Stanek ⁶, C. Stanescu ^{135a}, M. Stanescu-Bellu ⁴², M.M. Stanitzki ⁴², S. Stapnes ¹¹⁸, E.A. Starchenko ¹²⁹,
 J. Stark ⁵⁵, P. Staroba ¹²⁶, P. Starovoitov ⁴², R. Staszewski ³⁹, P. Stavina ^{145a,*}, P. Steinberg ²⁵, B. Stelzer ¹⁴³,
 H.J. Stelzer ³⁰, O. Stelzer-Chilton ^{160a}, H. Stenzel ⁵², S. Stern ¹⁰⁰, G.A. Stewart ⁵³, J.A. Stillings ²¹,
 M.C. Stockton ⁸⁶, M. Stoebe ⁸⁶, G. Stoica ^{26a}, P. Stolte ⁵⁴, S. Stonjek ¹⁰⁰, A.R. Stradling ⁸, A. Straessner ⁴⁴,
 M.E. Stramaglia ¹⁷, J. Strandberg ¹⁴⁸, S. Strandberg ^{147a,147b}, A. Strandlie ¹¹⁸, E. Strauss ¹⁴⁴, M. Strauss ¹¹²,
 P. Strizenec ^{145b}, R. Ströhmer ¹⁷⁵, D.M. Strom ¹¹⁵, R. Stroynowski ⁴⁰, A. Struebig ¹⁰⁵, S.A. Stucci ¹⁷,
 B. Stugu ¹⁴, N.A. Styles ⁴², D. Su ¹⁴⁴, J. Su ¹²⁴, R. Subramaniam ⁷⁸, A. Succurro ¹², Y. Sugaya ¹¹⁷, C. Suhr ¹⁰⁷,
 M. Suk ¹²⁷, V.V. Sulin ⁹⁵, S. Sultansoy ^{4c}, T. Sumida ⁶⁷, S. Sun ⁵⁷, X. Sun ^{33a}, J.E. Sundermann ⁴⁸,
 K. Suruliz ¹⁴⁰, G. Susinno ^{37a,37b}, M.R. Sutton ¹⁵⁰, Y. Suzuki ⁶⁵, M. Svatos ¹²⁶, S. Swedish ¹⁶⁹,

- M. Swiatlowski ¹⁴⁴, I. Sykora ^{145a}, T. Sykora ¹²⁸, D. Ta ⁸⁹, C. Taccini ^{135a,135b}, K. Tackmann ⁴², J. Taenzer ¹⁵⁹, A. Taffard ¹⁶⁴, R. Tafifout ^{160a}, N. Taiblum ¹⁵⁴, H. Takai ²⁵, R. Takashima ⁶⁸, H. Takeda ⁶⁶, T. Takeshita ¹⁴¹, Y. Takubo ⁶⁵, M. Talby ⁸⁴, A.A. Talyshov ^{108,t}, J.Y.C. Tam ¹⁷⁵, K.G. Tan ⁸⁷, J. Tanaka ¹⁵⁶, R. Tanaka ¹¹⁶, S. Tanaka ¹³², S. Tanaka ⁶⁵, A.J. Tanasijczuk ¹⁴³, B.B. Tannenwald ¹¹⁰, N. Tannoury ²¹, S. Tapprogge ⁸², S. Tarem ¹⁵³, F. Tarrade ²⁹, G.F. Tartarelli ^{90a}, P. Tas ¹²⁸, M. Tasevsky ¹²⁶, T. Tashiro ⁶⁷, E. Tassi ^{37a,37b}, A. Tavares Delgado ^{125a,125b}, Y. Tayalati ^{136d}, F.E. Taylor ⁹³, G.N. Taylor ⁸⁷, W. Taylor ^{160b}, F.A. Teischinger ³⁰, M. Teixeira Dias Castanheira ⁷⁵, P. Teixeira-Dias ⁷⁶, K.K. Temming ⁴⁸, H. Ten Kate ³⁰, P.K. Teng ¹⁵², J.J. Teoh ¹¹⁷, S. Terada ⁶⁵, K. Terashi ¹⁵⁶, J. Terron ⁸¹, S. Terzo ¹⁰⁰, M. Testa ⁴⁷, R.J. Teuscher ^{159,i}, J. Therhaag ²¹, T. Theveneaux-Pelzer ³⁴, J.P. Thomas ¹⁸, J. Thomas-Wilske ⁷⁶, E.N. Thompson ³⁵, P.D. Thompson ¹⁸, P.D. Thompson ¹⁵⁹, R.J. Thompson ⁸³, A.S. Thompson ⁵³, L.A. Thomsen ³⁶, E. Thomson ¹²¹, M. Thomson ²⁸, W.M. Thong ⁸⁷, R.P. Thun ^{88,*}, F. Tian ³⁵, M.J. Tibbetts ¹⁵, V.O. Tikhomirov ^{95,ag}, Yu.A. Tikhonov ^{108,t}, S. Timoshenko ⁹⁷, E. Tiouchichine ⁸⁴, P. Tipton ¹⁷⁷, S. Tisserant ⁸⁴, T. Todorov ⁵, S. Todorova-Nova ¹²⁸, B. Toggerson ⁷, J. Tojo ⁶⁹, S. Tokár ^{145a}, K. Tokushuku ⁶⁵, K. Tollefson ⁸⁹, E. Tolley ⁵⁷, L. Tomlinson ⁸³, M. Tomoto ¹⁰², L. Tompkins ³¹, K. Toms ¹⁰⁴, N.D. Topilin ⁶⁴, E. Torrence ¹¹⁵, H. Torres ¹⁴³, E. Torró Pastor ¹⁶⁸, J. Toth ^{84,ah}, F. Touchard ⁸⁴, D.R. Tovey ¹⁴⁰, H.L. Tran ¹¹⁶, T. Trefzger ¹⁷⁵, L. Tremblet ³⁰, A. Tricoli ³⁰, I.M. Trigger ^{160a}, S. Trincaz-Duvold ⁷⁹, M.F. Tripiana ¹², W. Trischuk ¹⁵⁹, B. Trocmé ⁵⁵, C. Troncon ^{90a}, M. Trottier-McDonald ¹⁵, M. Trovatelli ^{135a,135b}, P. True ⁸⁹, M. Trzebinski ³⁹, A. Trzupek ³⁹, C. Tsarouchas ³⁰, J.-C.-L. Tseng ¹¹⁹, P.V. Tsiareshka ⁹¹, D. Tsionou ¹³⁷, G. Tsipolitis ¹⁰, N. Tsirintanis ⁹, S. Tsiskaridze ¹², V. Tsiskaridze ⁴⁸, E.G. Tskhadadze ^{51a}, I.I. Tsukerman ⁹⁶, V. Tsulaia ¹⁵, S. Tsuno ⁶⁵, D. Tsybychev ¹⁴⁹, A. Tudorache ^{26a}, V. Tudorache ^{26a}, A.N. Tuna ¹²¹, S.A. Tupputi ^{20a,20b}, S. Turchikhin ^{98,af}, D. Turecek ¹²⁷, I. Turk Cakir ^{4d}, R. Turra ^{90a,90b}, P.M. Tuts ³⁵, A. Tykhonov ⁴⁹, M. Tylmad ^{147a,147b}, M. Tyndel ¹³⁰, K. Uchida ²¹, I. Ueda ¹⁵⁶, R. Ueno ²⁹, M. Ughetto ⁸⁴, M. Ugland ¹⁴, M. Uhlenbrock ²¹, F. Ukegawa ¹⁶¹, G. Unal ³⁰, A. Undrus ²⁵, G. Unel ¹⁶⁴, F.C. Ungaro ⁴⁸, Y. Unno ⁶⁵, C. Unverdorben ⁹⁹, D. Urbaniec ³⁵, P. Urquijo ⁸⁷, G. Usai ⁸, A. Usanova ⁶¹, L. Vacavant ⁸⁴, V. Vacek ¹²⁷, B. Vachon ⁸⁶, N. Valencic ¹⁰⁶, S. Valentini ^{20a,20b}, A. Valero ¹⁶⁸, L. Valery ³⁴, S. Valkar ¹²⁸, E. Valladolid Gallego ¹⁶⁸, S. Vallecorsa ⁴⁹, J.A. Valls Ferrer ¹⁶⁸, W. Van Den Wollenberg ¹⁰⁶, P.C. Van Der Deijl ¹⁰⁶, R. van der Geer ¹⁰⁶, H. van der Graaf ¹⁰⁶, R. Van Der Leeuw ¹⁰⁶, D. van der Ster ³⁰, N. van Eldik ³⁰, P. van Gemmeren ⁶, J. Van Nieuwkoop ¹⁴³, I. van Vulpen ¹⁰⁶, M.C. van Woerden ³⁰, M. Vanadia ^{133a,133b}, W. Vandelli ³⁰, R. Vanguri ¹²¹, A. Vaniachine ⁶, P. Vankov ⁴², F. Vannucci ⁷⁹, G. Vardanyan ¹⁷⁸, R. Vari ^{133a}, E.W. Varnes ⁷, T. Varol ⁸⁵, D. Varouchas ⁷⁹, A. Vartapetian ⁸, K.E. Varvell ¹⁵¹, F. Vazeille ³⁴, T. Vazquez Schroeder ⁵⁴, J. Veatch ⁷, F. Veloso ^{125a,125c}, S. Veneziano ^{133a}, A. Ventura ^{72a,72b}, D. Ventura ⁸⁵, M. Venturi ¹⁷⁰, N. Venturi ¹⁵⁹, A. Venturini ²³, V. Vercesi ^{120a}, M. Verducci ^{133a,133b}, W. Verkerke ¹⁰⁶, J.C. Vermeulen ¹⁰⁶, A. Vest ⁴⁴, M.C. Vetterli ^{143,d}, O. Viazlo ⁸⁰, I. Vichou ¹⁶⁶, T. Vickey ^{146c,ai}, O.E. Vickey Boeriu ^{146c}, G.H.A. Viehhauser ¹¹⁹, S. Viel ¹⁶⁹, R. Vigne ³⁰, M. Villa ^{20a,20b}, M. Villaplana Perez ^{90a,90b}, E. Vilucchi ⁴⁷, M.G. Vinchter ²⁹, V.B. Vinogradov ⁶⁴, J. Virzi ¹⁵, I. Vivarelli ¹⁵⁰, F. Vives Vaque ³, S. Vlachos ¹⁰, D. Vladoiu ⁹⁹, M. Vlasak ¹²⁷, A. Vogel ²¹, M. Vogel ^{32a}, P. Vokac ¹²⁷, G. Volpi ^{123a,123b}, M. Volpi ⁸⁷, H. von der Schmitt ¹⁰⁰, H. von Radziewski ⁴⁸, E. von Toerne ²¹, V. Vorobel ¹²⁸, K. Vorobev ⁹⁷, M. Vos ¹⁶⁸, R. Voss ³⁰, J.H. Vossebeld ⁷³, N. Vranjes ¹³⁷, M. Vranjes Milosavljevic ^{13a}, V. Vrba ¹²⁶, M. Vreeswijk ¹⁰⁶, T. Vu Anh ⁴⁸, R. Vuillermet ³⁰, I. Vukotic ³¹, Z. Vykydal ¹²⁷, P. Wagner ²¹, W. Wagner ¹⁷⁶, H. Wahlberg ⁷⁰, S. Wahrmund ⁴⁴, J. Wakabayashi ¹⁰², J. Walder ⁷¹, R. Walker ⁹⁹, W. Walkowiak ¹⁴², R. Wall ¹⁷⁷, P. Waller ⁷³, B. Walsh ¹⁷⁷, C. Wang ^{152,aj}, C. Wang ⁴⁵, F. Wang ¹⁷⁴, H. Wang ¹⁵, H. Wang ⁴⁰, J. Wang ⁴², J. Wang ^{33a}, K. Wang ⁸⁶, R. Wang ¹⁰⁴, S.M. Wang ¹⁵², T. Wang ²¹, X. Wang ¹⁷⁷, C. Wanotayaroj ¹¹⁵, A. Warburton ⁸⁶, C.P. Ward ²⁸, D.R. Wardrope ⁷⁷, M. Warsinsky ⁴⁸, A. Washbrook ⁴⁶, C. Wasicki ⁴², P.M. Watkins ¹⁸, A.T. Watson ¹⁸, I.J. Watson ¹⁵¹, M.F. Watson ¹⁸, G. Watts ¹³⁹, S. Watts ⁸³, B.M. Waugh ⁷⁷, S. Webb ⁸³, M.S. Weber ¹⁷, S.W. Weber ¹⁷⁵, J.S. Webster ³¹, A.R. Weidberg ¹¹⁹, P. Weigell ¹⁰⁰, B. Weinert ⁶⁰, J. Weingarten ⁵⁴, C. Weiser ⁴⁸, H. Weits ¹⁰⁶, P.S. Wells ³⁰, T. Wenaus ²⁵, D. Wendland ¹⁶, Z. Weng ^{152,ae}, T. Wengler ³⁰, S. Wenig ³⁰, N. Wermes ²¹, M. Werner ⁴⁸, P. Werner ³⁰, M. Wessels ^{58a}, J. Wetter ¹⁶², K. Whalen ²⁹, A. White ⁸, M.J. White ¹, R. White ^{32b}, S. White ^{123a,123b}, D. Whiteson ¹⁶⁴, D. Wicke ¹⁷⁶, F.J. Wickens ¹³⁰, W. Wiedenmann ¹⁷⁴, M. Wielers ¹³⁰, P. Wienemann ²¹, C. Wiglesworth ³⁶, L.A.M. Wiik-Fuchs ²¹, P.A. Wijeratne ⁷⁷, A. Wildauer ¹⁰⁰, M.A. Wildt ^{42,ak}, H.G. Wilkens ³⁰, J.Z. Will ⁹⁹, H.H. Williams ¹²¹, S. Williams ²⁸, C. Willis ⁸⁹, S. Willocq ⁸⁵, A. Wilson ⁸⁸, J.A. Wilson ¹⁸, I. Wingerter-Seez ⁵,

F. Winklmeier¹¹⁵, B.T. Winter²¹, M. Wittgen¹⁴⁴, T. Wittig⁴³, J. Wittkowski⁹⁹, S.J. Wollstadt⁸²,
 M.W. Wolter³⁹, H. Wolters^{125a,125c}, B.K. Wosiek³⁹, J. Wotschack³⁰, M.J. Woudstra⁸³, K.W. Wozniak³⁹,
 M. Wright⁵³, M. Wu⁵⁵, S.L. Wu¹⁷⁴, X. Wu⁴⁹, Y. Wu⁸⁸, E. Wulf³⁵, T.R. Wyatt⁸³, B.M. Wynne⁴⁶,
 S. Xella³⁶, M. Xiao¹³⁷, D. Xu^{33a}, L. Xu^{33b,al}, B. Yabsley¹⁵¹, S. Yacoob^{146b,am}, R. Yakabe⁶⁶, M. Yamada⁶⁵,
 H. Yamaguchi¹⁵⁶, Y. Yamaguchi¹¹⁷, A. Yamamoto⁶⁵, K. Yamamoto⁶³, S. Yamamoto¹⁵⁶, T. Yamamura¹⁵⁶,
 T. Yamanaka¹⁵⁶, K. Yamauchi¹⁰², Y. Yamazaki⁶⁶, Z. Yan²², H. Yang^{33e}, H. Yang¹⁷⁴, U.K. Yang⁸³,
 Y. Yang¹¹⁰, S. Yanush⁹², L. Yao^{33a}, W.-M. Yao¹⁵, Y. Yasu⁶⁵, E. Yatsenko⁴², K.H. Yau Wong²¹, J. Ye⁴⁰,
 S. Ye²⁵, I. Yeletskikh⁶⁴, A.L. Yen⁵⁷, E. Yildirim⁴², M. Yilmaz^{4b}, R. Yoosoofmiya¹²⁴, K. Yorita¹⁷²,
 R. Yoshida⁶, K. Yoshihara¹⁵⁶, C. Young¹⁴⁴, C.J.S. Young³⁰, S. Youssef²², D.R. Yu¹⁵, J. Yu⁸, J.M. Yu⁸⁸,
 J. Yu¹¹³, L. Yuan⁶⁶, A. Yurkewicz¹⁰⁷, I. Yusuff^{28,an}, B. Zabinski³⁹, R. Zaidan⁶², A.M. Zaitsev^{129,aa},
 A. Zaman¹⁴⁹, S. Zambito²³, L. Zanello^{133a,133b}, D. Zanzi¹⁰⁰, C. Zeitnitz¹⁷⁶, M. Zeman¹²⁷, A. Zemla^{38a},
 K. Zengel²³, O. Zenin¹²⁹, T. Ženiš^{145a}, D. Zerwas¹¹⁶, G. Zevi della Porta⁵⁷, D. Zhang⁸⁸, F. Zhang¹⁷⁴,
 H. Zhang⁸⁹, J. Zhang⁶, L. Zhang¹⁵², X. Zhang^{33d}, Z. Zhang¹¹⁶, Z. Zhao^{33b}, A. Zhemchugov⁶⁴,
 J. Zhong¹¹⁹, B. Zhou⁸⁸, L. Zhou³⁵, N. Zhou¹⁶⁴, C.G. Zhu^{33d}, H. Zhu^{33a}, J. Zhu⁸⁸, Y. Zhu^{33b}, X. Zhuang^{33a},
 K. Zhukov⁹⁵, A. Zibell¹⁷⁵, D. Ziemska⁶⁰, N.I. Zimine⁶⁴, C. Zimmermann⁸², R. Zimmermann²¹,
 S. Zimmermann²¹, S. Zimmermann⁴⁸, Z. Zinonos⁵⁴, M. Ziolkowski¹⁴², G. Zobernig¹⁷⁴, A. Zoccoli^{20a,20b},
 M. zur Nedden¹⁶, G. Zurzolo^{103a,103b}, V. Zutshi¹⁰⁷, L. Zwalski³⁰

¹ Department of Physics, University of Adelaide, Adelaide, Australia² Physics Department, SUNY Albany, Albany, NY, United States³ Department of Physics, University of Alberta, Edmonton, AB, Canada⁴ ^(a) Department of Physics, Ankara University, Ankara, Turkey; ^(b) Department of Physics, Gazi University, Ankara, Turkey; ^(c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey; ^(d) Turkish Atomic Energy Authority, Ankara, Turkey⁵ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France⁶ High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States⁷ Department of Physics, University of Arizona, Tucson, AZ, United States⁸ Department of Physics, The University of Texas at Arlington, Arlington, TX, United States⁹ Physics Department, University of Athens, Athens, Greece¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain¹³ ^(a) Institute of Physics, University of Belgrade, Belgrade, Serbia; ^(b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States¹⁶ Department of Physics, Humboldt University, Berlin, Germany¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom¹⁹ ^(a) Department of Physics, Bogazici University, Istanbul, Turkey; ^(b) Department of Physics, Dogus University, Istanbul, Turkey; ^(c) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey²⁰ ^(a) INFN Sezione di Bologna, Italy; ^(b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy²¹ Physikalisches Institut, University of Bonn, Bonn, Germany²² Department of Physics, Boston University, Boston, MA, United States²³ Department of Physics, Brandeis University, Waltham, MA, United States²⁴ ^(a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil; ^(b) Federal University of Juiz de Fora (UFJF), Juiz de Fora, Brazil; ^(c) Federal University of São João del Rei (UFSJ), São João del Rei, Brazil; ^(d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil²⁵ Physics Department, Brookhaven National Laboratory, Upton, NY, United States²⁶ ^(a) National Institute of Physics and Nuclear Engineering, Bucharest, Romania; ^(b) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca, Romania; ^(c) University Politehnica Bucharest, Bucharest, Romania; ^(d) West University in Timisoara, Timisoara, Romania²⁷ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina²⁸ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom²⁹ Department of Physics, Carleton University, Ottawa, ON, Canada³⁰ CERN, Geneva, Switzerland³¹ Enrico Fermi Institute, University of Chicago, Chicago, IL, United States³² ^(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile; ^(b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile³³ ^(a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China; ^(b) Department of Modern Physics, University of Science and Technology of China, Anhui, China; ^(c) Department of Physics, Nanjing University, Jiangsu, China; ^(d) School of Physics, Shandong University, Shandong, China; ^(e) Physics Department, Shanghai Jiao Tong University, Shanghai, China³⁴ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France³⁵ Nevis Laboratory, Columbia University, Irvington, NY, United States³⁶ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark³⁷ ^(a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy; ^(b) Dipartimento di Fisica, Università della Calabria, Rende, Italy³⁸ ^(a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland; ^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland³⁹ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland⁴⁰ Physics Department, Southern Methodist University, Dallas, TX, United States⁴¹ Physics Department, University of Texas at Dallas, Richardson, TX, United States⁴² DESY, Hamburg and Zeuthen, Germany⁴³ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany⁴⁴ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany⁴⁵ Department of Physics, Duke University, Durham, NC, United States⁴⁶ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

- ⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland
⁵⁰ ^(a) INFN Sezione di Genova, Italy; ^(b) Dipartimento di Fisica, Università di Genova, Genova, Italy
⁵¹ ^(a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia; ^(b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
⁵² II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
⁵³ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
⁵⁴ II. Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
⁵⁶ Department of Physics, Hampton University, Hampton, VA, United States
⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States
⁵⁸ ^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany;
^(c) ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
⁶⁰ Department of Physics, Indiana University, Bloomington, IN, United States
⁶¹ Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
⁶² University of Iowa, Iowa City, IA, United States
⁶³ Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
⁶⁴ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
⁶⁵ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
⁶⁶ Graduate School of Science, Kobe University, Kobe, Japan
⁶⁷ Faculty of Science, Kyoto University, Kyoto, Japan
⁶⁸ Kyoto University of Education, Kyoto, Japan
⁶⁹ Department of Physics, Kyushu University, Fukuoka, Japan
⁷⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
⁷¹ Physics Department, Lancaster University, Lancaster, United Kingdom
⁷² ^(a) INFN Sezione di Lecce, Italy; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
⁷³ Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
⁷⁵ School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
⁷⁷ Department of Physics and Astronomy, University College London, London, United Kingdom
⁷⁸ Louisiana Tech University, Ruston, LA, United States
⁷⁹ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
⁸⁰ Fysiska institutionen, Lunds Universitet, Lund, Sweden
⁸¹ Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
⁸² Institut für Physik, Universität Mainz, Mainz, Germany
⁸³ School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
⁸⁴ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
⁸⁵ Department of Physics, University of Massachusetts, Amherst, MA, United States
⁸⁶ Department of Physics, McGill University, Montreal, QC, Canada
⁸⁷ School of Physics, University of Melbourne, Victoria, Australia
⁸⁸ Department of Physics, The University of Michigan, Ann Arbor, MI, United States
⁸⁹ Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
⁹⁰ ^(a) INFN Sezione di Milano, Italy; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy
⁹¹ B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
⁹² National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
⁹³ Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
⁹⁴ Group of Particle Physics, University of Montreal, Montreal, QC, Canada
⁹⁵ P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
⁹⁶ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
⁹⁷ Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
⁹⁸ D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
⁹⁹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
¹⁰⁰ Max-Planck-Institut für Physik (Werner-Heisenberg Institut), München, Germany
¹⁰¹ Nagasaki Institute of Applied Science, Nagasaki, Japan
¹⁰² Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
¹⁰³ ^(a) INFN Sezione di Napoli, Italy; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy
¹⁰⁴ Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
¹⁰⁵ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
¹⁰⁶ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
¹⁰⁷ Department of Physics, Northern Illinois University, DeKalb, IL, United States
¹⁰⁸ Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
¹⁰⁹ Department of Physics, New York University, New York, NY, United States
¹¹⁰ Ohio State University, Columbus, OH, United States
¹¹¹ Faculty of Science, Okayama University, Okayama, Japan
¹¹² Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
¹¹³ Department of Physics, Oklahoma State University, Stillwater, OK, United States
¹¹⁴ Palacký University, RCPTM, Olomouc, Czech Republic
¹¹⁵ Center for High Energy Physics, University of Oregon, Eugene, OR, United States
¹¹⁶ LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
¹¹⁷ Graduate School of Science, Osaka University, Osaka, Japan
¹¹⁸ Department of Physics, University of Oslo, Oslo, Norway
¹¹⁹ Department of Physics, Oxford University, Oxford, United Kingdom
¹²⁰ ^(a) INFN Sezione di Pavia, Italy; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy
¹²¹ Department of Physics, University of Pennsylvania, Philadelphia, PA, United States
¹²² Petersburg Nuclear Physics Institute, Gatchina, Russia
¹²³ ^(a) INFN Sezione di Pisa, Italy; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
¹²⁴ Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States

- 125 ^(a) Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa, Portugal; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal; ^(c) Department of Physics, University of Coimbra, Coimbra, Portugal; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal; ^(e) Departamento de Fisica, Universidade do Minho, Braga, Portugal; ^(f) Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); ^(g) Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- 126 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- 127 Czech Technical University in Prague, Praha, Czech Republic
- 128 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- 129 State Research Center Institute for High Energy Physics, Protvino, Russia
- 130 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- 131 Physics Department, University of Regina, Regina, SK, Canada
- 132 Ritsumeikan University, Kusatsu, Shiga, Japan
- 133 ^(a) INFN Sezione di Roma, Italy; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- 134 ^(a) INFN Sezione di Roma Tor Vergata, Italy; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- 135 ^(a) INFN Sezione di Roma Tre, Italy; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- 136 ^(a) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca, Morocco; ^(b) Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat, Morocco; ^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco; ^(d) Faculté des Sciences, Université Mohamed Premier and LPTM, Oujda, Morocco; ^(e) Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco
- 137 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- 138 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States
- 139 Department of Physics, University of Washington, Seattle, WA, United States
- 140 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom
- 141 Department of Physics, Shinshu University, Nagano, Japan
- 142 Fachbereich Physik, Universität Siegen, Siegen, Germany
- 143 Department of Physics, Simon Fraser University, Burnaby, BC, Canada
- 144 SLAC National Accelerator Laboratory, Stanford, CA, United States
- 145 ^(a) Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava, Slovak Republic; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Košice, Slovak Republic
- 146 ^(a) Department of Physics, University of Cape Town, Cape Town, South Africa; ^(b) Department of Physics, University of Johannesburg, Johannesburg, South Africa; ^(c) School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- 147 ^(a) Department of Physics, Stockholm University, Sweden; ^(b) The Oskar Klein Centre, Stockholm, Sweden
- 148 Physics Department, Royal Institute of Technology, Stockholm, Sweden
- 149 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States
- 150 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom
- 151 School of Physics, University of Sydney, Sydney, Australia
- 152 Institute of Physics, Academia Sinica, Taipei, Taiwan
- 153 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- 154 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- 155 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- 156 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan
- 157 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- 158 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- 159 Department of Physics, University of Toronto, Toronto, ON, Canada
- 160 ^(a) TRIUMF, Vancouver, BC, Canada; ^(b) Department of Physics and Astronomy, York University, Toronto, ON, Canada
- 161 Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
- 162 Department of Physics and Astronomy, Tufts University, Medford, MA, United States
- 163 Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- 164 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States
- 165 ^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy; ^(b) ICTP, Trieste, Italy; ^(c) Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- 166 Department of Physics, University of Illinois, Urbana, IL, United States
- 167 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- 168 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain
- 169 Department of Physics, University of British Columbia, Vancouver, BC, Canada
- 170 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada
- 171 Department of Physics, University of Warwick, Coventry, United Kingdom
- 172 Waseda University, Tokyo, Japan
- 173 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- 174 Department of Physics, University of Wisconsin, Madison, WI, United States
- 175 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- 176 Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- 177 Department of Physics, Yale University, New Haven, CT, United States
- 178 Yerevan Physics Institute, Yerevan, Armenia
- 179 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

^a Also at Department of Physics, King's College London, London, United Kingdom.^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.^c Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.^d Also at TRIUMF, Vancouver, BC, Canada.^e Also at Department of Physics, California State University, Fresno, CA, United States of America.^f Also at Tomsk State University, Tomsk, Russia.^g Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.^h Also at Università di Napoli Parthenope, Napoli, Italy.ⁱ Also at Institute of Particle Physics (IPP), Canada.^j Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.^k Also at Chinese University of Hong Kong, China.^l Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.^m Also at Louisiana Tech University, Ruston, LA, United States of America.

- ⁿ Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
- ^o Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States of America.
- ^p Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.
- ^q Also at CERN, Geneva, Switzerland.
- ^r Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.
- ^s Also at Manhattan College, New York, NY, United States of America.
- ^t Also at Novosibirsk State University, Novosibirsk, Russia.
- ^u Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^v Also at IAI, Université Paris-Sud and CNRS/IN2P3, Orsay, France.
- ^w Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.
- ^x Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.
- ^y Also at School of Physical Sciences, National Institute of Science Education and Research, Bhubaneswar, India.
- ^z Also at Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy.
- ^{aa} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
- ^{ab} Also at Section de Physique, Université de Genève, Geneva, Switzerland.
- ^{ac} Also at International School for Advanced Studies (SISSA), Trieste, Italy.
- ^{ad} Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States of America.
- ^{ae} Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.
- ^{af} Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.
- ^{ag} Also at Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia.
- ^{ah} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.
- ^{ai} Also at Department of Physics, Oxford University, Oxford, United Kingdom.
- ^{aj} Also at Department of Physics, Nanjing University, Jiangsu, China.
- ^{ak} Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.
- ^{al} Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States of America.
- ^{am} Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.
- ^{an} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.
- * Deceased.