

ANALECTA
Veterinaria

Publicación de la
FACULTAD DE
CIENCIAS VETERINARIAS
DE LA
UNIVERSIDAD NACIONAL
DE LA PLATA

Anlecta Veterinaria
Volumen 4 número 1
1972
RESUMENES-ABSTRACT

ISSN 0365-5148

DETERMINACION DE ACIDOS GRASOS VOLÁTILES EN LÍQUIDO RUMINAL

Nicolás Miguel Piovano

RESUMEN: Dada la gran importancia de los Acidos Grasos Volátiles en el contenido ruminal de los bovinos, se han obtenido dichos valores en el ganado clínicamente normal, en nuestros medios. Se han estudiado analíticamente algunos métodos, adoptándose el de Scarisbrick, al que se le han introducido algunas variantes. Se ha determinado el lapso óptimo de extracción de la muestra a partir de la ingesta, estimándolo en 120 minutos. Se han obtenido valores medios de Acidos Grasos volátiles Totales de 0,546 g % (expresados en ácido acético), con una variación de \pm 0,037. Se hace como complemento una ligerísima reseña fisiológica y bioquímica del rumen y de los procesos fermentativos en él y del metabolismo de los mencionados Acidos Grasos Volátiles. **Analecta Veterinaria 4 (1): 5-15 1972**

VOLATILE FATTY ACIDS IN THE PAUNCH CONTENT DETERMINATION

SUMMARY: In view the great importance of Volatile Fatty Acids in the paunch content of cattle, such values were obtained in this country on cattle clinically normal. Several methods were analytically studied and finally it was adopted that of Scarisbrick, to which some modifications were introduced. It was determined the most convenient lapse of time for the extraction of the sample from the beginning of the ingestion, which was estimated at 120'. Average values of Total Volatile Fatty Acids of 0,546g % were obtained (expressed in Acetic Acid) with a variation of approximately \pm 0,037. As a complement, a succinct physiological and biochemical narration of the paunch or first stomach is made and also of the fermentative processes in it, as well as the metabolism of the above mentioned Volatile Fatty Acids. **Analecta Veterinaria 4 (1): 5-15 1972**

ALGUNOS PARASITOS DE LA AVIFAUNA ARGENTINA

Juan José Boero; Jorge E. Led; Eugenio Brandetti

*RESUMEN: En el presente trabajo continuamos con nuestro deseo de contribuir al conocimiento del parasitismo de las aves argentinas, y describimos algunos trematodos, cestodes, nematodos y acantocéfalos, hallados por primera vez en la República Argentina. **Analecta Veterinaria 4 (1): 17-25 1972***

SOME PARASITES OF THE ARGENTINE BIRDFAUNA

*SUMMARY: On continue contributing to the knowledge of the parasitism of our argentine birds and we describe in the present work, any trematodes, cestodes, nematodes and acantocephalous, found for the first time in the Argentine Republic. **Analecta Veterinaria 4 (1): 17-25 1972***

DISPHARYNX NASUTA (RUDOLPHI, 1819) PARÁSITO DEL PAVO

Jorge Eugenio Led; Eugenio Brandetti

RESUMEN: Se comunica el hallazgo de *Dispharynx nasuta* (Rudolphij 1819) (Spiruroidea-Acuariidae) en pavos de zonas aledañas a la Ciudad de La Plata. **Analecta Veterinaria 4 (1): 37-40 1972**

DISPHARINX NASUTA (RUDOLPHI, 1819) PARASITES OF THE TURKEY

SUMMARY: It is communicated the find of *Dispharinx nasuta* (Rudolphi, 1819) (Spiruroidea-Acuariidae) in turkeys, in the environs of La Plata City. **Analecta Veterinaria 4 (1): 37-40 1972**