

LISTA COMENTADA DE LOS PECES CONTINENTALES DE LA ARGENTINA

Indice Ordenes y Familias

Ordenes	pp	Familias y Subfamilias	pp
ACIPENSERIFORMES	7	ACESTRORHYNCHIDAE	34
ATHERINIFORMES	68	ACHIRIDAE	79
BELONIFORMES	72	ACIPENSERIDAE	7
CHARACIFORMES	10	ANABLEPIDAE	71
CLUPEIFORMES	7	ANOSTOMIDAE	13
CYPRINIFORMES	9	APTERONOTIDAE	66
CYPRINODONTIFORMES	69	ARIIDAE	36
GYMNOTIFORMES	64	ASPREDINIDAE	63
LEPIDOSIRENIFORMES	7	ATHERINOPSIDAE	68
OSMERIFORMES	67	AUCHENIPTERIDAE	55
PERCIFORMES	73	BELONIDAE	72
PLEURONECTIFORMES	79	CALLICHTHYIDAE	42
RAJIFORMES	6	CETOPSIDAE	37
SALMONIFORMES	66	CHARACIDAE	17
SILURIFORMES	36	Aphyocharacinae	20
SYNBRANCHIFORMES	73	Bryconinae	18
		Characinae	17
		Cheirodontinae	30
		Clupeocharacinae	19
		Cynopotaminae	18
		Glandulocaudinae	21
		Gymnocharacinae	30
		Myleinae	33
		Paragoniatinae	20
		Salmininae	19
		Serrasalminae	32
		Stethaprioninae	21
		Tetragonopterinae	22
		Triportheinae	19
		CICHLIDAE	74
		CLUPEIDAE	8
		CRENUCHIDAE	16
		CTENOLUCIIDAE	36
		CURIMATIDAE	11
		CYNODONTIDAE	35
		CYPRINIDAE	9
		DIPLOMYSTIDAE	37
		DORADIDAE	53
		ENGRAULIDAE	7
		ERYTHRINIDAE	35
		GALAXIIDAE	67

Familias y Subfamilias	pp
GASTEROPELECIDAE	17
GYMNOTIDAE	64
HEMIODONTIDAE	16
HYPOPOMIDAE	65
LEBIASINIDAE	35
LEPIDOSIRENIDAE	7
LORICARIIDAE	43
Ancistrinae	52
Hypoptopomatinae	43
Hypostominae	49
Loricariinae	44
Neoplecostomatinae	49
MUGILIDAE	78
PARODONTIDAE	10
PERCICHTHYIDAE	73
PIMELODIDAE	57
Heptapterinae	61
Pimelodinae	57
Pseudopimelodinae	63
POECILIIDAE	71
POTAMOTRYGONIDAE	6
PRISTIGASTERIDAE	8
PROCHILODONTIDAE	12
RHAMPHICHTHYIDAE	65
RIVULIDAE	69
SALMONIDAE	66
SCIAENIDAE	74
STERNOPYGIDAE	65
SYNBRANCHIDAE	73
TRICHOMYCTERIDAE	38
Stegophilinae	41
Trichomycterinae	38
Tridentinae	41
Vandellinae	41

Indice Géneros y Especies

<i>Abramites</i>	13
<i>A. hypselonotus</i> (Günther, 1868)	
<i>Acestrorhynchus</i>	34
<i>A. lacustris</i> (Reinhardt, 1875)	
<i>A. pantaneiro</i> Menezes, 1992	
<i>Acipenser</i>	7
<i>Acipenser cf. baerii</i>	
<i>Acrobrycon</i>	21
<i>A. tarijae</i> Fowler, 1941	
<i>Ageneiosus</i>	57
<i>A. brevifilis</i> Valenciennes, 1840	
<i>A. dentatus</i> Kner, 1858	
<i>A. ucayalensis</i> Castelnau, 1855	
<i>A. valenciennesi</i> Bleeker, 1864	
<i>Amaralia</i>	63
<i>A. hypsiurus</i> (Kner, 1855)	
<i>Anadoras</i>	53
<i>A. insculptus</i> (Miranda Ribeiro, 1912)	
<i>Ancistrus</i>	52
<i>A. cirrhosus</i> (Valenciennes, 1840)	53
<i>A. hoplogenys</i> (Günther, 1864)	
<i>A. piriformis</i> Müller, 1989	
<i>Apareiodon</i>	10
<i>A. affinis</i> (Steindachner, 1879)	
<i>A. piracicabae</i> (Eigenmann, 1907)	
<i>Aphyocharax</i>	20
<i>A. alburnus</i> Günther, 1869	
<i>A. anisitsi</i> Eigenmann y Kennedy, 1903	
<i>A. dentatus</i> Eigenmann y Kennedy, 1903	
<i>A. nasutus</i> Ahl, 1936	
<i>A. paraguayensis</i> Eigenmann, 1915	
<i>A. rathbuni</i> Eigenmann, 1907	
<i>A. rubropinnis</i> Pappenheim, 1923	
Especies limítrofes <i>A. gracilis</i> Fowler, 1941	21
<i>A. pappenheimi</i> Ahl, 1923	
<i>Apistogramma</i>	74
<i>A. borelli</i> (Regan, 1906)	
<i>A. commbrae</i> (Regan, 1906)	
Especie limítrofe <i>A. trifasciata</i> (Eigenmann y Kennedy, 1903)	75
<i>Aplocheilichthys</i>	67
<i>A. taeniatus</i> (Jenyns, 1842)	
<i>A. zebra</i> Jenyns, 1842	
<i>Apteronotus</i>	66
<i>A. albifrons</i> Linné, 1766	
<i>A. brasiliensis</i> (Reinhardt, 1852)	

<i>Astronotus</i>	75
<i>A. ocellatus</i> (Agassiz, 1831)	
<i>Astyanax</i>	22
<i>A. abramis</i> (Jenyns, 1842)	
<i>A. bimaculatus</i> (Linné, 1758)	
<i>A. cordovae</i> (Günther, 1880)	
<i>A. correntinus</i> (Holmberg, 1891)	
<i>A. eigenmanniorum</i> (Cope, 1894)	
<i>A. erythropterus</i> (Holmberg, 1891)	23
<i>A. fasciatus</i> (Cuvier, 1819)	
<i>A. gymnogenys</i> Eigenmann, 1911	
<i>A. ita</i> Almirón, Azpelicueta y Casciotta, 2002	
<i>A. leonidas</i> Azpelicueta, Almirón y Casciotta, 2002	
<i>A. lineatus</i> (Perugia, 1891)	
<i>A. ojiara</i> Azpelicueta y García, 2000	
<i>A. paranahybae</i> Eigenmann, 1911	
<i>A. paris</i> Azpelicueta, Almirón y Casciotta, 2002	
<i>A. pellegrini</i> Eigenmann, 1907	24
<i>A. scabripinnis</i> (Jenyns, 1842)	
<i>A. taeniatus</i> (Jenyns, 1842).	
<i>A. troya</i> Azpelicueta, Casciotta y Almirón, 2002	
<i>Auchenipterus</i>	55
<i>A. nigripinnis</i> (Boulenger, 1895)	
<i>A. osteomystax</i> Miranda Ribeiro, 1918	
<i>Austrolebias</i>	69
<i>A. bellotti</i> (Steindachner, 1881)	
<i>A. nigripinnis</i> (Regan, 1912)	
<i>A. nonoiuliensis</i> (Taberner, Fernández-Santos y Castelli, 1964)	
<i>A. vanderbergi</i> (Huber, 1995)	
<i>Bergiaria</i>	58
<i>B. westermanni</i> Reinhardt, 1874	
<i>Boulengerella</i>	36
<i>B. lucius</i> (Cuvier, 1816)	
<i>Brachyhypopomus</i>	65
<i>B. brevirostris</i> (Steindachner, 1868)	
<i>Brachyplatystoma</i>	60
<i>B. filamentosum</i> Lichtenstein, 1819	
<i>Brevoortia</i>	8
<i>B. aurea</i> (Agassiz, 1829)	
<i>B. pectinata</i> Jenyns, 1842	
<i>Brochiloricaria</i>	45
<i>B. chauliodon</i> Isbrucker, 1979	
<i>Brycon</i>	18
<i>B. orbygnianus</i> (Valenciennes, 1849)	
<i>Bryconamericus</i>	24
<i>B. agna</i> Azpelicueta y Almirón, 2001	
<i>B. eigenmanni</i> (Evermann y Kendall, 1906)	
<i>B. exodon</i> Eigenmann, 1907	
<i>B. iheringii</i> (Boulenger, 1887)	

	<i>B. mennii</i> Miquelarena, Protogino, Filiberto y López, 2002	25
	<i>B. rubropictus</i> (Berg, 1901)	
	<i>B. stramineus</i> Eigenmann, 1908	
	<i>B. sylvicola</i> Braga, 1998	
	<i>B. thomasi</i> Fowler, 1940	
	<i>B. uporas</i> Casciotta, Azpelicueta y Almirón, 2002.	
Bujurquina		75
	<i>B. vittata</i> (Heckel, 1840)	
Bunocephalus		64
	<i>B. coracoideus</i> (Cope, 1874)	
	<i>B. doriae</i> Boulenger, 1902	
	<i>B. iheringii</i> Boulenger, 1891	
	<i>B. rugosus</i> Eigenmann y Kennedy, 1903	
Callichthys		42
	<i>C. callichthys</i> (Linné, 1758)	
Carassius		9
	<i>C. auratus</i> (Linné, 1758)	
Catathyridium		79
	<i>C. jenynsii</i> (Günther, 1862)	
Cetopsis		37
	<i>C. coecutiens</i> (Spix y Agassiz, 1829)	
Chaetobranchopsis		77
	<i>Ch. australe</i> (Eigenmann y Ward, 1907)	
Characidium		16
	<i>Ch. occidentale</i> Buckup y Reis, 1997	
	<i>Ch. pterostictum</i> Gomes, 1947	
	<i>Ch. rachovii</i> Regan, 1913	
	<i>Ch. tenue</i> Cope, 1894	
	<i>Ch. cf. zebra</i>	
Charax		17
	<i>C. leticiae</i> Lucena 1987	
	<i>C. stenopterus</i> (Cope, 1894)	
Cheirodon		30
	<i>Ch. cf. galusdae</i>	
	<i>Ch. interruptus</i> (Jenyns, 1842)	
Cichlasoma		75
	<i>C. dimernus</i> (Heckel, 1840)	
	<i>C. facetum</i> (Jenyns, 1842)	
	<i>C. tembe</i> Casciotta, Gómez y Toresani, 1999	
Clupeacharax		19
	<i>C. anchoveoides</i> Pearson, 1924	
Cnesterodon		71
	<i>C. decemmaculatus</i> (Jenyns, 1842)	
Corydoras		42
	<i>C. aeneus</i> (Gill, 1858)	
	<i>C. aurofrenatus</i> Eigenmann y Kennedy, 1903	
	<i>C. carlae</i> Nijssen e Isbrucker, 1983	
	<i>C. ellisae</i> Gosline, 1940	
	<i>C. hastatus</i> Eigenmann y Eigenmann, 1888	

	<i>C. micracanthus</i> Regan, 1912	
	<i>C. paleatus</i> (Jenyns, 1842)	43
	<i>C. polystictus</i> Regan, 1912	
	<i>C. undulatus</i> Regan, 1912	
<i>Creagrutus</i>		25
	<i>C. beni</i> Eigenmann, 1911	
<i>Crenicichla</i>		76
	<i>C. celidochilus</i> Casciotta, 1987	
	<i>C. gaucho</i> Lucena y Kullander, 1992	
	<i>C. cf. iguassuensis</i>	
	<i>C. lacustris</i> Castelnau, 1855	
	<i>C. lepidota</i> Heckel, 1840	
	<i>C. minuano</i> Lucena y Kullander, 1992	
	<i>C. missioneira</i> Lucena y Kullander, 1992	
	<i>C. niederleini</i> (Holmberg, 1891)	
	<i>C. scotti</i> (Eigenmann, 1907)	77
	<i>C. tendybaguassu</i> Lucena y Kullander, 1992	
	<i>C. vittata</i> Heckel, 1840	
<i>Ctenobrycon</i>		25
	<i>C. alleni</i> (Eigenmann y Mc Atee, 1907)	
	<i>C. multiradiatus</i> (Steindachner, 1878)	26
<i>Ctenopharyngodon</i>		9
	<i>C. idellus</i> (Valenciennes, 1844)	
<i>Curimatella</i>		11
	<i>C. dorsalis</i> (Eigenmann y Eigenmann, 1889)	
<i>Cynopotamus</i>		18
	<i>C. argenteus</i> (Valenciennes, 1836)	
	<i>C. kincaidi</i> (Schultz, 1950)	
<i>Cyphocharax</i>		11
	<i>C. platanus</i> (Günther, 1880)	
	<i>C. saladensis</i> (Meinken, 1933)	
	<i>C. spilottus</i> Vari, 1987	12
	<i>C. voga</i> (Hensel, 1870)	
<i>Cyprinus</i>		9
	<i>C. carpio</i> Linné, 1758	
<i>Diapoma</i>		21
	<i>D. terofali</i> (Géry, 1964)	
<i>Diplomystes</i>		37
	<i>D. cuyanus</i> Ringuelet, 1965	
	<i>D. mesembrinus</i> Ringuelet, 1982	
	<i>A. wedelli</i> (Castelnau, 1855)	54
<i>Doras</i>		54
	<i>D. eigenmanni</i> (Boulenger, 1895)	
<i>Eigenmannia</i>		65
	<i>E. trilineata</i> López y Castello, 1966	
	<i>E. virescens</i> (Valenciennes, 1842)	66
<i>Engraulisoma</i>		20
	<i>E. taeniatum</i> Castro 1981	

<i>Epapterus</i>		56
	<i>E. dispilunus</i> Cope, 1878	
<i>Erythrinus</i>		35
	<i>E. erythrinus</i> (Bloch y Schneider, 1801)	
	<i>H. malabaricus</i> (Bloch, 1794)	
<i>Farlowella</i>		45
	<i>F. hahni</i> Meinken, 1937	
<i>Gambusia</i>		71
	<i>G. affinis</i> (Baird y Girard, 1853)	
<i>Galaxias</i>		68
	<i>G. maculatus</i> (Jenyns, 1842)	
	<i>G. platei</i> Steindachner, 1898	
<i>Galeocharax</i>		18
	<i>G. humeralis</i> (Valenciennes, 1847)	
	<i>G. kneri</i> (Steindachner, 1879)	
<i>Glanidium</i>		55
	<i>G. riberoi</i> Haseman, 1911	
<i>Gymnocharacinus</i>		30
	<i>G. bergi</i> Steindachner, 1903	
<i>Gymnocorymbus</i>		26
	<i>G. ternetzi</i> (Boulenger, 1895)	
<i>Gymnogeophagus</i>		77
	<i>G. australis</i> (Eigenmann, 1907)	
	<i>G. balzanii</i> (Perugia, 1891)	
	<i>G. che</i> Casciotta, Gómez y Toresani, 2000	
	<i>G. gymnogenys</i> (Hensel, 1870)	
	<i>G. meridionalis</i> Reis y Malabarba, 1988	
	<i>Gymnogeophagus sp.</i>	78
Especies limítrofes <i>G. rhabdotus</i> (Hensel, 1870)		78
	<i>G. setequeadas</i> Reis, Malabarba y Pavanelli, 1992	
<i>Gymnorhamphichthys</i>		65
	<i>G. hypostomus</i> Ellis, 1912	
<i>Gymnotus</i>		64
	<i>G. cf. carapo</i>	
<i>Hatcheria</i>		38
	<i>H. macraei</i> (Girard, 1855)	
<i>Hemiancistrus</i>		53
	<i>H. fuliginosus</i> Cardoso y Malabarba, 1999	
<i>Hemigrammus</i>		26
	<i>H. manherti</i> Uj y Géry, 1989	
	<i>H. mattei</i> Eigenmann, 1908	
	<i>H. ulreyi</i> (Boulenger, 1895)	
<i>Hemiloricaria</i>		45
	<i>H. lanceolata</i> (Günther, 1868)	
	<i>H. parva</i> (Boulenger, 1895)	
	<i>H. cf. phaxocephala</i>	
<i>Hemiodus</i>		16
	<i>H. orthonops</i> (Eigenmann y Kennedy, 1903)	

<i>Hemisorubim</i>	60
<i>H. platyrhynchus</i> (Valenciennes, 1840)	
<i>Heptapterus</i>	61
<i>H. mustelinus</i> (Valenciennes, 1840)	
<i>Heterocheirodon</i>	30
<i>H. yatai</i> (Casciotta, Miquelarena y Protogino, 1992)	
<i>Hisonotus</i>	43
<i>H. cf. paulinus</i>	
Especie limítrofe <i>H. ringueleti</i> Aquino, Schaefer y Miquelarena, 2001	44
<i>Homodiaetus</i>	41
<i>H. anisitsi</i> Eigenmann y Ward, 1907	
<i>H. vazferreirai</i> Devincenzi, 1936	
<i>Hoplerythrinus</i>	35
<i>H. unitaeniatus</i> (Spix y Agassiz, 1829)	
<i>Hoplias</i>	35
<i>Hoplosternum</i>	43
<i>H. littorale</i> (Hancock, 1828)	
<i>Hyphessobrycon</i>	26
<i>H. anisitsi</i> (Eigenmann, 1907)	
<i>H. bifasciatus</i> Ellis, 1911	
<i>H. elachys</i> Weitzman, 1984	27
<i>H. eques</i> (Steindachner, 1882)	
<i>H. guarani</i> Manhart y Géry, 1987	
<i>H. igneus</i> Miquelarena, Menni, López y Casciotta, 1981	
<i>H. luetcheni</i> (Boulenger, 1887)	
<i>H. meridionalis</i> Ringuelet, Miquelarena y Menni, 1978	
<i>H. reticulatus</i> Ellis, 1911	
<i>H. wajat</i> Almirón y Casciotta, 1999	
<i>Hypobrycon</i>	27
<i>H. poi</i> Almirón, Casciotta, Azpelicueta y Cione, 2001	
<i>Hypophthalmichthys</i>	9
<i>H. molitrix</i> (Valenciennes, 1844)	
<i>Hypophthalmus</i>	59
<i>H. edentatus</i> Spix, 1829	
<i>H. oreomaculatus</i> Nani y Fuster de Plaza, 1947	60
<i>Hypopomus</i>	65
<i>H. artedi</i> (Kaup, 1856)	
<i>Hypoptopoma</i>	44
<i>H. inexpectata</i> (Holmberg, 1893)	
<i>Hypostomus</i>	49
<i>H. alatus</i> Castelnau, 1855	
<i>H. albopunctatus</i> (Regan, 1908)	
<i>H. auroguttatus</i> (Kner, 1854)	50
<i>H. borellii</i> (Boulenger, 1897)	
<i>H. cochliodon</i> (Kner, 1854)	
<i>H. commersoni</i> Valenciennes, 1836	
<i>H. cordovae</i> (Günther, 1880)	
<i>H. derbyi</i> (Hasemann, 1911)	
<i>H. francisci</i> (Lütken, 1874)	

<i>H. hermanni</i> (Ihering, 1905)	51
<i>H. laplatae</i> (Eigenmann, 1907)	
<i>H. luteomaculatus</i> (Devincenzi y Teague, 1942)	
<i>H. myersi</i> (Gosline, 1947)	
<i>H. paulinus</i> (Ihering, 1905)	
<i>H. piratatu</i> Weber, 1986	
<i>H. punctatus</i> Valenciennes, 1840	
<i>H. regani</i> (Ihering, 1905)	
<i>H. ternetzi</i> Boulenger, 1895	52
<i>H. uruguayensis</i> Reis, Weber y Malabarba, 1990	
<i>H. variostictus</i> (Miranda Ribeiro, 1912)	
<i>Iheringichthys</i>	57
<i>I. labrosus</i> Krøyer, 1874	
<i>I. platanus</i> (Steindachner, 1908)	
<i>Ituglanis</i>	38
<i>I. eichorniarum</i> (Miranda Ribeiro, 1912)	
<i>Ixinandria</i>	45
<i>I. steinbachi</i> (Regan, 1906)	
<i>Jenynsia</i>	71
<i>J. alternimaculata</i> (Fowler, 1940)	
<i>J. maculata</i> Regan, 1906	
<i>J. multidentata</i> (Jenyns, 1842)	
<i>J. pygogramma</i> Boulenger, 1902	
<i>Laetacara</i>	75
<i>L. dorsigera</i> Heckel, 1840	
<i>Lepidosiren</i>	7
<i>L. paradoxa</i> Fitzinger, 1837	
<i>Leporellus</i>	13
<i>L. pictus</i> (Kner, 1859)	
<i>Leporinus</i>	14
<i>L. acutidens</i> (Valenciennes, 1836)	
<i>L. lacustris</i> Amaral Campos, 1945	
<i>L. macrocephalus</i> Garavello y Britski, 1988	
<i>L. obtusidens</i> (Valenciennes, 1836)	
<i>L. octofasciatus</i> Steindachner, 1915	
<i>L. striatus</i> Kner, 1858	
Especie limítrofe <i>L. conirostris</i> Steindachner, 1875	15
<i>Lepthoplosternum</i>	43
<i>L. pectorale</i> (Boulenger, 1895)	
<i>Liposarcus</i>	52
<i>L. anisitsi</i> (Eigenmann y Kennedy, 1903)	
<i>Loricaria</i>	46
<i>L. apeltogaster</i> Boulenger, 1895	
<i>L. simillima</i> Regan, 1904	
<i>L. tucumanensis</i> Isbrucker, 1979	
<i>Loricariichthys</i>	46
<i>L. anus</i> (Valenciennes, 1836)	
<i>L. edentatus</i> Reis y Pereira, 2000	

	<i>L. labialis</i> (Boulenger, 1895)	
	<i>L. melanocheilus</i> Reis y Pereira, 2000	
	<i>L. platymetopon</i> Isbrucker y Nijssen, 1979	46
Especie limítrofe	<i>L. rostratus</i> Reis y Pereira, 2000	47
<i>Luciopimelodus</i>		59
	<i>L. argentinus</i> (Mac Donagh, 1938)	
	<i>L. pati</i> (Valenciennes, 1836)	
<i>Lycengraulis</i>		7
	<i>L. grossidens</i> (Agassiz, 1829)	
<i>Macropsobrycon</i>		31
	<i>M. uruguayanae</i> Eigenmann, 1915	
<i>Markiana</i>		28
	<i>M. nigripinnis</i> (Perugia, 1891)	
<i>Megalancistrus</i>		53
	<i>M. parananus</i> (Peters, 1881)	
<i>Megalebias</i>		69
	<i>M. elongatus</i> (Steindachner, 1881)	
	<i>M. monstruosus</i> (Huber, 1995)	70
<i>Megalodoras</i>		54
	<i>M. laevigatulus</i> (Berg, 1901)	
<i>Megalonema</i>		59
	<i>M. platanum</i> Günther, 1880	
<i>Metynnis</i>		33
	<i>M. mola</i> Eigenmann y Kennedy, 1903	
	<i>M. otuquensis</i> Ahl, 1923	
<i>Microglanis</i>		63
	<i>M. cottoides</i> Boulenger, 1891	
<i>Microlepidogaster</i>		44
	<i>M. maculipinnis</i> Regan, 1912	
<i>Moenkhausia</i>		28
	<i>M. dichroura</i> (Kner, 1858)	
	<i>M. intermedia</i> Eigenmann, 1908	
	<i>M. sanctaefilomenae</i> (Steindachner, 1907)	
<i>Mugil</i>		79
	<i>M. liza</i> Valenciennes, 1836	
	<i>M. platanus</i> Günther, 1880	
<i>Myleus</i>		33
	<i>M. tiete</i> (Eigenmann y Norris, 1900)	
<i>Myloplus</i>		33
	<i>M. asterias</i> (Müller y Troschel, 1844)	
<i>Mylossoma</i>		33
	<i>M. duriventris</i> (Cuvier, 1818)	
	<i>M. orbignyanus</i> (Valenciennes, 1850)	34
	<i>M. paraguayensis</i> Norman, 1929	
<i>Myoglanis</i>		62
	<i>M. colletti</i> (Steindachner, 1881)	
<i>Neofundulus</i>		70
	<i>N. ornatipinnis</i> Myers, 1935	
	<i>N. paraguayensis</i> (Eigenmann y Kennedy, 1903)	

<i>Netuma</i>		36
	<i>N. barba</i> (Lacépède, 1803)	
<i>Ochmacanthus</i>		38
	<i>O. butrachostoma</i> (Miranda Ribeiro, 1912)	
<i>Odontesthes</i>		68
	<i>O. bonariensis</i> (Valenciennes, 1835)	
	<i>O. hatcheri</i> (Eigenmann, 1909)	
	<i>O. perugiae</i> (Evermann y Kendall, 1906)	
	<i>O. retropinnis</i> (de Buen, 1953)	
Especie limítrofe <i>O. humensis</i> de Buen, 1953		69
<i>Odontostilbe</i>		31
	<i>O. microcephala</i> Eigenmann, 1907	
	<i>O. paraguayensis</i> Eigenmann y Kennedy, 1903	
	<i>O. pequirá</i> (Steindachner, 1882)	32
<i>Oligosarcus</i>		28
	<i>O. bolivianus</i> (Fowler, 1940)	
	<i>O. brevioris</i> Menezes, 1987	29
	<i>O. jenynsii</i> (Günther, 1864)	
	<i>O. longirostris</i> Menezes y Géry, 1983	
	<i>O. menezesi</i> Miquelarena y Protogino, 1996	
	<i>O. oligolepis</i> (Steindachner, 1867)	
	<i>O. paranensis</i> Menezes y Géry, 1983	
<i>Olivaichthys</i>		37
	<i>O. viedmensis</i> (Mac Donagh, 1931)	
<i>Oncorhynchus</i>		67
	<i>O. mykiss</i> (Walbaum, 1792)	
<i>Oreochromis</i>		78
	<i>O. niloticus</i> (Linné, 1758)	
<i>Otocinclus</i>		44
	<i>O. affinis</i> Steindachner, 1877	
	<i>O. flexilis</i> Cope, 1894	
	<i>O. vittatus</i> Regan, 1904	
<i>Oxydoras</i>		54
	<i>O. kneri</i> Bleeker, 1862	
<i>Pachyurus</i>		74
	<i>P. bonariensis</i> Steindachner, 1879	
<i>Papiliolebias</i>		70
	<i>P. bitteri</i> Costa, 1989	
<i>Parabranchioia</i>		41
	<i>P. teaguei</i> Devincenzi y Vaz Ferreira, 1939	
<i>Paraloricaria</i>		47
	<i>P. commersonoides</i> (Devincenzi, 1943)	
	<i>P. vetula</i> (Valenciennes, 1836)	
Especie limítrofe <i>P. agastor</i> Isbrücker, 1979		47
<i>Parapimelodus</i>		58
	<i>P. valenciennis</i> (Krøyer, 1874)	
<i>Parastegophilus</i>		41
	<i>P. maculatus</i> (Steindachner, 1879)	

<i>Paravandellia</i>	41
<i>Paravandellia bertonii</i> Eigenmann, 1917	
<i>Pariolius</i>	62
<i>P. hollandi</i> (Haseman, 1911)	
<i>Parodon</i>	10
<i>P. carrikeri</i> Fowler, 1940	
<i>P. suborbitale</i> Valenciennes, 1850	
<i>P. tortuosus tortuosus</i> Eigenmann y Norris, 1900	
Especie limítrofe <i>P. caudalis</i> Fowler, 1940	
<i>Paulicea</i>	60
<i>P. luetkeni</i> Steindachner, 1877	
<i>Peckoltia</i>	53
<i>P. vittata</i> (Steindachner, 1882)	
<i>Percichthys</i>	73
<i>P. altispinnis</i> Regan, 1905	
<i>P. colhuapiensis</i> Mac Donagh, 1955	
<i>P. trucha</i> (Valenciennes, 1833)	
<i>P. vinciguerrae</i> Perugia, 1891	74
<i>Pellona</i>	8
<i>P. flavipinnis</i> (Valenciennes, 1836)	
<i>Phalloceros</i>	72
<i>P. caudimaculatus</i> (Hensel, 1868)	
<i>Phalloptychus</i>	72
<i>P. januarius</i> (Hensel, 1868)	
<i>Phallotorynus</i>	72
<i>P. victoriae</i> Oliveros, 1983	
Especie limítrofe <i>P. jacundus</i> Ihering, 1930	72
<i>Piabucus</i>	22
<i>P. melanostoma</i> Holmberg, 1891	
<i>Piaractus</i>	34
<i>P. mesopotamicus</i> (Holmberg, 1891)	
Especie limítrofe <i>P. brachypomus</i> (Cuvier, 1817)	34
<i>Pimelodella</i>	62
<i>P. cochabambae</i> Fowler, 1940	
<i>P. cristata</i> (Müller y Troschel, 1848)	
<i>P. gracilis</i> (Valenciennes, 1836)	
<i>P. griffini</i> Eigenmann, 1917	
<i>P. howesi</i> Fowler, 1940	
<i>P. laticeps</i> Eigenmann, 1917	
<i>Pimelodus</i>	58
<i>P. absconditus</i> Azpelicueta, 1995	
<i>P. albicans</i> (Valenciennes, 1840)	
<i>P. argenteus</i> Perugia, 1891	
<i>P. brevis</i> Marini, Nichols y La Monte, 1933	
<i>P. maculatus</i> (Lacépède, 1803)	
<i>P. misteriosus</i> Azpelicueta, 1998	59

	<i>P. ornatus</i> Kner, 1857	
	<i>P. ortmanni</i> Haseman, 1911	
<i>Plagioscion</i>		74
	<i>P. macdonaghi</i> Daneri, 1954	
	<i>P. squamosissimus</i> (Heckel, 1840)	
	<i>P. ternetzi</i> Boulenger, 1895	
<i>Platanichthys</i>		8
	<i>P. platana</i> (Regan, 1917)	
<i>Platydoras</i>		54
	<i>P. costatus</i> (Linné, 1758)	
<i>Poecilia</i>		72
	<i>P. vivipara</i> Bloch y Schneider, 1801	
<i>Poptella</i>		21
	<i>P. paraguayensis</i> (Eigenmann, 1907)	
<i>Porotergus</i>		66
	<i>P. ellisi</i> Alonso de Arámburu, 1958	
<i>Potamorhina</i>		12
	<i>P. squamoralevis</i> (Braga y Azpelicueta, 1983)	
<i>Potamorrhaphis</i>		72
	<i>P. eigenmanni</i> A. de Miranda Ribeiro, 1915	
<i>Potamotrygon</i>		6
	<i>P. brachyura</i> (Günther, 1880)	
	<i>P. castexi</i> Castello y Yagolkowski, 1969	
	<i>P. falkneri</i> Castex y Maciel, 1963	
	<i>P. hystrix</i> (Müller y Henle, 1841)	
	<i>P. motoro</i> (Müller y Henle, 1841)	
	<i>P. pauckel</i> Castex, 1963	
	<i>P. schuhmacheri</i> Castex, 1964	7
<i>Prionobrama</i>		20
	<i>P. paraguayensis</i> (Eigenmann, 1914)	
<i>Prochilodus</i>		12
	<i>P. argenteus</i> Spix y Agassiz, 1829	
	<i>P. lineatus</i> Valenciennes, 1836	13
	<i>P. platensis</i> Holmberg, 1891	
	<i>P. scrofa</i> Steindachner, 1881	
<i>Psectrogaster</i>		12
	<i>P. curviventris</i> Eigenmann y Kennedy, 1903	
<i>Psellogrammus</i>		28
	<i>P. kennedyi</i> (Eigenmann, 1903)	
<i>Pseudanos</i>		15
	<i>P. trimaculatus</i> (Kner, 1858)	
<i>Pseudohemiodon</i>		47
	<i>P. laticeps</i> (Regan, 1904)	
Especies limítrofes <i>P. devincenzii</i> (Soriano Señorans, 1950)		47
	<i>P. platycephalus</i> Kner, 1853	
<i>Pseudocetopsis</i>		37
	<i>P. gobioides</i> (Kner, 1858)	

<i>Pseudocorynopoma</i>	21
<i>P. doriai</i> Perugia, 1891	
<i>Pseudoplatystoma</i>	61
<i>P. coruscans</i> (Spix y Agassiz, 1829)	
<i>P. fasciatum fasciatum</i> (Linné, 1766)	
<i>Pseudotylosurus</i>	72
<i>P. angusticeps</i> (Günther, 1866)	
<i>Pterodoras</i>	54
<i>P. granulatus</i> (Valenciennes, 1821)	
<i>Pterolebias</i>	70
<i>P. longipinnis</i> Garman, 1895	
<i>Pygocentrus</i>	32
<i>P. nattereri</i> Kner, 1858	
<i>Pyrrhulina</i>	35
<i>P. australe</i> Eigenmann y Kennedy, 1903	
<i>P. brevis</i> Steindachner, 1876	36
<i>P. macrolepis</i> Ahl y Schindler, 1937	
<i>P. melanostomus</i> (Cope, 1870)	
<i>P. rachoviana</i> Myers, 1926	
<i>Ramnogaster</i>	8
<i>R. arcuata</i> Jenyns, 1842	
<i>R. melanostoma</i> (Eigenmann, 1907)	
<i>Raphiodon</i>	35
<i>R. vulpinus</i> Agassiz, 1829	
<i>Ricola</i>	48
<i>R. macrops</i> (Regan, 1904)	
<i>Rineloricaria</i>	48
<i>R. catamarcensis</i> (Berg, 1895)	
<i>R. lima</i> Kner, 1853	
<i>R. felipponi</i> (Fowler, 1943)	
<i>R. microlepidogaster</i> (Regan, 1904)	
<i>R. pareiacantha</i> (Fowler, 1943)	
<i>R. thrissoceps</i> (Fowler, 1943)	
<i>Rivulus</i>	70
<i>R. punctatus</i> Boulenger, 1895	
<i>Rhamdella</i>	62
<i>R. aymarae</i> Miquelarena y Menni, 1999	
<i>R. jenynsii</i> (Günther, 1864)	63
<i>Rhamdella</i> sp.	
<i>Rhamdia</i>	63
<i>R. quelen</i> (Quoy y Gaimard, 1824)	
<i>Rhamphichthys</i>	65
<i>R. hahni</i> (Meinken, 1937)	
<i>R. rostratus</i> (Linné, 1766)	
<i>Rhinelepis</i>	49
<i>R. aspera</i> Spix, 1829	
<i>Rhinodoras</i>	55
<i>R. dorbignyi</i> (Krøyer, 1855)	

<i>Roeboides</i>	17
<i>R. bonariensis</i> (Steindachner, 1879)	
<i>R. paranensis</i> Pignalberi, 1975	
<i>R. prognathus</i> (Boulenger, 1895)	
<i>Saccoderma</i>	31
<i>S. hastata</i> (Eigenmann, 1913)	
<i>Salmius</i>	19
<i>S. brasiliensis</i> Cuvier, 1816	
<i>S. hilarii</i> Valenciennes, 1849	
<i>Salmo</i>	67
<i>S. salar</i> Linné, 1758	
<i>S. trutta</i> Linné, 1758	
<i>Salvelinus</i>	67
<i>S. fontinalis</i> (Mitchill, 1814)	
<i>S. namaycush</i> (Walbaum, 1792)	
<i>Schizodon</i>	15
<i>S. borelli</i> (Boulenger, 1900)	
<i>S. nasutus</i> Kner, 1859	
<i>S. platae</i> (Garman, 1890)	
Especie limítrofe <i>S. isognathus</i> Kner, 1858	
<i>Scleronema</i>	38
<i>S. minutum</i> (Boulenger, 1891)	
<i>S. operculatum</i> Eigenmann, 1917	
Especie limítrofe <i>S. angustirostris</i> (Devincenzi, 1942)	
<i>Serrapinnus</i>	30
<i>S. calliurus</i> (Boulenger, 1900)	
<i>S. kriegi</i> (Schindler, 1937)	
<i>S. microdon</i> (Eigenmann, 1915)	
<i>S. notomelas</i> (Eigenmann, 1915)	
<i>S. piaba</i> Lütken, 1874	
<i>Serrasalmus</i>	32
<i>S. marginatus</i> Valenciennes, 1836	
<i>S. rhombeus</i> Linné, 1766	
<i>S. serrulatus</i> (Valenciennes, 1850)	
<i>S. spilopleura</i> Kner, 1858	
<i>Silviniichthys</i>	38
<i>S. mendozensis</i> (Arratia <i>et al.</i> 1978)	
<i>Sorubim</i>	61
<i>S. lima</i> (Bloch y Schneider, 1801)	
<i>Spatuloricaria</i>	48
<i>S. evansii</i> (Boulenger, 1892)	
<i>S. nudiventris</i> (Valenciennes, 1840)	48
<i>Sturisoma</i>	49
<i>S. barbatum</i> (Kner, 1853)	
<i>S. robustum</i> (Regan, 1904)	
<i>Steindachnerina</i>	11
<i>S. biornata</i> (Braga y Azpelicueta, 1987)	
<i>S. brevipinna</i> (Eigenmann y Eigenmann, 1889)	

	<i>S. conspersa</i> (Holmberg, 1891)	
<i>Steindachneridion</i>		61
	<i>S. scripta</i> (Ribeiro, 1918)	
Especie limítrofe	<i>Sorubimichthys</i> Bleeker, 1862	
	<i>S. planiceps</i> (Spix y Agassiz, 1829)	
<i>Sternopygus</i>		66
	<i>S. macrurus</i> (Bloch y Schneider, 1801)	
<i>Synbranchus</i>		73
	<i>S. marmoratus</i> Bloch, 1795	
<i>Tetragonopterus</i>		28
	<i>T. argenteus</i> Cuvier, 1816	
<i>Thoracocharax</i>		17
	<i>T. stellatus</i> (Kner, 1858)	
<i>Tilapia</i>		78
	<i>T. cf. rendalli</i>	
<i>Trachelyopterus</i>		56
	<i>T. albicrux</i> Berg, 1901	
	<i>T. ceratophysus</i> (Kner, 1857)	
	<i>T. cf. galeatus</i>	
	<i>T. striatulus</i> (Steindachner, 1877)	
	<i>T. teaguei</i> Devincenzi, 1942	
<i>Trachydoras</i>		55
	<i>T. paraguayensis</i> (Eigenmann y Ward, 1907)	
<i>Trichomycterus</i>		39
	<i>T. alterus</i> Marini, Nichols y La Monte, 1933	
	<i>T. areolatus</i> Valenciennes, 1846	
	<i>T. barbouri</i> (Eigenmann, 1911)	
	<i>T. belensis</i> Fernández y Vari, 2002	
	<i>T. borelli</i> Boulenger, 1897	
	<i>T. boylei</i> Nichols, 1956	
	<i>T. catamarcensis</i> Fernández y Vari, 2000	
	<i>T. corduvense</i> Weyenbergh, 1877	
	<i>T. davisii</i> Haseman, 1911	40
	<i>T. heterodontum</i> (Eigenmann, 1917)	
	<i>T. johnsoni</i> Fowler, 1932	
	<i>T. ramosus</i> Fernández, 2000	
	<i>T. riojanum</i> (Berg, 1897)	
	<i>T. roigi</i> Arratia y Menu-Marque, 1984	
	<i>T. spegazzinii</i> Berg, 1897	
	<i>T. tenuis</i> (Weyenbergh, 1877)	
<i>Tridentopsis</i>		41
	<i>T. cahuali</i> Azpelicueta, 1990	
	<i>T. pearsoni</i> Myers, 1925	
<i>Trigonectes</i>		70
	<i>T. aplocheiloides</i> Huber, 1995	
	<i>T. balzanii</i> (Perugia, 1891)	
<i>Triportheus</i>		19
	<i>T. paranensis</i> (Günther, 1874)	
Especie limítrofe	<i>T. angulatus</i> (Spix, 1829)	

<i>Watawata</i>	52
<i>W. microstomus</i> (Weber, 1987)	
Especie limítrofe <i>W. roseopunctatus</i> Reis, Weber y Malabarba, 1990	52
<i>Xyliphius</i>	64
<i>X. barbatus</i> Alonso de Arámburu, 1962	
<i>Zungaro</i>	60
<i>Z. zungaro</i> (Humboldt, 1833).	