Influence of Milk, Corn Starch, and Baking Conditions on the Starch Digestibility, Gelatinization, and Fracture Stress of Biscuits

Paula A. Conforti,^{1,2} Diego K. Yamul,² and Cecilia E. Lupano^{2,3}

ABSTRACT

Cereal Chem. 89(4):205–210

Dough for nontraditional semisweet biscuits—prepared with wheat flour or replacing part of the wheat flour with corn starch, with or without skim milk—was baked at two oven temperatures, 120 or 170°C, until reaching moisture content and water activity lower than 6% and 0.5, respectively. Assays of fracture stress, differential scanning calorimetry, X-ray diffraction, and starch digestibility were performed. Results showed that biscuits containing milk had the highest fracture stress, and biscuits baked at low temperature were harder

than biscuits baked at high temperature. The degree of starch gelatinization during baking was higher when dough was baked at 170°C, compared with dough baked at 120°C. The decrease in gelatinization coincides with the decrease in the height and surface of peaks at 15 and 23° in the X-ray diffraction patterns. Milk and corn starch did not affect the starch digestibility of biscuits, but biscuits baked at 170°C presented lower fracture stress and higher starch digestibility than biscuits baked at 120°C.

Biscuits have become a traditional and significant food in many countries because of their taste, long shelf life, and relatively low cost. They are usually thought of as a source of pleasure and energy. The great majority of biscuits are rich in sugar and fat, and they have sometimes been regarded as unhealthy foods (Manley 2000c). However, ingredients and proportions can be varied to obtain more healthy products, for example, through the incorporation of fiber (Artz et al 1990; Vitali et al 2009) or resistant starch (Aparicio-Saguilán et al 2007; Laguna et al 2011) or by replacing sucrose with fiber (Pareyt et al 2011). The addition of milk enhances the nutritional value of these products; also, the protein and lactose contents of milk contribute strongly to the Maillard reaction, which gives attractive golden brown surface coloration to biscuits during baking (Manley 2000b). Corn starch may be used to dilute the biscuit flour; it helps to make the dough less tough and easier to sheet, and it makes the texture of biscuits more delicate (Manley 2000a).

Starch is the largest source of carbohydrates in human food. The physical state of the starch has a major impact on the digestibility; therefore, the processing techniques have an important effect on its nutritive value (Sagum and Arcot 2000; Singh et al 2010). Starch digestibility in the human small intestine can vary from a rapid digestion, in particular for the products of starch hydrolysis, to indigestibility, which is the case in resistant starch. The starch fraction that is resistant to enzyme digestion, or resistant starch, is divided into four types: physically inaccessible starch, entrapped in a cellular matrix (type 1); native, ungelatinized starch (type 2); retrograded starch (type 3) (Sáyago-Ayerdi et al 2005); and chemically modified starch (type 4). Resistant starch is considered by many authors as part of dietary fiber (McCleary and Monaghan 2002). The interest in foods with fiber contents has increased in recent decades, and the importance of this food constituent has led to the development of a large market for fiber source ingredients in products such as bread, snacks, muffins, and cookies (Laguna et al 2011).

When starchy foods are heated in excess water, the crystalline structure of starch is disrupted, followed by swelling and solubilization. This process is called gelatinization. It is well known that

gelatinization is strongly affected by water content (Biliaderis et al 1980); therefore, the water activity or the availability of water during baking is an important factor that determines the extent of starch digestibility through enzymatic hydrolysis (Sagum and Arcot 2000; Singh et al 2010). The other constituents of the food matrix, such as proteins and lipids, play a significant role during processing and also affect the digestibility of the starch (Singh et al 2010). Thus, the gelatinization and digestibility of starch must be studied in different biscuit recipes.

Leon et al (1998) analyzed starch behavior during one baking condition of biscuits prepared with triticale flour, and Laguna et al (2011) studied the effect of replacing part of the wheat flour with a resistant starch-rich ingredient in short-dough biscuits. However, biscuits could contain resistant starch depending on the baking conditions. The aim of the present work was to analyze if the baking conditions affected the degree of gelatinization and digestibility of the starch and the texture of nontraditional semisweet biscuits. To achieve this objective, four formulations with the ratios of sucrose and lipid to flour corresponding to semisweet biscuits but with higher moisture contents (Manley 2000d) were baked under two different conditions of time and temperature. Some of these formulations contained milk, to enhance the nutritional value of these products, or corn starch, which was used to modify the texture of biscuits.

MATERIALS AND METHODS

Materials

The ingredients included wheat flour (ash content less than 0.650, 10.1% protein, 14.7% moisture, a gift of S.A. Miguel Campodónico Ltda., La Plata, Pcia. Buenos Aires, Argentina), corn starch (Maizena, Unilever de Argentina S.A., Buenos Aires), corn oil (Cocinero, Molinos Río de La Plata S.A., Buenos Aires, Argentina), sucrose (Ledesma, Jujuy, Argentina), baking powder (Royal, Kraft Foods, Buenos Aires, Argentina), and skim milk powder (Purísima, S.A. La Sibila, Nogoyá, Entre Ríos, Argentina).

The amylase preparation (porcine pancreatic α -amylase type VI-B, A3176, Sigma Chemical Co., St. Louis, MO) contained approximately 19.6 units/mg of solid. One unit is defined by the manufacturer as releasing 1 mg of maltose per 3 min from starch. All chemicals used were of analytical grade.

Dough Preparation

Four formulations of biscuits with low sucrose and lipid contents were prepared (Table I). The formulations included biscuits prepared with wheat flour (W), wheat flour and skim milk (WM),

¹ Facultad de Ciencias Agrarias y Forestales, UNLP, 60 y 116, 1900 – La Plata, Argentina.

² Centro de Investigación y Desarrollo en Criotecnología de Alimentos (CIDCA), Facultad de Ciencias Exactas, UNLP-CCT La Plata CONICET, 47 y 116, 1900 – La Plata, Argentina.

³ Corresponding author. Phone: +54 221 425 4853. Fax: +54 221 425 4853. E-mail: cel@quimica.unlp.edu.ar

wheat flour and corn starch (WC), and wheat flour, corn starch, and skim milk (WCM). According to the classification of Manley (2000d), these recipes with about 19 units of sugar and about 8 units of lipid to 100 units of flour correspond to semisweet biscuits. But the baking conditions and the final moisture content differed from traditional semisweet biscuits: instead of a baking time of 5–6 min and a final moisture content of 1–2% (Manley 2000d), we used longer baking times, and the moisture content of biscuits was 2.8–5.9% (Table II).

Solid ingredients were mixed with 50 g of tap water during 90 sec at low speed (700 rpm) in a kneading Philips Cucina mixer (Sao Paulo, Brazil). Dough was then put into a polyethylene bag, and 10 g of corn oil was added. The dough was manually mixed in the bag and left for 10 min at room temperature. The dough was then laminated ten times in a Pastafácil roller laminator (Buenos Aires, Argentina), reaching a thickness of 0.6 cm, and left at room temperature for 15 min in a polypropylene bag. After this time, the sheet of dough was punctured. Rectangles of dough (2.5 × 5 cm) were placed on a silicon film and baked in an oven (F9M, Ariston, Fabriano, Italy) at 120 or 170°C with forced convection for different lengths of time (Table III) to achieve a final moisture content lower than 6% and a water activity lower than 0.5. The temperatures of the oven and the dough rectangles during baking were registered by means of thermocouples. Table III shows the baking time and the temperatures of the oven and center of the dough for each formulation and baking condition. As expected, the baking time at 170°C was lower than the baking time at 120°C.

Moisture Content of Biscuits

The moisture content was estimated through weight loss after heating the sample in an oven at 105°C (AOAC 1984).

Water Activity of Biscuits

The water activity of biscuits was determined at 25°C with an AquaLab Series 3 TE device (Decagon Devices, Pullman, Wash-

ington). Following this technique, the sample was placed in a sample cup. When the water activity of the sample and the relative humidity of the air were in equilibrium, the measurement of the headspace humidity gave the water activity of the sample.

Texture of Biscuits

The width and thickness of biscuits were measured with a vernier caliper, and their fracture properties were studied by a three-point bending test performed 24 hr after baking. This test was carried out at room temperature with a TA.XT2i texture analyzer (Stable Micro Systems, Godalming, U.K.). Span length was 1.8 cm, and compression speed was set at 0.1 mm/sec. The biscuits were placed on supports with the top surface down. Two series of each type of biscuit (four or five pieces each) were analyzed, and the fracture stress (σ) was calculated as follows:

$$\sigma = \frac{3FL}{2db^2} \quad (1)$$

where F is the force (N), L is the distance between supports (m), d is the width of the test piece (m), and b is the thickness of the test piece (m) (Baltsavias et al 1997).

Differential Scanning Calorimetry

A differential scanning calorimeter (DSC Q100, Thermal Analysis Instruments, New Castle, DE) calibrated with indium was used. Samples of 4.1–7.8 mg of freeze-dried dough and different parts of biscuits (obtained by scraping different parts of biscuits with a cutter, taking into account the color differences between bottom, center, and surface) were placed into aluminum DSC hermetic pans, and distilled water was added to achieve a starch-to-water ratio of about 1:3. An empty pan was used as reference.

TABLE I
Biscuit Formulations^a

Ingredients	W	WM	WC	WCM
Wheat flour, g (%)	130 (60.1)	130 (55.0)	70 (32.4)	70 (29.6)
Skim milk powder, g (%)	0 (0.0)	20 (8.5)	0 (0.0)	20 (8.5)
Corn starch, g (%)	0 (0.0)	0 (0.0)	60 (27.7)	60 (25.4)
Sucrose, g (%)	25 (11.6)	25 (10.6)	25 (11.6)	25 (10.6)
Corn oil, g (%)	10 (4.6)	10 (4.1)	10 (4.6)	10 (4.1)
Water, g (%)	50 (23.1)	50 (21.2)	50 (23.1)	50 (21.2)
Baking powder, g (%)	1.3 (0.6)	1.3 (0.6)	1.3 (0.6)	1.3 (0.6)

^a W = biscuits prepared with wheat flour; WM = biscuits prepared with wheat flour and skim milk; WC = biscuits prepared with wheat flour and corn starch; and WCM = biscuits prepared with wheat flour, corn starch, and skim milk. All ingredients are expressed in grams (g) and in percentages of wet weight (%).

TABLE III
Baking Time and Temperature for Each Formulation and Baking Condition, and Time at Which the Center of the Biscuits Remained at the Highest Temperature Range^a

Formulation	Baking Time (min)	Baking Temp. (°C)	Dough Center	
			Temp. Range (°C)	Time at Temp. Range (min)
W	100	120	101–110	87
	20	170	135–150	13
WM	90	120	108–118	74
	18	170	150–160	13
WC	80	120	110–120	65
	15	170	140–170	11
WCM	80	120	110–120	65
	15	170	110–170	13

^a W = biscuits prepared with wheat flour; WM = biscuits prepared with wheat flour and skim milk; WC = biscuits prepared with wheat flour and corn starch; and WCM = biscuits prepared with wheat flour, corn starch, and skim milk.

TABLE II
Moisture Content, Water Activity, Thickness, Force, and Fracture Stress of Biscuits^a

Formulation	Baking Temp. (°C)	Moisture Content (%)	Water Activity	Thickness (cm)	Force (N)	Fracture Stress (kN/m ²)
W	120	4.9c	0.41b	0.67c	89.8c	2,137.8c
	170	5.9d	0.31ab	0.63bc	14.3a	379.6a
WM	120	4.0b	0.30ab	0.53a	86.4c	3,348.0d
	170	5.1cd	0.28ab	0.58ab	20.6a	665.2ab
WC	120	3.4ab	0.21a	0.55a	30.4a	1,265.1b
	170	2.8a	0.23a	0.57ab	15.4a	470.7a
WCM	120	5.4cd	0.37ab	0.59ab	55.3b	2,068.1c
	170	5.4cd	0.40b	0.55a	22.4a	934.9ab

^a W = biscuits prepared with wheat flour; WM = biscuits prepared with wheat flour and skim milk; WC = biscuits prepared with wheat flour and corn starch; and WCM = biscuits prepared with wheat flour, corn starch, and skim milk. Values followed by the same letter are not significantly different ($\alpha < 0.05$).

Sample and reference were heated between 20 and 120°C at a heating rate of 10°C/min. The peak temperature (T_p) and the enthalpy of gelatinization (ΔH) were computed from the endothermic peaks. The degree of gelatinization during baking was estimated as $100 \times (\Delta H_{\text{dough}} - \Delta H_{\text{biscuit}}) / \Delta H_{\text{dough}}$, where ΔH_{dough} is the enthalpy of gelatinization of all the starch of each dough and $\Delta H_{\text{biscuit}}$ is the enthalpy of gelatinization of the starch that did not gelatinize during baking. Determinations were performed at least in duplicate. Enthalpies were calculated on a dry basis and expressed as joules per gram of starch.

X-ray Diffraction

X-ray diffractograms of wheat flour or wheat flour–corn starch mixture, freeze-dried dough, and whole biscuits milled in a mortar to pass through a 0.5 mm sieve (W, WM, WC, and WCM, baked at 120 or 170°C) were obtained with an X'Pert PANalytical diffractometer (Almelo, The Netherlands) operating at 40 kV and 40 mA with copper radiation. The samples were scanned through a 2θ (diffraction angle) range of 2–60° at 0.02°/sec.

In Vitro Starch Digestibility

In vitro digestibility of starch was determined in whole biscuits. White bread crumbs were used as the reference (van der Merwe et al 2001). Samples of biscuits were milled in a mortar to pass through a 0.5 mm sieve. The digestibility was determined with pancreatic α -amylase type VI-B from porcine pancreas, according to the method described by Singh et al (1982) with some modifications (Conforti and Lupano 2008): about 30 mg of milled biscuits was weighed in four glass tubes, three for the reaction and one for the blank. The samples were dispersed in 5 mL of 0.2M phosphate buffer, pH 6.9, and 0.5 mL of pancreatic α -amylase (5.9 mg/mL, 57.8 IU) was added only to the three reaction tubes. The suspension was incubated at 37°C and was mixed for 10 sec with vortex every 30 min for 120 min. After this time, tubes were placed in a boiling water bath for 5 min to inactivate the enzyme completely. Aliquots of 0.15 mL were removed from each tube, and the released maltooligosaccharides were determined with 3,5-dinitrosalicylic acid. Maltose was used as a standard. Results were expressed as percent of maltose per milligram of dry sample with respect to the same measure for dry white bread. Determinations were performed twice in triplicate.

TABLE IV
Peak Temperature (T_p) and Enthalpy of Gelatinization (ΔH)
of Wheat Starch Corresponding to Dough and Biscuits Prepared
Without or With Skim Milk and Baked at 120 or 170°C^a

Formulation	Temp. (°C)	Dough or Part of Biscuit	T_p (°C)	ΔH (J/g of starch) ^b	G (%)
W	120	Dough	66.2	8.5	...
		Surface	66.5a	6.3bc	26ab
		Center	77.9c	1.3a	85c
	170	Base	70.2ab	6.3bc	26ab
		Surface	70.9b	4.8b	44b
		Center	77.8c	0.4a	95c
WM	120	Base	72.3b	2.9ab	66bc
		Dough	67.3	9.2	...
		Surface	68.2a	8.3c	10a
	170	Center	73.3b	6.7bc	27ab
		Base	69.0ab	7.3bc	21ab
		Surface	68.3a	6.3bc	32ab
		Center	74.2bc	0.7a	82c
		Base	72.8b	2.8ab	70bc

^a Distilled water was added to achieve a starch-to-water ratio of 1:3 in the differential scanning calorimetry assays. W = biscuits prepared with wheat flour; WM = biscuits prepared with wheat flour and skim milk; and G = degree of gelatinization during baking, estimated as $100 \times (\Delta H_{\text{dough}} - \Delta H_{\text{biscuit}}) / \Delta H_{\text{dough}}$. Values followed by the same letter are not significantly different ($\alpha < 0.05$).

^b Dry basis.

Statistics

An analysis of variance of the data was performed using Systat statistical software (Chicago, IL). A least significant difference test with a confidence interval of 95% was used to compare the means.

RESULTS AND DISCUSSION

Baking

Table III shows the time of baking and the temperature of the center of the biscuit during baking for the different formulations. As expected, the temperature of the center of the biscuit was lower than the oven temperature, showing a temperature gradient between the surface and the center of the sample. During biscuit baking, there was a removal of water by thermal means, which involved a transfer of heat and mass (Van Arsdel 1963). The presence of corn starch increased the maximum temperature of the center of the baking biscuit and decreased the baking time. This can be explained by taking into account that gluten proteins absorb two units of water per unit of protein, whereas starch absorbs only 0.33 units of water per unit of starch (Manley 2000e). Thus, the dough in which part of the wheat flour was replaced by corn starch could lose water more rapidly and reached higher temperatures than dough prepared only with wheat flour.

Fracture Stress of Biscuits

The fracture stress of biscuits depended on the amount of wheat flour and milk and on the temperature of the oven during baking ($P < 0.05$). The biscuits with a low level of wheat flour had 46% corn starch, which could interfere with the gluten structure, producing more crumbly biscuits with lower fracture stress. The presence of milk or corn starch resulted in thinner biscuits. The force to break the biscuits in most cases did not change with the presence of milk (Table II), but because biscuits containing milk were thinner, the fracture stress was higher in these biscuits. On the other hand, when part of the wheat flour was replaced by corn starch, both the force and the fracture stress decreased in biscuits baked at 120°C. The temperature of the oven during baking presented the main effect on the fracture stress. Biscuits baked at 120°C were harder than biscuits baked at 170°C, but this effect could be counteracted by the addition of corn starch (Table II).

DSC

DSC measurements were performed to evaluate the degree of starch gelatinization during baking. The thermograms of biscuits and freeze-dried dough prepared with wheat flour (W and WM) in excess water showed a single endotherm, corresponding to the gelatinization of the starch (data not shown). T_p for the gelatinization of wheat starch for freeze-dried dough was 66.2°C when prepared without skim milk and 67.3°C when prepared with it (Table IV). The gelatinization temperature of wheat starch in excess water has been reported as 58.0°C for isolated starch (Tester and Morrison 1990), 61.7°C for wheat flour (Zamponi et al 1990), and 65.2–67.3°C for semisweet biscuits (Mamat et al 2010). Many food components that limit water availability, such as sucrose, shift the endotherm to higher temperatures (Lupano and González 1999; Chevallier et al 2000; Mamat et al 2010), which would explain the higher gelatinization temperature observed in Table IV. The addition of skim milk did not show a definite behavior.

The thermograms of freeze-dried dough with excess water, in which part of the wheat flour was replaced by corn starch (WC and WCM), showed two peaks (data not shown): the first one (T_{p1}) at 66.4°C was attributed to the gelatinization of wheat starch, and the second one (T_{p2}) at 75.7°C was attributed to the gelatinization of corn starch (Table V). The dough containing skim milk presented peak temperatures of 65.6 and 75.4°C for T_{p1} and T_{p2} , respectively. T_{p2} was about 6°C higher than the value

reported in the literature (about 71°C) (Tester and Morrison 1990; Liu et al 2006; Chung et al 2009). As in the case of samples without corn starch, this difference could be attributed to the presence of sucrose.

The values estimated from the endotherms of gelatinization corresponding to the starch that did not gelatinize during baking are shown in Tables IV and V. Pareyt et al (2009) found that sucrose, together with low moisture levels, raises the starch gelatinization temperature to such an extent that little if any of it gelatinizes during baking, and starch does not gelatinize during baking of cookie dough with 21.9% sucrose and 15.0% moisture. The recipes used in the present work presented lower sucrose content (12% or less) and higher moisture content (21% or more). Under these conditions, part of the starch gelatinized during baking. When rectangles of dough were heated in the oven, the surface experienced dehydration and reached the oven temperature after a certain time. The base of the rectangles also reached the oven temperature, but it was expected that dehydration was lower in the base when compared with the surface, because the forced convection facilitated the water evaporation on the surface, whereas the silicon film and baking plate formed a barrier to the water evaporation at the base. The center of the rectangles remained at the oven temperature for a shorter period of time than the base and the surface of the biscuit, but with a higher moisture content. The results for the degree of gelatinization during baking (G) shown in Tables IV and V indicated that the surface and the base of the dough had low moisture contents, which did not allow a complete gelatinization of the starch, even when they reached the gelatinization temperature; as expected, the degree of gelatinization of the starch during baking was higher in the base when compared with the surface. The highest degree of gelatinization during baking took place in the center of the biscuit. This fact can be explained by taking into account that the center of the biscuits remained at higher moisture content for a longer time. However, these conditions were not enough to gelatinize the starch completely. Significant differences ($P < 0.05$) were found in the enthalpy of gelatinization of starch (ΔH and ΔH_T), T_p , T_{p2} , and G when comparing different parts of the biscuits. A shift in the gelatinization temperature of the starch that remained ungelatinized after baking was observed, mainly at the center of the biscuits. The gelatinization temperature in most cases was lower at the surface, intermediate at the base, and higher in the center of the biscuit (Tables IV and V). This increase can be explained by the heat-moisture treatment that occurs during biscuit baking. The gelatinization temperature is related to the degree of perfection of

the crystalline zones within the starch granules. When starch granules suffer a heat treatment below the gelatinization temperature with moisture contents below 35% water (w/w), the gelatinization temperature increases (Jacobs and Delcour 1998; Laguna et al 2011).

The effect of baking temperature on starch gelatinization can be observed in Tables IV and V. The comparison of the enthalpies per gram of dried starch reflected a decrease in the values of the biscuits with respect to the corresponding dough. The decrease in the ΔH values, which reflects the degree of starch gelatinization during baking, was markedly higher in the dough baked at 170°C compared with dough baked at 120°C. This is probably because the dough heated at 120°C could suffer considerable dehydration before reaching the gelatinization temperature. Significant differences ($P < 0.05$) were found in ΔH , ΔH_2 , ΔH_T , T_p , T_{p2} , and G when comparing different baking temperatures (Tables IV and V). The structure of the biscuits baked at the higher temperature was fixed more rapidly, and the moisture was retained longer inside them, allowing a greater degree of starch gelatinization, which could contribute to the difference observed in the fracture stress. T_p and ΔH of wheat starch (T_{p1} and ΔH_1) in samples of different parts of biscuits prepared with wheat flour and corn starch presented lower values than the corresponding dough, and in some cases both parameters were not detected (Table V). It is possible that the decrease of the first peak resulted not only from gelatinization of the wheat starch during baking but also from the shift of this peak to higher temperatures, as was observed in samples without corn starch (Table IV). When the first peak shifted to higher temperatures, it was superposed on the second peak, producing an increase of ΔH_2 , as was observed in some cases (Table V).

X-ray Diffractometry

To corroborate the results obtained by DSC, X-ray diffractometry of whole samples was performed. Patterns I and II (Figs. 1 and 2) show the X-ray diffraction of wheat flour and dough, respectively. The patterns were compatible with the A type, which is characteristic of cereal starches (Vasanthan and Bhatt 1996), with a doublet at 17 and 18° and strong peaks at 15 and 23°. A minor peak at 20° was also observed, which can be because of a small amount of V-type structure. This V-type structure was attributed to the formation of a complex between fatty acids and amylose (Zobel 1964; Shama et al 2003).

Patterns III and IV (Figs. 1 and 2) correspond to whole biscuits baked at 120 and 170°C, respectively. A decrease, even a lack, in

TABLE V
Peak Temperature and Enthalpy of Gelatinization of Wheat Starch (T_{p1} and ΔH_1) and Corn Starch (T_{p2} and ΔH_2) and Total Enthalpy of Gelatinization (ΔH_T) Corresponding to Dough and Biscuits Prepared with Wheat Flour and Corn Starch Without or With Skim Milk^a

Formulation	Temperature (°C)	Dough or Part of Biscuit	T_{p1} (°C)	T_{p2} (°C)	ΔH_1 (J/g of starch) ^b	ΔH_2 (J/g of starch) ^b	ΔH_T (J/g of starch) ^b	G (%)
WC	...	Dough	66.4	75.7	5.7	8.3	7.1	...
		Surface	64.9a	75.0a	1.5a	9.4c	5.8bc	18b
		Center	67.2a	78.5c	0.3a	9.7c	5.5bc	23b
		Base	65.6a	75.2a	2.4ab	10.7c	7.0c	2a
	170	Surface	65.5a	74.7a	2.3ab	9.3c	6.2bc	13ab
		Center	nd	81.6d	nd	4.8a	2.6a	63d
		Base	66.9a	77.0b	0.9a	7.6b	4.6b	35b
		Base	66.9a	77.0b	0.9a	7.6b	4.6b	35b
WCM	...	Dough	65.6	75.4	6.9	11.0	9.2	...
		Surface	66.3a	75.2a	3.7b	10.2c	7.3c	21b
		Center	65.4a	79.2c	0.3a	8.0bc	4.6b	50cd
		Base	nd	75.3a	nd	11.4c	6.3bc	32b
	170	Surface	66.5a	75.8a	2.2ab	7.6b	5.2b	43c
		Center	nd	80.5d	nd	5.0a	2.8a	70d
		Base	nd	77.4b	nd	6.4a	3.5ab	62d
		Base	nd	77.4b	nd	6.4a	3.5ab	62d

^a WC = biscuits prepared with wheat flour and corn starch; WCM = biscuits prepared with wheat flour, corn starch, and skim milk; nd = not detected; and G = degree of gelatinization during baking, estimated as $100 \times (\Delta H_{T \text{ dough}} - \Delta H_{T \text{ biscuit}}) / \Delta H_{T \text{ dough}}$. Values followed by the same letter are not significantly different ($\alpha < 0.05$).

^b Dry basis.

the peak intensity can be observed, mainly in peaks at 15 and 23°, indicating a decrease in the relative crystallinity, with an increase in the amorphous region. These results are in agreement with those found by Mamat et al (2010) in commercial semisweet biscuits. At the same time, the peak at 20° increased, which may be attributed to the formation of a complex between lipids and amylose during baking. At least 90% of the lipids from wheat starch are lysophospholipids, which may occur as inclusion complexes inside the helical segments of amylose (Jovanovich et al 1992). Zobel et al (1988) found that when corn starch was heated, even at low moisture content (1 hr at 175°C with 10 or 16% moisture), a V-type structure began to appear prior to gelatinization, with retention of A structure.

Gelatinization causes starch granules to lose their crystallinity. The peak intensities of the semisweet biscuits showed that starch granules were not completely gelatinized, that is, they retained some crystallinity. These effects were more important in dough baked at 120°C, in accordance with DSC results.

Starch Digestibility and Stress Fracture of Biscuits

The temperature of the oven had the major effect on starch digestibility (Fig. 3). Clearly, biscuits baked at higher temperature presented higher starch digestibility, which correlated with the results of DSC and X-ray diffractometry discussed earlier. At the low oven temperature, the dough could suffer considerable dehydration before reaching the gelatinization temperature and, thus, only a small percentage of starch gelatinized. As a consequence, starch was less available for enzymatic attack. The presence of milk and the amount of wheat flour were not significant ($P > 0.05$) on the starch digestibility, that is, biscuits with or without milk, prepared only with wheat flour or by replacing part of wheat flour by corn starch, presented the same starch digestibility.

CONCLUSIONS

The presence of milk resulted in thinner biscuits and, as a consequence, ones with higher fracture stress. Biscuits in which part of the wheat flour was replaced by corn starch had lower fracture stress than biscuits with only wheat flour.

Neither milk nor corn starch affected the starch digestibility of biscuits, but it was possible to modify the texture and starch di-

gestibility of biscuits with the same dough formulation by varying the baking conditions. The biscuits baked at low temperature were harder than the biscuits baked at high temperature, but this effect could be counteracted by the addition of corn starch. The degree of starch gelatinization and digestibility was higher in biscuits baked at higher temperatures. The biscuits baked at higher temperature retained more moisture inside them, allowing a greater degree of starch gelatinization, which could contribute to the differences observed in the fracture stress.

ACKNOWLEDGMENTS

This investigation was supported by a grant from the Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET, PIP No. 1643). Authors are members of the researcher career of the CONICET.

Fig. 2. X-ray diffraction patterns of flour-corn starch mixture, dough, and biscuits prepared with wheat flour and corn starch without (WC) or with skim milk (WCM). I = flour-corn starch mixture; II = freeze-dried dough; III = biscuits baked at 120°C; and IV = biscuits baked at 170°C. The diffraction patterns have been offset for clarity.

Fig. 1. X-ray diffraction patterns of flour, dough, and biscuits prepared with wheat flour without (W) or with skim milk (WM). I = flour; II = freeze-dried dough; III = biscuits baked at 120°C; and IV = biscuits baked at 170°C. The diffraction patterns have been offset for clarity.

Fig. 3. In vitro starch digestibility of biscuits, expressed as $100 \times [(\text{mg of maltose}/100 \text{ mg of dry sample})/(\text{mg of maltose}/100 \text{ mg of dry white bread})]$. Open bars indicate biscuits baked at 120°C; solid bars indicate biscuits baked at 170°C. (Least significant difference at 0.05 level = 10.0.) W = biscuits prepared with wheat flour; WM = biscuits prepared with wheat flour and skim milk; WC = biscuits prepared with wheat flour and corn starch; and WCM = biscuits prepared with wheat flour, corn starch, and skim milk.

LITERATURE CITED

- Aparicio-Saguián, A., Sáyo-Ayerdi, S. G., Vargas-Torres, A., Tovar, J., Ascencio-Otero, T. E., and Bello-Pérez, L. A. 2007. Slowly digestible cookies prepared from resistant starch-rich lintnerized banana starch. *J. Food Comp. Anal.* 20:175-181.
- AOAC. 1984. Official Methods of Analysis, 14th Ed. Association of Official Analytical Chemists: Washington, DC.
- Artz, W. E., Warren, C. C., Mohring, A. E., and Villota, R. 1990. Incorporation of corn fiber into sugar snap cookies. *Cereal Chem.* 67:303-305.
- Baltsavias, A., Jurgens, A., and van Vliet, T. 1997. Factors affecting fracture properties of short-dough biscuits. *J. Texture Stud.* 28:205-219.
- Biliaderis, C. G., Maurice, T. J., and Vose, J. R. 1980. Starch gelatinization phenomena studied by differential scanning calorimetry. *J. Food Sci.* 45:1669-1674.
- Chevallier, S., Colonna, P., Della Valle, G., and Lourdin, D. 2000. Contribution of major ingredients during baking of biscuit dough systems. *J. Cereal Sci.* 31:241-252.
- Chung, H. J., Hoover, R., and Liu, Q. 2009. The impact of single and dual hydrothermal modifications on the molecular structure and physicochemical properties of normal corn starch. *Int. J. Biol. Macromol.* 44:203-210.
- Conforti, P. A., and Lupano, C. E. 2008. Comparative study of the starch digestibility of *Araucaria angustifolia* and *Araucaria araucana* seed flour. *Starch/Stärke* 60:192-198.
- Jacobs, H., and Delcour, J. A. 1998. Hydrothermal modifications of granular starch, with retention of the granular structure: A review. *J. Agric. Food Chem.* 46:2895-2905.
- Jovanovich, G., Zamponi, R. A., Lupano, C. E., and Añón, M. C. 1992. Effect of water content on the formation and dissociation of the amylose-lipid complex in wheat flour. *J. Agric. Food Chem.* 40:1789-1793.
- Laguna, L., Salvador, A., Sanz, T., and Fiszman, S. M. 2011. Performance of a resistant starch rich ingredient in the baking and eating quality of short-dough biscuits. *LWT—Food Sci. Technol.* 44:737-746.
- Leon, A. E., Jovanovich, G., and Añón, M. C. 1998. Gelatinization profiles of tritcale starch in cookies as influenced by moisture and solutes. *Cereal Chem.* 75:617-623.
- Liu, H., Yu, L., Xie, F., and Chen, L. 2006. Gelatinization of corn starch with different amylose/amylopectin content. *Carbohydr. Polym.* 65:357-363.
- Lupano, C. E., and González, S. 1999. Gelation of whey protein concentrate—cassava starch in acidic conditions. *J. Agric. Food Chem.* 47:918-923.
- Mamat, H., Abu Hardan, M. O., and Hill, S. E. 2010. Physicochemical properties of commercial semi-sweet biscuit. *Food Chem.* 121:1029-1038.
- Manley, D. 2000a. Meals, grits, flours and starches (other than wheat). Pages 104-111 in: *Technology of Biscuits, Crackers and Cookies*, 3rd Ed. Woodhead Publishing Limited: Cambridge, U.K.
- Manley, D. 2000b. Milk products and egg. Pages 161-168 in: *Technology of Biscuits, Crackers and Cookies*, 3rd Ed. Woodhead Publishing Limited: Cambridge, U.K.
- Manley, D. 2000c. Position of biscuits in nutrition. Pages 307-313 in: *Technology of Biscuits, Crackers and Cookies*, 3rd Ed. Woodhead Publishing Limited: Cambridge, U.K.
- Manley, D. 2000d. Types of biscuits. Pages 221-228 in: *Technology of Biscuits, Crackers and Cookies*, 3rd Ed. Woodhead Publishing Limited: Cambridge, U.K.
- Manley, D. 2000e. Wheat flour and vital wheat gluten. Pages 81-103 in: *Technology of Biscuits, Crackers and Cookies*, 3rd Ed. Woodhead Publishing Limited: Cambridge, U.K.
- McCleary, B. V., and Monaghan, D. A. 2002. Measurement of resistant starch. *J. AOAC Int.* 85:665-675.
- Pareyt, B., Brijs, K., and Delcour, J. A. 2009. Sugar-snap cookie dough setting: The impact of sucrose on gluten functionality. *J. Agric. Food Chem.* 57:7814-7818.
- Pareyt, B., Goovaerts, M., Broekaert, W. F., and Delcour, J. A. 2011. Arabinoxylan oligosaccharides (AXOS) as a potential sucrose replacer in sugar-snap cookies. *LWT—Food Sci. Technol.* 44:725-728.
- Sagum, R., and Arcot, J. 2000. Effect of domestic processing methods on the starch, non-starch polysaccharides and in vitro starch and protein digestibility of three varieties of rice with varying levels of amylose. *Food Chem.* 70:107-111.
- Sáyo-Ayerdi, S. G., Tovar, J., Osorio-Díaz, P., Paredes-López, O., and Bello-Pérez, L. A. 2005. In vitro starch digestibility and predicted glycemic index of corn tortilla, black beans, and tortilla-bean mixture: Effect of cold storage. *J. Agric. Food Chem.* 53:1281-1285.
- Shamai, K., Bianco-Peled, H., and Simoni, E. 2003. Polymorphism of resistant starch type III. *Carbohydr. Polym.* 54:363-369.
- Singh, J., Dartois, A., and Kaur, L. 2010. Starch digestibility in food matrix: A review. *Trends Food Sci. Technol.* 21:168-180.
- Singh, U., Kherdekar, M. S., and Jambunathan, R. 1982. Studies on Desi and Kabuli chickpea (*Cicer arietinum* L.) cultivars: The levels of amylase inhibitors, levels of oligosaccharides and in vitro starch digestibility. *J. Food Sci.* 47:510-512.
- Tester, R. F., and Morrison, W. R. 1990. Swelling and gelatinization of cereal starches. I. Effects of amylopectin, amylose, and lipids. *Cereal Chem.* 67:551-557.
- Van Arsdel, W. B. 1963. Phenomena of heat and mass transfer. Pages 37-65 in: *Food Dehydration, Vol. 1: Principles*. W. B. Van Arsdel and M. J. Copley, eds. Avi: Westport, CT.
- van der Merwe, B., Erasmus, C., and Taylor, J. R. N. 2001. African maize porridge: A food with slow in vitro starch digestibility. *Food Chem.* 72:347-353.
- Vasanthan, T., and Bhatt, R. S. 1996. Physicochemical properties of small- and large-granule starches of waxy, regular, and high-amylose barleys. *Cereal Chem.* 73:199-207.
- Vitali, D., Vedralina Dragojević, I., and Šebečić, B. 2009. Effects of incorporation of integral raw materials and dietary fibre on the selected nutritional and functional properties of biscuits. *Food Chem.* 114:1462-1469.
- Zamponi, R. A., Giner, S. A., Lupano, C. E., and Añón, M. C. 1990. Effect of heat on thermal and functional properties of wheat. *J. Cereal Sci.* 12:279-287.
- Zobel, H. F. 1964. X-ray analysis of starch granules. Pages 109-113 in: *Methods in Carbohydrate Chemistry*. R. L. Whistler, ed. Academic Press: Orlando, FL.
- Zobel, H. F., Young, S. N., and Rocca, L. A. 1988. Starch gelatinization: An X-ray diffraction study. *Cereal Chem.* 65:443-446.

[Received November 18, 2011. Accepted May 11, 2012.]